The Registration process is only as good as the people who register their plants, and the quality of the information that they provide. I want to thank all who have taken the time to make this an informative and educational effort. There are 133 new registrations for 2006. There are now a total of 3648 registered hostas. As the comprehensive index has become longer than the yearly registrations we are moving to publish the index every third year. Your are reminded that last year's comprehensive index includes all but this year's registrations, we will also maintain a complete index on the Registrar's Web site between hardcopy versions. Under the *International Code of Nomenclature for Cultivated Plants* (ICNCP), registrations are established when printed in a publication that reaches the general public. Thus, although these, and other names may appear elsewhere, especially if found in electronic media, they may not be established. (See also, **Plant Breeder's Rights and Establishment** below.)

The simplified registration form (included at the end of this publication) was introduced in June of 1998. Part of the simplification was to give registrants the option to place their cultivar in a more general category rather than give the specific dimensions. These categories (miniature, small, med., large, and giant) are somewhat arbitrary. Thus, if possible, please provide actual measurements as this will prove more informative to those who read these pages. Please try to provide as much information as possible.

Under parentage information (found within the brackets at the end of each cultivar entry) the category of "parentage unknown" was added in 1997. As is consistent with the registrar's policy of attempting to provide the most informative descriptions, I considered adding a category this year. I did not, but request registrant's be more informative in the future where the parentage information submitted provides no guidance as to the parentage, such as [seedling × seedling] or [sport of stabilized seedling of unknown parents]. This does not imply anything regarding the validity of information submitted by the registrant, only that the description as registered adds nothing to the genetic, or parentage knowledge base. Parentage information published with registrations is intended to be "known parentage" as opposed to guesses, educated or otherwise. The abbreviation "TC" is used to indicate "tissue culture."


In reviewing this year's submissions, I have become conscious that one of the more confusing sections to fill out is regarding the "origin" of the cultivar being registered. Many persons who have listed themselves as the originator, are also indicating that the seedling or sport that was used for measurement purposes to complete the registration was obtained from the originator. If you are the originator you did not obtain the plant from anyone, or you are not the originator. On the other hand if you have received the sport from TC and the plant being TCed was not yours, then you may not be the originator. Think this section through when filling out the form, simple logic should help you with the answer. Please, if you have any questions regarding any part of the form do not hesitate to e-mail me with your questions.

In registering hostas, classifying them for Hosta Shows and for those entering and judging them, I am finding that there are several problems with the determination of the margin colors, as well as the base color descriptions, that are submitted by the person registering the hosta, especially if the registrant is looking at yellowish green, greenish yellow, creamy yellow, or other similar compound color descriptions. To elaborate: 1) registrants most often have no reference chart to consult (i.e., what is the difference between greenish yellow and yellowish green) and 2) the margin color may change rather rapidly and it depends at what time they make their observations. If the greenish is very early and lasts only a couple of weeks, then turns to cream, then we should register it as white, if it turns to yellow, then yellow, or if to chartreuse, then green. In an effort to ease this dilemma, we will be providing at the Registrar's Web site a series of sample charts (coming soon), with codes to assess the accuracy of other codes, or of your computer/printer color indicators and to improve your registration information. More detailed RGB or Hex # color charts may be found at various Web sites, or by ordering the Royal Horticultural Society Colour Chart.

Brief Key to Descriptions: ONIR: O=originator, N=nominant (namer), I=introducer, R=registrant.

Flowers: Bloom periods are given in either start - peak - finish format or a more general period format. The general periods are as follows: Very early period: before June 1, average period: June 1 - July 15, summer period: July 15 to August 15, late period: August 15 to October 1, very late period: after October 1;

Bloom Period Codes: Ties the flowering of the cultivar to a "species scale". The registrant has provided the number code from the scale below for the start - peak - finish of the flowering period.



Forms: Registration forms are available from the registrar, or may be obtained on the Internet at: http://www.hosta.org/at: http://hostalibrary.org/ or from the Registrar's website www.hostaregistrar.org.

Plant Patents, Plant Breeder's Rights and Establishment: Principle 5 of the ICNCP states:

"This *Code* regulates the terminology to be used for distinguishable group of plants in cultivation and the names to be applied to individual distinguishable groups."

"Under some national and international legislation such as that providing for National Listing or Plant Breeders' Rights (Plant Variety Rights), names may be established for distinguishable groups of plants using terminology peculiar to such legislation. This *Code* does not regulate the use of such terminology or the formation of such names but recognizes that, under such legislation, these names take precedence over names formed under the provisions of this *Code*."

Article 28.2 of the *Code*: "the name of a cultivar accepted and published by a statutory plant registration authority, even if using alternative terminology must not be rejected under the provisions of this *Code*."

In keeping with this principle, included on page 21 is a table of hostas that have been processed under one of these pieces of legislation. The table also indicates which have already been registered. Those which have not been registered have been established and thus, those names although, not registered, are not available for use by any other person. Of note, of the 59 cultivars granted these other protections, 47 are already registered, thus most still feel the registration process is as valuable as the legal protections afforded by certain jurisdictions.

Thanks: The editing of W. George Schmid, Mark Zilis, C.H. Falstad, III and Warren Pollock is acknowledged and greatly appreciated.

Kevin P. Walek, International Registrar for the Genus *Hosta* 9122 John Way
Fairfax Station, VA 22039-3042
703-798-5501
AHSRegistrar@aol.com

Corrections: 2003 Registration: *H*. 'Holy Molé' This name was registered incorrectly. It should have been registered as *H*. 'Holy Mole' without the accent mark over the "e" in Mole.

2004 Registration: *H.* 'Five O'Clock Somewhere' This clump size was registered incorrectly as 20 in. (51 cm) diameter, 32 in. (61 cm) high. It should be 32 in. (81.3 cm) diameter, 20 in. (50.8 cm) high,

H. 'Academy Aureate Piffle' S. Chamberlain (ONIR)

Plant: 35 in. (88.9 cm) diameter; 16 in. (40.6 cm) high; upright; med. growth rate.

Leaf: 10 in. (25.4 cm) long; 8.5 in. (21.6 cm) wide; 14 vein prs; golden yellow; slightly rippled margin; slightly shiny on top; glaucous bloom underneath; broadly ovate, cordate base; lightly corrugated, moderately flat; greenish yellow petiole.

Scape: 40 to 47 in. (101.6 to 119.4 cm) long; light green w/inflorescence leaves.

Flower: 2.25 in (5.7 cm) long; pale lavender; med. lavender striped; tubular; Manlius, NY; 6/15-7/25-7/30.

Seed: sets seeds viability is unknown; med. green seed pod. **Clump History:** original seedling; 9 yrs old; Manlius, NY. **Notable Characteristics:** upright gold hosta w/tall scapes. [H. 'King Tut'× unknown]

Seasonal Variation: lutescent

H. 'Academy Brobdingnagian Viridity' S. Chamberlain (ONIR) Plant: 84 in. (213.4 cm) diameter; 36 in. (91.4 cm) high; upright; med. growth rate.

Leaf: 15.5 in. (39.4 cm) long; 9 in. (22.9 cm) wide; 14 vein prs; med. green; slightly rippled; dull on top; glaucous bloom underneath; ovate; cordate base; lightly wavy; lightly corrugated; med. green petiole.

Scape: 35 to 53 in. (88.9 to 134.6 cm) long; med. green. Flower: 2.25 in. (5.7 cm) long; near white; tubular; Manlius,

NY; 6/20-7/15-7/23.

Seed: sets seeds viability is unknown; med. green.

Clump History: original seedling; 11 yrs old; Manlius, NY. **Notable Characteristics:** extremely lrg, vase-shaped, med. grn. [Parentage Unknown]

H. 'Academy Gold Codswallop' S. Chamberlain (ONIR) Plant: 35 in. (88.9 cm) diameter; 12 in. (30.5 cm) high; upright; med. growth rate.

Leaf: 9 in. (22.9 cm) long; 7 in. (17.8 cm) wide; 14 vein prs; 14; Leaf Color Center; greenish yellow; slightly rippled; dull on top; glaucous bloom underneath; broadly ovate; cordate base; lightly corrugated; moderately flat; greenish yellow petiole.

Scape: 34 to 36 in. (86.4 to 91.4 cm) long; light green w/inflorescence leaves.

Flower: 1.5 in. (3.8 cm) long; near white; pale lavender striped; tubular; Manlius, NY; 6/25-7/25-7/30.

Seed: does not set seed.

Clump History: original seedling; 9 yrs old; Manlius, NY.

Notable Characteristics: short, upright gold.

[*H.* 'King Tut' × unknown] **Seasonal Variation:** lutescent

H. 'Academy Lemon Knoll' S. Chamberlain (ONIR)

Plant: 40 in (101.6 cm) diameter; 14 in. (35.6 cm) high; mound-like; med. growth rate.

Leaf: 7 in. (17.8 cm) long; 5 in. (12.7 cm) wide; 8 to 9 vein prs; light green; slightly rippled; slightly shiny on top and underneath; ovate; rounded base; lightly corrugated; moderately flat.

Scape: 17 to 22 in. (43.2 to 55.9 cm) long; light green. **Flower:** 2 in. (5.1 cm) long; pale lavender; med. lavender striped; tubular; Manlius, NY; 7/1-7/28-8/4.

Seed: sets seeds, viability is unknown; light green seed pod. **Clump History:** original seedling; 9 yrs old; Manlius, NY.

Notable Characteristics: very viridescent, med. size.

[*H.* 'Julie Morss' × unknown] **Seasonal Variation:** viridescent

H. 'Academy Wonky Balderdash' S. Chamberlain (ONIR) Plant: 40 in. (101.6 cm) diameter; 18 in. (45.7 cm) high; upright; fast growth rate.

Leaf: 9.75 in. (24.8 cm) long; 8.75 in. (22.2 cm) wide; 13 vein prs; 3; med. green; flat margin; slightly shiny on top; glaucous bloom underneath; nearly round; cordate base; moderately cupped.

Scape: 58 to 62 in. (147.3 to 157.5 cm) long; light green. **Flower:** 2.25 in. (5.7 cm) long; near white; tubular; Manlius, NY: 6/25-7/22-7/28.

Seed: sets seeds, viability is unknown; med. green seed pod. **Clump History:** original seedling; 9 yrs old; Manlius, NY. **Notable Characteristics:** upright cupped rugose large green, w/slanting scapes

[*H*. 'King Tut'× unknown]

H. 'Aidan Bryden Cleghorn' S. Chamberlain (ONIR) Plant: 24 in. (61 cm) diameter; 9.5 in. (24.1 cm) high; med. growth rate.

Leaf: 6.25 in.(15.9 cm) long; 4.5 in. (11.4 cm) wide; 8 to 9 vein prs; dark green, .5 to 1 in. (1.3 to 2.54 cm), flat, pale yellow margin; slightly shiny on top; dull underneath; broadly ovate; cordate base; moderately corrugated, moderately flat; med. green petiole.

Scape: 14 to 16 in. (35.6 to 40.6 cm); med. green.

Flower: 1.5 in. (3.8 cm) long; pale lavender; med. lavender

striped; tubular; Manlius, NY; 7/14-7/28-8/2.

Clump History: original seedling; 4 yrs old; Manlius, NY. **Notable Characteristics:** med. size, margined, dark green w/short scapes.

[unnamed streaked seedling × unknown]

Seasonal Variation: margin lightens to creamy white.

H. 'Alan Titchmarsh' R. & M. Ford (ONIR)

Plant: 39.4 in. (100 cm) diameter; 18.9 in. (48 cm) high; mound; fast growth rate.

Leaf: 8.7 in.(22 cm) long; 5.9 in. (15 cm) wide; 9 to 10 vein prs; yellow, .2 in. (5.1 cm), flat, medium green margin; dull on top and underneath; cordate base; lightly corrugated, deeply flat; broad yellow strip down center of petiole.

Scape: 21.7 to 29.5 in. (55 to 75 cm); med. green.

Flower: 2 in. (5.1 cm) long; pale lavender; tubular; Wetheringsett, Stowmarket, Suffolk, England; 7/30-8/10-8/31.

Seed: sets viable seeds; green seed pod.

Clump History: original sport; 5 yrs old; Wetheringsett, Stowmarket, Suffolk, England.

Notable Characteristics: very bright leaf center of irregular shape, vigorous growth making regular large mound. [sport of *H*. 'Striptease']

Seasonal Variation: cntr darkens to yellow then to pale yellow.

H. 'All that Jazz' O. Petryszyn (ONIR)

Plant: 46 in. (116.8 cm) diameter; 30 in. (76.2 cm) high; upright; med. growth rate.

Leaf: 13 in. (33 cm) long; 11 in. (27.9 cm) wide; 13 vein prs; dark green; .75 to 1.5 in. (1.9 to 3.8 cm), slightly rippled, yellow margin; very shiny on top; glaucous bloom underneath; broadly ovate; cordate base; lightly wavy, deeply flat, deeply veined.

Scape: 39 to 42 in. (99.1 to 106.7 cm) long; green w/inflorescence leaves.

Flower: 2 in. (5.1 cm) long; pure white; bell; Chesterton, IN; 6/10-6/20-7/10.

Seed: sets viable seeds; green seed pod.

Clump History: original seedling; 10 yrs old; Chesterton, IN. **Notable Characteristics:** tall upright, vase shaped, very ridged leaves hold out horizontally.

[H. 'Christmas Tree Gala' $\times H$. 'Elatior']

H. 'Americana' Walters Gardens, Inc. (ONIR)

Plant: small size; med. growth rate.

Leaf: 6.5 in. (16.5 cm) long; 4.5 in. (11.4 cm); 8 to 10 vein prs; pure white; 1.5 in. (3.8 cm) wide, flat, dark green margin; dull on top; glaucous bloom on top; broadly ovate; rounded base.

Flower: med. lavender; tubular; Zeeland, MI; July 15 to Aug 15. **Clump History:** original sport; 3 yrs old; Zeeland, MI.

Notable Characteristics: very stiff, horizontally flattened leaves w/white centers resistant to melting out.

[sport of *H*. 'Loyalist']

Seasonal Variation: center lightens.

H. 'Andrew' H. Hansen (ONIR)

Plant: 32 in. (81.3 cm) diameter; 21 in. (53.3 cm) high; upright; slow growth rate.

Leaf: 9 in. (22.9 cm) long; 7 in. (17.8 cm) wide; 14 to 17 vein prs; pure white; 1 to 3 in. (2.5 to 7.6 cm) wide, med. blue-green margin; glaucous bloom on top and underneath; broadly ovate; cordate; twisted; petiole is white w/thin blue margin.

Scape: 9 to 22 in. (48.3 to 55.9 cm) long; white base, pinkish at flowers w/flower bracts that are pink w/green edges.

Flower: 2in. (5.1 cm) long; pale lavender; very pale lavender striped; tubular; Waseca, MN; 6/22-7/15.

Seed: sets seeds, viability is unknown; white seed pod. **Clump History:** original sport; 8 yrs old; Waseca, MN. **Notable Characteristics:** med. green area appears where the center and margin overlap.

[sport of *H*. 'Blue Mammoth']

H. 'Applause' H. Hansen (OR), T. Avent (NI) **Plant:** 55 in. (139.7 cm) diameter; 27 in. (68.6 cm) high; upright; fast growth rate.

Leaf: 6.5 in. (16.5 cm) long; 5 in. (12.7 cm) wide; 11 vein prs; dark green; .5 to .75 in. (1.3 to 1.9 cm) wide, flat, creamy white margin; dull on top; glaucous bloom underneath; broadly ovate; rounded; moderately cupped; petiole green w/thin white margin. **Scape:** 18 to 22 in. (45.7 to 55.9 cm) long; green;

Flower: 1.75 in. (4.4 cm) long; pale lavender; tubular; Waseca, MN; 6/30-7/17.

Seed: sets seeds, viability is unknown.

Clump History: original sport; 10 yrs old; Waseca, MN. **Notable Characteristics:** combination of very dark green leaves, cupped, white margin. [sport of *H*. 'Edge of Night']

H. 'Azure Frost' B. Treichel (ONIR)

Plant: 60 in. (152.4 cm) diameter; 24 in. (53.3 cm) high; upright; fast growth rate.

Leaf: 13 in. (33 cm) long; 9 in. (22.9 cm) wide; 14 to 15 vein prs; intensely blue-green; slightly rippled; dull on top and underneath; broadly ovate; cordate base; lightly twisted, intensely corrugated.

Scape: 24 to 26 in. (53.3 to 66 cm) long; green.
Flower: near white; Oregon, WI; 6/15-6/30-7/15.
Seed: sets seeds, viability is unknown; green seed pod.
Clump History: original seedling; 8 yrs old; Oregon, WI.
Notable Characteristics: very rugose across entire leaf, less susceptible to slugs.
[Parentage Unknown]

H. 'Baby Blue Eyes' R. Solberg (ONIR)

Plant: 16 in. (40.6 cm) diameter; 6 in. (15.2 cm) high; mound-like; med. growth rate.

Leaf: 3.5 in. (8.9 cm) long; 2.75 in. (7 cm) wide; 8 prs of veins; med. blue-green; flat; lightly cupped, lightly folded, lightly corrugated; glaucous bloom on top and underneath; broadly ovate; cordate base.

Scape: 10 to 14 in. (25.4 to 35.6 cm) long; blue-green.

Flower: 1.125 in. (2.9 cm); pale lavender; tubular; Chapel Hill, NC: 7/10-7/20-7/30.

Seed: seed set unknown.

Clump History: orig. seedling; 3 yrs old; Chapel Hill, NC. **Notable Characteristics:** small blue neat mound of heart shaped leaves, almost a mini.

[H. 'Cody' $\times H$. 'Dorset Blue']

H. 'Battle Star' G. R. Goodwin (ONIR)

Plant: 36 in. (91.4 cm) diameter; 15 in. (38.1 cm) high; mound-like; med. growth rate.

Leaf: 9 in. (22.9 cm) long; 6 in. (15.2 cm) wide; 10 to 11 vein prs; dark grey green; .5 to 1 in. (1.3 to 2.5 cm) slightly rippled, yellow margin; very shiny on top; slightly shiny underneath; broadly ovate; cordate base; deeply cupped, moderately corrugated.

Scape: 24 to 26 in. (61 to 91.4 cm) long; green.

Flower: 2 in. (5.1 cm) long; med. lavender; dark lavender

striped; tubular; Indianapolis, IN; 6/25-7/5-7/15. **Seed:** sets viable seeds; blue-green seed pod.

Clump History: original sport; 8 yrs old; Indianapolis, IN. Notable Characteristics: large strong colored cultivar, grey green central blade helps to create a good example of 20 ft. rule. [sport of a splashed seedling of unknown parentage]

H. 'Beer Belly Blues' R. Kuenster (ONIR)

Plant: 36 in. (91.4 cm) diameter; 26 in. (66 cm) high; upright; med. growth rate.

Leaf: 10 in. (25.4 cm) long; 8 in. (20.3 cm) wide; 15 to 17 vein prs; intensely blue-green; slightly rippled; dull on top and underneath; broadly ovate; cordate base; deeply cupped; strong blue colored petiole.

Scape: 25 to 30 in. (63.5 to 76.2 cm) long.

Flower: 2.25 in. (5.7 cm) long; near white; light lavender

striped; tubular; Iowa City, IA; 7/1-7/10-7/24. **Seed:** sets viable seeds; green seed pod.

Clump History: original seedling; 5 yrs old; Iowa City, IA. **Notable Characteristics:** very thick substance, nice leaf shape, pointed tip, stands up and shows off both sides of leaf. [seedling × seedling]

H. 'Benediction' R. Lysne (ONIR)

Plant: 55 in. (139.7 cm) diameter; 24 in. (61 cm) high; mound-like; med. growth rate.

Leaf: 12 in. (30.5 cm) long; 8.5 in. (21.6 cm) wide; 13 vein prs; yellow; flat; dull on top and underneath; broadly ovate; cordate base; moderately flat.

Scape: 24 to 28 in. (61 to 71.1 cm) long; light green w/inflorescence leaves.

Flower: 1.5 in. (3.8 cm) long; pale lavender; tubular; Crawford Co, WI; 7/18-7/25-7/30.

Seed: sets viable seeds.

Clump History: original seedling; 7 yrs old; Crawford Co, WI. **Notable Characteristics:** deep veins remain green, iridescent. [seedling × seedling]

Seasonal Variation: chartreuse in spring turning golden yellow.

H. 'Blue Belly'

R. Kuenster (ONIR)

Plant: 42 in. (106.7 cm) diameter; 22 in. (55.9 cm) high; mound-like.

Leaf: 10 in. (25.4 cm) long; 9.5 in. (24.1 cm) wide; 16 to 18 vein prs; intensely blue-green; flat; dull on top and underneath; nearly round; cordate base; lightly cupped; blue-green, cupped petiole.

Scape: 46 to 50 in. (116.8 to 127 cm) long; blue-green w/inflorescence leaves.

Flower: 2.5 in. (6.4 cm) long; pure white; tubular; Iowa City, IA; 6/25-7/1-7/20.

Seed: sets seeds, viability unknown; green seed pod. **Clump History:** original seedling; 5 yrs old; Iowa City, IA. **Notable Characteristics:** round leaves, blue color [*H.* 'Dorothy Benedict' seedling × *H.* 'Dorothy Benedict']

H. 'Blue Maui' B. Silvers (ONIR)

Plant: 28 in. (71.1 cm) diameter; 10 in. (25.4 cm) high; mound-like; med. growth rate.

Leaf: 4.5 in. (11.4 cm) long; 4.5 in. (11.4 cm) wide; 9 vein prs; slightly blue-green; slightly shiny on top; dull underneath; nearly round; rounded base; cupped, corrugated.

Scape: 16 to 20 in. (40.6 to 51 cm) long.

Flower: light to med. lavender; tubular; Conyers, GA; June 1 to July 15.

Seed: sets seeds, viability is unknown.

Clump History: original sport; 3 yrs old; Conyers, GA.

[sport of *H*. 'Rain Forest Sunrise']

Seasonal Variation: turns green in the fall.

H. 'Cloudburst' M. Zilis (ONIR), D. Beilstein (O)

Plant: 33 in. (83.8 cm) diameter; 10 in. (25.4 cm) high; mound-like, med. growth rate.

Leaf: 8.5 in. (21.6 cm) long; 7 in. (19.1 cm) wide; 12 to 14 vein prs; med. blue-green; flat margin; glaucous bloom early on top; glaucous bloom underneath; broadly ovate; cordate base; deeply cupped, deeply twisted, deeply corrugated.

Scape: 20 to 30 in. (50.8 to 76.2 cm) long; blue-green.

Flower: 2.25 in. (5.7 cm) long; pale purple; tubular; Rochelle, IL; 6/25-7/6-7/20.

Seed: seed set unknown.

Clump History: original seedling; 6 yrs old; Rochelle, IL. **Notable Characteristics:** unruly, cupped, dark green.

 $[\textit{H. 'Glory'} \times unknown]$

Seasonal Variation: turns shiny, dark green.

H. 'Coronation' G. R. Goodwin (ONIR)

Plant: 60 in. (152.4 cm) diameter; Plant Height; 30; Plant Height (Cm); 76.2; Plant Habit; mound-like; med. growth rate.

Leaf: 16 in. (40.6 cm) long; 12 in. (30.5 cm) wide; med. green; .5 to 1 in. (1.3 to 2.5 cm); flat, pale yellow margin; dull on top and underneath; broadly ovate to nearly round; cordate base; lightly corrugated, lightly flat.

Scape: 24 to 36 in. (61 to 91.4 cm) long; green.

Flower: 1.5 in. (3.8 cm) long; med. lavender; tubular; Indianapolis, IN; 6/10-6/20-6/30.

Seed: sets viable seeds; green seed pod.

Clump History: original sport; 5 yrs old; Indianapolis, IN. **Notable Characteristics:** very large, bi-color, little corrugation on large flat blade.

[sport of a seedling of unknown parentage]

H. 'Cosmic Brother' R. Kuenster (ONIR)

Plant: 48 in. (121.9 cm) diameter; 20 (50.8 cm) high.

Leaf: 10.5 in. (26.7 cm) long; 9 in. (22.9 cm) wide; 14 to 16 vein

prs; med. green; .25 to 1 in. (.6 to 2.5 cm) wide, flat, pale yellow margin; dull on top and underneath; broadly ovate; rounded base; moderately flat.

Scape: 36 to 40 in. (94.1 to 101.6 cm) long.

Flower: 2 in. (5.1 cm) long; pure white; tubular; Iowa City, IA; 6/24-7/1-7/15.

Seed: sets viable seeds; green seed pod.

Clump History: original seedling; 6 yrs old; Iowa City, IA. **Notable Characteristics:** nice mound of great foliage. [*H.* 'Dorothy Benedict' × *H.* 'Dorothy Benedict' seedling]

H. 'Cosmic Hippie' R. Kuenster (ONIR)

Plant: 36 in. (91.4 cm) diameter; 18 in. (45.7 cm) high; mound-like.

Leaf: 9.5 in. (24.1 cm) long; 8 in. (20.3 cm) wide; 13 to 15 vein prs; streaked w/greenish yellow, creamy white; flat; dull on top and underneath; broadly ovate; cordate base; petiole green w/dark green edge.

Scape: 20 to 24 in. (50.8 to 61 cm) long w/inflorescence leaves. **Flower:** 1.5 in. (3.8 cm) long; pure white; tubular; Iowa City, IA; 6/20-6/26-7/4.

Seed: sets viable seeds, seed pod streaked green, yellow and white.

Clump History: original seedling; 6 yrs old; Iowa City, IA. **Notable Characteristics:** colors of streaking, good mound, good seed set, very viable seeds, good breeder.

[H. 'Dorothy Benedict' $\times H$. 'Dorothy Benedict' seedling]

H. 'Cosmic Sister' R. Kuenster (ONIR)

Plant: 32 in. (81 cm) diameter; 16 in. (40.6 cm) high; mound-like.

Leaf: 9 in. (23 cm) long; 7.5 in. (19 cm); 13 to 15 vein prs; streaked greenish white and greenish yellow; flat; dull on top and underneath; broadly ovate; rounded base; petiole dark green edge, light streaking in center.

Scape: 18 to 20 in. (45.7 to 50.8 cm) long.

Flower: 1.25 in. (3.2 cm) long; pure white; tubular; Iowa City, IA; 6/24-6/30-7/4.

Seed: sets viable seeds; seed pod streaked yellow, white. **Clump History:** original seedling; 6 yrs old; Iowa City, IA. **Notable Characteristics:** very large streaks of color run through the leaf.

[H. 'Dorothy Benedict' \times H. 'Dorothy Benedict' seedling]

H. 'Dab a Green' M. Zilis (ONIR)

Plant: 45 in. (114.3 cm) diameter; 20 in. (50.8 cm) high; upright, med. growth rate.

Leaf: 10 in. (25.4 cm) long; 6 in. (15.2 cm) wide; 13 to 14 vein prs; .25 in. (.6 cm), med. green, slightly rippled margin; slightly shiny on top; thin glaucous bloom underneath; ovate; rounded base; lightly wavy, lightly corrugated.

Scape: 30 to 40 in. (76.2 to 101.6 cm) long; med. golden-yellow. **Flower:** 2.25 in. (5.7 cm) long; pale lavender; tubular; Rochelle, IL; 7/10-7/17-7/30.

Seed: seed set unknown.

Clump History: original sport obtained from t.c.; 5 yrs old; Rochelle, IL.

Notable Characteristics: much narrower margin than similar green-edged *H*. 'Sun Power' sports. [sport of *H*. 'Abba Dabba Do']

H. 'Dancing Flame' L. Jones (ONIR)

Plant: 19 in. (48.3 cm) diameter; 8 in. (20.3 cm) high; mound-like; med. growth rate.

Leaf: 5.5 in. (14 cm) long; 3.75 in. (9.5 cm) wide; 7 to 8 vein prs; med. green; .5 in. (1.3 cm) wide, slightly rippled, pure white margin; slightly shiny on top; dull underneath; broadly ovate; rounded base; moderately cupped, deeply corrugated.

Scape: 28 to 30 in. (71.1 to 76.2 cm) long; green w/inflorescence leaves.

Flower: 2 in. (5.1 cm) long; pale lavender; bell; Advance, NC; June 1 to July 15.

Clump History: 3rd generation division of the sport from tissue culture; 3 yrs old; Advance, NC.

Notable Characteristics: cupped, puckered, and corrugated leaf. Pure white edge contrasts w/green center.

[sport of *H.* 'Saint Elmo's Fire'] **Seasonal Variation:** center darkens.

H. 'Dax' D. Dupré (ONIR)

Plant: 20.3 in. (51.5 cm) diameter; 14.5 in. (36.8 cm) high; mound-like; med. growth rate.

Leaf: 6.7 in. (16.9 cm) long; 4 in. (10.2 cm) wide; 10 vein prs; med. green; .4 to 1.2 in. (1 to 3 cm); flat, dark green margin variable in width; very shiny on top; slightly shiny underneath; ovate; rounded base; lightly folded; green petiole.

Scape: 10.2 to 12.4 in. (26 to 31.5 cm) long; green.

Flower: 1.5 in. (3.7 cm) long; pale lavender; med. lavender

striped; tubular; Asper, Belgium; 7/21-8/2-8/30. **Seed:** sets seeds, viability is unknown; green seed pod. **Clump History:** original sport; 6 yrs old; Asper, Belgium. [sport of *H*. 'Devon Green']

H. 'Dewed Steel' D. Van Eechaute (ONIR)

Plant: 17.1 in. (43.5 cm) diameter; 8.3 in. (21 cm) high; mound-like; med. growth rate.

Leaf: 6.9 in. (17.6 cm) long; 3.1 in. (7.8 cm) wide; 5 vein prs; med. blue-green; slightly rippled; glaucous bloom on top and underneath; ovate; rounded base; lightly folded, lightly wavy; petiole pale purple at base.

Scape: 14.4 to 20.1 in. (36.5 to 51 cm); green w/purple dots. **Flower:** 1.5 in. (3.8 cm) long; pale purple; deep purple center deep purple center med. lavender, translucent margin; tubular; Deinze, Belgium; 8/20-8/31-9/26.

Seed: sets viable seeds; seed pod metallic green w/purple dots. **Clump History:** original seedling; 4 yrs old; Deinze, Belgium. **Notable Characteristics:** unique aqua blue-green color w/glaucous bloom, looks like dewed steel. Eye catching contrast full flowers late.

[Parentage Unknown]

H. 'Diamond Jubilee' R. Savory (O)(D. Savory (NIR) Plant: 50 in. (127 cm) diameter; 22 in. (55.9 cm) high; upright; med. growth rate.

Leaf: 8.25 in. (21 cm) long; 6.25 in. (15.9 cm) wide; 12 to 13 prs of veins; intensely blue-green; slightly rippled; moderately wavy; glaucous bloom on top; broadly ovate; cordate base.

Scape: 18 to 24 in. (45.7 cm to 61 cm) long.

Flower: pale lavender; tubular; Edina, MN; July 15 to Aug 15. **Seed:** seed set unknown.

Clump History: orig. seedling; 20 yrs old; Edina, MN. **Notable Characteristics:** very blue leaves with deep veins, loosely upright habit.

[*H.* 'Vilmoriniana' × unknown]

H. 'Eagle Creek Woods' G. R. Goodwin (ONIR) Plant: 42 in. (106.7 cm) diameter; 24 in. (61 cm) high; upright; med. growth rate.

Leaf: 10 in. (25.4 cm) long; 8 in. (20.3 cm) wide; 12 vein prs; golden yellow; .5 in. (1.3 cm) wide, slightly rippled, creamy white margin; slightly shiny on top; dull underneath; broadly ovate; cordate base; lightly cupped, lightly twisted, moderately folded, lightly wavy, lightly corrugated, moderately flat.

Scape: 30 to 35 in. (76.2 to 88.9 cm) long; yellow.

Flower: 2 in. (5.1 cm) long; pale lavender; tubular; Indianapolis, IN; 6/15-6/30-7/5.

Seed: sets viable seeds; yellow seed pod.

Clump History: original seedling; 8 yrs old; Indianapolis, IN. **Notable Characteristics:** upright yellow w/white edge w/larger leaves than normal for coloration.

[sport of splashed seedling of unknown parentage]

H. 'Early to Rise' G. R. Goodwin (ONIR)

Plant: 15 in. (38.1 cm) diameter; 9 in. (22.9 cm) high; mound-like; med. growth rate.

Leaf: 5 in. (12.7 cm) long; 3 in. (7.6 cm) wide; 5 to 6 vein prs; golden yellow turning to light green; slightly rippled; very shiny on top; slightly shiny underneath; rounded base; moderately twisted, lightly folded, moderately wavy, lightly flat.

Scape: 15 to 18 in. (38.1 to 45.7 cm) long; green.

Flower: 2 in. (5.1 cm) long; pale to med. lavender; some strip-

ing; tubular; Indianapolis, IN; 8/15-8/31-9/10. **Seed:** sets seeds, viability unknown; green seed pod.

Clump History: original seedling; 8 yrs old; Indianapolis, IN.

Notable Characteristics: longest growing season seen by hy-

bridizer, up before *H. montana* holds color after first frost.

[Parentage unknown]

Seasonal Variation: very viridescent.

H. 'Emma Miriam Brown' Fox Hollow Farm, Inc. (OIR),D. Foglia (N)

Plant: med. sized; mound-like; med. growth rate.

Leaf: 5.5 in. (14 cm) long; 2.5 in. (6.4 cm) wide; white; .5 to 1 (1.3 to 2.5 cm) wide, flat, dark green margin; slightly shiny on top; dull underneath; ovate; tapered base.

Scape: 12 to 18 in (30.5 to 45.7 cm) long.

Flower: pale lavender; tubular; S. Huntington, NY; July 15 to Aug 15.

Clump History: original sport; 4 yrs old; S. Huntington, NY. **Notable Characteristics:** bright coloration.

[sport of *H*. 'Hyacinthina']

H. 'Endless Summer' M. Zilis (ONI), P. Ruh (IR)

Plant: 20 in. (50.8 cm) diameter; 12 in. (30.5 cm) high; upright. **Leaf:** 8 in. (20.3 cm) long; 4.625 in. (11.7 cm) wide; 9 vein prs; greenish yellow; slightly rippled; slightly shiny on top; dull underneath; ovate; cordate base; lightly cupped, moderately folded, moderately corrugated; blue-green petiole.

Scape: 19.5 in. (49.5 cm) long; yellow-green.

Flower: 2 in. (5.1 cm) long; lavender; striped; tubular; Chesterland, OH; 8/1-8/10-8/19.

Seed: sets seeds, viability is unknown.

Clump History: original sport obtained from the originator; 8 yrs old; Chesterland, OH. [sport of *H*. 'June']

H. 'Fairy Frizzle' H. & J. Millhorn (ONIR)

Plant: 18 in. (45.7 cm) diameter; 10 in. (25.4 cm) high; mound; fast growth rate.

Leaf: 5 in. (12.7 cm) long; 1 in. (2.5 cm) wide; 4 vein prs; dark green; .125 to .25 in. (.3 to .6 cm), slightly rippled, yellow mar-

gin; slightly shiny on top and underneath; lance; tapered base; lightly twisted.

Scape: 14 to 18 in. (35.6 to 45.7 cm) long; green.

Flower: 1 in. (2.5 cm) long; deep purple; tubular; Athens, OH; 7/15-7/31-8/7.

Seed: sets viable seeds; green seed pod.

Clump History: original seedling; 7 yrs old; Athens, OH. **Notable Characteristics:** fast growing, heavy substance, fairly slug resistant.

[Parentage unknown]

H. 'Fat Boy' D. Dupré (OI) D. Van Eechaute (NR)

Plant: 18.1 in. (46 cm) diameter; 11.4 in. (29 cm) high; mound-like; slow growth rate.

Leaf: 5.6 in. (14.1 cm) long; 3.1 in. (7.9 cm) wide; 8 vein prs; light green; flat; slightly shiny on top; dull underneath; ovate; cordate base; lightly folded; light green petiole.

Scape: 15 to 18.1 in. (38 to 46 cm) long; yellow green.

Flower: 1.2 in. (3.1 cm) long; near white; tubular; Deinze, Belgium; 7/18-7/26-8/21.

Seed: sets viable seeds; green seed pod

Clump History: original seedling; 4 yrs old; Deinze, Belgium. **Notable Characteristics:** leathery leaves w/thick substance. [*H.* 'Abiqua Recluse' open pollinated]

H. 'Flemish Gold'

D. Van Eechaute (ONIR)

Plant: 15.2 in. (38.5 cm) diameter; 10.6 in. (27 cm) high; upright; med. growth rate.

Leaf: 7.2 in. (18.2 cm) long; 3.7 in. (9.4 cm) wide; 8 to 10 vein prs; golden yellow; slightly rippled; dull on top; glaucous bloom underneath; ovate; rounded base; lightly folded, moderately wavy; greenish yellow petiole.

Scape: 13.4 to 16.5 in. (34 to 42 cm) long; greenish-yellow. **Flower:** 1.4 in. (3.5 cm) long; pale lavender; tubular; Deinze, Belgium; 7/20-8/1-8/18.

Seed: sets seeds, viability is unknown; green seed pod.

Clump History: original seedling; 4 yrs old; Deinze, Belgium. Notable Characteristics: dull golden leaves w/white dewed backs, beautiful form.

[H. 'Salute' × unknown]

H. 'Fragrant Mist'

D. Van Eechaute (ONIR)

Plant: 13.8 in. (34 cm) diameter; 8.9 in. (22.6 cm) high; mound-like; med. growth rate.

Leaf: 4.7 in. (11.9 cm) long; 2.9 in. (7.4 cm) wide; 6 to 7 vein prs; slightly blue-green w/creamy dots and streaks; flat; glaucous bloom on top and underneath; ovate; rounded base; lightly folded; blue-green petiole.

Scape: 10.6 to 13.8 in. (27 to 35 cm) long; blue-green.

Flower: 1.5 in. (3.8 cm) long; fragrant; near white; tubular;

Deinze, Belgium; 7/30-8/8-8/29.

Seed: sets viable seeds; green seed pod.

Clump History: original sport; 4 yrs old; Deinze, Belgium. **Notable Characteristics:** a unique *H*. 'Fragrant Blue' sport w/a 'Spilt Milk' leaf pattern.

[sport of *H*. 'Fragrant Blue']

H. 'Frosted Mouse Ears' M. Zilis (ONIR), E.& J. Deckert (ON) Plant: 18 in. (45.7 cm) diameter; 7 in. (17.8 cm) high; mound-like, slow growth rate.

Leaf: 2.5 in. (6.4 cm) long; 2.25 in. (5.7 cm) wide; 9 to 11 vein prs; blue-green; .25 in. (.6 cm) wide, creamy white, flat margin; glaucous bloom on top and underneath; nearly round; cordate base; lightly cupped.

Scape: 6 to 12 in. (15.2 to 30.5 cm) long; green.

Flower: 1.75 in. (4.4 cm) long; pale purple; tubular; Rochelle,

IL; 7/3-7/10-7/18.

Seed: sets viable seed; green seed pod.

Clump History: original sport obtained from t.c.; 2 yrs old; Rochelle, IL.

Notable Characteristics: stable, margined form of H. 'Royal Mouse Ears'.

[sport of *H*. 'Royal Mouse Ears']

Seasonal Variation: center becomes dark green.

H. 'Fudge Ripple'

R. Kuenster (ONIR)

Plant: 42 in. (106.7 cm) diameter; 22 in. (55.9 cm) high; mound-like.

Leaf: 12 in. (30.5 cm) long; 8 in. (20.3 cm) wide; 12 to 15 vein prs; green streaked creamy white and golden yellow; heavily rippled; slightly shiny on top and underneath; broadly ovate; rounded base; moderately cupped, moderately twisted; some streaking in center of petiole.

Scape: 25 to 29 in. (63.5 to 73.7 cm) long w/inflorescence leaves

Flower: 2.85 in. (7.24 cm) long; near white; slight lavender striped inside; tubular; Iowa City, IA; 6/24-7/1-7/16.

Seed: sets viable seeds; seed pod streaked yellow and white. **Clump History:** original seedling; 5 yrs old; Iowa City, IA.

Notable Characteristics: very nice rippled edge.

[seedling of unknown parentage]

H. 'Gary Rivera'

S. & S. Zolock (ONIR)

Plant: 30 in. (76.2 cm) diameter; 30 in. (76.2 cm) high; upright; med. growth rate.

Leaf: 14 in. (35.6 cm) long; 9 in. (22.9 cm) wide; 16 to 18 vein prs; med. blue-green; heavily rippled; dull on top; glaucous bloom underneath; broadly ovate; cordate base; folded.

Scape: 30 to 38 in. (76.2 to 96.5 cm) long; green w/inflorescence leaves.

Flower: 2 in. (5.1 cm) long; pale lavender; dark lavender striped; tubular; Belle Vernon, PA; 6/10-6/25-7/15.

Seed: sets viable seeds; green seed pod.

Clump History: original seedling; 5 yrs old; Belle Vernon, PA. **Notable Characteristics:** clear, clean leaf color, upright clump, arching leaves, leaf tip curls and twists, leaf-edge appears to be cream white wire.

 $[seedling \times seedling] \\$

H. 'Gary Rolls'

S. & S. Zolock (ONIR)

Plant: 26 in. (66 cm) diameter; 12 in. (30.5 cm) high; upright. **Leaf:** 8 in. (20.3 cm) long; 4.5 in. (11.4 cm) wide; 7 to 10 vein prs; greenish yellow; slightly rippled; slightly shiny on top; dull underneath; ovate; rounded base; lightly wavy.

Scape: 10 to 12 in. (25.4 to 30.5 cm) long; green w/inflorescence leaves.

Flower: 1.5 in. (3.8 cm) long; fragrant; pale lavender; dark lavender striped; bell; Belle Vernon, PA; 7/20-8/1-8/20.

Seed: sets viable seeds; green seed pod.

Clump History: original seedling; 5 yrs old; Belle Vernon, PA. **Notable Characteristics:** upright, vibrant greenish yellow, rolling waves of leaf margins.

[seedling × seedling]

H. 'Get Nekkid'

T. Avent (ONIR)

Plant: 27 in. (68.6 cm) diameter; 12 in. (30.5 cm) high; mound-like.

Leaf: 5.5 in. (14 cm) long; 2.5 in. (6.4 cm) wide; 5 to 6 prs of veins; med. green; slightly rippled; moderately flat, very shiny on top and underneath; ovate; tapered base.

Scape: 40 in. (101.6 cm) long; green.

Flower: spider; med. lavender; Raleigh, NC; July 15 to Aug 15.

Seed: sets non-viable seed.

Clump History: orig. seedling; 10 yrs old; Raleigh, NC. **Notable Characteristics:** very glossy leaves, stunning floral show

[H. 'Elvis Lives' $\times H$. 'Treasure Island']

H. 'Gold Rags' R. Lysne (ONIR)

Plant: 24 in. (61 cm) diameter; 16 in. (40.6 cm) high; mound-like; med. growth rate.

Leaf: 6 in. (15.2 cm) long; 4 in. (10.2 cm) wide; 10 to 16 vein prs; dark green; 1 to 1.5 in. (2.5 to 3.8 cm) wide, flat, golden yellow margin; slightly shiny on top; dull underneath; broadly ovate; cordate base; lightly cupped, moderately corrugated.

Scape: 14 to 16 in. (35.6 to 40.6 cm) long; light green.

Flower: 1 in. (2.5 cm) long; pale lavender; tubular; Crawford Co., WI; 7/14-7/18-7/24.

Seed: does not set seed.

Clump History: original seedling; 3 yrs old; Crawford Co., WI. **Notable Characteristics:** heavy substance, very wide margin, intense gold color phase.

[H. 'Sheer Bliss' selfed]

Seasonal Variation: margins change from chartreuse to gold to ivory.

H. 'Golden Dove' B. Dove (ONIR), W. Dove (R)

Plant: 90 in. (228.6 cm) diameter; 32 in. (81.3 cm) high; mound-like; med. growth rate.

Leaf: 16 in. (40.6 cm) long; 12 in. (30.5 cm) wide; 13 to 14 vein prs; greenish yellow; flat; slightly shiny on top; dull underneath; nearly round; cordate base; lightly corrugated; strong, v-shaped petiole.

Scape: 40 to 44 in. (101.6 to 111.8 cm) long; light green.

Flower: 2 in. (5.1 cm) long; near white; light lavender striping; tubular; Coatesville, IN; 6/8-6/28-7/5.

Seed: seed set unknown; light green seed pod.

Clump History: original seedling; 12 yrs old; Coatesville, IN. Notable Characteristics: leaves maintain color but are lighter in more sun; does not burn.

[Parentage Unknown]

H. 'Golden Goal' M. Zilis (ONIR), D. Beilstein (O)

Plant: 24 in. (61 cm) diameter; 12 in. (30.5 cm) high; mound-like, med. growth rate.

Leaf: 8 in. (20.3 cm) long; 5.5 in. (14 cm) wide; 13 to 15 vein prs; golden yellow; slightly rippled; broadly ovate; cordate base; moderately wavy; deeply, deeply corrugated.

Scape: 16 to 24 in. (40.6 to 61 cm) long; golden yellow.

Flower: 2.75 in. (7 cm) long; pale purple; tubular; Rochelle, IL; 6/20-6/28-7/7.

Seed: seed set unknown.

Clump History: original seedling; 6 yrs old; Rochelle, IL. [*H*. 'Glory' × unknown]

H. 'Graceland' L. Jones (ONIR)

Plant: 25 in. (63.5 cm) diameter; 13 in. (33 cm); upright; med. growth rate.

Leaf: 6.5 in. (16.5 cm) long; 5 in. (12.7 cm) wide; 11 to 12 vein prs; dark green; 1.75 in. (4.4 cm) wide; flat; med. green margin; dull on top and underneath; broadly ovate; cordate base; lightly

flat

Scape: 25 to 30 in. (63.5 to 76.2 cm) long; green.

Flower: 2 in. (5.1 cm) long; med. lavender; tubular; Advance,

NC; June 1 to July 15. **Seed:** sets viable seeds.

Clump History: 3rd division of a seedling found 7 yrs ago; 3 yrs old; Advance, NC.

Notable Characteristics: gradual appearance of the variegated edge, which is a very unusual butterscotch-like color.

[*H.* 'Elvis Lives' × unknown]

Seasonal Variation: starts all green w/variegation gradually

appearing.

H. 'Grand Boys' F. & S. Freeman (ONI), R. Kuenster (R)

Plant: 54 in. (137.2 cm) diameter; 21 in. (53.3 cm) wide; mound-like; fast growth rate.

Leaf: 11 in. (27.9 cm) long; 7.5 in. (19 cm) wide; 9 to 11 vein prs; med. to dark green; .25 to 1.75 in. (.6 to 4.5 cm) wide, flat, pale yellow to light green margin; dull on top and underneath; ovate; rounded base; folded.

Scape: 32 to 36 in. (81.3 to 91.4 cm) long; green w/inflorescence leaves.

Flower: 2 in. (5.1 cm) long; med. lavender to pale purple; light lavender edge w/deep purple center stripe; tubular; Davenport, IA; 7/21-8/11-8/20.

Seed: sets seed, viability unknown; green seed pod. **Clump History:** original sport; 7 yrs old; Davenport, IA. [sport of *H.* 'Tall Boy']

H. 'Grant Park' M. Zilis (ONIR)

Plant: 40 in. (101.6 cm) diameter; 18 in. (45.7 cm) high; mound-like, fast growth rate.

Leaf: 8.5 in. (21.6 cm) long; 6.75 in. (17.1 cm) wide; 9 to 10 vein prs; dark green; heavily rippled; slightly shiny on top; ovate; rounded base.

Scape: 30 to 40 in. (76.2 to 101.6 cm) long; green.

Flower: 2.5 in. (6.4 cm) long; pale purple; tubular; Rochelle, IL; 7/20-8/1-8/10.

Seed: seed set unknown.

Clump History: original sport obtained from t.c.; 3 yrs old; Rochelle, IL.

[sport of *H*. 'Marquette Park']

H. 'Great Escape' H. J. van den Top (ONIR)

Plant: 11.8 in. (30 cm) diameter; 3.9 in. (10 cm); mound-like; med. growth rate.

Leaf: 5 in. (12.6 cm) long; 3.1 in. (7.8 cm) wide; 12 to 15 vein prs; intensely blue-green; .7 in. (1.75 cm) wide, flat, creamy white margin; dull on top and underneath; broadly ovate; rounded base; lightly wavy; streaked petiole.

Scape: 14.2 to 17.5 in. (36 to 44.5 cm) long; yellow-green. **Flower:** 2 in. (5.1 cm) long; pale lavender; darker striped; tubular; Barneveld, The Netherlands; 7/1-7/30-8/21.

Clump History: original sport; 1 yr old; Barneveld, The Netherlands.

Notable Characteristics: large cream white margin from start of season.

[sport of 'Halcyon']

H. 'Gregory Ambrose Cleghorn' S. Chamberlain (ONIR) Plant: 36 in. (91.4 cm) diameter; 17 in. (43.2 cm) high; upright; slow growth rate.

Leaf: 10.5 in. (26.7 cm) long; 8 in. (20.3 cm) wide; 11 vein prs; med. green; flat; dull on top; glaucous bloom underneath;

broadly ovate; cordate base; lightly cupped, moderately corrugated.

Scape: 21 to 36 in. (53.3 to 91.4 cm) long; med. green.

Flower: 2.25 in. (5.7 cm) long; near white; pale lavender striped; tubular; Manlius, NY; 6/24-7/22-7/26.

Seed: sets seeds, viability is unknown; med. green seed pod. **Clump History:** original seedling; 9 yrs old; Manlius, NY.

Notable Characteristics: large, viridescent, cupped-leafed.

[*H.* 'Julie Morss' × unknown] **Seasonal Variation:** viridescent.

H. 'Hey Jude' N. Salamon (ONIR)

Plant: 20 in. (50.8 cm) diameter; 9 in. (22.9 cm) high; mound-like; med. growth rate.

Leaf: 5 in. (12.7 cm) long; 2.75 in. (7 cm) wide; 6 vein prs; med. green, streaked; .25 in. (.6 cm) wide, slightly rippled, white margin; slightly shiny on top and underneath; ovate; tapered base; lightly wavy; margin continues down petiole.

Scape: 18 to 22 in. (45.7 to 55.9 cm) long; green.

Flower: .875 in. (2.2 cm) long; pale lavender; spider; Akron, OH; 7/15-7/25-8/1.

Seed: does not set seed; green seed pod.

Clump History: original seedling; 5 yrs old; Akron, OH. Notable Characteristics: ovate shaped leaf w/moderate streaking, 1/4 inch margin continues down petiole.

[Parentage Unknown]

H. 'Hideout' L. Jones (ONIR)

Plant: 11 in (27.9 cm) diameter; 4.5 in. (11.4 cm) high; mound-like; fast growth rate.

Leaf: 4 in. (10.2 cm) long; 1.5 in. (3.8 cm) wide; 4 to 5 vein prs; pure white; .375 in. (1 cm) wide, slightly rippled, dark green margin; slightly shiny on top; dull underneath; lance; tapered base; moderately twisted.

Scape: 10 to 12 in. (25.4 to 30.5 cm) long; pinkish w/inflorescence leaves.

Flower: 2 in. (5.1 cm) long; med. lavender; tubular; Advance, NC; June 1 to July 15.

Clump History: original sport; 3 yrs old; Advance, NC.

Notable Characteristics: very distinct green and white variegation on twisted leaves.

[sport of *H*. 'Hidden Cove']

H. 'Holy Mouse Ears' M. Zilis (ONIR), E. & J. Deckert (ON) Plant: 16 in. (40.6 cm) diameter; 6 in. (15.2 cm) high; moundlike, slow growth rate.

Leaf: 2.25 in. (5.7 cm) long; 2 in. (5.1 cm) wide; 9 to 10 vein prs; creamy white; .188 in. (.5 cm) wide, blue-green, flat margin; glaucous bloom on top and underneath; nearly round; cordate base; lightly cupped.

Scape: 5 to 10 in. (12.7 to 25.4 cm) long; creamy yellow. **Flower:** 1.75 in. (4.4 cm) long; pale purple; tubular; Rochelle, IL: 7/3-7/10-7/17.

Seed: seed set unknown.

Clump History: original sport obtained from t.c.; 2 yrs old; Rochelle, IL.

Notable Characteristics: stable, white centered form of *H*. 'Royal Mouse Ears'.

[sport of *H*. 'Royal Mouse Ears']

H. 'Ice Castle'
H. Hansen (ONR), H. Gowen (I)

Plant: 32 in. (81.3 cm) diameter; 18 in. (45.7 cm) high; upright; slow growth rate.

Leaf: 7 in. (17.8 cm) long; 6 in. (15.2 cm) wide; 10 vein prs;

creamy white; 1.5 in. (3.8 cm) wide, flat, dark green w/lighter green where margin overlaps w/white center; dull on top; glaucous bloom underneath; broadly ovate; rounded base; lightly corrugated; petiole white w/thin green margins.

Scape: 15 to 17in. (38.1 to 43.2 cm) long; pure white.

Flower: 1.5 in. (3.8 cm) long; pale lavender; bell; Waseca, MN; 6/30-.

Seed: does not set seed.

Clump History: original sport; 10 yrs old; Waseca, MN. **Notable Characteristics:** lighter green area appears where margin overlaps w/white center.

[sport of \hat{H} . 'Edge of Night']

H. 'Imp' H. Hansen (ONIR)

Plant: $\bar{7}$ in. (17.8 cm) diameter; 3 in. (7.6 cm) high; mound like; med. growth rate.

Leaf: 2 in. (5.1 cm) long; 1 in. (2.5 cm) wide; 5 vein prs; dark green; .0625 to .125 in. (.2 to .3 cm) wide, slightly rippled, creamy white margin; dull on top; shiny underneath; lance; tapered base: flat.

Scape: 15 to 16 in. (38.1 to 40.6cm) long; green.

Flower: 1 in. (2.5 cm) long; pale purple; tubular; Waseca, MN; 7/23-8/12.

Seed: sets viable seeds; green seed pod.

Clump History: original seedling; 6 yrs old; Waseca, MN. $[(((H. \text{ 'Yellow Splash'} \times H. \text{ } tibae) \times H. \text{ } venusta) \times (H. \text{ } venusta \times \text{ 'Shining Tot'}))]$

H. 'Incognito' W. G. Struhar (ONIR)

Plant: 60 in. (152.4 cm) diameter; 36 in. (91.4 cm) high; upright; med. to fast growth rate.

Leaf: 13 in. (33 cm) long; 10 in. (25.4 cm) wide; 13 to 14 vein prs; med. green; 1 to 2.5 in. (2.5 to 6.4 cm) wide, slightly rippled, dark golden-yellow margin; slightly shiny on top; dull underneath; broadly ovate; cordate base; lightly folded; winged petiole.

Scape: 60 to 66 in. (152.4 to 167.6 cm); green.

Flower: 2 in. (5.1 cm) long; near white; light lavender striped; Sterling Heights, MI; 7/12-7/28-8/3.

Seed: sets seeds, viability is unknown; green seed pod. **Clump History:** original sport; 6 yrs old; Sterling Heights, MI.

Notable Characteristics: very unusual shade of dark goldenyellow on margin darkens to olive-green by September. [sport of *H*. 'Elatior']

Seasonal Variation: dark golden-yellow margin darkens to olive-green through the season.

H. 'Indian Summer' G. R. Goodwin (ONIR)

Plant: 18 in. (45.7 cm) diameter; 10 in. (25.4 cm) high; mound-like; med. growth rate.

Leaf: 6 in. (14.2 cm) long; 4 in. (10.2 cm) wide; 9 to 10 vein prs; golden yellow turns to light green; 1 in. (2.5 cm), slightly rippled, creamy white margin; slightly shiny on top; very shiny underneath; broadly ovate; rounded base; lightly cupped, moderately twisted, moderately folded, moderately wavy, lightly corrugated, flat.

Scape: 15 to 18 in. (38.1 to 45.7 cm) long; light green.

Flower: 2 in. (5.1 cm) long; med. lavender; minor striping; tubular; Indianapolis, IN; 7/10-7/25-8/10.

Seed: sets viable seeds; green seed pod.

Clump History: original sport; 7 yrs old; Indianapolis, IN. **Notable Characteristics:** med. sized, yellow centered white edged, displays a two-tone yellow to light green center splashing. [sport of *H*. 'Bravo' seedling]

H. 'Indy Winner's Circle'

B. Dove (O), J. Butler (N), Indianapolis Hosta Society (IR)

Plant: 30 in. (76.2 cm) diameter; 15 in. (38.1 cm) high; mound-like; med. growth rate.

Leaf: 10 in. (25.4 cm) long; 6 in. (15.2 cm) wide; 9 to 10 vein prs; greenish yellow; 1 in. (2.5 cm) wide, flat, med. green margin; slightly shiny on top; dull to slightly shiny underneath; broadly ovate; cordate base; lightly cupped, lightly folded, moderately corrugated, lightly flat.

Scape: 25 to 30 in. (63.5 to 76.2 cm) long; greenish yellow. **Flower:** 3 in. (7.6 cm) long; near white; yellow anthers; tubular; Coatesville, IN; 6/15-6/25-7/1.

Seed: sets viable seeds; greenish yellow seed pod. **Clump History:** original sport; Coatesville, IN.

Notable Characteristics: strong grower w/strong contrast in bicoloration.

[sport of *H*. 'Bright Glow']

H. 'Inspire Greatness'

B. Silvers (ONIR)

Plant: med. sized.

Leaf: 8 in. (20.3 cm) long; 7 in. (17.8 cm) wide; intensely bluegreen; .25 to .75 in. (.6 to 1.9 cm) wide, creamy white margin. **Flower:** pale lavender; Conyers, GA; June 1 to July 15. **Clump History:** original sport; 3 yrs old; Conyers, GA. [stable sport of a streaked breeder]

H. 'Iowa Hawkeye' J. & L. McBurney (ONI), R. Kuenster (R) Plant: 32 in. (81.3 cm) diameter; 17 in. (43.2 cm) wide; mound-like.

Leaf: 8.25 in. (21 cm) long; 4.5 in. (11.4 cm) wide; 8 to 10 vein prs; yellow; .75 in. (1.9 cm) wide, slightly rippled, dark green margin; slightly shiny on top and underneath; ovate; cordate base; lightly twisted.

Scape: 36 to 40 in. (91.4 to 101.6 cm) long w/inflorescence leaves.

Flower: 1.75 in. (4.5 cm) long; pale purple, purple stripes w/ white edges; bell; Center Point, IA; 7/15-7/25-8/15.

Seed: sets seed, viability unknown; green seed pod. **Clump History:** original sport; 5 yrs old; Center Point, IA. **Notable Characteristics:** Reversed sport of *H.* 'Wolverine'.

[sport of *H*. 'Wolverine']

H. 'Iris Frazier' R. Solberg (ONIR)

Plant: 32 in. (81.3 cm) diameter; 20 in. (50.8 cm) high; mound-like; med. growth rate.

Leaf: 9 in. (22.9 cm) long; 7 in. (17.8 cm) wide; 11 to 12 prs of veins; yellow; 1 to 1.5 in. (2.54 cm to 3.8 cm) wide, med. bluegreen; slightly rippled margin; moderately twisted, lightly folded, lightly wavy, moderately corrugated; glaucous bloom on top and underneath; broadly ovate; cordate base.

Scape: 32 to 36 in. (81.3 cm to 91.4 cm) long; golden yellow. **Flower:** 2 in. (5.1 cm); near white; tubular; Chapel Hill, NC; 6/1-6/10-6/20.

Seed: seed set unknown.

Clump History: orig. sport; 3 yrs old; Chapel Hill, NC. **Notable Characteristics:** narrow margin, heavily substanced, exhibits some polyploid-like traits.

[sport of H. 'Five O'Clock Somewhere']

H. 'Irish Pastures' G. R. Goodwin (ONIR)

Plant: 18 in. (45.7 cm) diameter; 10 in. (25.4 cm) high; mound-like; fast growth rate.

Leaf: 7 in. (17.8 cm) long; 3 in. (7.6 cm) wide; 6 to 8 vein prs; greenish yellow; .5 in (1.3 cm) wide, heavily rippled, creamy

white margin; dull on top; slightly shiny underneath; lance; tapered base; intensely twisted, moderately folded, intensely wavy.

Scape: 12 to 15 in. (30.5 to 38.1 cm) long.

Flower: 1.5 to 2 in. (3.8 to 5.1 cm) long; striped; tubular; Indianapolis, IN; 7/20-7/30-8/10.

Seed: sets viable seeds; yellow green seed pod.

Clump History: original sport; 8 yrs old; Indianapolis, IN. **Notable Characteristics:** *H.* 'Bravo' type mound, greenish yellow center w/irregular white margin.

[sport of seedling of *H*. 'Bravo']

H. 'Jolly Green Dwarf' T. Avent (ONIR)

Plant: 28 in. (71.1 cm) diameter; 7 in. (17.8 cm) high; mound-like; slow growth rate.

Leaf: 5 in. (12.7 cm) long; 3.5 in. (21.6 cm) wide; 7 to 8 prs of veins; med. green; flat; lightly wavy, moderately flat; slightly shiny on top; very shiny underneath; broadly ovate; cordate base; reddish coloring one-half way up petiole.

Scape: 15 in. (38.1 cm) long.

Flower: bell; deep purple; striped; Raleigh, NC; 6/1-7/15.

Seed: does not set seed.

Clump History: orig. seedling; 15 yrs old; Raleigh, NC. **Notable Characteristics:** exhibits some polyploid-like traits, essentially a dwarf *H. ventricosa*.

[H. ventricosa × unknown]

H. 'Jotunheim'

R. Lysne (ONIR)

Plant: 50 in. (127 cm) diameter; 36 in. (91.4 cm) high.

Leaf: 12 in. (30.5 cm) long; 10 in. (25.4 cm) wide; 15 to 16 vein prs; intensely silvery-blue; slightly rippled; glaucous bloom on top and underneath; nearly round; cordate base; intensely corrugated.

Scape: 30 to 36 in. (76.2 to 91.4 cm) long; light green w/inflorescence leaves.

Flower: 1.75 in. (4.5 cm) long; nondescript pale lavender; tubular; Ferryville, WI; 6/28-7/10-7/15.

Seed: sets viable seeds; light green seed pod.

Clump History: original seedling; 6 yrs old; Ferryville, WI. **Notable Characteristics:** very rugose at maturity, intense silvery-blue patina that endures far into the season. [*H.* 'Versailles Blue' × *H.* 'Tokudama Flavocircinalis']

H. 'Judy's Amazing Grace'

B. Treichel (ONIR)

Plant: 24 in. (61 cm) diameter; 22 in. (55.9 cm) high; upright; med. growth rate.

Leaf: 11 in. (27.9 cm) long; 7 in. (17.8 cm) wide; 15 to 17 vein prs; med. blue-green; flat; glaucous bloom on top; dull underneath; broadly ovate; cordate base; lightly cupped.

Scape: 24 to 26 in. (61 to 66 cm) long; green.

Flower: near white; Oregon, WI; 6/15-6/30-7/5. **Seed:** sets seeds, viability is unknown; green seed pod.

Clump History: original seedling; 3 yrs old; Oregon, WI.

Notable Characteristics: maintains vigor, upright stance in dry

shade.

[Parentage Unknown]

H. 'Jurassic Park'

R. Lysne (ONIR)

Plant: 108 in. (274.3 cm) diameter; 40 in. (101.6 cm) high; mound-like; fast growth rate.

Leaf: 17 in. (43.2 cm) long; 15 in. (38.1 cm) wide; 17 vein prs; dark green; flat; glaucous bloom on top; dull underneath; broadly ovate; cordate base; corrugated.

Scape: 38 to 42 in. (96.5 to 106.7 cm) long; green.

Flower: 2 in. (5.1 cm) long; pale lavender; tubular; Ferryville,

WI; 7/1-7/10-7/20.

Seed: sets viable seeds; green seed pod.

Clump History: original seedling; 12 yrs old; Ferryville, WI. **Notable Characteristics:** mammoth size – up to 9 ft, spreading

habit, rugose leaf heavy in substance.

[seedling × seedling]

H. 'Katherine S. Mahoney' S. Chamberlain (ONIR)

Plant: 41 in. (104.1 cm) diameter; 18 in. (45.7 cm) high; mound-like; fast growth rate.

Leaf: 8 in. (20.3 cm) long; 5.5 in. (14 cm) wide; 12 vein prs; med. green; slightly rippled; slightly shiny on top; very shiny underneath; ovate; rounded base; moderately flat; purple base w/spotting on petiole.

Scape: 15 to 18 in. (38.1 to 45.7 cm) long; med. green. **Flower:** 2 in. (5.1 cm) long; pale lavender; med. lavender striped; tubular; Manlius, NY; 9/8-9/22-10/5.

Seed: does not set seed.

Clump History: original seedling; 9 yrs old; Manlius, NY. **Notable Characteristics:** late-blooming, shiny-leafed, nicely arranged pale lavender flowers on short scapes.

[Parentage unknown]

H. 'King's Black Knight' H. King (ONIR)

Plant: 46 in. (116.8 cm) diameter; 20 in. (50.8 cm) high; mound-like; med. growth rate.

Leaf: 9 in. (22.9 cm) long; 8 in. (20.3 cm); 9 to 10 vein prs; dark green; flat; slightly shiny on top; glaucous bloom underneath; nearly round; cordate base; moderately cupped, moderately twisted, moderately corrugated.

Scape: 18 to 28 in. (45.7 to 71.1 cm) long; med. green. **Flower:** 2 in. (5.1 cm) long; pale lavender; lavender striped w/translucent margin, tubular; Green Bay, WI; 7/15-7/23-8/3.

Seed: sets viable seeds; very dark green seed pod.

Clump History: original seedling; 8 yrs old; Green Bay, WI. **Notable Characteristics:** very dark shiny green, thick textured, corrugated leaves make a striking mound.

[H. 'Grand Master' \times unknown]

H. 'Lakeside Dream On' M. Chastain (ONIR)

Plant: 44 in. (111.8 cm) diameter; 18 in. (45.7 cm) high; upright; med. growth rate.

Leaf: 8 in. (20.3 cm) long; 8 in. (20.3 cm) wide; 19 vein prs; med. blue-green; 2 in. (5.1 cm) wide, flat, cream margin; glaucous bloom on top; dull underneath; broadly ovate; cordate base; moderately flat.

Scape: 25 to 28 in. (63.5 to 71.1 cm) long; green.

Flower: 2 in. (5.1 cm) long; pure white; tubular; Ooltewah, TN; 5/27-7/9.

Seed: sets viable seeds; green seed pod.

Clump History: original seedling; 3 yrs old; Ooltewah, TN. [H. 'Lakeside Roy El' $\times H$. 'Lakeside Blue Jean']

Seasonal Variation: some of the blue fades.

H. 'Lakeside Flame Dance' M. Chastain (ONIR)

Plant: 35 in. (88.9 cm) diameter; 15 in. (38.1 cm) high; upright. **Leaf:** 6.5 in. (16.5 cm) long; 4 in. (10.2 cm) wide; 6 vein prs; med. green; slightly rippled; slightly shiny on top; dull underneath; broadly ovate; flat base; moderately flat; red petioles. **Scape:** 20 to 23 in. (50.8 to 58.4 cm) long.

Flower: deep purple; deeper markings; tubular; Ooltewah, TN;

8/1-8/30.

Seed: seed set unknown.

Clump History: original seedling; 4 yrs old; Ooltewah, TN.

Notable Characteristics: upright red petioles.

[seedling \times seedling]

H. 'Lakeside Foiled Plot' M. Chastain (ONIR)

Plant: 38 in. (96.5 cm) diameter; 24 in. (61 cm) high; upright; fast growth rate.

Leaf: 9 in. (22.9 cm) long; 9 in. (22.9 cm) wide; 16 vein prs; green; flat; slightly shiny on top and underneath; nearly round; rounded base; deeply cupped.

Scape: 35 to 38 in. (88.9 to 96.5 cm) long; green.

Flower: 1.75 in. (4.4 cm) long; pure white; tubular; Ooltewah, TN: 6/4-7/15.

Seed: sets viable seeds; green seed pod.

Clump History: original seedling; 4 yrs old; Ooltewah, TN.

[seedling × seedling]

Seasonal Variation: green darkens.

H. 'Lakeside Grumpy Green' M. Chastain (ONIR)

Plant: 60 in. (152.4 cm) diameter; 22 in. (55.9 cm) high; mound-like; fast growth rate.

Leaf: 10.5 in. (26.7 cm) long; 10.5 in. (26.7 cm) wide; 15 vein prs; bright green; flat; slightly shiny on top; dull underneath; nearly round; cordate base; deeply corrugated.

Scape: 30 to 33 in. (76.2 to 83.8 cm) long; green.

Flower: 2 in. (5.1 cm) long; pure white; tubular; Ooltewah, TN; 6/9-7/18.

Seed: sets viable seeds; green seed pods.

Clump History: original seedling; 4 yrs old; Ooltewah, TN. [seedling × seedling]

Seasonal Variation: green darkens some.

H. 'Lakeside Khum Kaw' M. Chastain (ONIR)

Plant: 66 in. (167.6 cm) diameter; 28 in. (71.1 cm) high; upright; med. growth rate.

Leaf: 18 in. (45.7 cm) long; 12 in. (30.5 cm) wide; 13 vein prs; med. green; slightly rippled; very shiny on top; glaucous bloom underneath; broadly ovate; cordate base; moderately wavy.

Scape: 34 to 37 in. (86.4 to 94 cm) long; green.

Flower: 2 in. (5.1 cm) long; near white; tubular; Ooltewah, TN; 7/29-8/30.

Seed: sets viable seeds; green seed pod.

Clump History: original seedling; 4 yrs old; Ooltewah, TN. [F1 seedling of *H. hypoleuca* × *H.* 'Lakeside Ripples']

H. 'Lakeside King Pin' M. Chastain (ONIR)

Plant: 68 in. (172.7 cm) diameter; 28 in. (71.1 cm) high; upright; fast growth rate.

Leaf: 16 in. (40.6 cm) long; 12 in. (30.5 cm) wide; 17 vein prs; bright green; slightly rippled; slightly shiny on top and underneath; broadly ovate; cordate.

Scape: 32 to 39 in. (81.3 to 99.1 cm) long; green.

Flower: 2 in. (5.1 cm) long; pure white; tubular; Ooltewah, TN; 6/6-7/22.

Seed: seed set unknown.

Clump History: original seedling; 4 yrs old; Ooltewah, TN. [seedling × *H*. 'Lakeside Ripples']

H. 'Lakeside Little Vamp' M. Chastain (ONIR)

Plant: 10 in. (25.4 cm) diameter; 3.5 in. (8.9 cm) high; mound-like; fast growth rate.

Leaf: 2 in. (5.1 cm) long; 1.5 in. (3.8 cm) wide; 5 vein prs; light lime green; slightly rippled; dull on top and underneath; broadly ovate; flat base; lightly wavy.

Scape: 7 to 9 in. (17.8 to 22.9 cm) long.

Flower: 1.5 in. (3.8 cm) long; pale lavender; tubular; Ooltewah,

TN; 5/30-6/20.

Seed: seed set unknown.

Clump History: original seedling; Ooltewah, TN.

Notable Characteristics: flowers 3 times each season in TN.

[H. 'Lakeside Knick Knack' × seedling]

H. 'Lakeside Magnetic Force' M. Chastain (ONIR)

Plant: 61 in. (154.9 cm) diameter; 25 in. (63.5 cm) high; upright; fast growth rate.

Leaf: 17 in. (43.2 cm) long; 11 in. (27.9 cm) wide; 12 vein prs; intensely blue; flat; glaucous bloom on top and underneath; ovate; cordate base; corrugated.

Scape: 30 to 35 in. (76.2 to 88.9 cm) long; blue-green.

Flower: 2 in. (5.1 cm) long; pure white; tubular; Ooltewah, TN; 5/31-7/8.

Seed: sets viable seeds; green seed pod.

Clump History: original seedling; 3 yrs old; Ooltewah, TN. **Notable Characteristics:** blue holds longer than other blues. [*H.* 'Lakeside Blue Jeans' × seedling]

Seasonal Variation: some of the "frost" does stay on.

H. 'Lakeside Midnight Miss' M. Chastain (ONIR)

Plant: 41 in. (104.1 cm) diameter; 17 in. (43.2 cm); mound-like; fast growth rate.

Leaf: 9.5 in. (24.1 cm) long; 6 in. (15.2 cm) wide; 6 vein prs; dark green; slightly rippled; very shiny on top; slightly shiny underneath; ovate; flat base; moderately wavy.

Scape: 22 to 28 in. (55.9 to 71.1 cm) long; green.

Flower: 2 in. (5.1 cm) long; deep purple; darker streaking; bell; Ooltewah, TN; 7/28-8/29.

Seed: sets viable seeds; green seed pod.

Clump History: original seedling; 3 yrs old; Ooltewah, TN. [*H.* 'Lakeside Black Mama' × *H.* 'Lakeside Looking Glass']

H. 'Lakeside Paisley Print' M. Chastain (ONIR)

Plant: 30 in. (76.4 cm) diameter; 10 in. (25.4 cm) high; mound-like; fast growth rate.

Leaf: 6.5 in. (16.5 cm) long; 6 in. (15.2 cm) wide; 10 vein prs; green cream markings shoot out from petiole; slightly rippled; solid green margin; slightly shiny on top; dull underneath; broadly ovate; rounded base; moderately cupped, moderately wayy.

Scape: 21 to 24 in. (53.3 to 61 cm) long; cream.

Flower: 2 in. (5.1 cm) long; pale lavender; darker striping; tubular; Ooltewah, TN; 7/3-8/1.

Seed: pale green seed pod.

Clump History: 1st generation division of original seedling; 2 yrs old; Ooltewah, TN.

Notable Characteristics: center markings shoot out from petiole.

[seedling × seedling]

H. 'Lakeside Plum Frosting' M. Chastain (ONIR)

Plant: 31 in. (78.7 cm); 9 in. (22.9 cm) high; mound-like. **Leaf:** 7 in. (17.8 cm) long; 5 in. (12.7 cm) wide; 6 vein prs; greenish white; flat; glaucous bloom; on top and underneath; ovate; flat base; moderately flat; plum color one-third up petiole. **Scape:** 16 to 19 in. (40.6 to 48.3 cm); pale green.

Flower: 2 in. (5.1 cm) long; pale lavender; tubular; Ooltewah, TN; 8/6-8/31.

Seed: pale green seed pod.

Clump History: original seedling; 3 yrs old; Ooltewah, TN.

Notable Characteristics: unusual leaf color. [seedling \times F1 seedling of *H. hypoleuca*]

H. 'Lakeside Prophecy Fulfilled' M. Chastain (ONIR)

Plant: 30 in. (76.2 cm) diameter; 17 in. (43.2 cm) high; mound-like; med. growth rate.

Leaf: 10 in. (25.4 cm) long; 8 in. (20.3 cm) wide; 13 vein prs; dark green; .5 to 1 in. (1.3 to 2.5 cm) wide, slightly rippled, serrated, creamy white margin; slightly shiny on top; dull underneath; broadly ovate; cordate base; moderately wavy, deeply corrugated.

Scape: 22 to 26 in. (55.9 to 66 cm) long; green.

Flower: 2 in. (5.1 cm) long; pale lavender; some streaking; tubular; Ooltewah, TN; 7/10-8/12.

Seed: does not set seed.

Clump History: original sport; 2 yrs old; Ooltewah, TN. **Notable Characteristics:** margins are always uneven.

[sport of 'Lakeside Prophecy']

H. 'Lakeside San Ho Tia' M. Chastain (ONIR)

Plant: 66 in. (167.6 cm) diameter; 18 in. (45.7 cm) high; mound-like; fast growth rate.

Leaf: 10 in. (25.4 cm) long; 9 in. (22.9 cm) wide; 15 vein prs; light green; flat; dull on top and underneath; nearly round; cordate base; moderately flat.

Scape: 22 to 26 in. (55.9 to 66 cm) long.

Flower: 2 in. (5.1 cm) long; pale lavender; tubular; Ooltewah, TN; 6/10-7/9.

Seed: sets seeds, viability is unknown; green seed pod. **Clump History:** original seedling; 5 yrs old; Ooltewah, TN.

[H. 'Lakeside San Kao' × seedling]

Seasonal Variation: color changes to bright yellow.

H. 'Lakeside Tee Ki' M. Chastain (ONIR)

Plant: 18 in. (45.7 cm) diameter; 8 in. (20.3 cm) high; upright; very fast growth rate.

Leaf: 4 in. (10.2 cm) long; 3 in. (7.6 cm) wide; 9 vein prs; greenish yellow; .5 in. (1.3 cm) wide, slightly rippled, cream margin; dull on top and underneath; broadly ovate; cordate base; lightly wavy.

Scape: 14 to 17 in. (35.6 to 43.2 cm) long; pale green w/inflorescence leaves.

Flower: 2 in. (5.1 cm) long; pale lavender; tubular; Ooltewah, TN: 5/31-6/18.

Seed: sets viable seeds; pale green seed pod.

Clump History: original seedling, divided last year; 1 yr old; Ooltewah, TN.

[H. 'Lakeside Knick Knack' × seedling]

H. 'Lakeside Toy Treasure' M. Chastain (ONIR)

Plant: 12 in. (30.5 cm) diameter; 5 in. (12.7 cm) high; mound-like; fast growth rate.

Leaf: 2.5 in. (6.4 cm) long; 1 in. (2.5 cm) wide; 4 vein prs; med. green; .25 in (.6 cm) wide, flat, white margin; slightly shiny on top; dull underneath; lance; rounded base; lightly folded.

Scape: 10 to 13 in, (25.4 to 33 cm) long; green.

Flower: 1.25 in. (3.2 cm) long; pale lavender; tubular; Ooltewah, TN; 6/18-7/9.

Seed: sets viable seeds; green seed pod.

Clump History: original seedling; 5 yrs old; Ooltewah, TN. [*H.* 'Tsugara Komachi' × seedling]

H. 'Letha Mae' R. Kuenster (ONIR)

Plant: 44 in. (111.8 cm) diameter; 26 in. (66 cm) high; mound-like.

Leaf: 10 in. (25.4 cm) long; 7.5 in. (19 cm) wide; 11 to 12 vein prs; light green to med. green; flat; slightly shiny on top and

underneath; broadly ovate; cordate base; moderately flat; petiole spotted and speckled red.

Scape: 36 to 40 in. (91.4 to 101.6 cm) long w/inflorescence leaves.

Flower: 1.65 in. (4.2 cm) long; med. lavender w/lavender striping, white edge w/lavender striping; bell; Iowa City, IA; 7/20-7/25-8/3.

Seed: seed viability unknown; green seed pod.

Clump History: original seedling; 7 yrs old; Iowa City, IA. **Notable Characteristics:** red speckled petioles w/nice green leaves.

[Parentage Unknown]

H. 'Little Maddie' T. Van Wyk (ONIR)

Plant: 7 in. (17.8 cm) diameter; 3.5 in. (8.9 cm) high; mound-like; med. growth rate.

Leaf: 2 in. (5.1 cm) long; .875 in. (2.2 cm) wide; 3 vein prs; lime green w/green misting; flat to slightly rippled; dull to slightly shiny on top; slightly shiny underneath; elliptic; tapered base; lightly flat; red speckled petiole.

Scape: 8 to 10 in. (20.3 to 25.4 cm) long; green.

Flower: pale lavender; tubular; Pella, IA; July 15 to Aug 15.

Seed: sets viable seeds; green seed pod.

Clump History: original seedling; 3 yrs old; Pella, IA.

Notable Characteristics: miniature has speckling w/red speckles on back of petioles.

[*H.* 'Little Wonder Supreme' × unknown]

Seasonal Variation: becomes darker w/season.

H. 'London Bridge' M. Zilis (OIR), T. Toman (N)

Plant: 24 in. (61 cm) diameter; 10 in. (25.4 cm) high; mound-like, slow growth rate.

Leaf: 6 in. (15.2 cm) long; 3 in. (7.6 cm) wide; 6 to 8 vein prs; creamy white; .25 in. (.6 cm) wide, med. green, flat margin; dull on top; thin glaucous bloom underneath; ovate; rounded base.

Scape: 10 to 20 in. (25.4 to 50.8 cm) long; creamy white.

Flower: 2 in. (5.1 cm) long; pale lavender; tubular; Rochelle, IL; 7/7-7/14-7/24.

Seed: seed set unknown.

Clump History: original sport obtained from t.c.; 3 yrs old; Rochelle, IL.

Notable Characteristics: white centered sport of H. 'Allegan Fog'.

[sport of *H*. 'Allegan Fog']

H. 'London Fog' M. Zilis (OIR), T. Toman (N)

Plant: 30 in. (76.2 cm) diameter; 12 in. (30.5 cm) high; mound-like, slow growth rate.

Leaf: 6 in. (15.2 cm) long; 3 in. (7.6 cm) wide; 7 to 8 vein prs; white with green speckling; flat margin; dull on top; thin glaucous bloom underneath; ovate; rounded base; lightly wavy.

Scape: 10 to 20 in. (25.4 to 50.8 cm) long.

Flower: 2 in. (5.1 cm) long; pale lavender; tubular; Rochelle, IL; 7/7-7/14-7/24.

Seed: seed set unknown.

Clump History: original sport obtained from t.c.; 3 yrs old; Rochelle, IL.

Notable Characteristics: misted form of *H*. 'Allegan Fog'. [sport of *H*. 'Allegan Fog']

H. 'Marnie's Delight' R. Kuenster (ONIR)

Plant: 32 in. (81.3 cm) diameter; 14 in. (35.6 cm) high; upright. **Leaf:** 7 in. (17.8 cm) long; 4.5 in. (11.4 cm) wide; 8 to 10 vein prs; greenish yellow to yellow; .5 to 1 in. (1.3 to 2.5 cm) wide,

slightly rippled, dark green margin; slightly shiny on top; dull underneath; ovate; tapered base; moderately cupped, moderately twisted, moderately wavy; light yellow green center on petiole.

Scape: 37 to 42 in. (94 to 106.7 cm) long w/inflorescence leaves. **Flower:** 1.75 in. (4.5 cm) long; pale lavender; lavender striping;

tubular; Iowa City, IA; 7/1-7/20-8/10.

Seed: sets seed, viability unknown; green seed pod.

Clump History: original seedling; 4 yrs old; Iowa City, IA. **Notable Characteristics:** pointed, curved tip w/nice color

change through season, white back and wavy.

[Parentage Unknown]

Seasonal Variation: center turns to med. green in summer.

H. 'Matthew Braedon' S. & S. Zolock (ONIR)

Plant: 14 in. (35.6 cm) diameter; 24 in. (61 cm) high; mound-like; med. growth rate.

Leaf: 11 in. (27.9 cm) long; 7 in. (17.8 cm) wide; 10 to 12 vein prs; dark green; flat; slightly shiny on top; dull underneath; ovate; rounded base; flat.

Scape: 20 to 24 in. (50.8 to 61 cm) long; green.

Flower: 2 in. (5.1 cm) long; med. lavender; tubular; Belle

Vernon, PA; 9/15-10/1-10/15.

Seed: sets viable seeds; green seed pod.

Clump History: original seedling; 5 yrs old; Belle Vernon, PA. **Notable Characteristics:** late flowering, clean dark green shiny open arching leaf mound

[seedling × seedling]

H. 'Midsummer Night's Green' G. R. Goodwin (ONIR)

Plant: 24 in. (61 cm) diameter; 24 in. (61 cm) high; upright; fast growth rate.

Leaf: 10 in. (25.4 cm) long; 8 in. (20.3 cm) wide; 10 to 11 vein prs; med. green; slightly rippled, very shiny on top and underneath; broadly ovate; flat to rounded base; moderately cupped, moderately twisted, moderately folded, lightly wavy, lightly corrugated.

Scape: 36 to 42 in. (91.4 to 106.7 cm) long; green.

Flower: 2 in. (5.1 cm) long; med. lavender; tubular; Indianapolis, IN; 7/25-7/30-8/15.

Seed: sets viable seeds; green seed pod.

Clump History: original seedling; 10 yrs old; Indianapolis, IN. **Notable Characteristics:** tall thin growth habit w/shiny leaves, most sun tolerant of hybridizer's cultivars. [H. longipes var. latifolia × unknown]

H. 'Mighty Mouse' Walters Gardens, Inc. (ONIR)

Plant: miniature size; mound-like; med. growth rate.

Leaf: 3.25 in. (8.3 cm) long; 2.5 in. (6.4 cm) wide; slightly bluegreen; .25 to .5 in. (.6 to 1.3 cm) wide, flat, creamy white margin; dull on top; glaucous bloom underneath; flat; short, stiff, broad petiole.

Flower: 2 in. (5.1 cm) long; med. lavender; purple striped on inside; tubular; Zeeland, MI; June 1 to July 15.

Clump History: original sport obtained from t.c.; 2 yrs old; Zeeland, MI.

Notable Characteristics: very stiff foliage, small size w/slightly blue green center and creamy yellow to white margin.

[sport of *H*. 'Blue Mouse Ears']

Seasonal Variation: margin starts pale yellow.

H. 'Mini Mouse' G. R. Goodwin (ONIR)

Plant: 3 in. (7.6 cm) diameter; 2.5 in. (6.4 cm) high; mound-like; med. growth rate.

Leaf: 1 in. (2.5 cm) long; .75 in. (1.9 cm) wide; 4 vein prs; med.

grey-green; flat; dull on top and underneath; broadly ovate; rounded base; moderately cupped, lightly twisted, lightly folded, lightly wavy, lightly flat.

Scape: 9 to 12 in. (22.9 to 30.5 cm) long; green.

Flower: 2 in. (5.1 cm) long; almost blue purple; tubular; Indianapolis, IN; 6/15-6/30-7/5.

Seed: sets viable seeds; green seed pod.

Clump History: original seedling; 8 yrs old; Indianapolis, IN. Notable Characteristics: it is smaller than H. venusta, almost blue purple.

[Parentage Unknown]

H. 'Miss Linda Smith' A. Wrede (ONIR)

Plant: med. size; upright; fast growth rate.

Leaf: 6 in. (15.2 cm) long; 4 in. (10.2 cm) wide; 6 to 7 vein prs; med. blue-green; slightly rippled; slightly shiny on top; glaucous bloom underneath; ovate; cordate base; flat; purple petiole. Scape: red purple.

Flower: pale lavender; Joppa, MD; July 15 to Aug 15.

Seed: sets viable seeds; green seed pod.

Clump History: original seedling; 4 yrs old; Joppa, MD. Notable Characteristics: blue-green w/white back, strong petioles, purple all the way to the leaf.

[Parentage Unknown]

H. 'Miss Missey' A. Wrede (ONIR)

Plant: 18 in. (45.7 cm) diameter; 10 in. (25.4 cm) high; mound-

Leaf: 4 in. (10.2 cm) long; 1.5 in. (3.8 cm) wide; 5 to 6 vein prs; green, white streaked and speckled; slightly rippled; dull on top and underneath; lance; tapered based; twisted.

Scape: 18 to 20 in. (45.7 to 51 cm) long.

Flower: fragrant; lavender near blue; striped; near flat; Joppa,

Clump History: original sport; 9 yrs old; Joppa, MD,

Notable Characteristics: very unstable, will change often, scape is short, flowers near flat, and near blue, and highly fragrant, good breeder.

[sport of *H*. 'Sweet Susan']

H. 'Naomi' H. Klose (ONI), P. Ruh (R)

Plant: 18 in. (45.7 cm) diameter; 9 in. (22.9 cm) high; moundlike: med. growth rate.

Leaf: 5.438 in. (13.8 cm) long; 3.875 in. (9.8 cm) wide; 9 vein prs; dark green; flat; waxy on top; dull underneath; ovate; cordate base; flat.

Scape: 11 in. (27.9 cm) long; green.

Flower: 1.25 in. (3.2 cm) long; pale lavender; slightly striped; tubular; Chesterland, OH; 7/13-7/24-8/4.

Clump History: a division obtained from other source; 4 yrs old; Chesterland, OH.

[A German cultivar of *H*. Tardiana Group]

H. 'Neptune' H. Hansen (ONIR)

Plant: 47 in. (119.4 cm) diameter; 24 in. (61 cm) high; mound like; med. growth rate.

Leaf: 13 in. (33 cm) long; 7 in. (17.8 cm) wide; 9 vein prs; med. blue-green; rippled; glaucous bloom on top and underneath; ovate; flat base; lightly wavy.

Scape: 32 to 39 in. (81.3 to 99.1 cm) long.

Flower: 2.25 in. (5.7 cm) long; pale lavender; tubular; Waseca,

MN; 8/7-9/5.

Seed: sets viable seeds; green seed pod.

Clump History: original seedling; 7 yrs old; Waseca, MN.

Notable Characteristics: arching scapes. [(*H*. 'Maekawa' × 'Halcyon') × *H*. 'Salute']

Seasonal Variation: bluest in spring.

H. 'Nippers' R. Goodenough (ONIR) **Plant:** 12 in. (30.5 cm) diameter; 10 in. (25.4 cm) high; mound-

Leaf: 2 in. (5.1 cm) long; 2 in. (5.1 cm) wide; 9 to 11 vein prs; dark green; flat; slightly shiny on top; nearly round; rounded base; lightly cupped, deeply corrugated.

Scape: 11 to 13 in. (27.9 to 33 cm) long; green.

Flower: 1.5 in. (3.8 cm) long; pink to near pink; near pink throughout; bell; Marshfield, MA; 7/10-7/20-7/25.

Seed: sets viable seeds; green seed pod.

Clump History: original seedling; 4 yrs old; Marshfield, MA. Notable Characteristics: round and puckered, leaves 90 degrees from petiole, very dark green, flowers above plant and propor-

[H. 'Fascination' $\times H$. 'Black Beauty']

H. 'Nokogiriyama' Japan (ONI), P. Ruh (R)

Plant: 40 in. (101.6 cm) diameter; 22 in. (55.5 cm) high; moundlike; slow growth rate.

Leaf: 8.75 in. (22.2 cm) long; 5.25 in. (13.3 cm) wide; 10 vein prs; dark green; slightly rippled; very shiny on top and underneath; ovate; flat base; lightly twisted, lightly wavy, flat, pointed. Scape: 50 in. (127 cm) long; dark green.

Flower: 2.25 in. (5.7 cm) long; pale lavender; tubular; Chesterland, OH; 7/11-7/25-8/9.

Seed: sets viable seeds; purple and green seed pod.

Clump History: a division of original obtained from other source; 13 yrs old; Chesterland, OH.

Notable Characteristics: pointed leaf tip.

[Parentage Unknown]

H. 'Ocean Isle' D. Chopko (ONR) R. Solberg (I)

Plant: 45 in. (114.3 cm) diameter; 20 in. (50.8 cm) high; moundlike; med. growth rate.

Leaf: 12.75 in. (32.4 cm) long; 10.75 in. (27.3 cm) wide; 16 to 20 prs of veins; med. blue-green; 1.5 to 3 in. (3.8 cm to 7.6 cm) wide golden yellow, heavily rippled margin; lightly folded, moderately wavy, moderately corrugated; glaucous bloom on top and underneath: broadly ovate: cordate base.

Scape: 36 to 40 in. (91.4 cm to 101.6 cm) long; green.

Flower: pale lavender; tubular; Boonton, NJ; 6/25-7/10-7/25.

Seed: seed set unknown.

Clump History: orig. sport; 4 yrs old; Boonton, NJ.

Notable Characteristics: large leaves with high vein count, rippled edge and wide gold margins.

[sport of *H*. 'El Dorado']

Seasonal Variation: emerges blue-green and develops bright gold edge, center becomes rich green in summer.

H. 'Philadelphia' B. Silvers (ONIR)

Plant: small to med. size; mound-like; fast growth rate.

Leaf: 6 in. (15.2 cm) long; 6 in. (15.2 cm) wide; intensely bluegreen; slightly shiny on top; dull underneath; broadly ovate; rounded base; cupped, corrugated.

Flower: bell; Conyers, GA; June 1 to July 15.

Clump History: original sport; 2 yrs old; Conyers, GA. [sport of *H*. 'Popcorn']

H. 'Prom Queen' R. Meyer (ONIR)

Plant: 30 in. (76.2 cm) diameter; 18 in. (45.7 cm) high; upright;

med. growth rate.

Leaf: 9 in. (22.9 cm) long; 6 in. (15.2 cm) wide; 10 vein prs; yellow; 2 in. (5.1 cm) wide, slightly rippled, med. blue-green w/med. green streaks margin; dull on top and underneath; ovate; cordate base; lightly cupped, lightly corrugated; leaf color follows down petiole.

Scape: 30 to 36 in. (76.2 to 91.4 cm) long; creamy white w/green stripes.

Flower: 1.5 in. (3.8 cm) long; med. lavender; tubular; Oxford Jct., IA; June 1 to July 15.

Seed: sets seeds, viability is unknown; creamy white seed pod. **Clump History:** original sport; 4 yrs old; Oxford Jct., IA. **Notable Characteristics:** 3 distinct colors in each leaf, wide margin, good substance.

[sport of *H.* 'Pinstripe Sister']

Seasonal Variation: center changes to creamy white.

H. 'Restless Sea' H. Hansen (ONIR)

Plant: 32 in. (81.3 cm) diameter; 17 in. (43.2 cm) high; upright; med. growth rate.

Leaf: 7.5 in. (19.1 cm) long; 4 in. (10.2 cm) wide; 7 to 8 vein prs; blue-grey/green; serrated, undulating margin; dull on top; glaucous bloom underneath; ovate; tapered, cupped; folded, twisted tip; slight amount of red dots on petiole.

Scape: 18 to 24 in. (45.7 to 61 cm) long; grey-green.

Flower: 2 in. (5.1 cm) long; pale lavender; w/reverse interior, near white w/lavender flair down petals; bell; Waseca, MN; 8/20-9/15.

Seed: sets viable seeds; green seed pod

Clump History: original seedling; 6 yrs old; Waseca, MN. **Notable Characteristics:** combination of undulating leaf margin w/serrated edge, cupped leaf base, and often a twist to leaf tip. [*H.* 'Salute' hybrid]

Seasonal Variation: green in summer.

H. 'Risa' D. Dupré (ONIR)

Plant: 12.8 in. (32.5 cm) diameter; 6.7 in. (17 cm) high; mound-like; fast growth rate.

Leaf: 3.2 in. (8.2 cm) long; 1.7 in. (4.3 cm) wide; 6 to 7 vein prs; med. green; flat; slightly shiny on top; dull underneath; ovate; flat; lightly folded, lightly wavy; green **p**etiole.

Scape: 13 to 16.5 in. (33 to 42 cm) long; green w/red dots. **Flower:** 1.4 in. (3.6 cm) long; pale purple; med. lavender striped; tubular; Asper, Belgium; 7/22-8/3-8/21.

Seed: seed set unknown; green seed pod.

Clump History: original seedling; 4 yrs old; Asper, Belgium. [Parentage Unknown]

H. 'Rise and Shine' G. R. Goodwin (ONIR)

Plant: 48 in. (121.9 cm) diameter; 18 in. (45.7 cm) high; mound-like; med. growth rate.

Leaf: 11 in. (27.9 cm) long; 9 in. (22.9 cm) wide; 12 to 13 vein prs; med. green; slightly rippled, slightly shiny on top' dull underneath; broadly ovate to nearly round; rounded to cordate base; lightly cupped, moderately twisted, moderately folded, moderately wavy, lightly corrugated, deeply flat.

Scape: 42 to 54 in. (106.7 to 137.2 cm) long; light green to yellow; inflorescence leaves.

Flower: 2 in. (5.1 cm) long; near white to pale lavender; tubular; Indianapolis, IN; 6/20-7/5-7/25.

Seed: sets viable seeds; light green seed pod.

Clump History: original seedling; 12 yrs old; Indianapolis, IN. **Notable Characteristics:** very bright spring yellow fades to a light green, a most distinctive spring plant.

[H. 'Bill Brincka' × unknown]

Seasonal Variation: changes to light green in late summer.

H. 'Roseann Walter' H. Benedict (O) B. Kuk (NIR)

Plant: 23 in. (58.4 cm) diameter; 27 in. (68.6 cm) high; upright; med. growth rate.

Leaf: 11.5 in. (29.2 cm) long; 6 in. (15.2 cm) wide; 13 vein pairs; medium blue green; .5 to 1.5 in. (1.3 to 3.8 cm) slightly rippled, chartreuse gold margin; dull on top and underneath; ovate; lightly corrugated.

Scape: 18 to 22 in. (45.7 to 55.9 cm) long; dull green.

Flower: 1.75 in. (4.4 cm) long; med. lavender; slightly darker lavender striped; tubular; Brecksville. OH; 6/28-7/15-7/22.

Seed: sets viable seeds; green seed pod.

Clump History: original seedling; 8 yrs old; Brecksville. OH. **Notable Characteristics:** margin is a chartreuse gold color holding until late August and turning cream by fall.

[*H.* 'Dorothy Benedict' × unknown]

H. 'Roxy Moxy' R. Meyer (OIR), Naylor Creek (N)

Plant: 15 in. (38.1 cm) diameter; 8 in. (20.3 cm) high; rhizomatous; med. growth rate.

Leaf: 5 in. (12.7 cm) long; 2 in. (5.1 cm) wide; 5 to 6 vein prs; greenish white w/dark green streaks; .25 to .5 in. (.6 to 1.3 cm) wide, slightly rippled, creamy white margin; dull on top; slightly shiny underneath; lance; tapered base; lightly twisted, lightly folded, moderately wavy.

Scape: 8 to 12 in. (20.3 to 30.5 cm) long.

Flower: 1.5 in. (3.8 cm) long; med. lavender; tubular; Oxford

Jct., IA; 6/25- 7/8-7/15. **Seed:** does not set seed.

Clump History: original sport; 4 yrs old; Oxford Jct., IA

[sport of *H*. 'Allegan Fog']

Seasonal Variation: starts greenish white w/dark green streaks, light green margin; center greens up, margin turns cream white.

H. 'Scaredy Cat' L. Jones (ONIR)

Plant: 30 in. (76.2 cm) diameter; 11 in. (27.9 cm) high; mound-like; med. growth rate.

Leaf: 7.5 in. (19.1 cm) long; 4 in. (10.2 cm) wide; 8 to 9 vein prs; golden yellow; slightly rippled; dull on top and underneath; ovate; flat base; lightly wavy.

Scape: 25 to 28 in. (63.5 to 71.1 cm) long; green w/inflorescence leaves.

Flower: 1.75 in. (4.4 cm) long; pale lavender; bell; Advance, NC; June 1 to July 15.

Clump History: original seedling; 3 yrs old; Advance, NC. **Notable Characteristics:** needs morning sun to intensify the golden yellow.

[*H.* 'Cry Baby' × unknown]

Seasonal Variation: starts out light green turning golden yellow.

H. 'Schneekoppe' H. Klose (ONI), P. Ruh (R)

Plant: 20.25 in. (51.4 cm) diameter; 14 in. (35.6 cm) high; upright; med. growth rate.

Leaf: 6.25 in. (15.9 cm) long; 3.625 in. (9.2 cm) wide; 9 vein prs; med. green; slightly rippled; slightly shiny on top and underneath; ovate; flat base; pointed tip.

Scape: 15 in. (38.1 cm) long; green.

Flower: 2 in. (5.1 cm) long; pure white; bell; Chesterland, OH; 7/20-8/2-8/15.

Seed: does not set seed.

Clump History: a division obtained from other source; 5 yrs old; Chesterland, OH.

Notable Characteristics: its unusual flower that is like that of a hyacinth, upright and white.

[Parentage Unknown]

H. 'Singing in the Rain' Walters Gardens, Inc. (ONIR)

Plant: large; mound-like; fast growth rate.

Leaf: 9 in. (22.9 cm) long; 8 in. (20.3 cm) wide; 15 to 18 vein prs; slightly blue-green; .5 to 1 in. (1.3 to 2.5 cm) wide, flat, pale yellow margin; glaucous bloom on top and underneath; nearly round; cordate base; flat; margin extends down entire petiole.

Flower: 2.5 to 3 in. (6.4 to 7.6 cm) long; med. lavender; translucent edge on inner tepals; tubular; Zeeland, MI; July 15 to Aug

15.

Seed: sets viable seeds; green seed pod.

Clump History: original sport; 4 yrs old; Zeeland, MI.

Notable Characteristics: large *H*. 'Blue Umbrellas' sized leaves w/creamy yellow to creamy white margins.

[sport of H. 'Blue Umbrellas']

Seasonal Variation: margin intensifies to creamy white.

H. 'Skinny Dippin' T. Avent (ONIR)

Plant: 18 in. (45.7 cm) diameter; 8.5 in. (21.6 cm) high; mound-like; med. growth rate.

Leaf: 5.5 in. (14 cm) long; 1.5 in. (3.8 cm) wide; 4 to 5 prs of veins; med. glaucous green; slightly rippled; lightly folded, dull on top and underneath; lance; tapered base.

Flower: tubular; med. lavender; Raleigh, NC; July 15 to Aug 15. **Seed:** sets viable seeds.

Clump History: orig. seedling; 10 yrs old; Raleigh, NC. $[((H. \text{`Swoosh'} \times H. \text{ longissima}) \times H. \text{`Red Neck Heaven'}) \times H. \text{`Elvis Lives'}]$

H. 'Small Parts' D. Van Eechaute (ONIR)

Plant: 5.1 in. (13 cm) diameter; 2.2 in. (5.5 cm) high; mound-like; fast growth rate.

Leaf: 1.7 in. (4.4 cm) long; .9 in. (2.4 cm) wide; 4 vein prs; med. green; flat; very shiny on top; slightly shiny underneath; ovate; rounded base; lightly folded; green petiole.

Scape: 5.1 to 6.3 in. (13 to 16 cm) long; green.

Flower: .7 in. (1.9 cm) long; pale lavender; tubular; Deinze, Belgium; 7/18-7/24-8/7.

Seed: does not set seed.

Clump History: original seedling; 4 yrs old; Deinze, Belgium. **Notable Characteristics:** miniature w/shiny leaf and thick substance, tolerates full sun.

[*H.* 'Gummy Bear' × unknown]

H. 'Smokey' A. Wrede (ONIR)

Plant: 24 in. (61 cm) diameter; 18 in. (45.7 cm) high; rhizomatous; fast growth rate.

Leaf: 9 in. (22.9 cm) long; 4 in. (10.2 cm) wide; 7 to 8 vein prs; dark green; slightly rippled; slightly shiny on top; glaucous bloom underneath; lance; rounded base; lightly folded.

Scape: 18 to 20 in. (45.7 to 50.8 cm) long.

Flower: pale lavender; tubular; Joppa, MD; July 15 to Aug 15.

Seed: sets viable seeds; green seed pod. **Clump History:** original seedling; Joppa, MD.

[H. 'Urajiro Hachijo' × unknown]

H. 'Spinach Soufflé' R. Solberg (ONIR)

Plant: 30 in. (76.2 cm) diameter; 14 in. (35.6 cm) high; mound-like; slow growth rate.

Leaf: 8 in. (20.3 cm) long; 8 in. (20.3 cm) wide; 10 to 11 prs of veins; med. blue-green; 1.5 to 2 in. (3.8 cm to 5.1 cm) wide

golden yellow; slightly rippled; lightly twisted, moderately folded, lightly wavy, moderately corrugated; glaucous bloom on

top and underneath; nearly round; cordate base. **Scape:** 16 to 18 in. (40.6 cm to 45.7 cm) long.

Flower: 1.75 in. (4.4 cm); near white; tubular; Chapel Hill, NC;

6/1-6/10-6/20.

Seed: seed set unknown.

Clump History: orig. sport; 3 yrs old; Chapel Hill, NC. **Notable Characteristics:** very heavy substance, bright color,

exhibits some polyploid-like traits. [sport of *H*. 'Garden Treasure']

Seasonal Variation: leaf center becomes a bright rich green.

H. 'Spirit of St Louis'

P. Cross (ONIR)

Plant: 48 in. (121.9 cm) diameter; 36 in. (91.4 cm) high; upright; med. growth rate.

Leaf: 20 in. (50.8 cm) long; 12 in. (30.5 cm) wide; med. green; flat; slightly shiny on top; broadly ovate; cordate base; moderately flat.

Flower: near white; Ash Grove, MO; July 15 to Aug 15.

Seed: seed set unknown.

Clump History: original seedling; 7 yrs old; Ash Grove, MO. **Notable Characteristics:** tall upright mound of large cascading med. green leaves, shiny surface w/impressed veins, tapers smoothly to a distinct point.

[*H.* 'Azure Snow' × unknown]

H. 'Star-kissed'

M. Zilis (OIR), L. Poliska (N)

Plant: 50 in. (127 cm) diameter; 24 in. (61 cm) high; upright. **Leaf:** 12 in. (30.5 cm) long; 8 in. (20.3 cm) wide; 13 to 14 vein prs; chartreuse; .5 in. (1.3 cm) wide, golden yellow margin; glaucous bloom early on top; moderate glaucous bloom underneath; broadly ovate; cordate base; moderately corrugated.

Scape: 30 to 40 in. (76.2 to 101.6 cm) long.

Flower: 2.5 in. (6.4 cm) long; very pale lavender; tubular; Rochelle, IL; 7/3-7/11-7/24.

Seed: seed set unknown.

Clump History: original sport obtained from t.c.; 4 yrs old; Rochelle, IL.

[sport of *H*. 'Stardust']

Seasonal Variation: center turns med. green.

H. 'Stimulation' T. Avent (ONIR)

Plant: 35 in. (88.9 cm) diameter; 17 in. (43.2 cm) high; mound-like; med. growth rate.

Leaf: 8 in. (20.3 cm) long; 5 in. (12.7 cm) wide; 6 to 7 prs of veins; dark green; serrated; lightly cupped, lightly twisted; very shiny on top and underneath; broadly ovate; flat base; winged petioles.

Scape: 30 in. (76.2 cm) long.

Flower: spider; med. lavender; Raleigh, NC; Aug 15 to Oct 1.

Seed: does not set seed.

Clump History: orig. seedling; 7 yrs old; Raleigh, NC.

Notable Characteristics: unique spider flowers and congested buds wavy glossy green leaves.

[(((H. 'Red Neck Heaven' $\times H$. 'Invincible') \times self) $\times H$. 'Elvis Lives') \times (H. 'Elvis Lives' $\times H$. 'Treasure Island')]

H. 'Streets of Gold'

R. Lysne (ONIR)

Plant: 55 in. (139.7 cm) diameter; 24 in. (61 cm) high; mound-like; med. growth rate.

Leaf: 12 in. (30.5 cm) long; 11 in. (27.9 cm) wide; 15 vein prs; golden yellow; flat; dull on top and underneath; nearly round; cordate base; moderately corrugated.

Scape: 26 to 30 in. (66 to 76.2 cm) long; pale green w/inflorescence leaves.

Flower: 1.5 in. (3.8 cm) long; pale lavender; tubular; Crawford Co, WI; 7/15-7/21-7/21.

Seed: does not set viable seed; green seed pod.

Clump History: original seedling; 5 yrs old; Crawford Co, WI. **Notable Characteristics:** nearly round leaves at maturity, strong puckering, intense summer gold color.

[seedling × seedling]

Seasonal Variation: chartreuse becomes gold as season progresses.

H. 'Sum More Magic' S. Doggett (ONIR)

Plant: 32 in. (81.3 cm) diameter; 24 in. (61 cm) high; upright; med. growth rate.

Leaf: 10 in. (25.4 cm) long; 9.5 in. (24.1 cm) wide; 11 vein prs; med. green; flat; slightly shiny on top; glaucous bloom underneath; broadly ovate; cordate base; lightly cupped, lightly corrugated.

Scape: 36 to 46 in. (91.4 to 121.9 cm) long; blue w/inflorescence leaves

Flower: 3 in. (7.6 cm) long; pale lavender; tubular; Goshen, OH; 6/5-7/4-8/1.

Seed: seed set unknown; green seed pod.

Clump History: original seedling; 4 yrs old; Goshen, OH. **Notable Characteristics:** upright w/thick slug resistant leaves. [*H.* 'Sum and Substance' × unknown]

H. 'Summa Cum Laude' R. Lysne (ONIR)

Plant: 66 in. (167.6 cm) diameter; 20 in. (50.8 cm) high; mound-like; med. growth rate.

Leaf: 14 in. (35.6 cm) long; 13 in. (33 cm) wide; 13 to 15 vein prs; light green; .75 to 1.5 in. (1.9 to 3.8 cm) wide, flat, pale yellow margin; very shiny on top; glaucous bloom underneath; nearly round; cordate base; lightly corrugated.

Scape: 36 to 40 in. (91.4 to 101.6); light green w/inflorescence leaves

Flower: 2 in. (5.1 cm) long; med. lavender; light inner striped; tubular; Crawford Co, WI; 7/28-8/5-8/16.

Clump History: original sport; 5 yrs old; Crawford Co, WI. **Notable Characteristics:** unlike other Sum and Substance sports shows margin immediately.

[sport of *H*. 'Sum and Substance']

H. 'Sun Worshipper' R. Solberg (ONIR)

Plant: 22 in. (55.9 cm) diameter; 10 in. (25.4 cm) high; mound-like; med. growth rate.

Leaf: 7 in. (17.8 cm) long; 3 in. (7.6 cm) wide; 6 to 7 prs of veins; yellow; slightly rippled; moderately wavy; slightly shiny on top and underneath; ovate; rounded base; bright red petiole to the leaf base.

Scape: 20 to 22 in. (50.8 to 55.9 cm) long; yellow.

Flower: 2 in. (5.1 cm); med. lavender; dark lavender stripes; tubular; Chapel Hill, NC; 7/20-8/10-8/20.

Seed: sets viable seeds.

Clump History: orig. seedling; 3 yrs old; Chapel Hill, NC. **Notable Characteristics:** bright yellow leaves that hold their color well with bright red petioles.

[H. ('Whiskey Sour' × 'Whiskey Sour')]

Seasonal Variation: may bleach to pale yellow in strong light.

H. 'Sunny Tiara' R. Flink (ONR), Savory's Garden (I) **Plant:** 20 in. (50.8 cm) diameter; 14 in. (35.6 cm) high; mound-like; fast growth rate.

Leaf: 3.5 in. (8.9 cm) long; 2.25 in. (5.7 cm) wide; 6 to 7 vein prs; greenish yellow; slightly rippled; dull on top; slightly shiny underneath; broadly ovate; rounded base; wavy.

Scape: 18 to 24 in. (45.7 to 61 cm) long.

Flower: 1.5 in. (3.8 cm) long; purple; white striped; tubular; Hartsburg, MO; 7/1-7/15-7/25.

Clump History: original seedling; 2 yrs old; Hartsburg, MO. [sport of *H*. 'Golden Tiara']

H. 'Susie Chamberlain' S. Chamberlain (ONIR)

Plant: 44 in. (111.8 cm) diameter; 33 in (83.8 cm) high; upright; med. growth rate.

Leaf: 14 in. (35.6 cm) long; 8.5 in. (21.6 cm) wide; 11 vein prs; med. green; slightly rippled; slightly shiny on top and underneath; ovate; tapered base; moderately flat; petiole has light green center, dark green margin.

Scape: 41 to 62 in. (104.1 to 157.5 cm) long; dark green.

Flower: 2 in. (5.1 cm) long; med. lavender; pale purple striped; tubular; Manlius, NY; 7/14-8/3-8/12.

Clump History: original seedling; 5 yrs old; Manlius, NY. **Notable Characteristics:** tall vase-shaped w/tall scapes. [Parentage Unknown]

H. 'Teatime' M. Zilis (OIR), J. Boyden (N)

Plant: 36 in. (91.4 cm) diameter; 16 in. (40.6 cm) high; mound-like, slow growth rate.

Leaf: 7 in. (17.8 cm) long; 5.5 in. (14 cm) wide; 12 to 13 vein prs; dark green; .5 in. (1.3 cm) wide, golden yellow margin; flat margin; glaucous bloom early on top; glaucous bloom underneath; ovate; rounded base; lightly wavy.

Flower: 2.25 in. (5.7 cm) long; pale lavender; tubular; Rochelle, IL; 7/22-8/3-8/10.

Seed: seed set unknown.

Clump History: original sport obtained from t.c.; 4 yrs old; Rochelle, IL.

Notable Characteristics: green centered sport of *H*. 'English Sunrise'.

[sport of *H*. 'English Sunrise']

Seasonal Variation: center bluish early.

H. 'Terry Wogan' R. & M. Ford (ONIR)

Plant: 33.5 in. (85 cm) diameter; 13.75 in. (35 cm) high; mound-like; med. growth rate.

Leaf: 8.25 in. (21 cm) long; 5.125 in. (13 cm) wide; 11 to 12 vein prs; yellowish med. blue-green; flat; glaucous bloom on top and underneath; broadly ovate; cordate base; moderately flat.

Scape: 13.75 to 19.7 in. (35 to 50 cm) long; green.

Flower: 2 in. (5.1 cm) long; pale lavender; translucent edge; bell; Wetheringsett, Stowmarket, Suffolk, England; 7/23-7/31-9/3.

Seed: sets viable seeds; green seed pod.

Clump History: original sport; 5 yrs old; Wetheringsett, Stowmarket, Suffolk, England.

Notable Characteristics: underside is silvery green, leaf color and translucency is unique, leaf almost glows.

[sport of *H*. 'June']

Seasonal Variation: greenish yellow earlier.

H. 'Tickle Me Pink'

B. & D. Stegeman (ONIR)

Plant: 28 in. (71.1 cm) diameter; 8 in. (20.3 cm) high; mound-like; med. growth rate.

Leaf: 7 in. (17.8 cm) long; 4.5 in. (11.4 cm) wide; 8 to 9 vein prs; golden yellow; slightly rippled; slightly shiny on top and underneath; broadly ovate; cordate base; moderately wavy;

heavy red/brown spotting on petiole.

Scape: 16 to 20 in. (40.6 to 50.8 cm) long; deep red brown. **Flower:** 1.875 in. (4.8 cm); deep reddish purple; tepals are pinkish; tubular; Chesterton, IN; 8/21-8/30-9/10.

Seed: sets viable seeds; green seed pod,

Clump History: original seedling; 4 yrs old; Chesterton, IN. **Notable Characteristics:** twisted red leaf tips, reddish streaks in leaf center in fall, unusual pattern on flower.

[H. 'One Man's Treasure' × H. 'Squash Casserole']

Seasonal Variation: plant emerges greenish and changes to golden yellow.

H. 'Tornado Glenn' R. Kuenster (ONIR)

Plant: 29 in. (73.7 cm) diameter; 13 in. (35.6 cm) high; rhizomatous; fast growth rate.

Leaf: 6.5 in. (16.5 cm) long; 2.75 in. (7 cm) wide; 5 to 6 vein prs; streaked w/greenish-white and greenish yellow; slightly rippled; slightly shiny on top and underneath; ovate; tapered base; lightly folded; petiole narrow w/yellow-white center and green edge.

Scape: 30 to 34 in. (76.2 to 86.4 cm) long w/inflorescence leaves.

Flower: 2 in. (5.1 cm) long; pale purple; light lavender edge, deep purple center; tubular; Iowa City, IA; 7/26-8/6-8/20. **Seed:** sets viable seeds; green seed pod w/yellow-white stripes. **Clump History:** original seedling; 6 yrs old; Iowa City, IA. **Notable Characteristics:** high percentage of streaked offspring. [*H.* 'Swoosh' selfed]

H. 'Trixi' D. Dupré (ONIR)

Plant: 8.9 in. (22.5 cm) diameter; 5.1 in. (13 cm) high; mound-like; fast growth rate.

Leaf: 2.7 in. (6.9 cm) long; 1.1 in. (2.9 cm) wide; 6 to 7 vein prs; med. green; .05 to .2 in. (.1 to .4 cm) flat; creamy white; dull on top and underneath; ovate; rounded base; folded; creamy margin on petiole.

Scape: 11.2 to 13.8 in. (28.5 to 35 cm) long; green.

Flower: 1.2 in. (3.1 cm) long; near white; lavender striped, translucent; tubular; Asper, Belgium; 6/4-6/25-7/13.

Seed: does not set seed; green seed pod.

Clump History: original seedling; 5 yrs old;; Asper, Belgium. [Parentage Unknown]

H. 'Ulee's Gold' B. Treichel (ONIR)

Plant: 22 in. (55.9 cm) diameter; 7 in. (17.8 cm) high; mound-like; med. growth rate.

Leaf: 7 in. (17.8 cm) long; 5 in. (12.7 cm) wide; 13 vein prs; golden yellow; flat; dull on top and underneath; broadly ovate; cordate base; lightly corrugated, flat.

Scape: 8 to 10 in. (20.3 to 25.4 cm) long; yellow green. Flower: pale lavender; Oregon, WI; 6/15-6/30-7/15. Seed: sets seeds viability is unknown; green seed pod. Clump History: original seedling; 4 yrs old; Oregon, WI. Notable Characteristics: excellent thick substance w/moderate slug resistance, low grower, good for borders. [Parentage Unknown]

H. 'Vina' D. Dupré (ONIR)

Plant: 12.4 in. (31.5 cm) diameter; 7.2 in. (18.4 cm) high; mound-like; fast growth rate.

Leaf: 2.9 in. (7.4 cm) long; 2 in. (5.1 cm) wide; 5 to 6 vein prs; greenish yellow; flat; dull on top and underneath; broadly ovate; cordate; lightly folded; yellow green petiole

Scape: 11.2 to 15.4 in. (28.5 to 39 cm) long; yellow-green

w/pink dots;

Flower: 1.3 in. (3.4 cm) long; pale lavender; med. lavender striped; tubular; Asper, Belgium; 7/26-8/4-8/22.

Seed: sets seeds, viability is unknown; green seed pod.

Clump History: original seedling; 5 yrs old; Asper, Belgium. **Notable Characteristics:** fast growing small yellow.

[Parentage Unknown]

Seasonal Variation: viridescent.

H. 'Violetta' H. Klose (ONI), P. Ruh (R)

Plant: 28 in. (71.1 cm) diameter; 16.5 in. (41.9 cm) high; upright; med. growth rate.

Leaf: 7.75 in. (19.7 cm) long; 6 in. (15.2 cm) wide; 8 vein prs; dark green; slightly rippled; very shiny on top; slightly shiny underneath; ovate; rounded base; lightly folded, lightly corrugated, lightly flat; petiole reddish near base.

Scape: 23 in. (58.4 cm) long; violet at base w/inflorescence leaves.

Flower: 2.5 in. (6.4 cm) long; violet; white striped; tubular; Chesterland, OH; 8/9-8/22-8/30.

Clump History: a division of original obtained from other source; 5 yrs old; Chesterland, OH.

Notable Characteristics: entire plant has a violet cast to it. [Parentage Unknown]

H. 'Wasabi' C. W. Nixon (ONIR)

Plant: 9.4 in. (24 cm) diameter; 3.9 in. (10 cm) high; mound-like slow growth rate.

Leaf: 3.5 in. (9 cm) long; 2.4 in. (6 cm) wide; 7 to 9 vein pairs; greenish yellow; flat; dull on top and underneath; broadly ovate; cordate base; petiole green w/dark green edge.

Scape: 9.8 to 11.8 in. (25 to 30 cm) long w/inflorescence leaves; dull dusty green yellow.

Flower: 1.6 in. (4 cm) long; pale lavender; slightly darker lavender striped, tubular; Randolph, MA; 7/1-7/5-7/30.

Seed: sets seeds, viable unknown; green seed pod.

Clump History: original seedling; 6 yrs old; Randolph, MA. **Notable Characteristics:** combination of small size and unique overall color.

[Parentage Unknown]

H. 'White Ceiling'

D. Van Eechaute (ONIR)

Plant: 18.9 in. (48 cm) diameter; 12.2 in. (31 cm) high; upright; fast growth rate.

Leaf: 5.9 in. (15.1 cm) long; 3.7 in. (9.3 cm) wide; 9 to 10 vein prs; dark green; flat; slightly shiny on top; glaucous bloom underneath; ovate; rounded base; lightly folded; glaucous petiole. **Scape:** 14.6 to 20.1 in. (37 to 51 cm) long; light green w/purple dots.

Flower: 1.3 in. (3.3 cm) long; pale lavender; tubular; Deinze, Belgium; 7/14-7/28-8/3.

Seed: sets viable seeds; dark green seed pod.

Clump History: original seedling; 4 yrs old; Deinze, Belgium. **Notable Characteristics:** upright growth shows contrast between dark green and white backs. [*H.* 'Urajiro Hachijo' × unknown]

H. 'Wings of Angels'

S. & S. Zolock (ONIR)

Plant: 36 in. (91.4 cm) diameter; 24 in. (61 cm) high; upright; med. growth rate.

Leaf: 14 in. (35.6 cm) long; 12 in. (30.5 cm) wide; 14 to 16 vein prs; med. blue-green; flat; slightly shiny on top; dull underneath; broadly ovate; cordate base; very lightly corrugated, flat.

Scape: 38 to 42 in. (96.5 to 106.7 cm) long; green

w/inflorescence leaves.

Flower: 1 in. (2.5 cm) long; fragrant; very clear clean pure

white; bell; Belle Vernon, PA; 7/20-8/1-8/20. **Seed:** sets viable seeds; green seed pod.

Clump History: original seedling; 6 yrs old; Belle Vernon, PA. **Notable Characteristics:** clear clean white flower color.

 $[seedling \times seedling] \\$

H. 'World Cup'

M. Zilis (ONIR), D. Beil-

stein (O)

Plant: 39 in. (99.1 cm) diameter; 19 in. (48.3 cm) high; upright, med. growth rate.

Leaf: 9 in. (22.9 cm) long; 6 in. (15.2 cm) wide; 13 to 14 vein prs; golden yellow; slightly rippled margin; glaucous bloom on top and underneath; ovate; cordate base; deeply cupped, moderately wavy.

Scape: 24 to 36 in. (61 to 91.4 cm) long; chartreuse.

Flower: 2 in. (5.1 cm) long; very pale purple; tubular; Rochelle,

IL; 6/22-7/4-7/15.

Seed: seed set unknown.

Clump History: original seedling; 6 yrs old; Rochelle, IL.

[H. 'Komodo Dragon' $\times H$. 'Super Bowl']

PLANT PATENTS, PLANT BREEDER'S RIGHTS AND ESTABLISHMENT

Cultivar Name

H. 'American Icon'	ECBRAF, PPAF
H. 'American Sweetheart'	ECBRAF
H. 'Anne'	PP
H. 'Aristocrat'	PP
H. 'Atlantis'	ECBRAF, PP
H. 'Bersun'	PPAF
H. 'Blue Circle'	ECBRAF
H. 'Cathedral Windows'	PP
H. 'Christmas Candy'	ECBR
H. 'Clifford's Stingray'	PP
H. 'Dancing In The Rain'	PP
H. 'Dark Shadows'	ECBRAF
H. 'Earth Angel'	ECBRAF
H. 'El Nino'	ECBR, CPBRAF, PP
H. 'Eskimo Pie'	PP
H. 'Fireworks'	PP

H. 'Hanky Panky' ECBRAF, PP H. 'Heat Wave' **ECBRAF** H. 'High Society' **ECBRAF** H. 'Hollywood Lights' PP H. 'Independence' ECBRAF, PP

H. 'Golden Meadows'

H. 'Grand Marquee'

ECBR

PP

H. 'Journeys End' ECBRAF, PP H. 'June Fever' ECBR, CPBRAF, PP H. 'June' ECBR, APBR H. 'Karin' CPBRAF, PP H. 'Lady Guineverre' ECBR, PP H. 'Liberty' ECBR, PP

H. 'Little Jay' **ECBRAF** H. 'Lonesome Dove' ECBRAF, PP H. 'Loyalist' **ECBR** H. 'Magic Fire' **ECBRAF** H. 'Moonstruck' **ECBRAF** H. 'Morning Light' ECBR, PPAF H. 'Mourning Dove' **ECBRAF** H. 'Old Glory' ECBR, PP PP

H. 'Orange Marmalade'

H. 'Paradise Joyce' ECBR, CPBR, PP H. 'Paradise Power' ECBR, CPBR, PP

PP

PP

ECBRAF

H. plantaginea Gold Margin Variety

H. plantaginea White Margin

Variety H. 'Prairie Sky' H. 'Rainbow's End'

PPH. 'Remember Me' **ECBR** H. 'Revolution' **ECBR** H. 'Risky Business' **ECBRAF** H. 'Royal Standard' PP H. 'Secret Love' **ECBRAF**

Legal Protections H. 'Solar Flare' PP H. 'Sundancer' **CPBRAF** H. 'Tattoo' ECBR, PP H. 'Thunderbolt' ECBR, CPBRAF, PP

H. 'Time Tunnel' ECBR, PP H. 'Titanic' ECBR, PP H. 'Touch Of Class' ECBR, PP

H. 'Twilight' PP

H. 'White Triumphator' CPBRAF, PP H. 'Yesterday's Memories' **ECBRAF**

APBR = Australian Plant Breeder's Rights granted CPBR = Canadian Plant Breeder's Rights granted

CPBRAF = Canadian Plant Breeder's Rights Applied For *ECBR* = European Community Plant Breeder's Rights

ECBRAF = European Community Plant Breeder's Rights

Applied For

PP = Plant Patent granted *PPAF* = Plant Patent Applied For *EBRAF* = European Plant Breeder's

Bold faced cultivar names are also registered. Those not in bold face, have not been registered with the ICRA for the Genus Hosta

INTERNATIONAL REGISTRATION OF HOSTA CULTIVARS

The following is the *minimum* required for registration:

- This form with the front page completed in its entirety.
- One photographic print or slide of the clump, with leaf detail discernable.
- Written permission from the originator if other than the registrant.

The following is optional but strongly requested:

- Any information requested on the back side of the form now or as soon as available.
- A different photo showing leaf detail.
- A \$5 registration fee. Check payable to The American Hosta Society (unpaid fees will be paid by The American Hosta Society).

Forms, fee, photos, etc. should be mailed to: Hosta Registrar, Kevin P. Walek, 9122 John Way, Fairfax Station, VA 22039-3042 or email to: ahsregistrar@aol.com. Terms used on this form can be found in *The American Hosta Society Glossary of Terms*. Questions can be answered by calling 703-798-5501 (evenings and weekends) or emailing ahsregistrar@aol.com. Please note: Un-established cultivar names submitted for registration do not become established until they are published in *The Hosta Journal* accompanied by their description and thus could become established outside of registration prior to that publishing date. Feel free to photocopy this form for additional copies and distribution or visit www.hostaregistrar.org

Cultivar Name:	Originator:				
Name of Registrant: Address/Phone/Email:	<u>Introducer:</u> <u>Nominant (n</u>	amer):			
All measurements provided on the form are: (check one)	inchesc	eentimeters			
Is the cultivar currently being grown or sold under a different name or number? (details):					
Has this cultivar name ever been published? Please provide the publication name (catalogs included) and date:					
Is/will the cultivar be patented?(Y/N) Is the cultivar curname a registered trademark? (provide trademark and details		trademark name and is that			
Is the cultivar a seedling or sport (circle one)? "Parent" of Sport: Seedling Pod Parent:	Seedling Pollen Par	ent:			
The clump being described is years old and is/was/has nal sport/a generation division/tissue cultured/an unlery/other source:					
The clump described is growing in (city/state/country):	light green med. green dark green slightly blue-green				
<u>Plant Size</u> (circle one): miniaturesmallmed	largegiant	med. blue-green intensely blue-green			
eaf Color (choose from the adjacent list): greenish-yellow pale yellow yellow					
Center: Margin (include width): golden yellow greenish white creamy white					
Seasonal Color Change/Other (describe):		pure white green speckling			
Is the variegation pattern stable? (explain): white speckling streaked with (colo mottled with (colo mottled with (colo					
<u>Leaf Size</u> : Width: Leaf Size	ngth:				
Flower Time (check one):before June 1June 1 to July 1	5July 15 to Aug 15	Aug 15 to Oct 1after Oct 1			
Flower Color (circle one): pure whitenear whitepale lave	ndermed. lavenderpale	purpledeep purpleother:			
What diagnostic characters make this cultivar unique from o	ther hosta?				

INTERNATIONAL REGISTRATION OF HOSTA CULTIVARS

Plant Size:	Width	Height	t			
Plant Habit: (cire	cle one) uprightmo	und-likerhizomatous	Growth Rate:	(circle one) slowmedfast		
Leaf Detail:						
Number of vei	in prs (range):					
Appearance of the margin: (circle one) flatslightly rippledheavily rippled "serrated"						
Unique Petiole [leaf stalk] Characteristics (describe):						
Leaf Texture: Top Surface (circle one): dullslightly shinyvery shinyglaucous bloom Bottom Surface (circle one): dullslightly shinyvery shinyglaucous bloom						
Leaf Appearance: (indicate a modifier) [L]ightly, [M]oderately, [D]eeply, [I]ntensely cupped twisted folded wavy corrugated flat						
Leaf Shape: (c		O_ovate) broadly ovat	nearly round		
Leaf Base: (cir		flatro	ounded	heart-shaped		
Flower, Scape a	and Pod Detail:					
Scape Height	Range: to	Scape Color:	Scape	leaves/bracts at maturity? (Y/N)		
Bloom Time:	Date Code start	peak		Date Code finish		
(indicate dates and period codes off the chart below)						
1	2 3 4	5 6 7	8 9 			
H. sieboldiana H. ventricosa H. plantaginea H. 'Tardiflora'						
Is there significant fragrance? (Y/N) Flower Length:						
Flower Color Patterns: (describe: striping, translucent margins, etc.)						
Flower Shape	(circle one):					
tubi	ular beli	spider	closed	doubleother:		
Does it set see	d? (Y/N/?)	Is the seed viable? (Y/I	N/?)	Seed Pod Color:		
Registration Re	ec'd: Name Rejected:	Registered:		Name Reserved:		