During my first years as Registrar, I spent many hours researching answers to questions that ultimately have already been addressed by my predecessors. Since many of the same questions continue to arise, I resurrected many discussion topics gleaned from previous publications and updated each to reflect current practices and policies. I have also worked closely with Don Rawson and Warren Pollock to provide further improvements to the Cumulative Index that should enable everyone to more easily gather registration information. Within the discussion topics on pages 5 - 7 are references to web addresses where additional information can be found. For those with no computer access, please call and I will make sure you get hard copies of desired materials.

I wish to thank all those who submitted registration applications this year. This year 114 new registrations were added and 2 registrations were rescinded, for a total of 5859 registered hostas.

Respectfully submitted,

payle Hartley alley

Gayle Hartley Alley **International Registrar for the Genus** *Hosta* 33001 E 155th Street Pleasant Hill, MO 64080-9365 (816) 697-2007 or (816) 914-3220 GiboshiGayle@gmail.com or HostaRegistry@gmail.com

Registration forms are available:

- \checkmark On the final pages of this publication
- ✓ At http://www.hostaregistrar.org/registration_form-printable.html
- \checkmark Or contact me personally to request a copy by email

NOTE: Online registration at http://www.hostaregistrar.org/Registration/ does <u>NOT</u> require the use of a hard-copy form.

Contents

International Code of Nomenclature for Cultivated Plants (ICNCP) Ninth Edition	3
Name Release Form	3
Photograph Requirements	3
Registration Errors	3
Limitations of the Online Search Feature	3
Typographer's Quotation Symbols	4
Rounding of Dimensions	4
Cultivar Name Establishment	4
AHS Name Reservation Policy	5
Flowering Periods	5
Clump Sizes	5
Color Selection for Leaf and Margins	5
Indicating Ploidy in Registrations	5
Cumulative Index to Hosta Registrations	5
Plant Patents, Plant Breeders' Rights and Establishment	5
Corrections and Comments	6
REGISTRATIONS	9
Registration Form	26

International Code of Nomenclature for Cultivated Plants (ICNCP) Ninth Edition

... is the official publication incorporating the Rules and Recommendations for naming plants in cultivation. The Ninth Edition of the ICNCP was published by the International Society for Horticultural Science (ISHS) in June 2016. Hereafter, the ICNCP will be referred to simply as "the *Code*."

Name Release Form

Per the *Code*, permission must be granted for a real person's name to be used as the registered name of a cultivar. Permission forms are available from The American Hosta Society or the Hosta Registry at: http://www.americanhostasociety.org/RegisteringHosta/name-release.pdf or http://www.hostaregistrar.org/registration_form-printable.html

Photograph Requirements

The AHS assembled a team late in 2015 whose purpose is to assemble and publish photographs of all registered hostas. Historically, digital photos were requested to be reduced in size before submittal to the registrar. This policy was enacted to conserve hard drive space and to enable efficient emailing. Commencing in 2017, all photographs should be submitted with no reduction or file compression. Registrants are asked to supply a minimum of three photos per registration: one of the entire clump, one close-up showing a representative leaf and one close-up of the flower. Please provide the photographer's full name and the date each photo was taken. With registration photos being published, it is important to portray your cultivar's noteworthy feature(s). For example, if red spotted petioles make your hosta unique – provide a photograph that adequately showcases this characteristic. There is no limit on the number of photographs that may be submitted.

Registration Errors

As has been the policy for a number of years, clear typographical and/or data entry errors are easily corrected by updating the database itself and by publishing those corrections within this document. Anyone finding what they believe to be such errors is encouraged to contact me so corrections may be published.

Not so straight-forward are instances where the published data accurately reflects the registrant's information at the time the registration was approved and published, yet later proves to be misleading or outright erroneous. In these cases, **the registrant must approve any changes**.

In cases where the original registrant is not available and obvious errors are noted, we strive to work with what we have as best we can. An example would be the registration of H. 'Love Pat' that has been discussed in depth, yet still remains as originally registered. To allow the AHS Show Classification team to update and clarify their classification listings, the registrar's office now sanctions the use of the following materials:

- Mark Zilis' Field Guide to Hostas by Mark R. Zilis, 2014 (Q & Z Nursery, Inc. Rochelle, IL)
- The Hostapedia An Encyclopedia of Hostas by Mark R. Zilis, 2009 (Q & Z Nursery, Inc. Rochelle, IL)

The official registration of hosta cultivars continues to be per the printed Registrations issue published

<u>each year.</u> We acknowledge that official registrations are a mere "snapshot in time" providing only static details. Registration data is gathered at a single geographic location and the state of maturity will vary from quite young to fully mature. Thus, original data may fall short of supplying complete, real-life details. When you have need for more information than what is contained in this document, you will find relevant, accurate, and interesting information in the reference materials listed above.

Limitations of the Online Search Feature

As many people have noticed, what appears in the online Hosta Registry is not the same as what appears in the printed *Registrations* issue(s). While the online search feature has proven to be of great service to those doing casual research, the contents cannot be relied upon to accurately portray official registration details. Limitations imposed by the database used to manage the official data, and how that information is exported out for

The Hosta Journal Volume 49 Number R

subsequent import into a separate database, guarantees that discrepancies will occur. A full explanation of the rounding errors problem can be found on page 4 of the *Registrations 2010* issue. Similarly, fields that allow entering a range of dimensions (such as Scape Height) do not provide a range for the metric equivalent when viewed online. Examples of discrepant information also occur within pure textual data. An example which illustrates differences commonly encountered is shown below for *H*. 'Curly Fries'.

Search Results 1 hosta found. (showing 1 to 1)	H. 'Curly Fries' R. Solberg (ONIR) Plant: 16 in. (40.6 cm) diameter, 5 in. (12.7 cm) high; slightly rhizomatous; fast growth rate.
 'Curly Fries' R. Solberg (ONIR) 2008 Plant: 16 in. (41 cm) diameter, 5 in. (13 cm) high; slightly rhizomatous; fast. Leaf: 5.50 in. (13 cm) long, 0.75 in. (1 cm) wide; 3 to 4 pairs of veins; greenish yellow; heavily rippled; slightly shiny on top; glaucous bloom underneath; moderately folded, intensely wavy; lance; tapered base; petiole is wide 1/4" to 3/8", purple on back. Scape: 23 to 26 in. (58 cm) long; purple. Flower: 2 in. (5.58 cm) long; lavender with purple stripes, tubular; Chapel Hill, NC July 15 to Aug 15. Clump History: the original seedling; 5 yrs old; Chapel Hill, NC; Notable Characteristics: unique highly ruffled narrow lanceolate leafs with very good substance and unique color, chartreuse becoming yellow or cream Seasonal Variation: leaves become creamy white or pale yellow in summer [<i>H.</i> 'Pineapple Upsidedown Cake' x unknown] 	 Leaf: 5.5 in. (14 cm) long, .75 in. (1.9 cm) wide; 3 to 4 vein pairs; greenish yellow; heavily rippled margin; slightly shiny on top; glaucous bloom underneath; lance; tapered base; lightly twisted, moderately folded, moderately wav; petiole purple red to leaf back; front of petiole green with white. Scape: 23 to 26 in. (58.4 to 66 cm) long; purple. Flower: 2 in. (5.1 cm) long; medium lavender; lavender with purple stripes, tubular; Chapel Hill, NC. 7/10, 7/20, 8/10 Clump History: original seedling; 5 yrs old; Chapel Hill, NC. Notable Characteristics: unique highly ruffled narrow lanceolate leafs with very good substance and unique color; chartreuse. [<i>H</i>. Pineapple Upsidedown Cake' x unknown] Seasonal Variation: leaves become creamy white or pale vellow in summer.

This information is provided as a reminder that <u>official registration details are always per the printed</u> <u>*Registrations* issue published each year</u>.

Typographer's Quotation Symbols

New to this year's document is the use of proper quotation symbols instead of straight quotes. Straight quotes are left-overs from the age of typewriters when using one key for two different marks helped save space on a keyboard. Thanks to modern word processing features it is relatively easy to replace the old 'dumb quotes' with proper typographer's 'smart quotes.' The prime symbol, which looks like a dumb quote, is still used for denoting measurements such as feet and inches (5'2").

Rounding of Dimensions

In the future, all registration dimensions will be rounded to the nearest tenth of an inch (English) or tenth of a centimeter (metric). Rounding dimensions to the nearest tenth means the published dimension will always be within .05 of the original before it was rounded. English dimensions submitted as fractions are converted to their decimal equivalent prior to being recorded in the database, and prior to rounding. The example below illustrates the rounding policy.

A registrant submits a leaf size of $2^{1}/4" \times 5/8"$. The decimal equivalent $2.25" \times .625"$ is entered into the database. After rounding, the published size is $2.3" \times .6"$. The first rounded dimension is only .05" different from the original, and the second is only .025" different. Both are insignificant, even in the realm of miniature leaf sizes.

All conversions from metric to English (or English to metric), are done before any rounding occurs. A registration that submits metric dimensions are converted first to English, then rounded to the nearest tenth of an inch. Thus, a metric dimension of 4.75 cm × 3.65 cm, is first converted to English (1.870" × 1.437") and then rounded to be 1.9" × 1.4".

Cultivar Name Establishment

To establish a cultivar name, the *Code* calls for registrations to appear in a suitable dated publication that is made publicly available. Thus, epithets that have <u>not</u> been published per this document are NOT guaranteed to be available for registration. Examples of how a name can be established outside of registration are: 1) if it has been listed in a nursery catalogue, 2) sold online under the name in question, or 3) a Plant Patent or Plant Breeders' Rights has been issued. Any of these scenarios might be sufficient to establish a name such that no one else can register a hosta using that name.

AHS Name Reservation Policy

As the *Code* has no provision for name reservations, each plant society develops its own policies. To alleviate confusion, The American Hosta Society (AHS) adopted a formal policy on name reservations that was published in the *Registrations 2013* issue. After periodic revisions, the current name reservation policy is as follows. "A cultivar name is reserved through the AHS Registrar. The reserved name does not require descriptive information, will be protected for a one time period of three years, and requires a \$10 reservation fee. A maximum of 15 reserved names may be held concurrently by any one registrant."

Similar to the section titled "Cultivar Name Establishment," a reservation is NOT a guarantee, it is a place holder that limits the ability for another person to <u>register</u> a plant using your reserved name. This protection does not extend into the three areas where names may be established <u>outside</u> of registration.

Flowering Periods

Flowering periods may be entered using the codes per Key A (see instruction page of registration form) or using a "start-peak-finish" format (both options are available). If both types are entered, the more accurate "start-peak-finish" information will appear in the formal registration.

Clump Sizes

There have been multiple changes in the registration form and the information required to adequately describe plant size. An option to indicate a general size description (miniature, small, medium, large and giant) was allowed at one point early on. After input and discussion, this option was discontinued in preference for utilizing dimensional measurements to indicate a plant's height and width. This will remain standard policy, with the understanding that <u>dimensions reflect clump size at the age and location recorded in each registration</u>.

Color Selection for Leaf and Margins

Commentary upon determining accurate margin or leaf colors was published in the *Registrations 2008* and 2009 issues. While no color charts have been provided online we recommend using charts provided by the Royal Horticultural Society when concerns about color arise.

Indicating Ploidy in Registrations

A comprehensive discussion regarding ploidy was printed in the *Registrations 2009* thru 2011 issues. Current policy prohibits the inclusion of ploidy terminology within registrations unless scientifically verified.

Cumulative Index to Hosta Registrations

The Cumulative Index of registered hostas is now provided as a stand-alone document and can be found at http://www.hostaregistrar.org/hosta_registration_lists.html. Commencing with the 2016 index, each registration references the year it was registered (instead of the previous practice of listing *THJ* Volume and Registration Issue). Additionally, each entry now references all years in which corrections or additions have been published.

Plant Patents, Plant Breeders' Rights and Establishment

The *Code*, page 64, under DIVISION IV: REGISTRATION OF NAMES states:

3) A statutory plant registration authority is an organization established by national legal enactment or by international treaty, which, as part of its remit, establishes variety denominations or other names for plants. Names established by statutory plant registration authorities must be cited in the relevant register and checklist.

A table of all hosta cultivars known to be established per statutory authorities is now included as Appendix A of the *Cumulative Index*. Cultivars listed therein are "established" via the legal protection(s) shown and thus are not available for use by anyone other than the original applicant. See previous section (titled Complete Index to Hosta Registrations) for the web address where a copy of the latest *Cumulative Index* can be retrieved.

Corrections and Comments

H. 'Academy Little Prother' (2011) – was originally registered with a typographical error and should have been registered as *H.* 'Academy Little Pother' (removed the "r" that occurred after "P" in the third word).

H. 'Bali Hai' (2009) – was originally registered with a typographical error and should have been registered as *H.* 'Bali-Hai' (added the hyphen).

H. **'Banana Puddin'** (2005, corrected in 2009) included an apostrophe as a stand-in for the letter "g" in addition to the closing single quote required by the *Code* (two closing quotation symbols). The single quotation mark required by the *Code* to appear at the beginning and ending of each cultivar name, trumps the use of a stand-in apostrophe, and is to be used <u>in place of</u> a final stand-in apostrophe. Thus, the correct registered name should appear as: *H.* **'Banana Puddin'** (single closing apostrophe).

H. 'Big B' (2016) – was originally registered with incomplete information in the leaf description. The leaf color should have been included as "dark green."

H. 'Candy Kisses' (2013) – was originally registered with incorrect parentage. Correct information is: Parentage: *H.* 'Candy Dish' X [(*H. pycnophylla* X *H.* 'Harvest Dandy') X *H.* 'Raspberry Sorbet']

H. 'Deep Waters' (2014) – was originally registered with incorrect plant height. Correct information is: Plant: 47in (119.4cm) diameter; 27in (68.6cm) high

H. **'Domaine De Courson'** (1996) – was originally registered with a typographical error and should have been registered as *H.* **'Domaine de Courson'** (lower case "d" in the second word).

H. **'Franc's Mor Blue'** (2010) – was originally registered with a typographical error and should have been registered as *H.* **'Franc's Mor Blu'** (no "e" in the third word).

H. 'Golden Maple' (1980) – was originally registered with a typographical error for leaf length. Correct information is: Leaf: 10in (25.4cm) long; 8in (20.4cm) wide

H. 'Miss Mitzi' (2016) – was originally registered with a spelling error. Champagne, IL should be Champaign, IL in both the Flower details and the Clump History.

H. **'Ohh! Blue Bounty'** (2011) – was originally registered with an error in flower color. Correct information is:

Flower: .7in (1.8cm) long; white with light lavender streaking in middle interior of petals; tubular; Peosta, IA, June 1 to July 15

H. 'Oracle' (2003) – was originally registered with incorrect leaf length. Correct information is: Leaf: 19in (48.3cm) long; 14in (35.6cm) wide

H. **'Paisley Art'** (2012) – was originally registered with a Metric/English translation error in leaf sizes. Correct information is: Leaf: 5.9in (15cm) long; 4.8in (12.2cm) wide

H. 'Ryans Big One' (1982) – was originally registered with a typographical error and should have been registered as *H.* 'Ryan's Big One' (added apostrophe).

H. **'Schneekoppe'** (2006) – was originally registered with a typographical error and should have been registered as *H.* **'Schneekuppe'** ("uppe" instead of "oppe" at the end).

H. 'Silver Load' (1999) – was originally registered with a spelling error and should have been registered as *H*. 'Silver Lode'.

H. 'Sun Worshipper' (2006) – was originally registered with a typographical error and should have been registered as *H.* 'Sun Worshiper' (one "p" in the second word).

H. 'Tappen Zee' (2004) – was originally registered with a spelling error and should have been registered as *H.* 'Tappan Zee'.

H. 'Uniquely Catawampus' (2016) – was originally registered with parentage listed as unknown. Correct information is:

Parentage: H. 'Curly Fries' X H. 'Riptide'

H. **'Uppa Echelon'** (2013) – was originally registered with a typographical error and should have been registered as *H.* **'Upper Echelon'** ("er" instead of "a" at the end of the first word).

H. 'Vim and Vigor' (2000) – was originally registered with incorrect leaf dimensions. Correct information is:

Leaf: 15.3in (38.7cm) long; 12.5in (31.8cm) wide

H. 'Whirlwind' (1989) – originally registered with limited information. Corrected details are as follows: H. 'Whirlwind' J. Kulpa (ONI) AHS (R) Plant: 40in (101.6cm) diameter; 19in (48.26 cm) high; mound-like; fast growth rate. Leaf: 8in (20.3cm) long; 6.5in (16.5cm) wide; 10 to 11 vein pairs; white with green veining; 1.5 to 2.5in (3.8 to 6.4cm) wide dark green, flat margins; slightly shiny on top; thin glaucous bloom underneath; broadly ovate with cordate base; lightly folded and wavy, moderately corrugated, some leaves have elongated twisted tips. Scape: 25 to 30in (63.5 to 76.2 cm) high Flower: lavender; tubular; July 15 to Aug 15 Seed: sometimes sets seed, viability unknown Clump History: unknown history, widely available Notable Characteristics: colorful foliage, thick substance and excellent growth rate. Parentage: Parentage Unknown Seasonal Color: center darkens to yellow, chartreuse or green depending upon light, temperature and age.

H. 'Wunv' (2016) – was originally registered with incorrect scape height. Correct information is: Scape: 21 to 39in (53 to 100cm) high

limited information.						
Name	Year	Published	Length	Length	Width	Width
Ivaine	Registered	Correction	(inches)	(cm)	(inches)	(cm)
H. 'Abiqua Trumpet'	1987		3.8	9.5	3	7.6
H. 'Alice in Wonderland'	2001		8	20.3	5.5	14
H. 'Amy Aden'	1980	2012	8	20.3	6	15.2
H. 'Bennie McRae'	1989		11	27.9	4.5	11.4
H. 'Blooming Fool'	2002		10	25.4	7.8	19.8
H. 'Blue Wedgwood'	1988		7.6	19.3	5.5	14
H. 'Celery Satin'	2001		4.5	11.4	2.5	6.5
H. 'Crispula'	2001	2012	10	25.4	5.5	14
H. 'Dance With Me'	2002		9	22.9	8	20.3

The following table contains corrected leaf dimensions for thirty-one (31) cultivars registered with leaf dimensions that were either reversed during transcription, interpreted incorrectly, or originally provided with limited information.

The Hosta Journal

Volume 49 Number R

Name	Year	Published	Length	Length	Width	Width
II (Deals X ² et and	Registered	Correction	(inches)	(cm)	(inches)	(cm)
H. 'Dark Victory'	1977		6	15.2	4	10.2
H. 'Dee's Golden Jewel'	1996		8	20.3	6.5	16.5
H. 'El Capitan'	1987		10.5	26.7	9	22.9
H. 'Golden Girl'	1982		7.5	19.1	5.5	14
H. 'Heart's Delight'	2007		4.2	10.7	4	10.2
H. 'Irish Mist'	1994		4.5	11.4	3.5	8.9
H. 'Iron Gate Bouquet'	1983		7	17.8	3.5	8.9
H. 'Jimmy MacBlack'	2011		5.5	14	4.5	11.4
H. 'Jumbo'	1997		9	22.9	7.8	19.8
H. 'Lemonade'	1980		5	12.7	3	7.6
H. 'Limestone Lover'	2002		14	35.6	9.5	24.1
H. 'Mesa Verde'	2004		14	35.6	11	27.9
H. 'Mother Lode'	2003		8.3	21	6	15.2
H. 'No Frills'	1991		8	20.3	6.5	16.5
H. 'Rock and Roll'	1999		10.5	26.7	9.5	24.1
H. 'Saint Elmo's Fire'	1995		8	20.3	6	15.2
H. 'Saturday Night Fever'	2009		9.5	24.1	7	17.8
H. 'Sea Lotus Leaf'	1985		10.5	26.7	9	22.9
H. 'Seaside Splendor'	2003		9	22.9	6	15.2
H. 'Snowbound'	2002		8	20.3	5.3	13.3
H. 'Stearn's Beauty'	1995		6.5	16.5	4.8	12.1
H. 'Tucker Blues'	1990		10.5	26.7	9.5	24.1

Article 27.7 of the ICNCP states "*Names governed by the Code are not established if, at the time of publication, no plants for which the name is proposed existed.*" Thus, the following plants are being removed from the list of registered cultivars.

H. 'Gold Vein' [1988]

H. 'Kite' [1988]

To avoid confusion, H. 'Gold Vein' and H. 'Kite' will be unavailable for future registrations.

H. 'Abundant Love'

D. & M. Beilstein (ONIR)

Plant: 46in (116.8cm) diameter; 30in (76.2cm) high; mound-like; moderate growth rate.

Leaf: 11in (27.9cm) long; 9in (22.9cm) wide; 12 to 14 vein pairs; intense powdery blue-green with flat margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; moderately folded and deeply corrugated overall, with pointed leaf tips.

Scape: 34 to 36in (86.4 to 91.4cm) high; powder blue

Flower: 1.8in (4.5cm) long; near white; tubular; Mansfield, OH; 7/1 - 7/10 - 7/17

Seed: sets viable seeds; green

Clump History: original seedling; 17 years old; Mansfield, OH Notable Characteristics: Dense clump draws you closer to view leaves that are folded at the base as well as the leaf. Short scapes hold the almost white flowers just above the powdery blue leaves making it look like a bouquet. Abundantly elevates H. 'Love Pat' to the next level.

Parentage: (*H.* 'Love Pat' x OP)

H. 'Allo, Allo, Allo' M. Gilligan (ONIR)

Plant: 22in (55.9cm) diameter; 14in (35.6cm) high; upright; slow growth rate.

Leaf: 7.5in (19.1cm) long; 5in (12.7cm) wide; 7 to 10 vein pairs; medium green with flat to slightly rippled margins; slightly shiny on top; slightly shiny underneath; ovate with cordate base.

Petiole Characteristics: upright, smooth red petioles

Scape: 13 to 16in (33 to 40.6cm) high; red

Flower: 1.5in (3.8cm) long; medium lavender with translucent edges and variable lavender stripes towards the centre; tubular; Jan 15 to Feb 15; Winchester, New Zealand Seed: sets viable seeds; red and green

Clump History: original seedling; 7 years old; Winchester, New Zealand; seeds obtained from A. Scheer

Notable Characteristics: Clear, attractive green, tidy, upright plant with lower half of petioles showing red and nice twists on end of leaves.

Parentage: (H. 'Maya Kingsnake' x OP) Seasonal Color: Holds clean green color all season

H. 'Always and Forever' G. R. Goodwin (ONIR) Plant: 36in (91.4cm) diameter; 14in (35.6cm) high; mound-like; moderate growth rate.

Leaf: 9in (22.9cm) long; 8in (20.3cm) wide; 16 vein pairs; dark green; with .5 to .75in (1.3 to 1.9cm) wide, cream to white, slightly rippled margins; dull to slightly shiny on top; slightly shiny underneath; nearly round with cordate base; lightly cupped and intensely corrugated overall.

Scape: 18 to 24in (45.7 to 61cm) high; green

Flower: 1.5 to 2in (3.8 to 5.1cm) long; near white with lightly translucent margins; tubular; Jun 1 to Jul 15; Zionsville, IN Seed: sets viable seeds; green

Clump History: original sport; 6 years old; Zionsville, IN Notable Characteristics: Nice contrast between the dark green leaf center and the creamy edge, with ample corrugation. Displays some splashing although not enough to make it truly splashed.

Parentage: Sport of a splashed seedling of unknown origin Seasonal Color: Emerges with yellow margins that turn creamy to white later, center darkens as season progresses.

H. 'American Angel' V. Wade (ONI) R. & B. Schroeder (R) Plant: 60in (152.4cm) diameter; 24in (61cm) high; mound-like; moderate growth rate.

Leaf: 12in (30.5cm) long; 11in (27.9cm) wide; 15 vein pairs; variable light green; with 1 to 3in (2.5 to 7.6cm) wide, dark bluegreen, slightly rippled margins; dull on top; dull underneath; broadly ovate with cordate base; moderately wavy overall. Scape: 30 to 40in (76.2 to 101.6cm) high; blue-green Flower: 2.5in (6.4cm) long; near white; tubular; Jun 1 to Jul 15; Champaign, IL

Seed: sets viable seeds; green

Clump History: 1st gen div of original sport; 12 years old; Champaign, IL; (original sport is in Bellville, OH) Notable Characteristics: More blue than H. 'Guardian Angel' and holds the bluish-green color all season. Parentage: Sport of H. 'Guardian Angel'

H. 'Asher' C. Kwick (ONIR) Plant: 48in (121.9cm) diameter; 24in (61cm) high; upright; moderate growth rate.

Leaf: 14in (35.6cm) long; 12in (30.5cm) wide; 16 to 18 vein pairs; slightly blue-green with slightly rippled margins; dull on top; glaucous bloom underneath; broadly ovate with cordate base; lightly cupped, wavy and corrugated overall.

Petiole Characteristics: light green

Scape: 30 to 40in (76.2 to 101.6cm) high; green Flower: 1.8in (4.4cm) long; near white with light lavender streaks on inside of its petals; tubular; Jul 15 to Aug 15; Eau Claire, WI

Seed: sets seeds, viability not submitted

Clump History: original seedling; 6 years old; Eau Claire, WI Notable Characteristics: Stately, upright form with large blueish-green leaves.

Parentage: (H. 'Komodo Dragon' x OP) Seasonal Color: color lightens somewhat through the season

H. 'Atypical Blonde' C. Kwick (ONIR) Plant: 24in (61cm) diameter; 10in (25.4cm) high; mound-like Leaf: 9in (22.9cm) long; 6.5in (16.5cm) wide; 11 to 12 vein pairs; greenish yellow; with slightly rippled margins; dull on top; slightly shiny underneath; ovate with cordate base; lightly folded, wavy and corrugated overall.

Petiole Characteristics: very light green Scape: 16 to 24in (40.6 to 61cm) high; greenish blue

Flower: 1.8 in (4.4cm) long; near white with very light lavender striping; tubular; Jun 1 to Jul 15; Eau Claire, WI Seed: sets seeds, viability not submitted; green Clump History: original seedling; 4 years old; Eau Claire, WI Notable Characteristics: Lightly corrugated & wavy. Parentage: (H. sieboldiana 'Elegans' x H. 'Sea Gulf Stream') Seasonal Color: turns more yellow as season progresses

B

H. 'Becca' C. Kwick (ONIR) Plant: 40in (102cm) diameter; 16in (41cm) high; mound-like Leaf: 10in (25.4cm) long; 8in (20.3cm) wide; 11 to 12 vein pairs; pale yellow with slightly rippled margins; dull on top; glaucous bloom underneath; ovate with cordate base; lightly wavy and folded overall.

Petiole Characteristics: light green

Scape: 30 to 40in (76.2 to 101.6cm) high; green Flower: 2in (5.1cm) long; pale lavender striping with white

margins; tubular; Jun 1 to Jul 15; Eau Claire, WI

Clump History: original seedling; 6 years old; Eau Claire, WI Notable Characteristics: Elegant mound of pale yellow, flowing leaves

Parentage: (H. 'Sea Gulf Stream' x H. 'Sagae') Seasonal Color: Pale yellow transitions to yellow as the season progresses.

H. 'Big Old Teddy Bear'

E. Schulz (OR) L. Cunningham.(NI)

Plant: 60in (152.4cm) diameter; 37in (94cm) high; mound-like; fast growth rate.

Leaf: 12in (30.5cm) long; 10in (25.4cm) wide; 16 to 17 vein pairs; medium blue-green with flat margins; glaucous bloom on top; dull underneath; broadly ovate with cordate base; lightly twisted, moderately cupped and corrugated overall. Scape: 38 to 42in (96.5 to 106.7cm) high; green

Flower: 1.5in (3.8cm) long; near white with hint of lavender at mid-interior of petals; tubular; Peosta, IA; 6/4 - 6/21 - 7/7 Seed: sets viable seeds; green

Clump History: original seedling; 7 years old; Peosta, IA Notable Characteristics: Rapid growth, vigorous and nice bluegreen color.

Parentage: Parentage Unknown

H. 'Birthday Candles' D. Teager (ONIR)

Plant: 32in (81.3cm) diameter; 10in (25.4cm) high; mound-like; fast growth rate.

Leaf: 6in (15.2cm) long; 4in (10.2cm) wide; 9 to 10 vein pairs; greenish yellow with slightly rippled margins; dull on top; dull underneath; broadly ovate with cordate base; moderately wavy overall.

Scape: 24 to 28in (61 to 71.1cm) high; green

Flower: 1.8in (4.4cm) long; pale lavender with faint striping in center of petals; tubular; Jun 1 to Jul 15; Delaware County, PA Seed: sets viable seeds; green

Clump History: original seedling; 4 ys old; Delaware County, PA

Notable Characteristics: Fast-growing, medium-sized clump with good color and slightly ruffled leaf edges. Makes a tidy mound with many lavender flowers on candlestick scapes. Blooms on Originator's birthday.

Parentage: (*H.* 'Lakeside Leprechaun' x OP)

Seasonal Color: consistent greenish-yellow color all season.

H. 'Bohemia Oh Well'

V. Mirka (ONIR)

Plant: 23.6in (60cm) diameter; 13.8in (35cm) high; upright Leaf: 7.1in (18cm) long; 6.3in (16cm) wide; 10 to 12 vein pairs; green with yellow to creamy white streaks; flat margins; dull on top; glaucous bloom underneath; nearly round with cordate base; moderately cupped and lightly corrugated overall.

Scape: 15.8 to 21.7in (40 to 55cm) high; green streaked with creamy white

Flower: 2in (5cm) long; near white with pale lavender centers; bell-shaped; Kladno, Central Bohemia, Czech Republic; 7/5 - 7/15 - 7/30

Seed: sets viable seeds; streaked

Clump History: original seedling; 6 years old; Kladno, Central Bohemia, Czech Republic

Notable Characteristics: Upright clump of thick, broadly oblong-ovate evenly streaked leaves. Three tone green with yellow/cream streaks. Excellent breeding plant. Parentage: (H. 'Well Shaked' x OP)

Seasonal Color: yellow streaks in spring turn to creamy white in the summer.

H. 'Bohemia Quill Bill' V. Mirka (ONIR)

Plant: 23.6in (60cm) diameter; 11.8in (30cm) high; mound-like. Leaf: 5.5in (14cm) long; 2.4in (6cm) wide; 5 to 6 vein pairs; medium green with heavily rippled margins; slightly shiny on top; glaucous bloom underneath; lance-shaped with tapered base; moderately folded and deeply wavy overall.

Scape: 27.6 to 43.3in (70 to 110cm) high; green with purple tips. Flower: 2.4in (6cm) long; medium lavender with purple veins and white translucent margins; tubular; Kladno, Central Bohemia, Czech Republic; 7/15 - 7/25 - 8/10

Seed: sets viable seeds; green

Clump History: original seedling; 6 years old; Kladno, Central Bohemia, Czech Republic

Notable Characteristics: Perfectly symmetrical, small, dense clump. Medium-green leaves are wavy and folded with a silvery bloom underneath. Very tall scapes with purple tips. Big and rich flowers.

V. Mirka (ONIR)

Parentage: (*H.* 'Quill' x OP)

H. 'Bohemia Yellow Corvette'

Plant: 25.6in (65cm) diameter; 13.8in (35cm) high; upright Leaf: 7.9in (20cm) long; 5.9in (15cm) wide; 8 to 10 vein pairs; bright yellow with heavily rippled margins; slightly shiny on top; glaucous bloom underneath; broadly ovate with cordate base; lightly cupped, twisted & folded, and deeply wavy overall. Scape: 27.6 to 33.5in (70 to 85cm) high; greenish-yellow Flower: 2.4in (6cm) long; pale lavender with white margins; tubular; Kladno, Central Bohemia, Czech Republic; 7/1 - 7/15 - 8/1

Seed: sets viable seeds; light green

Clump History: original seedling; 6 years old; Kladno, Central Bohemia, Czech Republic

Notable Characteristics: Bright coloration with strikingly ribbed veins & deeply wavy leaves resembling a boat keel.

Parentage: (*H.* 'Ivory Coast' x OP)

Seasonal Color: Bright, pale acid yellow until end of June when it turns golden yellow.

H. 'Bouquet of Hearts'

C. Kwick (ONIR) Plant: 18in (45.7cm) diameter; 7in (17.8cm) high; mound-like; moderate growth rate.

Leaf: 6in (15.2cm) long; 4.5in (11.4cm) wide; 8 to 9 vein pairs; medium green with flat margins; slightly shiny on top; slightly shiny underneath; broadly ovate with cordate base; lightly wavy and corrugated overall.

Petiole Characteristics: light green

Scape: 24 to 26in (61 to 66cm) high; light green Flower: 2in (5cm) long; lavender; medium lavender stripes with white edges; bell-shaped; Jun 1 to Jul 15; Eau Claire, WI Clump History: original seedling; 3 years old; Eau Claire, WI Notable Characteristics: Heart shaped leaves emerge pale greenish-yellow then turns green. Gives the appearance of a bouquet.

Parentage: (*H.* 'Sunshine Glory' x *H.* 'Risky Business') Seasonal Color: darkens as the season progresses.

H. 'Brother Jack'

C. Kwick (ONIR) Plant: 28in (71.1cm) diameter; 13in (33cm) high; mound-like Leaf: 7.5in (19.1cm) long; 5in (12.7cm) wide; 8 to 9 vein pairs; dark green with flat margins; dull on top; glaucous bloom

underneath; broadly ovate with cordate base; lightly wavy overall.

Scape: 16 to 28in (40.6 to 71.1cm) high; light green Flower: 2.3in (5.7cm) long; pale purple; base of petals are white, tips have purple stripes; tubular; Eau Claire, WI; 8/05-8/15-8/30 Clump History: original seedling; 4 years old; Eau Claire, WI Notable Characteristics: Medium sized mound of dark, hardy, heart-shaped leaves

Parentage: Parentage Unknown

Seasonal Color: darkens somewhat over the season

H. 'Bud Lite' D. Beilstein (O) F. Rogers (NIR) Plant: 28in (71.1cm) diameter; 18in (45.7cm) high; upright Leaf: 9in (22.9cm) long; 5in (12.7cm) wide; 8 to 9 vein pairs; medium green with flat margins; very shiny on top; dull underneath; ovate with tapered base; lightly cupped overall. Petiole Characteristics: dark red speckling

Scape: 28in (71.1cm) high; dark red speckled

Flower: purple with darker purple stripes and white at the interior base of each petal; tubular; Aug 1 to Aug 15; Glen Ellyn, IL **Seed:** sets seeds, viability not submitted

Clump History: original seedling; 4 years old; Glen Ellyn, IL **Notable Characteristics:** dark red petioles and flower stalks. Stunning color mix on the early buds.

Parentage: (*H*. 'Neat Splash' x *H*. 'Rising Sun') x (*H*. 'Grand Slam' x OP)

С

H. 'Cabin Boy'

C. Kwick (ONIR)

M. Gilligan (ONIR)

Plant: 26in (66cm) diameter; 12in (30.5cm) high; mound-like; slow growth rate.

Leaf: 5in (12.7cm) long; 4in (10.2cm) wide; 8 to 9 vein pairs; greenish yellow with flat margins; dull on top; glaucous bloom underneath; broadly ovate with tapered base; mostly flat overall **Petiole Characteristics:** light green

Scape: 16 to 24in (40.6 to 61cm) high; green

Flower: 1.5in (3.8cm) long; pale purple with some striping; tubular; Jul 15 to Aug 15; Eau Claire, WI

Clump History: original seedling; 4 years old; Eau Claire, WI **Notable Characteristics:** Consistent greenish yellow coloration in a tight mound.

Parentage: (*H.* 'Captain Kirk' x *H.* 'Carol')

Seasonal Color: slightly more yellow as season progresses

H. 'C'est Magnifique'

Plant: 36in (91.4cm) diameter; 18in (45.7cm) high; mound-like; moderate growth rate.

Leaf: 12.5in (31.8cm) long; 8.5in (21.6cm) wide; 10 to 12 vein pairs; light & dark green with .5 to 1in (1.3 to 2.5cm) wide, flat yellow margins; dull on top; dull underneath; broadly ovate with cordate base; lightly corrugated overall.

Petiole Characteristics: petioles tend to lean down if short on water and when temps are high

Scape: 20 to 25in (50.8 to 63.5cm) high; green

Flower: 1.3 to 1.8in (3.2 to 4.4cm) long; medium lavender with slightly darker stripes and translucent edges; tubular; Jan 15 to Feb 15; Winchester, New Zealand

Seed: sets viable seeds; green

Clump History: original seedling; 7 years old; Winchester, New Zealand; seeds obtained from R. Goodenough

Notable Characteristics: Large, handsome plant generously streaked and striped in light green, darker green, cream & yellow.

Parentage: (*H.* 'Brant Rock Jetty' x OP)

Seasonal Color: Colors intensify becoming bolder and more eyecatching as season progresses.

H. 'Cheese Ball' G. R. Goodwin (OIR) G. H. Alley (N) Plant: 5in (12.7cm) diameter; 4in (10.2cm) high; mound-like; moderate growth rate.

Leaf: 2in (5.1cm) long; 1in (2.5cm) wide; 4 vein pairs; greenish yellow; with slightly rippled margins; slightly shiny on top; dull underneath; ovate with cordate base; lightly twisted, folded and wavy overall.

Scape: 10 to 12in (25.4 to 30.5cm) high; greenish yellow **Flower:** 1.5in (3.8cm) long; pale lavender with minimal striping; tubular; Jul 15 to Aug 15; Zionsville, IN

Seed: sets seed, viability unknown; greenish yellow

Clump History: original seedling; 8 years old; Zionsville, IN **Notable Characteristics:** Very round, symmetrical clump shape when mature.

Parentage: Parentage unknown

Seasonal Color: Changes to pale yellow through the season.

H. 'Cherries a la Mode' M. Vasey (ONIR) Plant: 15in (38.1cm) diameter; 7in (17.8cm) high; mound-like;

fast growth rate. Leaf: 5in (12.7cm) long; 2in (5.1cm) wide; 5 to 6 vein pairs;

yellow with .5in (1.3cm) wide, creamy white, flat margins; slightly shiny on top; dull underneath; lance-shaped with tapered base; lightly wavy overall.

Petiole Characteristics: Deep cherry red speckles on the petioles **Scape:** 10 to 12in (25.4 to 30.5cm) high

Flower: medium lavender; tubular; Jun 1 to Jul 15; Dublin, OH Seed: sets seed, viability unknown

Clump History: original sport; 3 years old; Dublin, OH **Notable Characteristics:** Unique sport of *H*. 'Cherry Tart' with a half-inch wide, creamy white margin.

Parentage: Sport of H. 'Cherry Tart'

Seasonal Color: Chartreuse with cream margins turn to yellow leaves with white margins later, especially with sun exposure.

H. 'Ciandra' E. Schulz (OR) J. Spece (NI) Plant: 50in (127cm) diameter; 30in (76.2cm) high; mound-like; fast growth rate.

Leaf: 14in (35.6cm) long; 9.5in (24.1cm) wide; 14 to 15 vein pairs; greenish yellow with flat margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; lightly wavy overall.

Scape: 34 to 45in (86.4 to 114.3cm) high; green

Flower: 1.6in (4.1cm) long; pure white; tubular; Peosta, IA; 6/28 - 7/6 - 7/18

Seed: sets viable seeds; green

Clump History: original seedling; 6 years old; Peosta, IA **Notable Characteristics:** Huge, cascading, chartreuse colored mound.

Parentage: (H. 'Sunlight Sister' x OP)

H. 'Citric Star' L. Vissers (ONIR) Plant: 9in (22.9cm) diameter; 7in (17.8cm) high; mound-like; moderate growth rate.

Leaf: 4.9in (12.5cm) long; 2.2in (5.5cm) wide; 6 vein pairs; golden yellow; very shiny on top; ovate with tapered base; lightly wavy overall.

Scape: bronze

Flower: pale lavender; white outside and pale lavender inside;

tubular; Jul 15 to Aug 15; Lichtaart/Antwerpen/Belgium Seed: sets viable seeds; bronze Clump History: original seedling; 3 years old;

Lichtaart/Antwerpen/Belgium Notable Characteristics: leathery, bright yellow leaves. **Parentage:** [(*H*. 'Hokkaido' x OP) x OP]

Seasonal Color: stays golden yellow all season

H. 'Clean Green'

M. Gilligan (ONIR)

Plant: 30in (76.2cm) diameter; 12in (30.5cm) high; mound-like; moderate growth rate.

Leaf: 8in (20.3cm) long; 6.5in (16.5cm) wide; 9 to 11 vein pairs; bright light green with slightly rippled margins; very shiny on top; dull underneath; broadly ovate with cordate base; intensely corrugated overall.

Petiole Characteristics: same brilliant leaf coloration extends along the entire petiole.

Scape: 18 to 20in (45.7 to 50.8cm) high; bright green Flower: 2 to 2.5in (5 to 6cm) long; very pale lavender striping on white to translucent petals; tubular; Jan 15 to Feb 15; Winchester, New Zealand

Seed: sets viable seeds; bright green

Clump History: original seedling; 7 years old; Winchester, New Zealand; seeds obtained from R. Goodenough

Notable Characteristics: Nice combination of bright green color (like a Granny Smith apple) and heavy corrugation.

Parentage: (H. 'Brant Rock Jetty' x OP)

Seasonal Color: Stays a brilliant light green all season.

H. 'Cocky Junior' C. Kwick (ONIR)

Plant: 38in (96.5cm) diameter; 24in (61cm) high; upright; Leaf: 12in (30.5cm) long; 8in (20.3cm) wide; 14 to 15 vein pairs; medium green with flat margins; dull on top; glaucous bloom underneath; ovate with cordate base; lightly folded overall. Petiole Characteristics: medium green outside, light green inside

Scape: 30 to 36in (76.2 to 91.4cm) high; light green with glaucous bloom

Flower: 2in (5.1cm) long; nearly entirely pale lavender, minimal striping; tubular; Jul 15 to Aug 15; Eau Claire, WI Seed: sets seeds, viability not submitted: green

Clump History: original seedling; 4 years old; Eau Claire, WI Notable Characteristics: Upright stance with slender draping leaves

Parentage: (H. 'Sum and Substance' x H. montana 'Aureomarginata')

Seasonal Color: stable in shady location, will probably fade with sun exposure

H. 'Colleen Marie' C. Kwick (ONIR)

Plant: 36in (91.4cm) diameter; 20in (50.8cm) high; upright; moderate growth rate.

Leaf: 11in (27.9cm) long; 8in (20.3cm) wide; 12 to 13 vein pairs; golden yellow with slightly rippled margins; dull on top; glaucous bloom underneath; broadly ovate with cordate base; lightly cupped, lightly corrugated and moderately wavy overall.

Scape: 28 to 38in (71.1 to 96.5cm) high; green

Flower: 2.3in (5.7cm) long; pale lavender; inside of petals are streaked lavender; tubular; Jun 1 to Jul 15; Eau Claire, WI Seed: sets seeds, viability not submitted

Clump History: original seedling; 4 years old; Eau Claire, WI Notable Characteristics: Super deep, golden yellow color and a ruffled edge.

Parentage: (H. 'Sagae' x H. 'Sea Gulf Stream') Seasonal Color: Golden yellow color intensifies throughout the season.

H. 'Conflicted'

C. Kwick (ONIR) Plant: 30in (76.2cm) diameter; 16in (40.6cm) high; moderate growth rate.

Leaf: 9in (22.9cm) long; 6in (15.2cm) wide;11 to 12 vein pairs; medium green with slightly rippled margins; slightly shiny on top; very shiny underneath; broadly ovate with cordate base; lightly twisted & wavy, moderately corrugated, and deeply folded overall.

Petiole Characteristics: green

Scape: 22 to 26in (55.9 to 66cm) high; green

Flower: 1.5in (3.8cm) long; pale lavender with lavender stripes and opaque outer tips; tubular; Jul 15 to Aug 15; Eau Claire, WI Seed: does not set seed

Clump History: original seedling; 5 years old; Eau Claire, WI Notable Characteristics: vast changes in leaves from emergence to end of season; from flat to folded, corrugated and twisted, and color differences from green to green mottled with yellow. Parentage: Parentage Unknown

Seasonal Color: see "Notable Characteristics" above

H. 'Country Corn'

K. Dye (ONIR)

Plant: 36.2in (92cm) diameter; 24in (61cm) high; mound-like Leaf: 11in (28cm) long; 9.1in (23cm) wide; 13 vein pairs; golden yellow with flat margins; dull on top; dull underneath; nearly round with cordate base; lightly wavy and deeply corrugated overall.

Scape: 39.4 to 45.7in (100 to 116cm) high; medium green Flower: 2 to 2.4in (5 to 6cm) long; near white; bell shaped; Mapleton, IL; 7/1-7/15-7/21

Seed: sets viable seeds; medium green

Clump History: original seedling; 5 years old; Mapleton, IL Notable Characteristics: Heavily corrugated, large, slug resistant gold leaves. Local hosta club selected this from a number of seedlings.

Parentage: Parentage Unknown Seasonal Color: more gold with sun and heat

H. 'Country Warrior' D. Dean (ONR) J. Spece (I) Plant: 42in (106.7cm) diameter; 20in (50.8cm) high; upright; moderate growth rate.

Leaf: 9.5in (24.1cm) long; 6in (15.2cm) wide; 13 vein pairs; intense blue-green with .3 to .8in (0.6 to 2cm) wide, yellow, slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; lightly twisted and folded overall.

Petiole Characteristics: pale light green

Scape: 22 to 27in (55.9 to 68.6cm) high; blue-green Flower: 1.8in (4.4cm) long; pale lavender with translucent margins; tubular; Ramsey, MN; 7/2 - 7/12 - 7/20 Seed: sets viable seeds; green

Clump History: original seedling; 8 years old; Ramsey, MN Notable Characteristics: Upright, flared mound of pointed, bright blue foliage with a feathered yellow margin that holds late into the season.

Parentage: [((H. 'William Lachman' x H. 'Sagae' sdlg) x H. 'Sagae') x H. 'Russ O'Harra']

Seasonal Color: yellow margins fade to pale yellow later.

H. 'Crickett's Mountain Mist'

C. Bailey (ONIR) Plant: 46in (116.8cm) diameter; 24in (61cm) high; upright; moderate growth rate.

Leaf: 11in (27.9cm) long; 10in (25.4cm) wide; 15 to 17 vein pairs; moderately blue-green with creamy white streaks and slightly rippled margins; dull on top; dull underneath; nearly round with cordate base; lightly cupped, folded and wavy overall. Petiole Characteristics: red spotted petioles

Scape: 12 to 14in (30.5 to 35.6cm) high; purple

Flower: pale lavender; tubular; Jul 15 to Aug 15; Jeffersonville, VT

Clump History: original sport; 5 years old; Jeffersonville, VT Notable Characteristics: Nearly round blue-green leaves are misted & streaked with cream and white. Purple flower scapes, red spotted petioles and leaf edges that roll up. Parentage: Sport of H. 'Nancy Gill'

D. Dean (OIR) G. Lindeheimer (N) H. 'Crimson Desire' Plant: 28in (71.1cm) diameter; 15in (38.1cm) high; mound-like; moderate growth rate.

Leaf: 7in (17.8cm) long; 4.5in (11.4cm) wide; 6 to 7 vein pairs; dark green with flat margins; slightly shiny on top; slightly shiny underneath; broadly ovate with rounded base; lightly twisted and wavy overall.

Petiole Characteristics: saturated purple-red

Scape: 38 to 41in (96.5 to 104.1cm) high; saturated purple-red Flower: 1.8in (4.8cm) long; medium lavender with darker lavender stripes; tubular; Ramsey, MN; 8/12 - 8/19 - 8/28 Seed: sets viable seeds; purple-red

Clump History: original seedling; 5 years old; Ramsey, MN Notable Characteristics: Vigorous, heart-shaped leaf with saturated purple-red petioles, scapes & pods. Petiole color extends into the leaf blade and the green bracts have a purple-red base. Flared mound offers a view of purple-red coloration from all vantage points.

Parentage: [(*H. laevigata* \times ((*H.* 'Liberty Bell' \times (*H.* 'Urajiro Hachijo' × H. pycnophylla)) × (H. 'Liberty Bell' × H. yingeri))) × H. 'Pineapple Upsidedown Cake']

D

H. 'Dang Awesome' C. Kwick (ONIR) Plant: 32in (81.3cm) diameter; 12in (30.5cm) high; mound-like; moderate growth rate.

Leaf: 9in (22.9cm) long; 5in (12.7cm) wide; 7 to 8 vein pairs; dark green with very slightly rippled margins; very shiny on top; very shiny underneath; ovate with tapered base; lightly folded overall.

Scape: 26 to 30in (66 to 76.2cm) high

Flower: 2.3in (5.7cm) long; pale purple; tubular; Jul 15 to Aug 15; Eau Claire, WI

Clump History: original seedling; 5 years old; Eau Claire, WI Notable Characteristics: Very shiny ovate leaves in a tight mound.

Parentage: (H. 'Reptilian' x OP)

H. 'Dixieland Jazz'

M. Gilligan (ONIR) Plant: 30in (76.2cm) diameter; 12in (30.5cm) high; upright;

moderate growth rate. Leaf: 8.5in (21.6cm) long; 6.5in (16.5cm) wide; 10 to 11 vein pairs; light green with flat margins; dull on top; glaucous bloom underneath; nearly round with cordate base; distinctly pointed tips.

Petiole Characteristics: strong upright petioles hold leaves outward in a stylish manner

Scape: 24 to 26in (61 to 66cm) high; soft green

Flower: 1.8 (4.6cm) long; white; tubular; Jan 15 to Apr 1; Winchester, New Zealand

Seed: sets seeds, viability is unknown; medium green Clump History: original seedling; 7 years old; Winchester, New Zealand; seeds obtained from P. Ruh

Notable Characteristics: Extended flowering period and repeating white blooms. Many seed pods are nicely formed by the first week of March while new scapes are still forming. **Parentage:** (*H.* 'Akane' x OP)

H. 'Double D Cup'

S. Asch (ONIR) Plant: 42in (106.7cm) diameter: 20in (50.8cm) high: mound-like: moderate growth rate.

Leaf: 10in (25.4cm) long; 8in (20.3cm) wide; 12 vein pairs; yellow with .5 to 1in (1.3 to 2.5cm) wide, medium green, slightly rippled margins; dull on top; dull underneath; broadly ovate with cordate base; deeply cupped (when mature), moderately folded (immature), lightly wavy and corrugated overall.

Petiole Characteristics: lime colored petioles

Scape: 26 to 32in (66 to 81.3cm) high

Flower: 1.5in (3.8cm) long; near white; tubular; Jun 1 to Jul 15; Clawson, MI

Seed: sets viable seeds; green

Clump History: original sport; 15 years old; Clawson, MI Notable Characteristics: Unusual seasonal variegation. Needs a lot of sun for good color. Larger leaves have wider, more irregular, dark green margins. Emerges late but lasts way into the fall. Deep leaf cupping occurs when plant is fully mature. Parentage: Sport of H. 'Dean's List'

Seasonal Color: Emerges a rather dull gray/green color. Variegation starts in June becoming more pronounced through July. Best color and cupping occurs in August.

F

H. 'First Grandchild'

F. Nvikos (ONIR) Plant: 18in (45.7cm) diameter; 9in (22.9cm) high; rhizomatous; fast growth rate.

Leaf: 3in (7.6cm) long; 2.1in (5.4cm) wide; 5 vein pairs; light green with .3in (.6cm) wide, creamy white, slightly rippled margins; dull on top; slightly shiny underneath; ovate with rounded base; lightly wavy overall.

Petiole Characteristics: green leaf and creamy margin color extend down the petiole.

Scape: 16 to 20in (40.6 to 50.8cm) high; green

Flower: 1.8in (4.4cm) long; medium purple with darker purple veins; tubular; Jun 1 to Jul 15; Unionville, IN

Seed: sets viable seeds; green

Clump History: original sport; 5+ years old; Unionville, IN Notable Characteristics: Fast growing stable edged sport. This small hosta quickly carpets borders or acts as excellent understory for larger hosta.

Parentage: Sport of H. 'Ganny Sandy'

Seasonal Color: Maintains color throughout season.

H. 'Flamenco Dancer'

D. Ruff (ONIR) Plant: 20in (50.8cm) diameter; 17in (43.2cm) high; mound-like. Leaf: 7in (17.8cm) long; 4in (10.2cm) wide; 6 to 7 vein pairs; yellow with slightly rippled margins; slightly shiny on top; dull underneath; ovate with cordate base; moderately wavy overall.

Petiole Characteristics: dark purple

Scape: 17 to 20in (43.2 to 50.8cm) high; dark purple Flower: 3in (7.6cm) long; medium lavender; tubular; Buffalo, MN; 9/15 - 9/22 - 10/10

Seed: sets viable seeds; green

Clump History: original seedling; 12 years old; Buffalo, MN Notable Characteristics: Bright wavy leaves with dark purple petioles. Bright yellow color in the spring is achieved with some sun.

Parentage: (H. 'Tequila Sunrise' x H. 'One Man's Treasure') Seasonal Color: Turns medium green by midsummer

H. 'Framed' D. & M. Beilstein (ONIR)

Plant: 24in (61cm) diameter; 18in (45.7cm) high; mound-like; moderate growth rate.

Leaf: 8in (20.3cm) long; 4.5in (11.4cm) wide; 8 to 9 vein pairs; medium green with .8in (1.9cm) wide, creamy white, flat

margins; very shiny on top; slightly shiny underneath; ovate with rounded base; relatively flat overall.

Scape: 30 to 32in (76.2 to 81.3cm) high; green

Flower: 1.5in (3.8cm) long; near white; tubular; Mansfield, OH; 8/16 - 8/26 - 9/2

Seed: sets viable seeds; green

Clump History: original seedling; 17 years old; Mansfield, OH Notable Characteristics: This plant has the look of being

"framed" by the margins. The creamy margins extend half-way down the petiole and narrow out towards the tips of the leaves. Parentage: (H. 'Neat Splash' x H. pycnophylla)

H. 'Fritzie'

C. Kwick (ONIR) Plant: 55in (139.7cm) diameter; 26in (66cm) high; upright; fast growth rate.

Leaf: 16 in (40.6cm) long; 12in (30.5cm) wide; 13 to 14 vein pairs; blue-green with heavily rippled margins; dull on top; glaucous bloom underneath; ovate with cordate base; lightly folded and wavy overall.

Petiole Characteristics: light green

Scape: 38 to 54in (96.5 to 137.2cm) high; light green Flower: 2.5in (6.4cm) long; pale lavender with slightly darker stripes: Jun 1 to Jul 15: Eau Claire, WI

Clump History: orig. seedling; 4 years old; Eau Claire, WI Notable Characteristics: Large blue-green, smooth leaves. Parentage: (H. 'Sea Gulf Stream' x H. 'Sagae')

Seasonal Color: blue-green color darkens slightly as the season progresses.

G

H. 'Georgia Jan'

C. Kwick (ONIR)

Plant: 22in (55.9cm) diameter; 10in (25.4cm) high; mound-like; moderate growth rate.

Leaf: 7in (17.8cm) long; 2in (5.1cm) wide; 6 to 7 vein pairs; dark green with slightly rippled margins; very shiny on top; glaucous bloom underneath; lance-shaped with tapered base; lightly cupped and wavy overall.

Petiole Characteristics: petioles change color along with changes in leaf color

Scape: 24 to 30in (61 to 76.2cm) high; light green with glaucous bloom

Flower: 2.3in (5.7cm) long; medium lavender; lavender streaks inside with white edges; Jul 15 to Aug 15; Eau Claire, WI

Clump History: original seedling; 3 years old; Eau Claire, WI Notable Characteristics: Leaves emerge almost neon in color.

Parentage: (*H.* 'Sunshine Glory' x *H.* 'Risky Business') Seasonal Color: emerges almost a neon green turning dark green; becomes wavy later in the season

H. 'Give Me Room'

C. Kwick (ONIR) Plant: 48in (121.9cm) diameter; 20in (50.8cm) high; upright. Leaf: 14in (35.6cm) long; 11in (27.9cm) wide; 13 to 14 vein pairs; dark green with flat margins; slightly shiny on top; glaucous bloom underneath; broadly ovate with cordate base; lightly folded and wavy, and moderately corrugated overall. Petiole Characteristics: light green with glaucous bloom Scape: 44 to 55in (111.8 to 139.7 cm) high; green Flower: 2in (5.1cm) long; medium lavender striping emanates from a white base; tubular; Jun 1 to Jul 15; Eau Claire, WI

Seed: sets seeds, viability not submitted; green

Clump History: original seedling; 5 years old; Eau Claire, WI Notable Characteristics: large, upright plant with showy flowers and shiny leaves that develop some corrugation when mature. **Parentage:** (*H*. 'Blue Umbrellas' x OP)

H. 'Green Blimp'

Plant: 40in (101.6cm) diameter; 21in (53.3cm) high; mound-like; fast growth rate.

M. Dammen (ONIR)

Leaf: 10in (25.4cm) long; 9in (22.9cm) wide;12 vein pairs; medium green with flat margins; slightly shiny on top; glaucous bloom underneath; broadly ovate with cordate base; lightly cupped overall.

Scape: 32 to 34in (81.3 to 86.4cm) high; green

Flower: 3in (7.6cm) long; very fragrant; white; tubular; Jun 1 to Jul 15; Hollandale, MN

Clump History: original sport; 6 years old; Hollandale, MN Notable Characteristics: Thick, rubbery foliage with very large, very fragrant flowers

Parentage: Sport of H. 'Cathedral Windows'

Η

H. 'Harper Grace' C. Kwick (ONIR) Plant: 20in (50.8cm) diameter; 10in (25.4cm) high; mound-like. Leaf: 4.5in (11.4cm) long; 3.5in (8.9cm) wide; 11 to 12 vein pairs; greenish yellow with slightly rippled margins; dull on top; glaucous bloom underneath; broadly ovate with cordate base; lightly cupped, wavy and corrugated overall.

Petiole Characteristics: light green

Scape: 14 to 16in (35.6 to 40.6cm) high; green Flower: 1.8in (4.4cm) long; pale lavender; petals are white outside and pale lavender inside; tubular; Jun 1 to Jul 15; Eau Claire. WI

Clump History: original seedling; 4 years old; Eau Claire, WI Notable Characteristics: Petite, greenish-yellow mounding type that does well in the sun.

Parentage: (H. sieboldiana 'Elegans' x H. 'Sunshine Glory') Seasonal Color: turns more yellow as the season progresses

H. 'Hearts Galore' D. & M. Beilstein (ONIR)

Plant: 18in (45.7cm) diameter; 10in (25.4cm) high; mound-like; moderate growth rate.

Leaf: 3.3in (8.3cm) long; 2.5in (6.4cm) wide; 7 to 8 vein pairs; medium green with .3in (0.6cm) wide, golden yellow, flat margins; dull on top; dull underneath; broadly ovate with cordate base; moderately folded overall.

Scape: 21 to 22in (53.3 to 55.9cm) high; dark green

Flower: 1.5in (3.8cm) long; medium purple; tubular; Mansfield, OH; 6/26 - 7/10 - 7/24

Seed: sets seed, viability unknown; dark green with narrow linear spots.

Clump History: original seedling; 7 years old; Mansfield, OH Notable Characteristics: Cute heart-shaped leaves with a moderate fold. Golden margins start at the leaf base & narrows to a slight sliver at the tip. Profuse scapes with medium purple flowers are well proportioned to the plant size. Tight clump is ideal for small gardens.

Parentage: (*H.* 'Splish Splash' x OP)

H. 'Henry the First'

C. Kwick (ONIR)

Plant: 48in (121.9cm) diameter; 33in (83.8cm) high; upright. Leaf: 16in (40.6cm) long; 13in (33cm) wide; 15 to 17 vein pairs; medium green with flat margins; slightly shiny on top; slightly shiny underneath; broadly ovate with cordate base.

Petiole Characteristics: lighter green than the leaf

Scape: 36 to 40in (91.4 to 101.6cm) high; light green Flower: 1.5in (3.8cm) long; near white; tubular; Jun 1 to Jul 15; Eau Claire, WI

Seed: sets seeds, viability not submitted

Clump History: original seedling; 5 years old; Eau Claire, WI Notable Characteristics: Tall, upright, huge leaves have a bold, regal appearance.

Parentage: (H. sieboldiana 'Elegans' x H. 'Satisfaction') Seasonal Color: darkens somewhat to a deeper green

H. 'Hidden Gem' C. Kwick (ONIR)

Plant: 11in (27.9cm) diameter; 20in (50.8cm) high; upright; slow growth rate.

Leaf: 5in (12.7cm) long; 4in (10.2cm) wide; 11 to 12 vein pairs; medium green with flat margins; very shiny on top; very shiny underneath; broadly ovate with cordate base; lightly cupped and corrugated overall.

Scape: 20in (50.8cm) high; green

Flower: 1.5in (3.8cm) long; near white with very light hint of lavender at the base of each near white petal; tubular; Jul 15 to Aug 15; Eau Claire, WI

Clump History: original seedling; 3 years old; Eau Claire, WI Notable Characteristics: Small, shiny, lightly cupped and corrugated leaves.

Parentage: (H. 'Captain Kirk' x H. 'Carol')

Seasonal Color: darkens as the season progresses.

H. 'Hillary'

C. Kwick (ONIR)

Plant: 32in (81.3cm) diameter; 16in (40.6cm) high; mound-like; moderate growth rate.

Leaf: 10in (25.4cm) long; 8in (20.3cm) wide; 11 to 12 vein pairs; greenish yellow with slightly rippled margins; dull on top; glaucous bloom underneath; ovate with cordate base; lightly wavy and corrugated overall.

Scape: 14 to 20in (35.6 to 50.8cm) high; light green Flower: 2.5in (6.4cm) long; medium lavender with white striping; tubular; Jul 15 to Aug 15; Eau Claire, WI Seed: sets seeds, viability not submitted; green

Clump History: original seedling; 4 years old; Eau Claire, WI Notable Characteristics: Greenish yellow leaves with a nice wavy margin.

Parentage: (*H.* 'Sea Gulf Stream' x OP)

Seasonal Color: turns more yellow as the season progresses

C. Kwick (ONIR)

Plant: 32in (81.3cm) diameter; 12in (30.5cm) high; mound-like; slow growth rate.

Leaf: 5in (12.7cm) long; 4in (10.2cm) wide; 8 to 9 vein pairs; greenish yellow with slightly rippled margins; dull on top; slightly shiny underneath; broadly ovate with cordate base; mostly flat overall.

Petiole Characteristics: light greenish yellow

Scape: 14 to 26in (35.6 to 66cm) high; green

Flower: 1.8in (4.4cm) long; medium lavender; tubular; Jul 15 to Aug 15; Eau Claire, WI

Seed: sets seeds, viability not submitted; green

Clump History: original seedling; 6 years old; Eau Claire, WI Notable Characteristics: Very tight, well populated cluster of greenish yellow leaves.

Parentage: Parentage unknown

H. 'Holmen Class of '59'

Seasonal Color: turns more yellow as season progresses

H. 'Hovercraft' D. & M. Beilstein (ONIR) Plant: 30in (76.2cm) diameter; 16in (40.6cm) high; mound-like; moderate growth rate.

Leaf: 9.5in (24.1cm) long; 8in (20.3cm) wide; 12 to 14 vein pairs; intense powdery blue-green with flat margins; glaucous bloom on top; glaucous bloom underneath; nearly round with cordate base; moderately cupped and corrugated overall.

Petiole Characteristics: very glaucous blue-green petioles Scape: 19 to 21in (48.3 to 53.3cm) high; glaucous powder blue Flower: 1.3in (3.2cm) long; pale white; tubular; Mansfield, OH; 6/26 - 7/6 - 7/16

Seed: sets viable seeds; glaucous blue-green

Clump History: original seedling; 9 years old; Mansfield, OH Notable Characteristics: Very powdery blue, slightly rugose leaves cup downward as they emerge from the very glaucous petioles, giving the appearance of multiple "hovercrafts" when viewed from above. The many pods on its scapes prove it communicates very well.

Parentage: ((H. laevigata x OP blue sdlg.) x OP)

Ι

H. 'I Dream of Jeanne' T. R. Barbee (ONIR) Plant: 48in (121.9cm) diameter; 24in (61cm) high; mound-like; Leaf: 10in (25.4cm) long; 8in (20.3cm) wide; 13 to 14 vein pairs; gold with slightly rippled margins; slightly shiny on top; dull underneath; broadly ovate with cordate base; lightly wavy overall.

Scape: 24 to 36in (61 to 91.4cm) high; green

Flower: 1.5in (3.8cm) long; pure white; tubular; Jun 1 to Jul 15; Orient. OH

Seed: sets viable seeds; green

Clump History: original seedling; 12 years old; Orient, OH Notable Characteristics: Beautiful gold color with white blooms Parentage: (H. 'Sagae' x OP)

Seasonal Color: starts out greenish-yellow changing to golden yellow later

H. 'Irish Pearl'

Plant: 15in (38.1cm) diameter; 7in (17.8cm) high; mound-like; moderate growth rate.

Leaf: 2.8in (7cm) long; 1.8in (4.5cm) wide; 4 vein pairs; medium green with slightly rippled margins; very shiny on top; dull to slightly shiny underneath; ovate with cordate base; lightly twisted, folded and wavy overall.

G. R. Goodwin (ONIR)

Scape: 12 to 15in (30.5 to 38.1cm) high; green and red Flower: 1.5 to 2in (3.8 to 5.1cm) long; pale lavender; mild striping with white throat; tubular; Aug 15 to Oct 1; Zionsville, IN

Seed: sets seed, viability unknown; green

Clump History: original seedling; 9 years old; Zionsville, IN Notable Characteristics: Small size with shiny leaves Parentage: Parentage unknown

J

H. 'Jane Doe'

F. Nyikos (ONIR)

Plant: 42in (106.7cm) diameter; 24in (61cm) high; mound-like; Leaf: 8.8in (22.2cm) long; 7.3in (18.4cm) wide; 8 to 9 vein pairs; dark green; with slightly rippled margins; slightly shiny on top; slightly shiny underneath; broadly ovate; lightly folded overall. Petiole Characteristics: Petioles are the same color as the leaf Scape: 24 to 36in (61 to 91.4cm) high; green with some bronzing at leaf bracts

Flower: 3in (7.6cm) long; fragrant; striped medium purple with white margins; tubular; Jul 15 to Aug 15; Unionville, IN Seed: Sets viable seeds; green

Clump History: Original sport; 5 years old; Unionville, IN

Notable Characteristics: All green sport that is more robust and slightly larger than its parent.

Parentage: Sport of H. 'Calamity Jane'

Seasonal Color: Color deepens to a very dark shiny green.

H. 'Jane Sample'

F. Nyikos (ONIR)

Plant: 36in (91.4cm) diameter; 18in (45.7cm) high; mound-like; moderate growth rate.

Leaf: 8.5in (21.6cm) long; 6.5in (16.5cm) wide; 8 to 9 vein pairs; medium green; with .5in (1.3cm) wide, pale yellow slightly rippled margins; slightly shiny on top; slightly shiny underneath; broadly ovate; lightly folded overall.

Petiole Characteristics: Leaf and margin coloration extends down the petiole.

Scape: 24 to 36in (61 to 91.4cm) high; green with some bronzing at leaf bracts

Flower: 3in (7.6cm) long; fragrant; striped medium purple with white margins; tubular; Jul 15 to Aug 15; Unionville, IN Seed: Sets viable seeds; green

Clump History: Original sport 5 years old; Unionville, IN Notable Characteristics: Stable form of H. 'Calamity Jane'. The margin tends to be uniform in width but can become much wider for new leaves on fall growth.

Parentage: Sport of H. 'Calamity Jane'

Seasonal Color: Margins change to creamy ivory as season progresses, and margin width is wider on new fall foliage.

H. 'Je Suis' M. Gilligan (ONIR)

Plant: 34in (86.4cm) diameter; 13in (33cm) high; mound-like; moderate growth rate.

Leaf: 8.5in (22cm) long; 3.5in (9cm) wide; 7 to 9 vein pairs; bright yellow with slightly rippled margins; slightly shiny on top; very shiny underneath; lance-shaped with tapered base; moderately wavy overall.

Petiole Characteristics: long, arching petioles with reddish tones on lower portion.

Scape: 18 to 20in (45.7 to 50.8cm) high; yellow with red on lower portion.

Flower: 1.8in (5cm) long; medium lavender with translucent edges, light purple stripe in center of petal, then white stripe, then translucent (gives impression of multi-stripe); tubular; Jan 15 to Feb 15; Winchester, New Zealand

Seed: sets viable seeds; light yellow to green

Clump History: original seedling; 6 years old; Winchester, New Zealand; seeds obtained from J. Schwarz

Notable Characteristics: Brassy yellow color on long narrow leaves - forms a dense fountain of many leaves. Starts upright before becoming more mound-like.

Parentage: (H. 'Ringtail' x OP)

Seasonal Color: Starts out a soft yellow getting brighter and richer yellow as the season progresses.

H. 'Jet Black'

D. & M. Beilstein (ONIR) Plant: 56in (142.2cm) diameter; 24in (61cm) high; mound-like; moderate growth rate.

Leaf: 9.5in (24.1cm) long; 7.5 in (19.1cm) wide; 11 to 12 vein pairs; intense powdery blue-green with flat margins; glaucous bloom on top; glaucous bloom underneath; nearly round with cordate base; lightly cupped (both up and down) and moderately corrugated overall.

Petiole Characteristics: glaucous petioles

Scape: 28 to 30in (71.1 to 76.2cm) high; glaucous green Flower: 1.5in (3.8cm) long; near white; tubular; Mansfield, OH; 6/26 - 7/13 - 7/22

Seed: sets very few viable seeds, glaucous blue

Clump History: original seedling; 11 years old; Mansfield, OH Notable Characteristics: Very glaucous, powdery blue-green color fades to very dark green (almost black). Most leaves are relatively flat, but some cup upwards, some down. Add almost white flowers and 'Jet Black' lives up to its name.

Parentage: (Mary Chastain 04 B1 str sdlg. x H. 'Skylight') **Seasonal Color:** After bloom is gone, leaves look almost black

H. 'Jewel Box' G. R. Goodwin (ONIR) Plant: 8in (20.3cm) diameter; 4in (10.2cm) high; mound-like; moderate growth rate.

Leaf: 2.3in (5.7cm) long; .8in (1.9cm) wide; 4 vein pairs; dark green; with .3in (0.6cm) wide, white, slightly rippled margins; slightly shiny on top; dull underneath; elliptical with tapered base; lightly twisted, folded and wavy overall.

Petiole Characteristics: green and white coloration extends down the rather short petioles

Scape: 10 to 12in (25.4 to 30.5cm) high; green

Flower: 1.5 to 3in (3.8 to 7.6cm) long; pale purple petals with white margins, unique speckled flower tube; tubular; Jul 15 to Aug 15; Zionsville, IN

Seed: sets seeds, viability is unknown; green

Clump History: original sport; 8 years old; Zionsville, IN Notable Characteristics: Compact, symmetrical clump with summer flush contrasting in color to the spring flush. Parentage: Sport of seedling of unknown origin Seasonal Color: Subtle spring colors of medium green and yellow change to dark green edged with white.

H. 'Jim Boldt'

D. Graves (ONIR)

Plant: 46in (116.8cm) diameter; 26in (66cm) high; upright; fast growth rate.

Leaf: 12in (30.5cm) long; 10in (25.4cm) wide; 12 to 14 vein pairs; intensely blue-green with slightly rippled margins; slightly shiny on top; glaucous bloom underneath; broadly ovate with cordate base; lightly wavy and corrugated overall.

Scape: 22 to 26in (55.9 to 66cm) high; green Flower: white; tubular; July 15 to Aug 15; Toledo, OH

Seed: sets viable seeds; green

Clump History: original seedling; 6 years old; Toledo, OH Notable Characteristics: Large, upright mound **Parentage:** (*H*. 'Elatior' x OP)

H. 'Jipson Place Black Hole' D. & J. Butler (ONIR)

Plant: 77in (195.6cm) diameter; 28in (71.1cm) high; upright; moderate growth rate.

Leaf: 11in (27.9cm) long; 10in (25.4cm) wide; 14 vein pairs; dark green with flat margins; dull on top; dull underneath; broadly ovate with cordate base; moderately cupped downward overall.

Petiole Characteristics: dark green color of the leaf is continuous down the outside of the petiole.

Scape: 26.5 to 29.5in (67.3 to 74.9cm) high: green

Flower: 2in (5.1cm) long; near white; slight lavender stripes inside; tubular; Jun 1 to Jul 15; Indianapolis, IN

Seed: sets seeds, viability is unknown; green

Clump History: original sport; 10 years old; Indianapolis, IN Notable Characteristics: Extremely dark green that holds all season. Slightly domed and very upright. Good grower that is striking and unique.

Parentage: Sport of H. 'Galaxy'

H. 'Joyce Lane'

D. Graves (ONIR)

Plant: 36in (91.4cm) diameter; 19in (48.3cm) high; mound-like; moderate growth rate.

Leaf: 9in (22.9cm) long; 7in (17.8cm) wide; 8 to 9 vein pairs; dark green with .3 to .5in (0.6 to 1.3cm) wide, light yellow, flat margins; slightly shiny on top; glaucous bloom underneath; broadly ovate with cordate base; deeply corrugated overall. Scape: 24 to 28in (61 to 71.1cm) high; green

Flower: pale lavender with dark lavender striping on interior; tubular; July 15 to Aug 15; Toledo, OH

Seed: does not set seed;

Clump History: original seedling; 7 years old; Toledo, OH Notable Characteristics: Infusion of dark green and light green in the margins.

Parentage: (H. 'Christmas Tree Gala' x H. 'Potomac Pride')

H. 'Judith' J. Gasparino (ONIR) Plant: 10in (25.4cm) diameter; 3in (7.6cm) high; mound-like; fast growth rate.

Leaf: 2.5in (6.4cm) long; .7in (1.9cm) wide; 3 vein pairs; greenish yellow with slightly rippled margins; dull on top; very shiny underneath; lance-shaped with tapered base; lightly wavy overall.

Scape: 9 to 11in (22.9 to 27.9cm) high; greenish-yellow Flower: 1.5in (3.8cm) long; pale purple with white and purple striped petal interiors; tubular; Preston, CT; 7/23 - 7/30 - 8/10 Seed: sets viable seeds; dark green

Clump History: original seedling; 5 years old; Preston, CT Notable Characteristics: Very small, greenish yellow that is easy to grow & multiplies quickly. Parentage: Parentage Unknown

H. 'Justin Tyme' G. Hicks (OR) D. Landry (N) Maine Hosta (I)

Plant: 51in (129.5cm) diameter; 35in (88.9cm) high; upright; Leaf: 15in (38.1cm) long; 14in (35.6cm) wide; 14 to 15 vein pairs; dark green with heavily rippled margins; dull on top; dull underneath; nearly round with cordate base; Scape: 49in (124.5cm) high; green

Flower: 2.5in (6.4cm) long; near white with pale lavender stripes; tubular; Jun 1 to Jul 15; Edgecomb, ME Seed: sets viable seeds; green

Clump History: original seedling; 5 years old; Edgecomb, ME Notable Characteristics: large size, heavy substance, rippled margins, deeply impressed veins, blue-green early color. Parentage: (H. 'Empress Wu' x OP)

Seasonal Color: blue-green early, changing to medium green

Κ

H. 'Keep It Dark'

M. Gilligan (ONIR) Plant: 22in (55.9cm) diameter; 11in (27.9cm) high; mound-like; moderate growth rate.

Leaf: 5.3in (13cm) long; 4in (10.2cm) wide; 9 to 11 vein pairs; dark green with flat margins; slightly shiny on top; dull underneath; broadly ovate with cordate base; lightly corrugated overall.

Scape: 10 to 12 in (25.4 to 30.5cm) high; very dark green Flower: 2.8 to 3in (7 to 7.6cm) long; pale to medium lavender stripes on lighter petal, heavy bloomer; tubular; Jan 15 to Feb 15; Winchester, New Zealand

Seed: sets viable seeds; dark green

Clump History: original seedling; 10 years old; Winchester, New Zealand; seeds obtained from Bill Nash

Notable Characteristics: Extremely dark green color is almost black

Parentage: (*H.* 'Ryan's Big One' F2 x OP)

Seasonal Color: Maintains its very dark green color all season.

H. 'Kimmie O'

C. Kwick (ONIR) Plant: 30in (76.2cm) diameter; 48in (121.9cm) high; upright; fast growth rate.

Leaf: 17in (43.2cm) long; 16in (40.6cm) wide; 16 to 18 vein pairs; slightly blue-green with flat margins; slightly shiny on top; glaucous bloom underneath; nearly round with cordate base; moderately flat and deeply corrugated overall.

Petiole Characteristics: light green with glaucous bloom Scape: 30 to 40in (76.2 to 101.6cm) high; light green Flower: 2in (5.1cm) long; near white with very light hint of lavender at the base of each near white petal; tubular; Jun 1 to Jul 15; Eau Claire, WI

Seed: sets seeds, viability not submitted

Clump History: original seedling; 8 years old; Eau Claire, WI Notable Characteristics: Massive, nearly round corrugated leaves that will lighten with sun exposure, on a sturdy upright plant.

Parentage: (H. 'Komodo Dragon' x OP)

H. 'Kiss Me Kwick and Don't Slobber' C. Kwick (ONIR) Plant: 32in (81.3cm) diameter; 20in (50.8cm) high; upright. Leaf: 12in (30.5cm) long; 9in (22.9cm) wide; 10 to 11 vein pairs; greenish yellow with slightly rippled margins; dull on top; glaucous bloom underneath; broadly ovate with cordate base; moderately cupped and corrugated overall.

Scape: 27 to 30in (68.6 to76.2cm) high; light green Flower: 1.5in (3.8cm) long; near white; tubular; Jun 1 to Jul 15;

Eau Claire, WI

Seed: sets seeds, viability not submitted; green

Clump History: original seedling; 4 years old; Eau Claire, WI Notable Characteristics: Upright form with cupped and corrugated leaves.

Parentage: (H. sieboldiana 'Elegans' x H. 'Sunshine Glory')

Seasonal Color: slightly more yellow as season progresses.

H. 'Kisserina'

C. Kwick (ONIR)

Plant: 30in (76.2cm) diameter; 9in (22.9cm) high; mound-like; moderate growth rate.

Leaf: 8in (20.3cm) long; 6in (15.2cm) wide; 10 to 11 vein pairs; golden yellow with flat margins; dull on top; broadly ovate with cordate base; lightly folded, wavy and corrugated overall. Scape: 36 to 48in (91.4 to 121.9cm) high; light green

Flower: 2in (5.1cm) long; pale lavender stripes in the middle of nearly white petals; tubular; Jul 15 to Aug 15; Eau Claire, WI Seed: sets seeds, viability not submitted; green

Clump History: original seedling; 4 years old; Eau Claire, WI Notable Characteristics: Deep golden leaves with prominent veins

Parentage: (H. 'Paradigm' x H. 'Satisfaction') Seasonal Color: emerges green before turning golden yellow

H. 'Kwickie'

C. Kwick (ONIR) Plant: 24in (61cm) diameter; 12in (30.5cm) high; mound-like. Leaf: 11in (27.9cm) long; 6.5in (16.5cm) wide; 12 to 13 vein pairs; yellow with slightly rippled margins; dull on top; glaucous bloom underneath; ovate with cordate base; lightly wavy overall. Petiole Characteristics: light green

Scape: 24 to 30in (61 to 76.2 cm) high; light green

Flower: 1.75in (4.5cm) long; medium lavender; striped; tubular; Jun 1 to Jul 15; Eau Claire, WI

Seed: sets seeds, viability not submitted; green

Clump History: original seedling; 5 years old; Eau Claire, WI Notable Characteristics: Deep yellow color

Parentage: (H. 'Sea Gulf Stream' x H. 'Sagae')

Seasonal Color: slightly more yellow as season progresses

H. 'Kwick's Salad Bowl' C. Kwick (ONIR)

Plant: 40in (101.6cm) diameter; 26in (66cm) high; upright Leaf: 15in (38.1cm) long; 14in (35.6cm) wide; 16 to 17 vein pairs; medium green with flat margins; slightly shiny on top; glaucous bloom underneath; nearly round with cordate base; deeply cupped and corrugated overall.

Petiole Characteristics: light green with glaucous bloom Scape: 24 to 30in (61 to 76.2cm) high; light green Flower: 2in (5.1cm) long; near white with very light hint of lavender at the base of each near white petal; tubular; Jun 1 to Jul 15; Eau Claire, WI

Seed: sets seeds, viability not submitted

Clump History: original seedling; 8 years old; Eau Claire, WI Notable Characteristics: Large, upright plant with round, cupped and heavily corrugated leaves that will lighten with excessive sun exposure.

Parentage: (*H.* 'Abiqua Drinking Gourd' x OP)

L

H. 'Lady Gold Diva'

C. Kwick (ONIR)

Plant: 30in (76.2cm) diameter; 16in (40.6cm) high; mound-like; moderate growth rate.

Leaf: 9in (22.9cm) long; 5.5in (14cm) wide; 10 to 11 vein pairs; golden yellow with slightly rippled margins; dull on top; glaucous bloom underneath; ovate with cordate base; lightly folded, wavy and corrugated overall.

Scape: 30 to 32in (76.2 to 81.3cm) high; light green

Flower: 2in (5.1cm) long; pale lavender; tubular; Jul 15 to Aug 15; Eau Claire, WI

Seed: sets seeds, viability not submitted; green Clump History: original seedling; 4 years old; Eau Claire, WI Notable Characteristics: Mound-like habit, with gold, slightly corrugated leaves and light lavender flowers Parentage: Parentage Unknown

H. 'Legacy of Corydon'

C. Kwick (ONIR) Plant: 50in (127cm) diameter; 24in (61cm) high; upright; moderate growth rate.

Leaf: 15in (38.1cm) long; 12in (30.5cm) wide; 14 to 15 vein pairs; slightly blue-green with slightly rippled margins; dull on top; glaucous bloom underneath; broadly ovate with cordate base lightly folded, wavy and corrugated overall.

Scape: 30 to 40in (76.2 to 101.6cm) high; light green Flower: 2in (5.1cm) long; medium lavender with light lavender striping; tubular; Jul 15 to Aug 15; Eau Claire, WI Seed: sets seeds, viability not submitted; green

Clump History; original seedling; 5 years old; Eau Claire, WI Notable Characteristics: Slight glaucous bloom gives an almost plastic appearance to the leaves. Very regal presentation. **Parentage:** (*H.* 'Great Expectations' x *H.* 'Sagae') Seasonal Color: slightly lighter shade of blue-green as season progresses

H. 'Lemon Love Note' D. & M. Beilstein (ONIR) Plant: 20in (50.8cm) diameter; 10in (25.4cm) high; mound-like; moderate growth rate.

Leaf: 4.5in (11.4cm) long; 2in (5.1cm) wide; 5 to 6 vein pairs; vellow with moderately rippled margins; very shiny on top; glaucous bloom underneath; elliptical with rounded base; moderately folded upward, lightly pointed and twisted at the tip. Petiole Characteristics: slightly red early in the season on outer base of petiole

Scape: 28 to 30in (71.1 to 76.2cm) high; light green Flower: 2in (5.1cm) long; medium purple; tubular; Mansfield, OH; 6/26 - 7/10 - 7/30

Seed: sets very few, light green seeds; viability unknown Clump History: original seedling; 11 years old; Mansfield, OH Notable Characteristics: Fun little hosta emerges green and morphs to a light yellow (lemon) color. Tight clump of elliptical, ripple edged leaves. Numerous scapes pop up with 2" medium lavender flowers but few pods form. Slightest breeze and the leaves wave at you!

Parentage: (H. 'Quill' x OP)

Seasonal Color: Emerges light green before turning yellow

H. 'Lord Brendan'

C. Kwick (ONIR)

Plant: 22in (55.9cm) diameter; 12in (30.5cm) high; upright Leaf: 7.5in (19.1cm) long; 7in (17.8cm) wide; 11 to 13 vein pairs; greenish yellow with slightly rippled margins; slightly shiny on top; glaucous bloom underneath; broadly ovate with cordate base; lightly twisted, wavy and corrugated overall.

Petiole Characteristics: petioles have glaucous bloom Scape: 24 to 28in (61 to 71.1cm) high; light green with glaucous

bloom

Flower: 2in (5.1cm) long; pale lavender with a small white edge; tubular; Jul 15 to Aug 15; Eau Claire, WI

Clump History: original seedling; 4 years old; Eau Claire, WI Notable Characteristics: Low growing, greenish-yellow leaves that get mottled as they mature.

Parentage: (H. 'Carol' x H. 'Hadspen Blue')

Seasonal Color: leaves get a bit more green later in the season.

H. 'Lotte's Love'

L. Vissers (ONIR)

Plant: 9.8in (25cm) diameter; 8.9in (22.5cm) high; mound-like; **Leaf:** 4.9in (12.5cm) long; 2.2in (5.5cm) wide; 5 to 6 vein pairs; greenish-yellow with lightly wavy margins; glaucous bloom on top; glaucous bloom underneath; ovate with rounded base; lightly wavy overall.

Petiole Characteristics: red petiole color is most intense at the base and changes to purple as the leaves change color.

Scape: 11.8 to 13.8in (30 to 35cm) high; medium purple

Flower: pale lavender with near white margins; tubular; Jul 15 to Aug 15; Lichtaart/Antwerpen/Belgium

Clump History: original seedling; 3 years old;

Lichtaart/Antwerpen/Belgium

Notable Characteristics: leaves change color from yellow-green to blue-green, and the petioles change from red to purple

Parentage: ((H. 'Hokkaido' x OP) x OP)

Seasonal Color: greenish-yellow color changes to medium bluegreen

H. 'Love Me Tender' B. Ankney (ONIR) Plant: 15in (38.1cm) diameter; 13in (33cm) high; mound-like; moderate growth rate.

Leaf: 5in (12.7cm) long; 3in (7.6cm) wide; 6 to 7 vein pairs; slightly blue-green; with .1 to .5in (0.3 to 1.3cm) wide, creamy white, slightly rippled margins; dull on top; glaucous bloom underneath; ovate with tapered base; lightly wavy and corrugated overall.

Petiole Characteristics: purple dots are intense at the base, fading at the leaf junction.

Scape: 12 to 16in (30.5 to 40.6cm) high; medium green Flower: 1.5in (3.8cm) long; medium lavender, bell shaped flowers remain partially closed; Jun 1 to Jul 15; Washburn, IL Seed: sets non-viable seeds; medium green

Clump History: original seedling; 4 years old; Washburn, IL **Notable Characteristics:** Slightly blue-green with variable width, creamy white margins. Slight glaucous bloom on leaf undersides.

Parentage: Parentage Unknown

Μ

H. 'Mariposa'

K. Dye (ONIR)

Plant: 7.9in (20cm) diameter; 3.9in (10cm) high; rhizomatous; slow growth rate.

Leaf: 3.2in (8cm) long; 1.4in (3.5cm) wide; 4 to 5 vein pairs; pale yellow and light green streaks; with variable width, medium green slightly rippled margins; very shiny on top; slightly shiny underneath; ovate with tapered base; lightly wavy overall.

Petiole Characteristics: tapered dark green stripes to crown of plant

Scape: 11.8 to 13.8in (30 to 35cm) high; light green

Flower: 2in (5cm) long; medium lavender with white striping, margins are slightly darker shade of lavender; tubular; Jun 1 to Jul 15; Mapleton, IL

Seed: sets viable seeds; light green

Clump History: original seedling; 17 years old; Mapleton, IL **Notable Characteristics:** Tri-colored mini of good substance with shiny foliage

Parentage: ((*H*. 'William Lachman' x *H*. *capitata* sdlg) x *H*. 'Tiny Tears')

Seasonal Color: center becomes whiter through the season

H. 'Meant to Be' G. R. Goodwin (OIR) W. Pollock (N) Plant: 30in (76.2cm) diameter; 12in (30.5cm) high; upright; moderate growth rate.

Leaf: 6in (15.2cm) long; 4in (10.2cm) wide; 8 to 9 vein pairs; dark green; with .5 to 1in (1.3 to 2.5cm) wide, creamy white, heavily rippled margins; very shiny on top; glaucous bloom underneath; broadly ovate with rounded base; lightly folded, moderately wavy and twisted overall.

Scape: 24 to 30in (61 to 76.2cm) high; green

Flower: 1.5 to 2in (3.8 to 5.1cm) long; near white with mild striping, white centers blend out to pale lavender; tubular; Jun 1 to Jul 15; Zionsville, IN

Seed: does not set seed

Clump History: original sport; 15 years old; Zionsville, IN **Notable Characteristics:** Triangular, glossy, tri-color leaves. Dark-green with medium green transitions into the creamy margins.

Parentage: Sport of a splashed seedling of unknown origin **Seasonal Color:** Creamy white margins in spring, brighten to white in summer.

H. 'Metamorphosis' C. Kwick (OIR) G. H. Alley (N) Plant: 40in (101.6cm) diameter; 26in (66cm) high; mound-like; moderate growth rate.

Leaf: 10in (25.4cm) long; 9in (22.9cm) wide; 13 to 14 vein pairs; medium blue-green with relatively flat margins; slightly shiny on top; glaucous bloom underneath; broadly ovate with cordate base; Scape: 24 to 30in (61 to 76.2cm) high; green

Flower: 2in (5.1cm) long; pale purple with purple and white striping; tubular; Jul 15 to Aug 15; Eau Claire, WI

Clump History: original seedling; 4 years old; Eau Claire, WI **Notable Characteristics:** Gnarly and highly corrugated for the first few years, then smooth and creamy upon maturity. **Parentage:** (*H. montana* 'Aureomarginata' x *H.* 'Sea Gulf

Stream²)

Seasonal Color: darkens slightly as the season progresses

H. 'Mister Green Genes' G. R. Goodwin (ONIR) Plant: 24in (61cm) diameter; 12in (30.5cm) high; mound-like; fast growth rate.

Leaf: 5in (12.7cm) long; 5in (12.7cm) wide; 12 vein pairs; medium green with flat margins; very shiny on top; glaucous bloom underneath; nearly round with cordate base; lightly folded, wavy and corrugated overall.

Scape: 15 to 18in (38.1 to 45.7cm) high; green

Flower: 1 to 1.5in (2.5 to 3.8cm) long; pale lavender; bell shaped; Jul 15 to Aug 15; Zionsville, IN

Seed: sets seeds, viability is unknown; green

Clump History: original seedling; 12 years old; Zionsville, IN **Notable Characteristics:** Spring unfurling displays a tight floral bouquet appearance, later a nice symmetrical clump of shiny leaves.

Parentage: (H. 'Fickle Blue Genes' x OP)

H. 'My Sister Anita' M. Gilligan (ONIR)

Plant: 18in (45.7cm) diameter; 9in (22.9cm) high; mound-like; moderate growth rate.

Leaf: 7in (17.8cm) long; 3.5in (8.9cm) wide; 6 to 9 vein pairs; rich green with heavily rippled margins; slightly shiny on top; slightly shiny underneath; ovate with cordate base; deeply wavy overall.

Petiole Characteristics: upright petioles

Scape: 8 to 10in (20.3 to 25.4cm) high; green

Flower: 1.5in (4cm) long; pale purple; tubular; Feb 15 to April 1; Winchester, New Zealand

Clump History: original seedling; 6 years old; Winchester, New Zealand; seeds obtained from J. Schwarz

Notable Characteristics: Nicely arching and very wavy leaves with deep ripples. Easily recognized from at least 20 feet away. **Parentage:** (*H.* 'Dancing Queen' x OP)

Seasonal Color: Color stays strong and plant maintains its wavy arching stance all season.

Ν

H. 'Nano'

M. Gilligan (ONIR)

Plant: 2in (5.1cm) diameter; 1.3in (3.2cm) high; mound-like; slow growth rate.

Leaf: .9in (2.2cm) long; .5in (1.3cm) wide; 3 to 4 vein pairs; medium green with flat margins; very shiny on top; very shiny underneath; ovate with rounded base.

Scape: 3 to 4in (7.6 to 10.2cm) high; medium green

Flower: .5in (1.3cm) long; near white with translucent edges (single flower this season); tubular; Dec 1 to Jan 15; Winchester, New Zealand

Seed: sets viable seeds; shiny green

Clump History: original seedling; 7 years old; Winchester, New Zealand

Notable Characteristics: Extremely small size (very dainty) and very shiny leaves (front and back).

Parentage: (*H.* 'Shining Tot' x *H.* 'Keep it Dark')

Seasonal Color: Remains a gleaming, shiny green color all season.

H. 'Ninkasi'

C. Kwick (ONIR)

Plant: 20in (50.8cm) diameter; 10in (25.4cm) high; mound-like Leaf: 8in (20.3cm) long; 5.5in (14cm) wide; 11 to 12 vein pairs; moderately blue-green; with variable yellow, flat margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; lightly cupped and corrugated overall. Scape: 14 to16in (35.6 to 40.6cm) high; green

Flower: 1.5in (3.8cm) long; mostly near white with small lavender stripes down the center of each petal; bell-shaped; Jul 15 to Aug 15; Eau Claire, WI

Seed: sets seeds, viability not submitted; green Clump History: original sport; 2 years old; Eau Claire, WI

Notable Characteristics: Leaves have varying margins, mostly vellow with occasional splashes of white

Parentage: Sport of H. 'Ice Queen'

Seasonal Color: becomes more green and corrugated through the season.

0

H. 'Odd Goddess'

C. Kwick (OIR) G. H. Alley (N) Plant: 26in (66cm) diameter; 20in (50.8cm) high; upright. Leaf: 12in (30.5cm) long; 7in (17.8cm) wide; 11 to 12 vein pairs;

medium green with slightly rippled margins; dull on top; glaucous bloom underneath; ovate with cordate base; moderately twisted & corrugated, and lightly folded & wavy overall. Petiole Characteristics: light green

Scape: 20 to 28in (50.8 to 71.1cm) high; light green Flower: 2.5in (6.4cm) long; pale lavender stripes in the center of the flower petals with white margins; tubular; Jun 1 to Jul 15; Eau Claire, WI

Seed: sets seeds, viability not submitted

Clump History: original seedling; 4 years old; Eau Claire, WI Notable Characteristics: Odd variety and configuration of leaves; flat, twisted, folded, corrugated, etc. **Parentage:** (*H.* 'Sagae' x *H.* 'Sea Gulf Stream') Seasonal Color: darkens somewhat through the season.

H. 'Ohh! His Blue Eyes'

E. Schulz (OR) P. Wilcoxen-Rose (NI)

Plant: 48in (121.9cm) diameter; 27in (68.6cm) high; mound-like; moderate growth rate.

Leaf: 10in (25.4cm) long; 9.5in (24.1cm) wide; 14 vein pairs; medium blue-green with flat margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; lightly twisted, moderately cupped and corrugated overall. Scape: 27 to 34in (68.6 to 86.4cm) high; green

Flower: 1.4in (3.6cm) long; medium lavender with light white stripes on petal edges of open flower; tubular; Peosta, IA; 6/29 - 7/12 - 7/24

Seed: sets viable seeds; green

Clump History: original seedling; 6 years old; Peosta, IA Notable Characteristics: Upright mound of excellent blue-green color

Parentage: Parentage Unknown

H. 'Ohh! Jewell' E. Schulz (OR) M. Schwartzbauer (NI) Plant: 42in (106.7cm) diameter; 24in (61cm) high; mound-like; moderate growth rate.

Leaf: 11in (27.9cm) long; 9.5in (24.1cm) wide; 15 vein pairs; yellow with slightly rippled margins; dull on top; glaucous bloom underneath; broadly ovate with cordate base; lightly wavy overall.

Scape: 18 to 26in (45.7 to 66cm) high; green

Flower: 1.5in (3.8cm) long; near white with pale lavender striping on interior; tubular; Peosta, IA; 6/20 - 7/2 - 7/15 Seed: sets seed, viability unknown; green

Clump History: original seedling; 6 years old; Peosta, IA Notable Characteristics: Very yellow, lance shaped, flat leaf and mound.

Parentage: Parentage Unknown

Seasonal Color: Turns light yellow by late summer

H. 'Orphan Train Rider' C. Kwick (ONIR) Plant: 22in (55.9cm) diameter; 9in (22.9cm) high; mound-like; Leaf: 5.5in (14cm) long; 3.5in (8.9cm) wide; 7 to 8 vein pairs; greenish yellow with slightly rippled margins; slightly shiny on top; slightly shiny underneath; ovate with cordate base; lightly folded overall.

Petiole Characteristics: light green

Scape: 22 to 26in (55.9 to 66cm) high; green

Flower: 1.8in (4.4cm) long; medium lavender outside - light lavender inside; bell-shaped; Jul 15 to Aug 15; Eau Claire, WI Seed: sets seeds, viability not submitted

Clump History: original seedling; 3 years old; Eau Claire, WI Notable Characteristics: Soft greenish-yellow mound of lightly ruffled leaves

Parentage: Parentage Unknown

Seasonal Color: lightens slightly as season progresses.

H. 'Orphan Train Ruffian'

C. Kwick (ONIR) Plant: 36in (91.4cm) diameter; 14in (35.6cm) high; mound-like; moderate growth rate.

Leaf: 8in (20.3cm) long; 4.5in (11.4cm) wide; 11 to 12 vein

pairs; dark green with slightly rippled margins; slightly shiny on top; glaucous bloom underneath; ovate with cordate base; lightly folded, wavy and corrugated overall.

Petiole Characteristics: green, glaucous bloom on back Scape: 32 to 40in (81.3 to 101.6cm) high; light green Flower: 1.8in (4.4cm) long; very pale lavender in the middle of nearly white petals; tubular; Jul 15 to Aug 15; Eau Claire, WI Seed: sets seeds, viability not submitted; green Clump History: original seedling; 4 years old; Eau Claire, WI

Notable Characteristics: Low mound of dark shiny leaves Parentage: (H. montana 'Aureomarginata' x OP) Seasonal Color: darkens slightly throughout the season.

Р

H. 'Plain Jane in a Frilly Skirt' C. Kwick (ONIR) Plant: 36in (91.4cm) diameter; 20in (50.8cm) high Leaf: 11in (27.9cm) long; 8in (20.3cm) wide; medium green with heavily rippled margins; dull on top; slightly shiny underneath; ovate with cordate base; lightly folded & corrugated, and moderately wavy overall.

Scape: 18 to 26in (45.7 to 66cm) high; green

Flower: 1.75in (4.4cm) long; pale lavender striping on nearly white petals; tubular; Jun 1 to Jul 15; Eau Claire, WI Clump History: original seedling; 3 years old; Eau Claire, WI

Notable Characteristics: Closely rippled margins on a tight mound of velvet green leaves.

Parentage: (H. montana 'Aureomarginata' x OP) Seasonal Color: darkens very slightly as the season progresses

H. 'Plain Jane in an A-Line Skirt' C. Kwick (ONIR) Plant: 38in (96.5cm) diameter; 18in (45.7cm) high; mound-like; moderate growth rate.

Leaf: 11in (27.9cm) long; 8in (20.3cm) wide; 14 to 15 vein pairs; medium green with flat margins; slightly shiny on top; very shiny underneath; ovate with cordate base; lightly folded and wavy overall.

Scape: 24 to 36in (61 to 91.4cm) high; green

Flower: 1.3in (3.2cm) long; medium lavender with white striping; tubular; Jul 15 to Aug 15; Eau Claire, WI

Clump History: original seedling; 3 years old; Eau Claire, WI Notable Characteristics: Very plain velvet green foliage. Shiny reverse reveals a very narrow, almost unnoticeable line around each leaf edge.

Parentage: (H. montana 'Aureomarginata' x H. sieboldiana 'Elegans')

Seasonal Color: darkens very slightly as the season progresses.

H. 'Precious' G. R. Goodwin (ONIR) Plant: 6in (15.2cm) diameter; 3in (7.6cm) high; mound-like; moderate growth rate.

Leaf: 1.5in (3.8cm) long; 1.5in (3.8cm) wide; 5 to 6 vein pairs; greenish yellow; with .5in (1.3cm) wide, slightly blue-green, flat margins; dull on top; dull underneath; nearly round with cordate base; moderately folded and wavy, and lightly twisted overall. Scape: 6 to 9in (15.2 to 22.9cm) high; light green

Flower: 1.5 to 2in (3.8 to 5.1cm) long; medium lavender with mild striping and irregular white sections between the flower petals; bell shaped; Jun 1 to Jul 15; Zionsville, IN Seed: sets non-viable seeds; white

Clump History: original sport; 7 years old; Zionsville, IN Notable Characteristics: Miniature with cupped blades and nice seasonal color change. Veins are most distinct.

Parentage: Sport of sdlg. (H. 'Crazy Quilt' x OP) Seasonal Color: Center changes from greenish-yellow to creamy white throughout the season.

R

H. 'Redbud'

G. Hicks (OR) S. Hicks (N) Maine Hosta (I)

Plant: 39in (99.1cm) diameter; 17in (43.2cm) high; mound-like Leaf: 8in (20.3cm) long; 4.5in (11.4cm) wide; 12 vein pairs; medium green with flat margins; dull on top; dull underneath; ovate with flat base; lightly folded, wavy and corrugated overall. Scape: 28in (71.1cm) high; purple on top; green with red spots on lower portion

Flower: 2in (5.1cm) long; medium lavender with purple stripes; tubular; Jun 1 to Jul 15; Edgecomb, ME

Seed: sets viable seeds; green

Clump History: original seedling; 7 years old; Edgecomb, ME Notable Characteristics: flower buds and bracts have a reddish color, the upper scapes are dark red to purple, and the foliage is sun tolerant.

Parentage: (*H.* 'Night before Christmas' x OP)

H. 'Rosaleen'

M. Gilligan (ONIR) Plant: 20in (50.8cm) diameter; 8in (20.3cm) high; upright; moderate growth rate.

Leaf: 6.5in (16.5cm) long; 4.5in (11.4cm) wide; 8 to 10 vein pairs; dark green with 1 to 1.5in (2.5 to 3.8cm) wide, creamy white, heavily rippled margins; slightly shiny on top; dull underneath; broadly ovate with cordate base; deeply wavy overall.

Petiole Characteristics: Green and white coloration extends down the petiole with pinkish tones on the lower portion. Scape: 17 to 21in (43.2 to 53.3cm) high; green with pink on lower portion.

Flower: 1.3in (3.2cm) long; pale purple with minor darker stripes; tubular; Jan 15 to Feb 15; Winchester, New Zealand Seed: sets viable seeds; dull green

Clump History: original seedling; 10 years old; Winchester, New Zealand; seeds obtained from Bill Nash

Notable Characteristics: Bold contrasting colors, wide white edge and upright posture.

Parentage: (*H.* 'Let's Streak' x OP)

Seasonal Color: Contrast becomes more striking throughout the season.

S

H. 'Save the Last Dance for Me'

C. Kwick (ONIR) Plant: 26in (66cm) diameter; 12in (30.5cm) high; rhizomatous. Leaf: 7in (17.8cm) long; 5in (12.7cm) wide; 9 to 10 vein pairs; greenish yellow with flat margins; slightly shiny on top; very shiny underneath; broadly ovate with cordate base; lightly corrugated overall.

Petiole Characteristics: light green

Scape: 16 to 18in (40.6 to 45.7cm) high; light green Flower: 1.8in (4.4cm) long; pale lavender with medium lavender striping; tubular; Jul 15 to Aug 15; Eau Claire, WI Seed: sets seeds, viability not submitted; green

Clump History: original seedling; 4 years old; Eau Claire, WI Notable Characteristics: a gradually expanding rhizomatous clump of shiny leaves.

Parentage: (H. 'Summer Lovin' x OP) Seasonal Color: leaves become greener and corrugated throughout the season.

H. 'Scott Andrew' C. Kwick (ONIR) Plant: 40in (101.6cm) diameter; 30in (76.2 cm) high; rhizomatous

Leaf: 9.5in (24.1cm) long; 9in (22.9cm) wide; 12 to 13 vein pairs; medium green with slightly rippled margins; very shiny on top; dull underneath; broadly ovate with cordate base; lightly folded and wavy overall.

Petiole Characteristics: green

Scape: 44 to 54in (111.8 to 137.2cm) high; green Flower: pale purple background with darker purple stripes and every other petal has white background with purple stripes; tubular; Jul 15 to Aug 15; Eau Claire, WI

Clump History: original seedling; 4 years old; Eau Claire, WI Notable Characteristics: Super shiny heart-shaped leaves that come to an extended tip. Tall scapes with large flowers. Although tall and upright the plant is rhizomatous. Parentage: (H. montana 'Aureomarginata' x H. 'Paradigm')

Seasonal Color: darkens slightly as the season progresses.

H. 'Sent from Heaven' G. R. Goodwin (ONIR) Plant: 18in (45.7cm) diameter; 12in (30.5cm) high; mound-like; moderate growth rate.

Leaf: 4.5in (11.4cm) long; 3in (7.6cm) wide; 5 to 7 vein pairs; moderately blue-green; with .5in (1.3cm) wide, creamy white, slightly rippled margins; slightly shiny on top; slightly shiny underneath; broadly ovate with flat base; lightly wavy and moderately corrugated overall.

Petiole Characteristics: Leaf and margin coloration extends down the petiole.

Scape: 15 to 18in (38.1 to 45.7cm) high; green

Flower: 1.5 to 2in (3.8 to 5.1cm) long; medium lavender with strong parallel purple stripes; tubular; Jun 1 to Jul 15; Zionsville, IN

Seed: sets non-viable seeds; green

Clump History: original sport; 14 years old; Zionsville, IN Notable Characteristics: Bright white margins on a medium to small cultivar with mild corrugation at maturity. Parentage: Sport of seedling of unknown origin Seasonal Color: Light green with yellow margins, changes to

moderately blue-green with creamy white margins.

H. 'Shimmers in the Moonlight' C. Kwick (ONIR) Plant: 20in (50.8cm) diameter; 10in (25.4cm) high; rhizomatous; slow growth rate.

Leaf: 5.5in (14cm) long; 2in (5.1cm) wide; 7 to 10 vein pairs; slightly blue-green with flat margins; glaucous bloom on top; glaucous bloom underneath; lance-shaped with tapered base; mostly flat overall.

Petiole Characteristics: light green with glaucous bloom Scape: 8 to 12in (20.3 to 30.5cm) high; greenish-blue Flower: 1.3in (3.2cm) long; medium lavender stripes down center of mostly white petals; tubular; Jul 15 to Aug 15; Eau Claire. WI

Clump History: original seedling; 5 years old; Eau Claire, WI Notable Characteristics: smooth blue-green leaves have an iridescence whereby reflected light appears to sparkle **Parentage:** (*H.* 'Reptilian' x OP)

H. 'Singularity'

Plant: 22in (55.9cm) diameter; 8in (20.3cm) high; mound-like; moderate growth rate.

Leaf: 6.5in (16.5cm) long; 2in (5.1cm) wide; 3 to 5 vein pairs; dark green with slightly rippled margins; very shiny on top; slightly shiny underneath; lance-shaped with tapered base; moderately twisted, folded and wavy overall.

Flower: pale lavender with 3 dark lavender stripes in center of petal, then 1 dark lavender stripe in center of next petal alternating around; tubular; Jun 1 to Jul 15; Troy, OH Seed: sets seeds, viability not submitted; green

Clump History: original seedling; 12 years old; Troy, OH Notable Characteristics: Extremely dark, glossy green, moderately twisted narrow pointed leaves face upward & outward. Unique bluish-silver sheen in certain light & photos. Slug resistant. Overall effect is tidy, refined and striking when viewed from any angle.

Parentage: (H. 'Halcyon' x H. 'Leather Sheen') Seasonal Color: One of the last to succumb to the cold, and remains dark glossy green throughout the season.

H. 'Sir Lloyd T'

C. Kwick (ONIR) Plant: 40in (101.6cm) diameter; 20in (50.8cm) high; upright. Leaf: 10in (25.4cm) long; 10.5in (26.7cm) wide; 15 to 16 vein pairs; dark green with flat margins; glaucous bloom on top; glaucous bloom underneath; nearly round with cordate base; moderately cupped and corrugated overall.

Scape: 20 to 26in (50.8 to 66cm) high; green

Flower: 1.75in (4.4cm) long; near white; tubular; Jun 1 to Jul 15; Eau Claire, WI

Seed: sets seeds, viability not submitted; brown Clump History: original seedling; 5 years old; Eau Claire, WI Notable Characteristics: Round, cupped and corrugated leaves of heavy substance.

Parentage: (H. sieboldiana 'Elegans' x H. montana 'Aureomarginata')

Seasonal Color: darkens slightly as the season progresses.

H. 'Sir Markus Cooper'

C. Kwick (ONIR) Plant: 48in (121.9cm) diameter: 26in (66cm) high. Leaf: 12in (30.5cm) long; 8in (20.3cm) wide; 14 to 15 vein pairs; medium green with flat margins; dull on top; slightly shiny underneath; ovate with cordate base; mostly flat overall. Scape: 30 to 40in (76.2 to 101.6cm) high; green Flower: 2.3in (5.7cm) long; pale lavender with light striping; tubular; Jul 15 to Aug 15; Eau Claire, WI

Seed: sets viable seeds; brown

Clump History: original seedling; 6 years old; Eau Claire, WI Notable Characteristics: Large green plant that is always the last one to come up.

Parentage: Parentage Unknown

H. 'Skipping School' C. Kwick (ONIR) Plant: 22in (55.9cm) diameter; 11in (27.9cm) high; mound-like; moderate growth rate.

Leaf: 5.5in (14cm) long; 4.8in (12.1cm) wide; 8 to 9 vein pairs; dark green with slightly rippled margins; dull on top; glaucous bloom underneath; broadly ovate with cordate base; moderately wavy, lightly folded and corrugated overall.

Petiole Characteristics: same dark green as the leaves Scape: 18 to 30in (45.7 to 76.2cm) high; light green with glaucous bloom

Flower: 1.8in (4.4cm) long; medium lavender; light purple

striping with narrow translucent edges; tubular; Jul 15 to Aug 15; Eau Claire, WI

Clump History: original seedling; 3 years old; Eau Claire, WI Notable Characteristics: Dark green heart-shaped leaves emerge slightly cupped

Parentage: Parentage Unknown

Seasonal Color: green darkens as season progresses.

H. 'Smurfette' C. Wilson (ONIR) Plant: 24in (61cm) diameter; 16in (40.6cm) high; mound-like Leaf: 6in (15.2cm) long; 4in (10.2cm) wide; 6 to 8 vein pairs; intensely blue-green; with .5in (1.3cm) wide, pure white, slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base;

Flower: pale lavender; tubular; Jul 15 to Aug 15; Cement City, MI

Clump History: 1st generation division of original sport; 3 years old; Cement City, MI

Notable Characteristics: Slightly wavy margins. The white margin is wider and the overall clump size is smaller than its parent, H. 'El Niño'

Parentage: Sport of H. 'El Niño'

H. 'Snake Charmer' B. & D. Stegeman (ONIR) Plant: 30in (76.2cm) diameter; 13in (33cm) high; mound-like Leaf: 9in (22.9cm) long; 3.9in (9.9cm) wide; 11 vein pairs; dark green with serrated margins; slightly shiny on top; very shiny underneath; lance-shaped with tapered base; moderately wavy overall

Scape: 23.5 to 26.5in (59.7 to 67.3cm) high; dark purple Flower: 2in (5.1cm) long; medium lavender with white "star" at base of flower and lavender stripes in center of petals, translucent margins wider on three inner petals; tubular; Chesterton, IN; 9/16-9/23-10/3

Seed: sets viable seeds; green with purple blotches Clump History: original seedling; 12 years old; Chesterton, IN Notable Characteristics: Narrow, wavy leaves with serrated edges and curled tips. Deep, closely spaced veins. Dark purple branched scapes with deep pink, shiny buds.

Parentage: ((H. 'Mikawa-no-Yuki' x H. 'One Man's Treasure') x H. 'Yoshinogawa')

H. 'Starship Enterprise' C. Kwick (ONIR) Plant: 26in (66cm) diameter; 15in (38.1cm) high; upright; Leaf: 7in (17.8cm) long; 6in (15.2cm) wide; 11 to 12 vein pairs; greenish-yellow mottled with green; with 1in (2.5cm) wide, greenish-yellow, flat margins; broadly ovate with rounded base; moderately cupped and corrugated overall.

Flower: pale lavender; Jul 15 to Aug 15; Eau Claire, WI Clump History: original sport; 2 years old; Eau Claire, WI Notable Characteristics: Outer third of leaves emerge white then turn greenish-yellow while leaf center is various shades of green and yellow.

Parentage: Sport of H. 'Captain Kirk'

Seasonal Color: creamy white margins change to greenish yellow throughout the season.

Т

H. 'Taunton'

M. Gilligan (ONIR) Plant: 22in (55.9cm) diameter; 12in (30.5cm) high; upright; moderate growth rate.

Leaf: 8in (20.3cm) long; 5in (12.7cm) wide; 8 to 10 vein pairs;

light greenish-yellow with slightly rippled margins; slightly shiny on top; slightly shiny underneath; ovate with flat base; relatively flat overall.

Petiole Characteristics: Upright petioles hold the leaves high in an elegant posture.

Scape: 14 to 17in (35.6 to 43.2cm) high; light green

Flower: 1.5in (3.8cm) long; near white; overall pale flower with translucent edges; tubular; Jan 15 to Feb 15; Winchester, New Zealand

Seed: no seeds this year

Clump History: original seedling; 5 years old; Winchester, New Zealand

Notable Characteristics: Very clean, soft light greenish-yellow. Parentage: (H. 'Barry's Return' x H. 'June')

Seasonal Color: Holds its distinctive light color through the season.

H. 'Temptress' G. Hicks (ONIR) Plant: 30in (76.2cm) diameter; 18in (45.7cm) high; mound-like; fast growth rate

Leaf: 8.5in (21.6cm) long; 4.5in (11.4cm) wide; 8 vein pairs; yellow with 1in (2.5cm) wide, dark green with an inner white strip, flat margin; dull on top; dull underneath; ovate with tapered base; lightly cupped and wavy overall.

Petiole Characteristics: leaf variegation extends down the petiole

Scape: 36in (91.4cm) high; green

Flower: 2in (5.1cm) long; pale lavender with darker lavender stripes; tubular; Jul 15 to Aug 15; Edgecomb, ME Seed: does not set seed

Clump History: original sport; 7 years old; Edgecomb, ME Notable Characteristics: Same habit and color as parent but, unlike parent it emerges fully colored.

Parentage: Sport of H. 'Striptease'

Seasonal Color: center lightens to creamy white and the white strip disappears.

H. 'The Big Five-oh' C. Seaver (ONIR)

Plant: 50in (127cm) diameter; 30in (76.2cm) high; mound-like; fast growth rate.

Leaf: 17in (43.2cm) long; 12in (30.5cm) wide; 11 to 13 vein pairs; dark-green with flat margins; very shiny on top; very shiny underneath; broadly ovate with cordate base; lightly concaved overall.

Scape: 30 to 40in (76.2 to 101.6cm) high; green Flower: 3in (7.6cm) long; near white; tubular; Hockessin, DE; 6/15 - 7/1 - 7/21

Seed: sets viable seeds; green

Clump History: original seedling; 5 years old; Hockessin, DE Notable Characteristics: Very deep veins. Juvenile clump is flat on top. Mature clump achieves its arching dome shape. Parentage: Parentage Unknown

H. 'The Sleeper' M. Gilligan (ONIR) Plant: 17in (43.2cm) diameter; 11in (27.9cm) high; upright; slow growth rate.

Leaf: 5.5in (14cm) long; 2.5in (6.4cm) wide; 5 to 7 vein pairs; medium green with flat margins; dull on top; dull underneath; lance-shaped with tapered base; relatively flat overall.

Petiole Characteristics: Very upright with subtle but distinctive purple-green coloration.

Scape: 12 to 15in (30.5 to 38.1cm) high; red

Flower: 1.5in (3.8cm) long; medium lavender with slightly

darker stripes & translucent edges; tubular; Jan 15 to Feb 1; Winchester, New Zealand

Seed: sets viable seeds; dull red

Clump History: original seedling; 7 years old; Winchester, New Zealand; seeds obtained from A. Scheer

Notable Characteristics: Small, neat, mellow-colored, slower growing type. Smokey color is subtle, distinctive and unusual. **Parentage:** (*H.* 'Maya Kingsnake' x OP)

Seasonal Color: Subtle coloration all season; can become even more dull with dry weather.

H. 'The Wall' E. Schulz (ONIR)

Plant: 62in (157.5cm) diameter; 38in (96.5cm) high; upright; moderate growth rate.

Leaf: 12in (30.5cm) long; 10in (25.4cm) wide; 15 to 16 vein pairs; gravish blue-green with slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; moderately cupped and corrugated overall. Scape: 38 to 46in (96.5 to 116.8cm) high; green

Flower: 1.2in (3cm) long; near white with faint touch of lavender

on outer petals (before opening); tubular; Peosta, IA; 7/9 - 7/24 - 8/6

Seed: sets viable seeds; green

Clump History: original seedling; 7 years old; Peosta, IA Notable Characteristics: Very large, dense, upright mound. Parentage: Parentage Unknown

Seasonal Color: Holds its unique color all season long.

H. 'To Dye For' K. Dye (ONIR) Plant: 28.7in (73cm) diameter; 21.7in (55cm) high; upright; slow growth rate.

Leaf: 9.1in (23cm) long; 6.9in (17.5cm) wide; 9 to 10 vein pairs; greenish white; with variable width chartreuse, slightly rippled margins; slightly shiny on top; slightly shiny underneath; broadly ovate with cordate base; mostly flat overall.

Petiole Characteristics: green and white striped petioles Scape: 32.7 to 33.5in (83 to 85cm) high; pale green Flower: 2 to 2.4in (5 to 6cm) long; near white; base of petals are pale lavender; tubular; Mapleton, IL; 7/10 - 7/20 - 8/1

Seed: sets viable seeds; light green

Clump History: original seedling; 7 years old; Mapleton, IL Notable Characteristics: Tri-color variegation and leathery substance. Random margin undulations and striped petioles. Parentage: Parentage Unknown

H. 'Top of the Mornin' D. Dean (OIR) G. Lindheimer (N) Plant: 23in (58.4cm) diameter; 11in (27.9cm) high; mound-like; moderate growth rate.

Leaf: 5.8in (14.6cm) long; 4.8in (12.1cm) wide; 6 to 7 vein pairs; yellow with heavily rippled margins; dull on top; dull underneath; ovate with cordate base; lightly twisted, moderately folded, and deeply wavy & corrugated overall.

Petiole Characteristics: saturated rosy-red

Scape: 28 to 30in (71.1 to 76.2cm) high; rosy-red Flower: 1.3in (3.2cm) long; medium lavender with slightly darker lavender centers; tubular; Ramsey, MN; 8/18 - 8/27 - 9/12 Seed: sets viable seeds; rosy-red

Clump History: original seedling; 5 years old; Ramsey, MN Notable Characteristics: Flared mound of bright yellow leaves early, slowly fading to light greenish-yellow late in the season. Saturated rosy-red petiole coloration extends into the leaf blade, and the same rosy-red scape contrasts well with the flowers. **Parentage:** $[(H. laevigata \times ((H. 'Liberty Bell' \times (H. 'Urajiro$

Hachijo' \times *H. pycnophylla*)) \times (*H.* 'Liberty Bell' \times *H. yingeri*))) \times H. 'Pineapple Upsidedown Cake']

Seasonal Color: bright yellow fades to greenish-yellow late in the season.

H. 'Twinkle Little Star' D. Dean (OR) R. Solberg (NI) Plant: 16in (40.6cm) diameter; 8in (20.3cm) high; mound-like; moderate growth rate.

Leaf: 4in (10.2cm) long; 2.5in (6.4cm) wide; 6 to 7 vein pairs; intense blue-green with heavily rippled margins; glaucous bloom on top; glaucous bloom underneath; ovate with cordate base; moderately twisted, deeply folded and wavy overall.

Petiole Characteristics: lightly speckled purple

Flower: 1.3in (3.2cm) long; pale lavender with translucent edges and mid-rib mottled medium lavender: tubular: Ramsey, MN: 8/13 - 8/21 - 8/30

Clump History: original seedling; 6 years old; Ramsey, MN Notable Characteristics: Near miniature, extremely compact mound of wavy, folded and twisted, intense blue foliage. Scapes are proportional to mound size.

Parentage: ((H. 'Astral Bliss' x H. 'Purple Verticulated Elf') x H. 'Chabo Unazuki')

U

H. 'Ugga Bugga'

G. R. Goodwin (ONIR) Plant: 15in (38.1cm) diameter; 7in (17.8cm) high; mound-like; moderate growth rate.

Leaf: 2.8in (7cm) long; 1.5in (3.8cm) wide; 5 vein pairs; moderately blue-green: with .3in (0.6cm) wide, creamy white, slightly rippled margins; dull on top; slightly shiny underneath; ovate with rounded base; moderately folded and lightly wavy overall.

Scape: 16 to 18in (40.6 to 45.7cm) high; green

Flower: 1.5in (3.8cm) long; deep purple with dark purple stripes and narrow white edges; tubular; Jul 15 to Aug 15; Zionsville, IN Seed: sets viable seeds; greenish white

Clump History: original sport; 16 years old; Zionsville, IN Notable Characteristics: Medium sized, pleasing blue-green color with white to creamy margins, grows well. **Parentage:** Sport of a splashed seedling of unknown origin

H. 'Uncle Shorty' E. Schulz (ONIR) Plant: 45in (114.3cm) diameter; 30in (76.2cm) high; mound-like; moderate growth rate.

Leaf: 11in (27.9cm) long; 10.5in (26.7cm) wide; 16 vein pairs; medium blue-green with slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; nearly round with cordate base; lightly cupped and deeply corrugated overall. Petiole Characteristics: Thick, strong & heavy

Scape: 28 to 32in (71.1 to 81.3cm) high; green

Flower: 1.2in (3cm) long; near white; tubular; Peosta, IA; 6/26 - 7/10 - 7/21

Seed: sets viable seeds; green

Clump History: original seedling; 6 years old; Peosta, IA Notable Characteristics: Huge petioles at emergence, heavy substance & corrugation with an upright presentation. Parentage: Parentage Unknown

Seasonal Color: Turns dark green by late fall.

V

H. 'Vinnie's Janel'

C. Kwick (ONIR)

Plant: 12in (30.5cm) diameter; 7in (17.8cm) high; mound-like. **Leaf:** 6in (15.2cm) long; 2in (5.1cm) wide; 7 to 8 vein pairs; greenish yellow with slightly rippled margins; slightly shiny on top; glaucous bloom underneath; lance-shaped with tapered base; lightly wavy overall.

Petiole Characteristics: petioles have glaucous bloom **Scape:** 16 to 18in (40.6 to 45.7cm) high; greenish yellow **Flower:** 2in (5.1cm) long; near white with light hint of lavender striping; tubular; Jul 15 to Aug 15; Eau Claire, WI

Clump History: original seedling; 4 years old; Eau Claire, WI **Notable Characteristics:** Small greenish-yellow hosta. Lance shaped leaves have nearly imperceptible veins and flowers that seem too large for such a small hosta.

Parentage: (H. 'Carol' x H. 'Hadspen Blue')

W

H. 'Waiting in Vein' D. & M. Beilstein (ONIR) Plant: 45in (114.3cm) diameter; 20in (50.8cm) high; mound-like; moderate growth rate.

Leaf: 12in (30.5cm) long; 8in (20.3cm) wide; 12 to 13 vein pairs; golden yellow with slightly rippled margins; slightly shiny on top; glaucous bloom underneath; broadly ovate with cordate base and lightly wavy edges.

Petiole Characteristics: glaucous petioles

Scape: 28 to 30in (71.1 to76.2cm) high; green

Flower: 2in (5.1cm) long; pale lavender; tubular; Mansfield, OH; 7/10 - 7/17 - 8/5

Seed: sets viable seeds; green

Clump History: original seedling; 7 years old; Mansfield, OH **Notable Characteristics:** Emerges light green and as the sun intensifies, it morphs to a beautiful gold color with slightly ruffled leaves. The clearly delineated veins are a solid, contrasting, light green. People remark at the vividness. **Parentage:** (*H.* 'Daybreak' x *H.* 'Blue Angel') **Seasonal Color:** Light green early turning golden yellow later.

H. 'Warrior Princess' G. Hicks (OR) M. Lorrain (N) Maine Hosta (I)

Plant: 55in (139.7cm) diameter; 25in (63.5cm) high; mound-like; moderate growth rate.

Leaf: 13in (33cm) long;11in (27.9cm) wide; 12 to 14 vein pairs; greenish-gold with flat margins; slightly shiny on top; dull underneath; broadly ovate with cordate base; deeply folded and intensely corrugated overall.

Scape: 33in (83.8cm) high; green

Flower: 2in (5.1cm) long; pale lavender with slightly darker lavender striping; tubular; Jun 1 to Jul 15; Edgecomb, ME **Seed:** sets viable seeds; green

Clump History: original seedling; 6 years old; Edgecomb, ME **Notable Characteristics:** Chartreuse to gold in color, heavy texture with folded leaves

Parentage: Parentage Unknown

Seasonal Color: lutescent; greenish yellow turns golden yellow.

H. 'White Witch'

M. Gilligan (ONIR)

Plant: 8in (20.3cm) diameter; 3in (7.6cm) high; mound-like; slow growth rate.

Leaf: 2.5in (6.4cm) long; .6in (1.6cm) wide; 4 vein pairs; variable white to green with slightly rippled margins; slightly shiny on top; dull underneath; lance-shaped with tapered base; lightly wavy overall.

Petiole Characteristics: Petioles are held out flat from base of plant.

Clump History: original seedling; 7 years old; Winchester, New Zealand; seeds obtained from P. Ruh

Notable Characteristics: Strange creamy white undergoes multiple color changes. Plant has never yet bloomed (in its first seven years).

Parentage: (H. 'Salem' x OP)

Seasonal Color: Starts creamy-white, changes to yellow, then speckled green, then finally a soft shiny green.

H. **'Wu Hoo'** S. Smith & M. Malaguerra (ONIR) **Plant:** 40in (101.6cm) diameter; 24in (61cm) high; upright; moderate growth rate.

Leaf: 17in (43.2cm) long; 17in (43.2cm) wide; slightly bluegreen with 2in (5.1cm) wide medium green, slightly rippled margins; dull on top; dull underneath; nearly round with cordate base; lightly wavy and moderately corrugated overall. Flower: pale lavender; tubular; Jun 1 to Jul 15; Atlanta, GA Clump History: original sport; 4 years old; Atlanta, GA

Notable Characteristics: Variegated form of 'Empress Wu' with large oblate leaves.

Parentage: Sport of H. 'Empress Wu'

Seasonal Color: The blue fades to green as the season progresses (much like all blues in the south).

Y

H. 'Yellow Dog'

G. Hicks (OR) J. Hicks (N) Maine Hosta (I)

Plant: 48in (121.9cm) diameter; 28in (71.1cm) high; upright; moderate growth rate.

Leaf: 12in (30.5cm) long; 8in (20.3cm) wide; 12 to 14 vein pairs; golden yellow relatively flat margins; dull on top; dull underneath; broadly ovate with cordate base; moderately cupped,

lightly wavy and corrugated overall.

Scape: 48in (121.9cm) high; green

Flower: 2.5in (6.4cm) long; pale lavender with purple stripes; tubular; Jun 1 to Jul 15; Edgecomb, ME

Seed: sets viable seeds; green

Clump History: original sport; 5 years old; Edgecomb, ME **Notable Characteristics:** Solid gold leaves of heavy substance with an upright stance.

Parentage: Parentage Unknown

INTERNATIONAL REGISTRATION OF HOSTA CULTIVARS

Minimum requirements for registration are: This form with bold-faced items completed in their entirety Three digital photographs: one of the entire clump, one close-up **Optional:** showing a representative leaf, and one close-up of the flower. Additional digital photo(s) • Please supply the photographer's name and approximate date each showing unique plant photo was taken, and do not reduce or compress the original file characteristics before submitting. Written permission from the originator (if other than the registrant) • \$5 registration fee per cultivar name. Make check(s) payable to • "The American Hosta Society" Mail required items to: or email to: Hosta Registrar HostaRegistry@gmail.com Gayle Hartley Alley 33001 E 155th Street Pleasant Hill, MO 64080-9365 Questions can be answered by calling (816) 697-2007 or emailing GiboshiGayle@gmail.com

Feel free to photocopy this form, or visit <u>http://www.hostaregistrar.org</u> for additional copies.

Terms used on this form can be found in *The American Hosta Society Glossary of Terms* at

http://www.hostaregistrar.org/hosta_terminology.html

Please Note: Un-established cultivar names submitted for registration do not become established until they are published in the *Registrations* supplement of *The Hosta Journal*, accompanied by their description. However, cultivar names can become established outside this avenue by being published elsewhere prior to the publication date of the *Registrations* supplement (which could potentially negate your registration).

ring period(s)		Key B -	- Leaf Colors
Southern Hemisphere	5 5		slightly blue-green
AS = before Dec 1			medium blue-green intensely blue-green
BS = Dec 1 – Jan 15		,	greenish-white creamy white
CS = Jan 15 – Feb 15	yellow golden		pure white
DS = Feb 15 – April 1	green s	peckling	white speckling
ES = after April 1			_ (enter color from above) _(enter color from above)
	AS = before Dec 1 BS = Dec 1 – Jan 15 CS = Jan 15 – Feb 15 DS = Feb 15 – April 1	Southern Hemispherelight gramedium medium dark graAS = before Dec 1greenist pale yelBS = Dec 1 - Jan 15greenist pale yelCS = Jan 15 - Feb 15green st goldenDS = Feb 15 - April 1green st streaked	Southern Hemispherelight green medium green dark greenAS = before Dec 1greenish-yellow pale yellow

INTERNATIONAL REGISTRATION OF HOSTA CULTIVARS

Registrant Information					
CULTIVAR NAME: Alternate Name:					
Registrant Name:	P	Phone:	Email:		
Street Address:	1				
City:	S	State:	ZIP Code:		
Enter names below only if different from	m the "Registrant"				
Introducer:	Originator:		Nominant (Namer):		
General Information					
All Measurements presented on thi	s application are i	n: Inches Cent	timeters (<i>circle one</i>)		
Is the cultivar being grown or sold detailed explanation.	under a different i	name or designation?	Yes No (circle one) If yes, provide		
Has this cultivar name ever been p and date(s).	ublished? Yes No	o (<i>circle one</i>) If yes, provid	de publication name(s) [catalogs included]		
Is the cultivar a Sport? Yes No	(circle one) If yes -	> Parent Name:			
Is the cultivar a Seedling? Yes No	(circle one) If yes en	nter parentage below.			
Pod Parent:		Pollen Parent:			
The clump described is years	old and is (circle all	that apply on line below)			
original seedling original sport (enter number \rightarrow) _ g	eneration division tissu	e cultured unknown history		
The clump was obtained from	(enter 1, 2, 3 or 4)	1) Yourself 2) A Nurse	ry 3) The Originator (select this <u>only</u> if the		
Originator <u>is different</u> from the Registrant ab	ove) 4) Other Sour	rce			
The clump described is growing in	(<i>city/state/country</i>):				
What diagnostic characteristics ma	ke this cultivar un	nique from other hosta	s? (describe below)		
Plant Patent or Breeders' Rights					
Is (or will) there be a patent, or Breeders Rights, applied for? Yes No (<i>circle one</i>) If you circled "Yes" complete any applicable field(s) below.					
Country:	Application #		Date:		
Country:	Pat. Pending		Date:		
Country:	Patent #		Date:		
Country:	Breeders' Rights #	ŧ	Date:		
Plant Details					
Plant Habit: Upright Mound	Rhizomatous	(circle one)			
Growth Rate: Slow Medium	Fast (circle	one)			
Plant Width:	P	Plant Height:			

INTERNATIONAL REGISTRATION OF HOSTA CULTIVARS

Leaf Details									
Leaf Color (choose from Key B on page 1, or from a recognized color authority such as the Royal Horticultural Society color chart). If leaf is a single color, enter under "Center Color"									
Center Color:		argin Color:							
Margin Width:	Is	variegation r	relatively stable?	Yes No (<i>circle one</i>)					
Seasonal Color Change (describe, if applicable)									
	ength:	Nun	mber of Vein Pairs (rang	ge):					
Unique Petiole [leaf stalk] Characteristics (describe	e, if applicable)								
Margin Appearance: Flat Sligh	ly Rippled Hea	ivily Rippled	Serrated (circle	e one)					
	,	,		e one)					
Leaf Texture (bottom surface): Dull Slight	ly Shiny Ver	y Shiny Gl	ilaucous Bloom (circle	e one)					
Is leaf relatively flat? Yes No (<i>circle one</i>) If at right to describe only the applicable leaf charac		modifiers [L]ig	ightly [M]oderately [D]eeply [I]ntensely					
Cupped Twisted	F	olded	Wavy	Corrugated					
			\bigcirc						
Leaf Shape: V Lance V Elliptic	Ovate	Broadly Ovate	e Nearly R	ound (select one)					
Leaf Base: Tapered FI	at \mathcal{H} Hea	art –Shaped [cord	date] Rou	nded <i>(select one)</i>					
Flower, Scape & Pod Details									
	iower, beupe	a Pou Deta							
				for explanation of codes)					
	5 BS CS DS ES	(circle one)((see Key A on pg 1	for explanation of codes) Other (<i>circle one</i>)					
Flower Period: AN BN CN DN EN AS	5 BS CS DS ES vender Medium Lav	(circle one)((see Key A on pg 1 t urple Deep Purple						
Flower Period: AN BN CN DN EN A: Flower Color: White Near White Pale La	5 BS CS DS ES vender Medium Lav	<i>(circle one)</i> (vender Pale Pu	(see Key A on pg 1 t urple Deep Purple	Other (circle one)					
Flower Period: AN BN CN DN EN AS Flower Color: White Near White Pale La Scape Height: to (range) Scape Height: (describe if present)	5 BS CS DS ES vender Medium Lav	(<i>circle one</i>) (vender Pale Pu Flower Length	(see Key A on pg 1 i urple Deep Purple th: Frag	Other (circle one)					
Flower Period: AN BN CN DN EN AS Flower Color: White Near White Pale La Scape Height: to (range) Scape Height: (describe if present)	5 BS CS DS ES vender Medium Lav Color:	render Pale Pu Flower Lengt	(see Key A on pg 1 i urple Deep Purple th: Frag	Other (<i>circle one</i>) grance? Yes No (<i>circle one</i>)					
Flower Period: AN BN CN DN EN AS Flower Color: White Near White Pale La Scape Height: to (range) Scape Height: to (range) Bloom Time Start:/ (month/day)	5 BS CS DS ES vender Medium Lav Color:	render Pale Pu Flower Lengt	(see Key A on pg 1 i urple Deep Purple th: Frag	Other (<i>circle one</i>) grance? Yes No (<i>circle one</i>)					
Flower Period: AN BN CN DN EN AS Flower Color: White Near White Pale La Scape Height: to (range) Scape Height: to (range) Bloom Time Start:/ (month/day)	5 BS CS DS ES vender Medium Lav Color:	render Pale Pu Flower Lengt	(see Key A on pg 1 i urple Deep Purple th: Frag	Other (<i>circle one</i>) grance? Yes No (<i>circle one</i>)					
Flower Period: AN BN CN DN EN AS Flower Color: White Near White Pale La Scape Height: to (range) Scape Height: to (range) Bloom Time Start:/ (month/day)	5 BS CS DS ES vender Medium Lav Color:	render Pale Pu Flower Lengt	(see Key A on pg 1 i urple Deep Purple th: Frag	Other (<i>circle one</i>) grance? Yes No (<i>circle one</i>)					
Flower Period: AN BN CN DN EN AS Flower Color: White Near White Pale La Scape Height: to (range) Scape Height: to (range) Bloom Time Start:/ (month/day)	5 BS CS DS ES vender Medium Lav Color:	(circle one) (vender Pale Pu Flower Length (month/da, be):	(see Key A on pg 1 i urple Deep Purple th: Frag	Other (<i>circle one</i>) grance? Yes No (<i>circle one</i>)					
Flower Period: AN BN CN DN EN AS Flower Color: White Near White Pale La Scape Height: to (range) Scape Unique bracts? (describe if present) Bloom Time Start:/ (month/day) Blow Flower Color Patterns (striping, translucent marging) Flower Shape: Tubular	5 BS CS DS ES vender Medium Lav Color: coom Time Peak:/ ns, etc Please describ Bell	i (circle one) (vender Pale Pu Flower Length i (month/da) be): i Spider C the seed viable?	(see Key A on pg 1 i urple Deep Purple th: Frag ay) Bloom Time Finis Closed Double	Other (circle one) grance? Yes No (circle one) th:/ (month/day)					
Flower Period: AN BN CN DN EN AS Flower Color: White Near White Pale La Scape Height: to (range) Scape Unique bracts? (describe if present) Bloom Time Start:/ (month/day) Blower Color Patterns (striping, translucent marging) Flower Color Patterns (striping, translucent marging) Flower Shape: one)	5 BS CS DS ES vender Medium Lav Color: com Time Peak:/ ns, etc Please describ Bell	(circle one) (vender Pale Pu Flower Length (month/da, be): Spider C the seed viable?	(see Key A on pg 1 i urple Deep Purple th: Frag <i>ay)</i> Bloom Time Finis Closed Double Yes No (<i>circle</i> See	Other (circle one) grance? Yes No (circle one) th:/ (month/day) Other (select					
Flower Period: AN BN CN DN EN AS Flower Color: White Near White Pale La Scape Height: to (range) Scape Unique bracts? (describe if present) Bloom Time Start:/ (month/day) Blower Color Patterns (striping, translucent marging) Flower Color Patterns (striping, translucent marging) Flower Shape: one)	5 BS CS DS ES vender Medium Law Color:	(circle one) (vender Pale Pu Flower Length (month/da, be): Spider C the seed viable?	(see Key A on pg 1 i urple Deep Purple th: Frag <i>ay)</i> Bloom Time Finis Closed Double Yes No (<i>circle</i> See	Other (circle one) grance? Yes No (circle one) th:/ (month/day) Other (select					
Flower Period: AN BN CN DN EN AS Flower Color: White Near White Pale La Scape Height: to (range) Scape Unique bracts? (describe if present) Bloom Time Start:/ (month/day) Blow Flower Color Patterns (striping, translucent marging) Flower Shape:	S BS CS DS ES vender Medium Lav Color: Doom Time Peak:/ as, etc Please describ Bell Bell> Is or or REGISTRAR	(circle one) (vender Pale Pu Flower Length (month/da, be): Spider C the seed viable?	(see Key A on pg 1 i urple Deep Purple th: Frag <i>ay)</i> Bloom Time Finis Closed Double Yes No (<i>circle</i> See	Other (circle one) grance? Yes No (circle one) th:/ (month/day) Other (select					