

I wish to thank all those who submitted registration applications this year. I hope my service was taken as intended; a pleasure on my part.

This year 96 new registrations were added, for a total of 5955 registered hostas.

Many exciting changes have come to fruition this year. See page 3 for a brief introduction to our updated registration website. Many, many thanks go out to those who helped make that long-standing project come alive.

I have delayed the cut-off date for submission of registration materials. The long-standing date of November 1st is hereby extended to December 1st. Please respect my need for adequate preparation time during the busy holiday season and get your materials to me as soon as possible. If this new date causes undo difficulties, it will be rescinded in favor of the former deadline.

As I exercise my duties as Registrar, I owe a huge debt of thanks to the Nomenclature Team - Warren Pollock and Don Rawson. We all know Warren from his "What's In a Hosta Name" series in *The Hosta Journal*, his frequent featured articles in the *Online Hosta Journal* and finally his "Go Hostas" tagline in the AHS eNewsletters. In contrast, Don quietly devotes hours and hours to researching, documenting, compiling, and finally sharing what he's learned. There aren't enough words to convey my deep admiration and appreciation for Don's contribution to make this document as accurate as possible and for helping make me a better Registrar. Thanks to you both: Don and Warren.

Respectfully submitted,



Gayle Hartley Alley
International Registrar for the Genus *Hosta*
33001 E 155th Street
Pleasant Hill, MO 64080-9365
(816) 697-2007 or (816) 914-3220
GiboshiGayle@gmail.com or HostaRegistry@gmail.com

Registration forms are available:

- ✓ On the final pages of this publication
- ✓ At http://www.hostaregistrar.org/registration_form-printable.html
- ✓ Or - contact me personally to request a copy by email

NOTE: Online registration at <http://www.hostaregistrar.org/Registration/> does NOT require the use of a hard-copy form.

Contents

International Code of Nomenclature for Cultivated Plants (ICNCP) Ninth Edition	4
Name Release Form.....	4
Photograph Requirements.....	4
Registration Errors.....	4
Updated Website.....	4
Typographer's Quotation Symbols.....	5
Rounding of Dimensions	5
Cultivar Name Establishment	5
AHS Name Reservation Policy.....	5
Flowering Periods.....	6
Clump Sizes	6
Color Selection for Leaf and Margins	6
Indicating Ploidy in Registrations.....	6
Cumulative Index to Hosta Registrations	6
Plant Patents, Plant Breeders' Rights and Establishment	6
Corrections and Comments.....	6
REGISTRATIONS	10
Registration Form	25

International Code of Nomenclature for Cultivated Plants (ICNCP) Ninth Edition

... is the official publication incorporating the Rules and Recommendations for naming plants in cultivation. The Ninth Edition of the ICNCP was published by the International Society for Horticultural Science (ISHS) in June 2016. Hereafter, the ICNCP will be referred to simply as “the *Code*.”

Name Release Form

Per the *Code*, permission must be granted for a real person’s name to be used as the registered name of a cultivar. Permission forms are available from The American Hosta Society or the Hosta Registry at:
<http://www.americanhostasociety.org/RegisteringHosta/name-release.pdf> or
http://www.hostaregistrar.org/registration_form-printable.html

Photograph Requirements

The AHS assembled a team late in 2015 whose purpose is to assemble and publish photographs of all registered hostas. Historically, digital photos were requested to be reduced in size before submittal to the registrar. This policy was enacted to conserve hard drive space and to enable efficient emailing. Commencing in 2017, all photographs should be submitted with no reduction or file compression. Registrants are asked to supply a minimum of three photos per registration: one of the entire clump, one close-up showing a representative leaf and one close-up of the flower. Please provide the photographer’s full name and the date each photo was taken. With registration photos being published, it is important to portray your cultivar’s noteworthy feature(s). For example, if red spotted petioles make your hosta unique – provide a photograph that adequately showcases this characteristic. There is no limit on the number of photographs that may be submitted.

Registration Errors

As has been the policy for a number of years, clear typographical and/or data entry errors are easily corrected by updating the database itself and by publishing those corrections within this document. Anyone finding what they believe to be such errors is encouraged to contact me so corrections may be published.

Not so straight-forward are instances where the published data accurately reflects the registrant’s information at the time the registration was approved and published, yet later proves to be misleading or outright erroneous. In these cases, **the registrant must approve any changes**.

In cases where the original registrant is not available and obvious errors are noted, we strive to work with what we have as best we can. An example would be the registration of *H. ‘Love Pat’* that has been discussed in depth, yet still remains as originally registered. To allow the AHS Show Classification team to update and clarify their classification listings, the registrar’s office now sanctions the use of the following materials:

- *Mark Zilis’ Field Guide to Hostas* by Mark R. Zilis, 2014 (Q & Z Nursery, Inc. Rochelle, IL)
- *The Hostapedia An Encyclopedia of Hostas* by Mark R. Zilis, 2009 (Q & Z Nursery, Inc. Rochelle, IL)

The official registration of hosta cultivars continues to be per the printed *Registrations* issue published each year.


We acknowledge that official registrations are a mere “snapshot in time” providing only static details. Registration data is gathered at a single geographic location and the state of maturity will vary from quite young to fully mature. Thus, original data may fall short of supplying complete, real-life details. When you have need for more information than what is contained in this document, you will find relevant, accurate, and interesting information in the reference materials listed above.

Updated Website

The newly updated AHS Hosta Registry website was revealed to the public in October, 2018. The addition of original registration photographs was the main driver for the updates, but other useful features have been included. It is now possible to search by year of registration (in addition to searching by hosta name or Originator, Nominant, Introducer or Registrant). Also new, is the inclusion of relevant Show Classification information for all registered varieties and species. Finally, is the addition of a new feature funded and managed by the American Hosta Growers Association (AHGA). The new *Hosta Finder* function provides data on the availability and pricing for hosta varieties carried by member nurseries of the AHGA. With the addition of this valuable resource, the website now displays some non-registered varieties, and the following must be stressed.

Official registration details are always per the printed *Registrations* issue published each year.

Presence of a non-registered cultivar on the website is NOT considered adequate for name establishment (See Cultivar Name Establishment below). To adequately portray the expanded functionality of the website, a banner name change was deemed appropriate. Please take a moment to inspect the new and improved **Hosta Treasury**. It remains available using the same web address: <http://www.hostaregistrar.org>



Typographer's Quotation Symbols

Introduced in 2017 is the use of proper quotation symbols instead of straight quotes. Straight quotes are leftovers from the age of typewriters when using one key for two different marks helped save space on a keyboard. Thanks to modern word processing features it is relatively easy to replace the old "dumb quotes" with proper typographer's "smart quotes." The prime symbol, which looks like a dumb quote, is still used for denoting measurements such as feet and inches (5'2").

Rounding of Dimensions

In the future, all registration dimensions will be rounded to the nearest tenth of an inch (English) or tenth of a centimeter (metric). Rounding dimensions to the nearest tenth means the published dimension will always be within .05 of the original before it was rounded. English dimensions submitted as fractions are converted to their decimal equivalent prior to being recorded in the database, and prior to rounding. The example below illustrates the rounding policy.

A registrant submits a leaf size of 2¼" × 5/8". The decimal equivalent 2.25" × .625" is entered into the database. After rounding, the published size is 2.3" × .6". The first rounded dimension is only .05" different from the original, and the second is only .025" different. Both are insignificant, even in the realm of miniature leaf sizes.

All conversions from metric to English (or English to metric), are done before any rounding occurs.

A registration that submits metric dimensions are converted first to English, then rounded to the nearest tenth of an inch. Thus, a metric dimension of 4.75cm × 3.65cm, is first converted to English (1.870" × 1.437") and then rounded to be 1.9" × 1.4".

Cultivar Name Establishment

To establish a cultivar name, the *Code* calls for registrations to appear in a suitable dated publication that is made publicly available. Thus, epithets that have not been published per this document are NOT guaranteed to be available for registration. Examples of how a name can be established outside of registration are: 1) if it has been listed in a nursery catalogue, 2) sold online under the name in question, or 3) a Plant Patent or Plant Breeders' Rights has been issued. Any of these scenarios might be sufficient to establish a name such that no one else can register a hosta using that name.

AHS Name Reservation Policy

As the *Code* has no provision for name reservations, each plant society develops its own policies. To alleviate confusion, The American Hosta Society (AHS) adopted a formal policy on name reservations that was published in the *Registrations 2013* issue. After periodic revisions, the current name reservation policy is as follows.

"A cultivar name is reserved through the AHS Registrar. The reserved name does not require descriptive information, will be protected for a one time period of three years, and requires a \$10 reservation fee. A maximum of 15 reserved names may be held concurrently by any one registrant."

Similar to the section titled "Cultivar Name Establishment," a reservation is NOT a guarantee, it is a place holder that limits the ability for another person to register a plant using your reserved name. This protection does not extend into the three areas where names may be established outside of registration.

Flowering Periods

Flowering periods may be entered using the codes per Key A (see instruction page of registration form) or using a “start-peak-finish” format (both options are available). If both types are entered, the more accurate “start-peak-finish” information will appear in the formal registration.

Clump Sizes

There have been multiple changes in the registration form and the information required to adequately describe plant size. An option to indicate a general size description (miniature, small, medium, large and giant) was allowed at one point early on. After input and discussion, this option was discontinued in preference for utilizing dimensional measurements to indicate a plant’s width and height. This will remain standard policy, with the understanding that dimensions reflect clump size at the age and location recorded in each registration.

Color Selection for Leaf and Margins

Commentary upon determining accurate margin or leaf colors was published in the *Registrations 2008* and *2009* issues. While no color charts have been provided online we recommend using charts provided by the Royal Horticultural Society when concerns about color arise.

Indicating Ploidy in Registrations

A comprehensive discussion regarding ploidy was printed in the *Registrations 2009* thru *2011* issues. Current policy prohibits the inclusion of ploidy terminology within registrations unless scientifically verified.

Cumulative Index to Hosta Registrations

The Cumulative Index of registered hostas is now provided as a stand-alone document and can be found at http://www.hostaregistrar.org/hosta_registration_lists.html. Commencing with the 2016 index, each registration references the year it was registered (instead of the previous practice of listing *THJ* Volume and Registration Issue). Additionally, each entry now references all years in which corrections or additions have been published.

Plant Patents, Plant Breeders’ Rights and Establishment

The *Code*, page 64, under DIVISION IV: REGISTRATION OF NAMES states:

3) A statutory plant registration authority is an organization established by national legal enactment or by international treaty, which, as part of its remit, establishes variety denominations or other names for plants. Names established by statutory plant registration authorities must be cited in the relevant register and checklist.

A table of all hosta cultivars known to be established per statutory authorities is now included as Appendix A of the *Cumulative Index*. Cultivars listed therein are “established” via the legal protection(s) shown and thus are not available for use by anyone other than the original applicant. See previous section (titled Complete Index to Hosta Registrations) for the web address where a copy of the latest *Cumulative Index* can be retrieved.

Corrections and Comments

H. ‘Alinghi’ (2003) – was originally registered with inverted English/Metric dimensions for scape height.

Corrected information is:

Scape: 29.5 to 35.4in (75 to 90cm)

H. ‘Aroma of Arbutus’ (2016) – was originally registered with incorrect metric conversion of scape height.

Corrected information is:

Scape: 30 to 40in (76.2 to 101.6cm)

H. ‘Barger Blue’ (2016) – was originally registered with incorrect metric conversion of scape height.

Corrected information is:

Scape: 30 to 32in (76.2 to 81.3cm)

H. ‘Eye Never’ (2013) – was originally registered with incorrect metric conversion of scape height.

Corrected information is:

Scape: 18 to 20in (45.7 to 50.8cm)

H. 'Fond Farewell' (2002) – was originally registered with reversed leaf dimensions.

Corrected information is:

Leaf: 11.5in (29cm) long; 9.5in (24cm) wide

H. 'Futura' (2011) – was originally registered with incorrect parentage and bloom dates, and misplaced petiole data. Corrected information is:

Petiole Characteristics: streaked green and creamy white

Flower: 1.2 in (3cm) long; pale lavender; tubular; Asper, Belgium; 7/1-7/15-8/4

Parentage: Sport of *H. 'Jade Beauty'*

H. 'Green Lava' (2015) – was originally registered with incorrect coloration within the Leaf and Notable Characteristics fields. Corrected information is:

Leaf: ... moderately wavy; purple extends nearly to leaf base, heavy wax on petiole and underside of leaf.

Notable Characteristics: cascading mound with long flowing leaves and purple extending up the bloom scape and petiole.

H. 'Infatuation' (2016) – was originally registered without the seed information. Missing information is:

Seed: sets viable seeds

H. 'Jack's Gene' (2015) – was originally registered with a typographical error and should have been registered as *H. 'Jack's Genes'* (lower case "s" at end of second word).

H. 'Ki Nakafu Otome' (2003) – the name was incorrectly revised in 2009. This rescinds that 2009 revision and returns the name to its original spelling *H. 'Ki Nakafu Otome'*.

H. 'Kingwood Center' (1993) – was originally registered with incorrect (or missing) ONIR information.

Corrected information is:

H. 'Kingwood Center' C. Applegate (ONR) Kingwood Center (I)

H. 'Light of Zetar' (2011) – was originally registered with incorrect parentage and bloom dates. Corrected information is:

Flower: 1.2 in (3cm) long; near white; tubular; Asper, Belgium; 7/5-7/20-8/19

Parentage: (*H. 'Fat Boy'* x OP)

H. 'Loyalist' (1998) – was originally registered with incorrect spellings for the ONI names. Corrected information is:

H. 'Loyalist' G. van Eijk-Bos (ONI)

H. 'Pea Pod' (2016) – was originally registered with incorrect metric conversion of scape height.

Corrected information is:

Scape: 28 to 30in (71.1 to 76.2cm)

H. 'Rix Pix' (2015) – was originally registered with incorrect leaf dimensions and description. Corrected information is:

Leaf: 12.5in (31.8cm) long; 4.5 in (11.4cm) wide; 5 to 6 vein pairs; yellow with flat margins; dull on top; slightly shiny underneath; elliptical with tapered base; relatively flat overall.

Notable Characteristics: low growing and out-spread habit with petioles and stems that are reddish on the lower halves.

H. 'Sagae' (1996) – was originally registered with incorrect (or missing) ONIR information. Corrected information is:

H. 'Sagae' E. Hagiwara (O) Unknown (NI) K. Watanabe, AHS (R)

H. 'Serpentine' (2015) – was originally registered with numerous errors or omissions. Corrected registrations is:

H. 'Serpentine' A. Scheer & M. Gilligan (O) M. Gilligan (NIR)

Plant: 34in (86.4cm) diameter; 18.5in (47cm) high; mound-like; fast growth rate.

Leaf: 7.3in (18.4cm) long; 5in (12.7cm) wide; 6 to 8 vein pairs; lime green with slightly rippled margins; slightly shiny on top; very shiny underneath; broadly ovate with cordate base; lightly wavy overall.

Petiole Characteristics: strong red color that runs up the petiole into the leaf

Scape: 28 to 42in (71.1 to 106.7cm) high; strong red

Flower: medium lavender with white striping and translucent edges; tubular; Winchester, New Zealand; 1/28-2/10-3/7

Seed: sets viable seeds; dark reddish green

Clump History: original seedling; 7 years old; Winchester, New Zealand

Notable Characteristics: Lime green leaves with strong red petioles, scapes and flower buds. Robust plant with good increase that is fertile both ways.

Parentage: *H.* 'Maya Kingsnake' x OP

Seasonal Color: Lime green deepens to medium green later in the season.

H. 'Southern Lights' (2015) – was originally registered with incorrect data. Corrected information is:

Leaf: ... yellow with 3.5 in. (8.9 cm) wide, blue margins ...

Seed: sets viable seeds; streaked pods

Notable Characteristics: unusual blue streaking into the leaf centers

H. 'Twilight' (1997) – was originally registered with incorrect spellings for the ONIR names. Corrected information is:

H. 'Twilight' G. van Eijk-Bos (OI) G. van Buren (N) G. van Eijk-Bos & D. van Erven (R)

H. 'Two If by Sea' (2012) – was originally registered with a typographical error and should have been registered as *H.* 'Two if by Sea' (lower case "i" on second word).

The following varieties incorrectly cited Japan, Europe or other geographic locations as the Originator, Nominant or Introducer. The registrar recognizes these varieties probably originated in those areas, but deems it incorrect to credit geographic locations in place of a person. The credits for each variety are hereby corrected as shown below.

<i>H.</i> 'Ani Machi'	Unknown (ONI) P. & J. Ruh (R)
<i>H.</i> 'Checkerboard II'	Unknown (USA) (ONI) AHS, K. Walek (R)
<i>H.</i> 'Chodai Ginba'	Unknown (Japan) (ON) Gotemba Nursery (I) P. & J. Ruh (R)
<i>H.</i> 'Decorata'	Unknown (O) Unknown & W. G. Schmid (N) L. Bailey (I) AHS (R)
<i>H.</i> 'Embroidery'	Unknown (O) P. Aden (N) Klehm Nursery (I) M. Zilis, AHS (R)
<i>H.</i> 'Fall Dazzler'	Unknown (Japan) (O) M. Zilis (NIR)
<i>H.</i> 'Fool's Gold'	Unknown (Europe) (OI) R. Bowden (N) P. Ruh (R)
<i>H.</i> 'Fukurin Ko Mame'	Unknown (ONI) P. & J. Ruh (R)
<i>H.</i> 'Fukurin Tosayama'	Unknown (ONI) P. Ruh (R)
<i>H.</i> 'Gekko'	Unknown (ONI) P. Ruh (R)
<i>H.</i> 'Ginbuchi Tachi'	Unknown (ONI) P. Ruh (R)
<i>H.</i> 'Gus'	Unknown (O) P. Ruh (N) G. Krossa (I) P. & J. Ruh (R)
<i>H.</i> 'Herifu'	Unknown (ONIR) AHS, K. Walek (R)
<i>H.</i> 'Hime Ogon Iwa'	Unknown (ONI) P. Ruh (R)
<i>H.</i> 'Hime Tokudama'	Unknown (ONI) P. Ruh (R)
<i>H.</i> 'Inaho'	Unknown (ONI) P. & J. Ruh (R)
<i>H.</i> 'Kaleidochrome'	Unknown (Japan) (O) M. Zilis (NIR)
<i>H.</i> 'Kifukurin Hyuga'	Unknown (ONI) P. Ruh (R)
<i>H.</i> 'Kifukurin Ko Mame'	Unknown (ONI) P. Ruh (R)
<i>H.</i> 'Kifukurin Ubatake'	Unknown (ONI) P. Ruh (R)
<i>H.</i> 'Kinbotan'	Unknown (ONI) P. Ruh (R)
<i>H.</i> 'Kinbuchi Tachi'	Unknown (ONI) P. Ruh (R)
<i>H.</i> 'Kinki'	Unknown (ONI) P. Ruh (R)
<i>H.</i> 'Ko Mame'	Unknown (ONI) P. Ruh (R)
<i>H.</i> 'Little Lemon Drop'	Unknown (Europe) (ONI) P. & J. Ruh (R)
<i>H.</i> 'Maruba Iwa'	Unknown (ONI) AHS, K. Walek (R)
<i>H.</i> 'Masquerade'	Unknown (OI) D. Grenfell (N) AHS, K. Walek (R)

<i>H.</i> 'Memories'	H. Klose (OI) P. Ruh (NR)
<i>H.</i> 'Mira'	F. Maekawa (O) F. Maekawa & W. G. Schmid (N) Unknown (I) AHS (R)
<i>H.</i> 'Mishima Fukurin Koba'	Unknown (ONI) AHS, K. Walek (R)
<i>H.</i> 'Nagaeto'	Unknown (ONI) P. & J. Ruh (R)
<i>H.</i> 'Nokogiriyama'	Unknown (ONI) P. Ruh (R)
<i>H.</i> 'Ogon Amagi Iwa'	Unknown (ONI) AHS, K. Walek (R)
<i>H.</i> 'Ogon Hime Tokudama'	Unknown (ON) Gotemba Nursery (I) P. Ruh (R)
<i>H.</i> 'Ogon Sudare'	Unknown (ONI) P. Ruh (R)
<i>H.</i> 'Ogon Tachi'	Unknown (ONI) P. Ruh (R)
<i>H.</i> 'Ogon Tsushima'	Unknown (ONI) P. Ruh (R)
<i>H.</i> 'Omatsu-san Nishiki'	Unknown (ONI) P. Ruh (R)
<i>H.</i> 'Ototo San'	Unknown (ONI) P. Ruh (R)
<i>H.</i> 'Saginaw'	G. Krossa (O) P. & J. Ruh (NIR)
<i>H.</i> 'Saishu Jima'	Unknown (ON) J. Craig & A. Summers (I) P. Ruh (R)
<i>H.</i> 'Saishu Yahato Sito'	Unknown (ON) R. Duback (I) AHS, K. Walek (R)
<i>H.</i> 'Semperaurea'	Unknown (O) K. Foerster (NI) P. & J. Ruh (R)
<i>H.</i> 'Tenryu Nishiki'	Unknown (ONI) AHS, K. Walek (R)
<i>H.</i> 'Uguis'	Unknown (ONI) AHS, K. Walek (R)
<i>H.</i> 'Urajiro Amagi Iwa'	Unknown (ONI) AHS, K. Walek (R)
<i>H.</i> 'Urajiro Izu Iwa'	Unknown (ONI) AHS, K. Walek (R)
<i>H.</i> 'Uzu-no-mai'	Unknown (ONI) AHS, K. Walek (R)
<i>H.</i> 'White Knight'	Unknown (Europe) (O) Springhill Nursery (NI) P. Ruh (R)

A

H. 'Ada Robinson' G. R. Goodwin (ONIR)
Plant: 24in (61cm) diameter; 12in (30.5cm) high; mound-like; moderate growth rate.
Leaf: 5in (12.7cm) long; 5in (12.7 cm) wide; 9 to 11 vein pairs; dark green with .1 to 1in (.3 to 2.5 cm) wide, white, slightly rippled margins; slightly shiny on top; dull underneath; nearly round with cordate base; moderately cupped and corrugated, and lightly twisted, folded & wavy overall.
Scape: 15 to 18in (38.1 to 45.7cm) high; green
Flower: 1.5 to 2in (3.8 to 5.1cm) long; near white petals with light lavender centers; tubular; Zionsville, IN; 6/20-7/1-7/10
Seed: sets viable seeds; green
Clump History: original sport; 12 years old; Zionsville, IN
Notable Characteristics: tri-color leaf that is dark green with white margins and gray-green tone between the two.
Parentage: Sport of seedling of Unknown Parentage

H. 'Age of Gold' H. Hansen (ONR) Walters Gardens, Inc. (I)
Plant: 79in (200.7cm) diameter; 28in (71.1cm) high; mound-like; moderate growth rate.
Leaf: 13in (33cm) long; 11.5in (29.2cm) wide; 12 to 14 vein pairs; golden yellow with flat margins; slightly shiny on top; glaucous bloom underneath; broadly ovate with cordate base.
Scape: 42 to 48in (106.7 to 121.9cm) high; greenish-yellow
Flower: 2in (5.1cm) long; near white with very faint pale lavender central pattern on interior petals; tubular; Zeeland, MI; 7/7-7/21-8/3
Seed: sets viable seeds; gold
Clump History: original seedling; 6 years old; Zeeland, MI
Notable Characteristics: Large spreading gold with mound shaped habit, broad heart-shaped leaves have a formal presence in the garden.
Parentage: *H. 'Elatior'* hybrid x *H. 'American Sweetheart'*

H. 'Amazone' G. Heemskerck (ONIR)
Plant: 25.6in (65cm) diameter; 15.8in (40cm) high; upright; moderate growth rate.
Leaf: 6.3 in (16cm) long; 3.9in (10cm) wide; 9 vein pairs; white with .8in (2cm) wide, dark green, slightly rippled margins; slightly shiny on top; slightly shiny underneath; broadly ovate with flat base; mostly flat overall.
Petiole Characteristics: green with white edges
Scape: 19.7in (50cm) high; green
Flower: 2.4in (6cm) long; medium lavender; tubular; Noordwijk, Zuid-Holland, The Netherlands; 7/15-8/15-9/15
Seed: does not set seed
Clump History: original sport; 5 years old; Noordwijk, Zuid-Holland, The Netherlands
Notable Characteristics: Dark green margins flame inward, contrasting boldly with the bright white center. More sun resistant than other white centered varieties.
Parentage: Sport of *H. 'Paul Revere'*

B

H. 'Because of Art' C. Finke (O) N. Ternes (NR)
 Botanophilia LLC (I)
Plant: 42in (106.cm) diameter; 18in (45.7cm) high; mound-like.
Leaf: 11in (27.9cm) long; 6in (15.2cm) wide; 6 to 7 vein pairs;
 10

medium to dark green with flat margins; very shiny on top; glaucous bloom underneath; ovate with tapered base; lightly corrugated overall.
Petiole Characteristics: glaucous petioles
Scape: 24 to 30in (61 to 76.2cm) high; green
Flower: pale lavender; tubular; Sheboygan, WI; 9/3-9/15-9/25
Seed: sets seeds, viability not submitted; green
Clump History: original seedling; 15 years old; Sheboygan, WI
Notable Characteristics: Dark green leaves are long and glossy with white backs. Somewhat kikutii-like but larger and glossier with minimal dimples. The name refers to my late, dear friend Arthur Degnitz.
Parentage: *H. yingeri* x OP

H. 'Bering Sea' R. & G. Fox (O)
 Fox Hosta Farm (NI) R. Fox (R)
Plant: 50in (127cm) diameter; 26in (66cm) high; mound-like; moderate growth rate.
Leaf: 16in (40.6cm) long; 12in (30.5cm) wide; blue with slightly rippled margins; dull on top; dull underneath; broadly ovate with cordate base; lightly wavy and deeply corrugated overall.
Flower: near white; tubular; Jun 1 to Jul 15; Lowell, IN
Clump History: original seedling; 6 years old; Lowell, IN
Notable Characteristics: Bright blue colored leaves that are heavily corrugated with slightly wavy edges.
Parentage: (*H. 'Powder Blue'* x (*H. 'Komodo Dragon'* x *H. 'Mississippi Delta'*))

H. 'Beyond Glory' H. Hansen (OR) Walters Gardens, Inc. (NI)
Plant: 50in (127cm) diameter; 25in (63.5cm) high; mound-like; fast growth rate.
Leaf: 11in (27.9cm) long; 9.5in (24.1cm) wide; 12 to 13 vein pairs; yellow with 2 to 4in (5.8 to 10.2cm) wide, green, slightly rippled margins; dull on top; glaucous bloom underneath; nearly round & domed with cordate base; lightly wavy and corrugated overall.
Scape: 26 to 32in (66 to 81.3cm) high; green
Flower: 2in (5.1cm) long; pale purple with lavender exterior & lavender interior sepals. Petals have purple margins, lavender central stripe and a white pattern down the base of each; bell-shaped; Zeeland, MI; 7/6-7/12-7/22
Seed: occasionally sets seeds, viable; green
Clump History: original sport; 4 years old; Zeeland, MI
Notable Characteristics: Goes above and beyond its parent with twice as wide, darker green margins, and thicker leaf substance.
Parentage: Sport of *H. 'Old Glory'*

H. 'Big Bubba' C. Hanna (ONIR)
Plant: 54in (137.2cm) diameter; 38in (96.5cm) high; upright.
Leaf: 16in (40.6cm) long; 13in (33cm) wide; 14 to 15 vein pairs; medium green with slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; moderately cupped, folded, wavy & corrugated, and lightly twisted overall.
Scape: 40 to 48in (101.6 to 121.9cm) high; green
Flower: 2in (5.1cm) long; near white; tubular; Marion, OH; 6/1-6/25-7/15
Seed: sets viable seeds; green
Clump History: original seedling; 6 years old; Marion, OH
Notable Characteristics: Tall petioles and cupped, corrugated, wavy leaves make a grand display, and is a good breeder.
Parentage: *H. 'Amos'* x OP

2018 REGISTRATIONS

H. 'Blue-eyed Dragon' R. & G. Fox (O)
Fox Hosta Farm (NI) R. Fox (R)
Plant: 60in (152.4cm) diameter; 35in (88.9cm) high; upright; fast growth rate.
Leaf: 15in (38.1cm) long; 14in (35.6cm) wide; 15 vein pairs; blue-green with slightly rippled margins; shiny on top; nearly round with cordate base; lightly cupped overall.
Flower: pale lavender; tubular; Jun 1 to Jul 15; Lowell, IN
Seed: sets viable seeds; green
Clump History: original seedling; 7 years old; Lowell, IN
Notable Characteristics: Upright plant with nearly round, slightly cupped, blue-green leaves.
Parentage: (*H. 'Komodo Dragon'* x *H. 'Mississippi Delta'*)

H. 'Buffalo Snow' J. J. Smead (ONIR)
Plant: 26in (66cm) diameter; 11in (27.9cm) high; mound-like.
Leaf: 6in (15.2cm) long; 3.8in (9.7cm) wide; 8 vein pairs; misty green with slightly rippled margins; dull on top; slightly shiny underneath; ovate with cordate base; mostly flat overall.
Petiole Characteristics: some speckling runs down the outer margins of the petioles
Scape: 20 to 22in (50.8 to 55.9cm) high; medium green
Flower: 2.5in (6.4 cm) long; pure white; unopen buds have very slight lavender blush that disappears upon opening; tubular; Cattaraugus, NY; 7/4-7/10-7/16
Seed: sets viable seeds; medium green
Clump History: original seedling; 5 years old; Cattaraugus, NY
Notable Characteristics: Mostly white with green speckles in spring, gaining more misty speckles throughout the season. Vigorous
Parentage: *H. 'Undulata'* x OP
Seasonal Color: Viridescence - more green speckles as season progresses

H. 'Button Up' M. Whitmer (ONIR)
Plant: 50in (127cm) diameter; 26in (66cm) high; upright
Leaf: 13in (33cm) long; 13in (33cm) wide; 15 vein pairs; blue-green; dull on top; glaucous bloom underneath; nearly round with rounded base; moderately cupped and lightly wavy & corrugated overall.
Petiole Characteristics: light green with wax and purple base
Scape: 21 to 28in (53.3 to 71.1cm) high; green with wax
Flower: 2in (5.1 cm) long; pale lavender with stripes; tubular; Jul 15 to Aug 15; Maumee, OH
Seed: sets viable seeds; light blue-green
Clump History: original seedling; 5 years old; Maumee, OH
Notable Characteristics: Almost round, large blue-green leaves with some reverse cupping. Intense chalky white leaf backs and purple at the base of the waxy, light green petioles.
Parentage: *H. hypoleuca* x *H. 'Uncle Miltie'*
Seasonal Color: Starts out blue with significant wax changing to medium blue-green later.

C

H. 'Charlie Jane' C. Kwick (ONIR)
Plant: 70in (177.8cm) diameter; 32in (81.3cm) high; upright.
Leaf: 18in (45.7cm) long; 14in (35.6cm) wide; 14 to 15 vein pairs; blue-green with flat margins; slightly shiny on top; glaucous bloom underneath; broadly ovate with cordate base; lightly cupped and moderately corrugated overall.
Petiole Characteristics: green with glaucous bloom

Scape: 24 to 48in (61 to 121.9cm) high; green
Flower: 2.3in (5.8cm) long; near white with very light lavender striping in center of petals; tubular; Eau Claire, WI; 6/15-7/1-7/15
Seed: sets viable seeds; brown at maturity
Clump History: original seedling; 6 years old; Eau Claire, WI
Notable Characteristics: Large, stately plant with blue-green leaves.
Parentage: (*H. 'Komodo Dragon'* x OP)

H. 'Christmas Cheer' D. & M. Beilstein (ONIR)
Plant: 28in (71.1cm) diameter; 20in (50.8cm) high; mound-like.
Leaf: 9in (22.9cm) long; 5.5in (14cm) wide; 15 to 16 vein pairs; dark green with 1 to 1.5in (2.5 to 3.8cm) wide, white, very slightly rippled margins; dull on top; dull underneath; ovate, cordate with leaf edges overlapping; very lightly folded and wavy overall.
Petiole Characteristics: white edges extend down the petioles
Scape: 28 to 30in (71.1 to 76.2cm) high; green
Flower: 1in (2.5 cm) long; pale lavender to near white; tubular; Mansfield, OH; 7/1-7/13-7/25
Seed: sets viable seeds; green; 1.3"
Clump History: original seedling; 8 years old; Mansfield, OH
Notable Characteristics: Sweeping and graceful describe this plant with wide creamy margins that clearly define where they go. A grand looking plant that enhances anything beside it.
Parentage: (*H. 'Color Fantasy'* x OP) x *H. montana 'Aureomarginata'*

D

H. 'Dancing with Dragons' H. Hansen (ONR)
Walters Gardens, Inc. (I)
Plant: 43in (109.2cm) diameter; 18in (45.7cm) high; mound-like; moderate growth rate.
Leaf: 10in (25.4cm) long; 5.5in (14cm) wide; 10 to 12 vein pairs; blue with heavily rippled margins; glaucous bloom on top; glaucous bloom underneath; lance-shaped with rounded base; moderately wavy overall.
Scape: 25 to 33in (63.5 to 83.8cm) high; blue
Flower: 2in (5.1 cm) long; near white with very pale lavender interior pattern on center of each petal; tubular; Zeeland, MI; 7/23-8/7-8/24
Seed: sets viable seeds; blue
Clump History: original seedling; 6 years old; Zeeland, MI
Notable Characteristics: Beautiful wavy blue leaves hold their color very long into the season. Plant has a lot of character and adds interest to the hosta garden compared to heart leaf varieties.
Parentage: [(*H. 'Medusa'* x *H. venusta*) x (*H. 'Neptune'* x *H. 'Fulda'*)] x [(*H. 'Neptune'* x *H. 'Fulda'*) x *H. 'Joy Ride'*]
Seasonal Color: holds its intense blue color throughout the season

H. 'Dark Horse' R. & G. Fox (O)
Fox Hosta Farm (NI) R. Fox (R)
Plant: 69in (175.3cm) diameter; 38in (96.5cm) high; mound-like; fast growth rate.
Leaf: 15in (38.1cm) long; 13in (33cm) wide; 19 vein pairs; blue-green with slightly rippled margins; slightly shiny on top; broadly ovate with cordate base;
Scape: 40 to 50in (101.6 to 127cm) high
Flower: medium lavender; tubular; Jun 1 to Jul 15; Lowell, IN
Clump History: original seedling; 7 years old; Lowell, IN

2018 REGISTRATIONS

Notable Characteristics: Large, deeply veined leaves with a wavy edge. Retains deep color with shade.

Parentage: (*H.* 'Komodo Dragon' x *H.* 'Mississippi Delta')

***H.* 'Diamond Lake'** H. Hansen (ONR) Walters Gardens, Inc. (I)
Plant: 69in (175.3cm) diameter; 22in (55.9cm) high

Leaf: 14in (35.6cm) long; 9in (22.9cm) wide; 12 to 13 vein pairs; medium blue-green with heavily rippled margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with rounded base; lightly wavy overall.

Scape: 25 to 28in (63.5 to 71.1cm) high; blue-green

Flower: 2in (5.1cm) long; pale lavender with very faint pale lavender pattern in central portion of each petal; tubular; Zeeland, MI; 6/18-7/1-7/14

Seed: sets viable seeds; green

Clump History: original seedling; 7 years old; Zeeland, MI

Notable Characteristics: Heart-shaped, thick blue leaves have wavy margins. The large size of this plant also translates to large leaves.

Parentage: *H.* 'Niagara Falls' hybrid x (*H.* 'Neptune' x *H.* 'Fulda')

***H.* 'Dixie's Memory'** G. Myers (ONR) R. Solberg (I)

Plant: 24in (61cm) diameter; 16in (40.6cm) high; upright; moderate growth rate.

Leaf: 6.5in (16.5cm) long; 6in (15.2cm) wide; 10 to 11 vein pairs; dark green with .8in (1.9cm) wide, yellow, slightly rippled margins; dull on top; dull underneath; broadly ovate with cordate base; moderately cupped overall.

Petiole Characteristics: solid green (no variegation)

Scape: 20 to 24in (50.8 to 61 cm) high; green

Flower: 2.5in (6.4cm) long; pale lavender with slightly darker mid-rib; tubular; Menomonie, WI; 6/15-6/23-6/30

Seed: sets viable seeds; green

Clump History: original seedling; 5 years old; Menomonie, WI

Notable Characteristics: Marginally variegated, slightly wavy, heart-shaped leaves. Lobes fold to a deep "V" drawing the leaf inward as well.

Parentage: *H.* 'Blue Mouse Ears Supreme' x OP

***H.* 'Double Your Pleasure'** S. Brown (ONIR)

Plant: 24in (61cm) diameter; 13in (33cm) high; upright; moderate growth rate.

Leaf: 11.5in (29.2cm) long; 8in (20.3cm) wide; 13 vein pairs; light green with slightly rippled margins; dull on top; glaucous bloom underneath; ovate with cordate base; moderately wavy and corrugated overall.

Scape: 36 in (91.4cm) high; light green

Flower: 2in (5.1cm) long; pale lavender; pale white petals with lavender streaks; double flowers; Grand Rapids, MI; 6/1-6/15-7/15

Clump History: original seedling; 5 years old; Grand Rapids, MI

Notable Characteristics: Light green color with rippled edges and double flowers.

Parentage: (*H.* 'White Triumphator' x OP)

E

***H.* 'Elf Slippers'** G. Hicks (OR) S. Hicks (N) Maine Hosta (I)

Plant: 20in (50.8cm) diameter; 10in (25.4cm) high; mound-like; fast growth rate.

Leaf: 7in (17.8cm) long; 2in (5.1cm) wide; 5 vein pairs; medium

green with .2in (.5cm) wide, yellow, heavily rippled margins; slightly shiny on top; slightly shiny underneath; lance-shaped with tapered base; lightly folded, moderately cupped and deeply wavy overall

Petiole Characteristics: leaf blade extends down the petiole

Scape: 15 to 25in (38.1 to 63.5cm) high; green

Flower: 2in (5.1cm) long; medium lavender; tubular; Edgecomb, ME; 7/15-7/30-8/15

Seed: sets viable seeds; green

Clump History: original sport; 4 years old; Edgecomb, ME

Notable Characteristics: Narrow leaves with wavy edges are cupped enough to look like little elf shoes.

Parentage: Sport of *H.* 'Sharon's Choice'

Seasonal Color: yellow margins fade to white later

***H.* 'Emerald Lightning'** B. & R. Klotz (ONR) R. Solberg (I)

Plant: 24in (61cm) diameter; 12in (30.5m) high; mound-like; moderate growth rate.

Leaf: 6in (15.2cm) long; 3.5in (8.9cm) wide; 11 vein pairs; white with 1.3 to 1.5in (3.2 to 3.8cm) wide, dark green, flat margins; dull on top; dull underneath; ovate with flat base; relatively flat overall.

Petiole Characteristics: green w/white center on topside and white w/purple speckles on underside

Scape: 6 to 7in (15.2 to 17.8 cm) high; green

Flower: 2in (5.1cm) long; pale lavender; inside petals are off-white with pale lavender through the middle; bell-shaped; Monroeville, OH; 8/20-8/29-9/06

Seed: sets seeds, viability not submitted

Clump History: original seedling; 10 yrs old; Monroeville, OH

Notable Characteristics: Dark green with narrow white center and narrow strip of lime green between the two. Flowers are held on very short scapes beneath the foliage.

Parentage: *H.* 'El Niño' x OP

***H.* 'Etched Glass'** H. Hansen (ONR) Walters Gardens, Inc. (I)

Plant: 32in (81.3cm) diameter; 15in (38.1cm) high; upright; moderate growth rate.

Leaf: 8in (20.3cm) long; 6in (15.2cm) wide; 9 to 10 vein pairs; yellow with 2in (5.8cm) wide, green, flat margins; dull on top; slightly shiny underneath; broadly ovate with cordate base; lightly folded and moderately wavy overall.

Scape: 21 to 27in (53.3 to 68.6cm) high; yellow

Flower: 2.3in (5.8 cm) long; white with very faint lines; tubular; Zeeland, MI; 8/4-8/30-9/17

Seed: does not set seed

Clump History: original sport; 5 years old; Zeeland, MI

Notable Characteristics: The wide, dark green margins provide high contrast with the bright, brilliant yellow centers. Between the margin and the center is a light green pattern. Margins have puckering when the plant is mature.

Parentage: Sport of *H.* 'Stained Glass'

***H.* 'Eye of the Tiger'** G. Meyer (ONIR)

Plant: 30in (76.2cm) diameter; 20in (50.8cm) high; upright; moderate growth rate.

Leaf: 8 to 9in (20.3 to 22.9cm) long; 7 to 8in (17.8 to 20.3cm) wide; 9 to 11 vein pairs; creamy white with 2 to 4in (5.1 to 10.2cm) wide dark green, slightly rippled margins; slightly shiny on top; slightly shiny underneath; broadly ovate; lightly cupped overall.

Scape: 30 to 32in (76.2 to 81.3cm) high; creamy white

Flower: 2in (5.1cm) long; pale lavender; tubular; Pine Island,

MN; 7/15-8/1-8/115

Seed: sets seeds, viability is unknown; creamy white

Clump History: original sport; 6 years old; Pine Island, MN

Notable Characteristics: Center variegation is eye-shaped and narrower than its parent.

Parentage: Sport of *H.* 'Lakeside Paisley Print'

F

H. 'Fall Blush' D. & M. Beilstein (ONIR)

Plant: 18in (45.7cm) diameter; 13in (33cm) high; mound-like; moderate growth rate.

Leaf: 6.5in (16.5cm) long; 4in (10.2cm) wide; 8 to 9 vein pairs; medium green with flat margins; slightly shiny on top; slightly shiny underneath; ovate with rounded base; light to moderately corrugated overall.

Scape: 36 to 38in (91.4 to 96.5cm) high; green with maroon speckled dashes

Flower: medium lavender; tubular; Mansfield, OH; 8/1-8/10-8/30

Seed: sets viable seeds; green

Clump History: original seedling; 7 years old; Mansfield, OH

Notable Characteristics: Starting mid-summer, the leaf assumes a red "blush" in the tissue between the veins.

Parentage: [(((*H.* 'Neat Splash' x *H.* 'Rising Sun' sdlg) x *H.* 'Grand Slam') x OP) x *H.* 'Red Puppy')] x (*H.* 'Atom Smasher' x *H.* 'Redback Tavern')

Seasonal Color: Mid-summer until end of season, the leaf presents a red "blush" in the tissue between the veins.

H. 'Friends Forever' H. King (ONIR)

Plant: 32in (81.3cm) diameter; 25in (63.5cm) high; upright; slow growth rate.

Leaf: 8in (20.3cm) long; 5.8in (14.7cm) wide; 10 to 11 vein pairs; medium blue-green with flat margins; dull on top; glaucous bloom underneath; broadly ovate with cordate base; deeply folded and intensely corrugated overall.

Scape: 32 to 36in (81.3 to 91.4 cm) high; medium blue-green

Flower: 1.8 in (4.6cm) long; white; bell-shaped; Green Bay, WI; 7/10-7/20-8/10

Seed: does not set seed

Clump History: original seedling; 20 years old; Green Bay, WI

Notable Characteristics: Blue-green, thick, heavily corrugated leaves are folded with pointed tips, and are topped with pure white flowers. One of two cultivars chosen for the 2019 AHS Convention in Green Bay, WI

Parentage: Unknown Parentage

G

H. 'Giggling Greta' D. & M. Beilstein (ONIR)

Plant: 42in (106.7cm) diameter; 26in (66cm) high; upright; moderate growth rate.

Leaf: 15in (38.1cm) long; 10.5 in (26.7cm) wide; 18 to 19 vein pairs; green with 1 to 1.5in (2.5 to 3.8cm) wide creamy yellow, moderately ruffled margins; slightly shiny on top; slightly shiny underneath; broadly ovate with cordate base; slight convex cupping overall.

Scape: 41 to 43in (104.1 to 109.2cm) high; green

Flower: 1in (2.5cm) long; pale lavender; tubular; Mansfield,

OH; 7/1-7/14-7/23

Seed: sets viable seeds; green; 1.8"

Clump History: original seedling; 8 years old; Mansfield, OH

Notable Characteristics: Leaves are always waving and moving in the wind - its upright posture always in motion. The warm cream and green colors with prominent veining gives a welcome greeting.

Parentage: MC2 Green sdlg x OP

Seasonal Color: Medium green center turns darker green and creamy yellow margins lighten to almost white later in the summer.

H. 'Gold Pants' D. & M. Beilstein (ONIR)

Plant: 48in (121.9cm) diameter; 30in (76.2cm) high; upright; moderate growth rate.

Leaf: 13in (33cm) long; 9.5in (24.1cm) wide; 15 to 16 vein pairs; yellow with moderately ruffled margins; slightly shiny on top; slightly shiny underneath; broadly ovate, cordate with leaf edges touching; very lightly corrugated overall.

Scape: 27 to 29in (68.6 to 73.7cm) high; green

Flower: 1.5in (3.8cm) long; pale lavender; tubular; Mansfield, OH; 7/10-7/20-7/30

Seed: sets viable seeds; green; 1.3"

Clump History: original seedling; 11 years old; Mansfield, OH

Notable Characteristics: Large gold hosta covers a large area. Each leaf is large enough to cover even Oliver Hardy's generous behind. Shady conditions allow this plant to turn green by fall.

Parentage: *H.* 'Brutus' x *H.* 'Empress Wu'

Seasonal Color: Viridescent when grown in the shade.

H. 'Golden Falls' D. Ruff (OR) R. Solberg (NI)

Plant: 36in (91.4cm) diameter; 24in (61cm) high; mound-like

Leaf: 15in (38.1cm) long; 9in (22.9cm) wide; 12 vein pairs; golden yellow with heavily rippled margins; dull on top; dull underneath; broadly ovate with cordate base; mostly flat overall.

Scape: 44 to 48in (111.8 to 121.9cm) high; green

Flower: 2.5 to 3.5in (6.4 to 8.9cm) long; pale lavender; tubular; Buffalo, MN; 7/14-7/22-8/15

Seed: sets viable seeds; green

Clump History: original seedling; 12 years old; Buffalo, MN

Notable Characteristics: Bright yellow spring color with deeply impressed veins and ruffled edges.

Parentage: *H.* 'Niagara Falls' x OP

Seasonal Color: viridescent - changes from golden yellow to medium green.

H. 'Golden Harmony' H. King (ONIR)

Plant: 30in (76.2cm) diameter; 16in (40.6cm) high; upright; slow growth rate.

Leaf: 7in (17.8cm) long; 6in (15.2cm) wide; 13 to 14 vein pairs; greenish-yellow with flat margins; dull on top; glaucous bloom underneath; broadly ovate with cordate base; lightly twisted, deeply folded and intensely corrugated overall.

Scape: 13 to 16in (33 to 40.6cm) high; greenish-yellow

Flower: 1.5in (3.8cm) long; near white; tubular; Green Bay, WI; 7/10-8/1-8/25

Seed: sets viable seeds; greenish-yellow

Clump History: original seedling; 21 years old; Green Bay, WI

Notable Characteristics: Upright, unique shade of greenish-yellow and extremely rugose leaves that are folded with twists and turns, giving the appearance of movement.

One of two cultivars chosen for the 2019 AHS Convention in Green Bay, WI

2018 REGISTRATIONS

Parentage: *H.* 'Golden Waffles' x OP
Seasonal Color: Turns more yellow when grown in the sun.

H. 'Grace Wins' M. Whitmer (ONIR)
Plant: 42in (106.7cm) diameter; 22in (55.9cm) high; upright; moderate growth rate.
Leaf: 12in (30.5cm) long; 8.5in (21.6cm) wide; 12 vein pairs; dark green; with 1.5in (3.8cm) wide, cream colored, slightly rippled margins; dull on top; glaucous bloom underneath; broadly ovate; lightly twisted and moderately wavy overall.
Petiole Characteristics: green with white lines into the leaf base.
Scape: 38 to 42in (96.5 to 106.7cm) high; green and white
Flower: 1.8in (4.6cm) long; pale lavender with translucent margins, nearly white petals with pale lavender stripe down the middle; tubular; Maumee, OH; 6/18-6/30-7/21
Seed: sets viable seeds; green, sometimes with white
Clump History: original seedling; 7 years old; Maumee, OH
Notable Characteristics: Vase shaped with leaves that dance over and beyond the vase. Very wavy leaves are held artistically above companion plants. Undulating margins draw the eye from 50 feet away.
Parentage: (Whitmer LR7P1 sdlg. x *H.* 'Queen of the Seas')

H. 'Great White Whale' A. Torvinen (ONIR)
Plant: 40in (101.6cm) diameter; 28in (71.1cm) high; mound-like; moderate growth rate.
Leaf: 12in (30.5cm) long; 10in (25.4cm) wide; medium green; with 1.3in (3.2cm) wide, chartreuse to cream flat margins; broadly ovate with cordate base.
Flower: near white; tubular; Jun 1 to Jul 15; Royal Oak, MI
Seed: sets seeds, viability is unknown
Clump History: original sport; 3 years old; Royal Oak, MI
Notable Characteristics: Smaller version of its parent with variable chartreuse to cream margins.
Parentage: Sport of *H.* 'Humpback Whale'
Seasonal Color: Margin is barely noticeable in spring, becoming very dramatic as season progresses.

H

H. 'Hooray!' W. G. Struhar (ONIR)
Plant: 48in (121.9cm) diameter; 19in (48.3cm) high; mound-like; moderate growth rate.
Leaf: 11in (27.9cm) long; 8.2in (20.8cm) wide; 12 vein pairs; chartreuse to apple green; with 1in (2.5cm) wide, slightly rippled gold margins; dull on top; dull underneath; broadly ovate with cordate base; deeply corrugated overall.
Scape: 28 to 30in (71.1 to 76.2cm) high; chartreuse to apple green
Flower: 2in (5.1 cm) long; near white buds with pale lavender blush towards the tip opens to reveal pale lavender blush both inside and out; tubular; Harrison Township, MI; 6/21-6/28-7/21
Seed: sets viable seeds; green
Clump History: original seedling; 7 years old; Harrison Township, MI
Notable Characteristics: Medium sized clump of apple green leaves with wide, irregular gold margins.
Parentage: Unknown Parentage
Seasonal Color: Emerges all gold before center turns chartreuse then apple green.

H. 'Hootenanny' G. R. Goodwin (ONIR)
Plant: 24in (61cm) diameter; 7in (17.8cm) high; mound-like; fast growth rate.
Leaf: 4in (10.2cm) long; 3in (7.6cm) wide; 7 vein pairs; medium blue-green with .5in (1.3cm) wide, yellow turning white, slightly rippled margins; dull on top; dull underneath; broadly ovate with cordate base; lightly cupped, twisted, wavy & corrugated overall.
Scape: 15 to 25in (38.1 to 63.5cm) high; green
Flower: 1.5 to 2in (3.8 to 5.1cm) long; pale lavender with mild striping on mid-petal; tubular; Zionsville, IN; 6/25-7/10-7/15
Seed: sets viable seeds; green
Clump History: original sport; 15 years old; Zionsville, IN
Notable Characteristics: good growing, medium sized cultivar has blended green coloration between the center and margin.
Parentage: Marginally-variegated sport of a streaked seedling of unknown parentage.
Seasonal Color: Early in the season the leaf centers are more blue, and the margins are more yellow.

H. 'Hypnotic' G. R. Goodwin (ONIR)
Plant: 18in (45.7cm) diameter; 10in (25.4cm) high; upright; slow growth rate.
Leaf: 5.8 in (14.7cm) long; 4in (10.2cm) wide; 8 to 10 vein pairs; dark grayish-green with .3 to .5in (.8 to 1.3cm) wide, cream to greenish-white, flat margins; very shiny on top; glaucous bloom underneath; nearly round with cordate base; intensely cupped & corrugated, moderately folded and lightly wavy & twisted overall.
Scape: 12 to 18in (30.5 to 45.7cm) high; green
Flower: 1.5 to 2in (3.8 to 5.1cm) long; medium lavender with very faint striping; tubular; Zionsville, IN; 7/15-7/25-8/5
Seed: sets viable seeds; green
Clump History: original sport; 13 years old; Zionsville, IN
Notable Characteristics: unusual gray-green color on extremely cupped, totally corrugated blade with dark-creamy to greenish-white margins.
Parentage: Sport of seedling of Unknown Parentage

J

H. 'J. B. Patel' C. Kwick (ONIR)
Plant: 48in (121.9cm) diameter; 16in (40.6cm) high; mound-like; moderate growth rate.
Leaf: 11in (27.9cm) long; 8.5in (21.6cm) wide; 7 vein pairs; medium green with slightly rippled margins; slightly shiny on top; glaucous bloom underneath; ovate with cordate base; lightly folded and wavy overall.
Scape: 30 to 40in (76.2 to 101.6 cm) high; green with glaucous bloom.
Flower: 2.5 in (6.4 cm) long; near white with super light lavender striping; tubular; Eau Claire, WI; 6/28-7/10-7/20
Clump History: original seedling; 6 years old; Eau Claire, WI
Notable Characteristics: Hardy, shiny green leaves with ruffled edges.
Parentage: (*H. montana* 'Aureomarginata' x OP)
Seasonal Color: darkens slightly during the season

H. 'Jack Sprat' J. Kuntz (ONIR)
Plant: 36in (91.4cm) diameter; 20in (50.8cm) high; mound-like.
Leaf: 9in (22.9cm) long; 8in (20.3cm) wide; 10 to 12 vein pairs; dark green with 1 to 2in (2.5 to 5.1cm) wide light green, slightly rippled margins; slightly shiny on top; dull underneath; nearly round with cordate base; lightly wavy overall.

2018 REGISTRATIONS

Scape: 23 to 26in (58.4 to 66 cm) high; green
Flower: 2.5in (6.4 cm) long; white with translucent edges and faint striping on center of petals; tubular; Goodfield, IL; 7/1-7/15-7/25
Seed: sets viable seeds; green
Clump History: original sport; 4 years old; Goodfield, IL
Notable Characteristics: Very symmetrical clump of brightly colored foliage topped with pure white flowers in July.
Parentage: Sport of *H.* 'August Moon'

K

H. 'Kirkside Blue' C. Hanna (ONIR)
Plant: 56 in (142.2cm) diameter; 24in (61cm) high; mound-like.
Leaf: 9in (22.9cm) long; 8.5in (21.6cm) wide; 14 to 15 vein pairs; intensely blue-green with flat margins; glaucous bloom on top; glaucous bloom underneath; nearly round with cordate base; moderately cupped and corrugated overall.
Scape: 22 to 28in (55.9 to 71.1cm) high; blue
Flower: 1.5in (3.8cm) long; white; Marion, OH; 7/1-7/15-7/24
Seed: sets viable seeds; green
Clump History: original seedling; 12 years old; Marion, OH
Notable Characteristics: Beautiful blue color that demands notice from quite a distance and the color holds well into the summer.
Parentage: *H.* 'Frances Williams' x OP
Seasonal Color: changes to medium green by season's end

H. 'Kiss an Angel Good Morning' C. Kwick (ONIR)
Plant: 32in (81.3cm) diameter; 12in (30.5cm) high; upright; moderate growth rate.
Leaf: 8in (20.3cm) long; 4in (10.2cm) wide; 7 to 8 vein pairs; dark green with 0 to .1in (0 to .2cm) wide yellow, flat margins; very shiny on top; glaucous bloom underneath; elliptical with cordate base; lightly cupped and folded overall.
Scape: 26 to 28in (66 to 71.1cm) high; light green with glaucous bloom
Flower: 1.5in (3.8cm) long; medium lavender inside surrounded by white with pale translucent edges; tubular; Eau Claire, WI; 10/1-10/10-10/20
Seed: sets seeds, viability not submitted
Clump History: original seedling; 5 years old; Eau Claire, WI
Notable Characteristics: Shiny, dark green tapered leaves with thin yellow edges at the tips
Parentage: *H.* 'Hadspen Blue' x OP
Seasonal Color: darkens somewhat

H. 'Kiss and Surrender' C. Kwick (ONIR)
Plant: 17in (43.2cm) diameter; 11in (27.9cm) high; upright
Leaf: 6in (15.2cm) long; 4in (10.2cm) wide; 8 to 9 vein pairs; yellowish-green with flat margins; dull on top; glaucous bloom underneath; ovate with cordate base; lightly cupped, wavy & corrugated overall.
Petiole Characteristics: light green
Scape: 22in (55.9 cm) high; light green w/glaucous bloom
Flower: 1.5in (3.8 cm) long; pale lavender with light lavender striping and inside petals have lace-like margins; tubular; Eau Claire, WI; 8/15-8/30-9/15
Clump History: original seedling; 4 years old; Eau Claire, WI
Notable Characteristics: Leaves emerge yellowish-green before becoming lightly corrugated. Turns more golden yellow keeping contrasting green veins.

Parentage: *H.* 'Sum and Substance' x *H.* 'Delta Dawn'
Seasonal Color: Leaves turn golden yellow keeping contrasting green veins as the season progresses.

H. 'Kiss to Remember' C. Kwick (ONIR)
Plant: 26in (66cm) diameter; 8in (20.3cm) high; rhizomatous; slow growth rate.
Leaf: 8in (20.3cm) long; 3.8in (9.7cm) wide; 6 to 9 vein pairs; golden-yellow with flat margins; dull on top; slightly shiny underneath; ovate with cordate base; lightly cupped and folded overall.
Petiole Characteristics: pale green with glaucous bloom
Scape: 24 to 26in (61 to 66cm) high; light green with glaucous bloom
Flower: 1.5in (3.8 cm) long; pale lavender; tubular; Eau Claire, WI; 10/1-10/8-10/30
Seed: does not set seed
Clump History: original seedling; 4 years old; Eau Claire, WI
Notable Characteristics: Gold leaves with visibly darker green veins.
Parentage: *H.* 'Sum and Substance' x *H.* 'Delta Dawn'
Seasonal Color: slightly more yellow as season progresses

L

H. 'Lady Abigail' C. Kwick (ONIR)
Plant: 18in (45.7cm) diameter; 10in (25.4cm) high; mound-like; slow growth rate.
Leaf: 6in (15.2cm) long; 5in (12.7cm) wide; 10 to 11 vein pairs; greenish-yellow with flat margins; slightly shiny on top; slightly shiny underneath; broadly ovate with cordate base; lightly folded and moderately corrugated overall.
Petiole Characteristics: light green
Scape: 36in (91.4cm) high; light green
Flower: 2in (5.1cm) long; near white with very light lavender striping; tubular; Eau Claire, WI; 7/1-7/11-7/20
Seed: sets seeds, viability not submitted
Clump History: original seedling; 5 years old; Eau Claire, WI
Notable Characteristics: Tightly bunched mound of slightly shiny, moderately corrugated leaves.
Parentage: (*H.* 'Queen Josephine' x OP)
Seasonal Color: shiny surface dulls somewhat later in the season

H. 'Lady Klara-Maren' C. Kwick (ONIR)
Plant: 30in (76.2cm) diameter; 13in (33cm) high; rhizomatous; moderate growth rate.
Leaf: 5in (12.7cm) long; 3in (7.6cm) wide; 8 vein pairs; greenish-yellow with flat margins; dull on top; glaucous bloom underneath; ovate with cordate base; lightly folded and corrugated overall.
Petiole Characteristics: greenish-yellow
Scape: 30 to 40in (76.2 to 101.6cm) high; light green
Flower: 1.5in (3.8cm) long; deep purple with distinct striping and every other petal has a lace-like appearance around the edge; spider-shaped; Eau Claire, WI; 7/20-7/30-8/15
Seed: sets seeds, viability not submitted; reddish-brown
Clump History: original seedling; 3 years old; Eau Claire, WI
Notable Characteristics: Purple striped, spider-shaped flowers on tall scapes have a slight aroma.
Parentage: (*H.* 'Guacamole' x *H.* 'Patriot')

H. 'Lady Tessa'

C. Kwick (ONIR)

Plant: 30in (76.2cm) diameter; 17in (43.2cm) high; mound-like; moderate growth rate.

Leaf: 10in (25.4cm) long; 7in (17.8cm) wide; 11 to 12 vein pairs; gold with relatively flat margins; dull on top; glaucous bloom underneath; broadly ovate with cordate base; lightly folded and deeply corrugated overall.

Petiole Characteristics: greenish-yellow

Scape: 16 to 20in (40.6 to 50.8cm) high; light green

Flower: 2in (5.1 cm) long; pale lavender overall; lavender stripe down the center of each white petal; tubular; Eau Claire, WI; 6/30-7/15-7/30

Clump History: original seedling; 3 years old; Eau Claire, WI

Notable Characteristics: Heavily corrugated leaves that turn more gold as the season progresses.

Parentage: (*H.* 'Sum of All' x *H.* 'Stained Glass')

Seasonal Color: Gold color intensifies throughout the season.

H. 'Lime Sours'

M. Gilligan (ONIR)

Plant: 14in (35.6cm) diameter; 4.5in (11.4cm) high; mound-like; moderate growth rate.

Leaf: 4.1in (10.5cm) long; 2.5in (6.4cm) wide; 4 to 5 vein pairs; dark green with flat margins; dull on top; slightly shiny underneath; elliptical with cordate base;

Petiole Characteristics: Reddish petioles with good increase at leaf base.

Scape: 6 to 10in (15.2 to 25.4cm) high; strong reddish coloration

Flower: 1.8in (4.6cm) long; medium lavender with darker stripes; tubular; Winchester, New Zealand; 11/24 - 12/5 - 12/16

Seed: sets viable seeds; dark red

Clump History: original seedling; 16 years old; Winchester, New Zealand

Notable Characteristics: Small, neat, tough sibling of *H.*

'Mighty Min' and *H.* 'Lemon Honey' with reddish scapes, seed pods and petioles.

Parentage: (*H.* 'Lemon Lime' x OP)

Seasonal Color: Color holds entire season.

H. 'Lipstick Sunset'

D. Dean (ONIR)

Plant: 26in (66cm) diameter; 13in (33cm) high; mound-like; moderate growth rate.

Leaf: 7.5in (19cm) long; 5in (12.7cm) wide; 5 to 6 vein pairs; yellow with slightly rippled margins; slightly shiny on top; slightly shiny underneath; broadly ovate with tapered base; lightly twisted, folded & corrugated and moderately wavy overall.

Petiole Characteristics: intense red on both sides

Scape: 18 to 24in (45.7 to 61cm) high; saturated red

Flower: 2.3 in (5.8cm) long; pale purple; Ramsey, MN; 7/29-8/12-8/19

Seed: sets viable seeds; medium green

Clump History: original seedling; 6 years old; Ramsey, MN

Notable Characteristics: Bright yellow in spring becoming light to medium green later, with saturated red coloration one quarter into the leaf blade both front and back. Scapes match the petioles.

Parentage: [(*H. laevigata* x (*H.* 'Liberty Bell' x (*H.* 'Urajiro Hachijo' x *H. pycnophylla*)) x (*H.* 'Liberty Bell' x *H. yingeri*)] x *H.* 'Beet Salad']

Seasonal Color: turns light to medium green

M**H. 'Michigander'**

Wm. G. Struhar (ONIR)

Plant: 48in (121.9cm) diameter; 26in (66cm) high; mound-like; fast growth rate.

Leaf: 15in (38.1cm) long; 11in (27.9cm) wide; 16 to 17 vein pairs; green with 1 to 2in (2.54 to 5.1cm) wide, gold, slightly rippled margins; dull on top; dull underneath; broadly ovate with cordate base; lightly twisted and corrugated overall.

Scape: 30 to 34in (76.2 to 86.4cm) high; green

Flower: 2.4 in (6.1cm) long; near white; buds are lightly edged in lavender - upon opening petals are white inside and out with plentiful pollen on all anthers; tubular; Harrison Township, MI; 6/14-7/1-7/10

Seed: sets seeds, viability not submitted; green

Clump History: original sport; 4 yrs old; Harrison Township, MI

Notable Characteristics: Fast growing, large clump of high contrast, green centered leaves with wide, irregular, bright gold margins.

Parentage: Sport of sdlg (*H.* 'Sutter's Mill' x *H.* 'Big John')

Seasonal Color: Gold margins fade to yellow by the end of the season.

H. 'Mighty Finn'

D. & M. Beilstein (ONIR)

Plant: 34in (86.4cm) diameter; 25in (63.5cm) high; upright; moderate growth rate.

Leaf: 15in (38.1cm) long; 9in (22.9cm) wide; 14 to 15 vein pairs; narrow white centers with dark green, slightly rippled margins (half the leaf) with light green where the margin and center colors overlap (quarter of the leaf); dull on top; dull underneath; broadly ovate; cordate with leaf edges overlapping; lightly folded overall.

Petiole Characteristics: petioles have same creamy centers and dark green edges as the leaf

Scape: 42 to 44in (106.7 to 111.8cm) high; white

Flower: 1.5in (3.8cm) long; medium lavender; tubular; Mansfield, OH; 6/15-6/30-7/15

Seed: sets viable seeds; light green to white; 1.4"

Clump History: original seedling; 4 years old; Mansfield, OH

Notable Characteristics: Vase shaped 'Mighty Finn' is guarding the garden. Stiff leaves with moderate ruffles end in a twisted point. With three colors decking its top side it invites everyone for a closer look. Definitely a "statement" hosta.

Parentage: F1 streaked sdlg of *H.* 'Big Kahuna' x *H.* 'Brutus'

Seasonal Color: Center emerges creamy yellow changing to creamy white, and the tri-color contrasts sharpen as the season progresses.

H. 'Miss America' H. Hansen (ONR) Walters Gardens, Inc. (I)

Plant: 55in (139.7cm) diameter; 19in (48.3cm) high; mound-like; moderate growth rate.

Leaf: 11in (27.9cm) long; 8in (20.3cm) wide; 10 to 11 vein pairs; white with 2 to 2.5in (5.1 to 6.4cm) wide, medium green, flat margins; dull on top; dull underneath; broadly ovate with cordate base; relatively flat overall.

Petiole Characteristics: white with narrow green margins

Scape: 55 to 61in (139.7 to 154.9cm) high; white

Flower: 2.3in (5.8cm) long; presents as pale lavender, near white with lavender pattern in center of each petal; tubular; Zeeland, MI; 7/22-8/1-8/16

Seed: does not set seed

Clump History: original seedling; 5 years old; Zeeland, MI

Notable Characteristics: Forms a majestic clump with beautiful

white centered leaves and wide green margins. Very attractive large lavender flowers top the clump on tall, straight flower stems.

Parentage: Streaked sport of *H.* ‘American Sweetheart’ x *H.* ‘Elatior’

H. ‘Miss You’ M. Lockwood (ONIR)
Plant: 27in (68.6cm) diameter; 12in (30.5cm) high; mound-like.
Leaf: 7.5in (19.1cm) long; 5.3in (13.5cm) wide; 9 to 10 vein pairs; medium blue-green with flat margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; moderately corrugated overall.

Petiole Characteristics: grayish green with purple dots
Scape: 9 to 14in (22.9 to 35.6cm) high; grayish-purple
Flower: 1.8in (4.6cm) long; pale lavender; tubular; Buford, GA; 7/5-7/13-7/31

Seed: sets seeds, viability not submitted; green
Clump History: original seedling; 12 years old; Buford, GA
Notable Characteristics: Moderately corrugated, blue-green, heart-shaped leaves are complemented by grayish-green petioles having purple dots. Plant has been growing in a container for 12 years.

Parentage: *H.* ‘Reptilian’ x *H.* ‘Remember Me’

H. ‘Moor Hound’ J. J. Smead (ONIR)
Plant: 48in (121.9cm) diameter; 21in (53.3cm) high; mound-like; moderate growth rate.

Leaf: 8.5in (21.6cm) long; 8in (20.3cm) wide; 12 to 13 vein pairs; dark green with flat margins; dull on top; glaucous bloom underneath; nearly round with cordate base; moderately cupped and corrugated overall.

Petiole Characteristics: medium green
Scape: 22 to 23in (55.9 to 58.4cm) high; medium green
Flower: 1.9in (4.8cm) long; near white with light lavender inner striping; bell-shaped; Cattaraugus, NY; 6/29-7/10-7/19
Seed: does not set seed

Clump History: original seedling; 6 years old; Cattaraugus, NY
Notable Characteristics: Very round, dull leaves appear darker between corrugations. Holds up very well late into the fall. Sterile.

Parentage: Unknown Parentage

H. ‘My Danish Hope’ P. Poulsen (ONIR)
Plant: 17.7in (45cm) diameter; 11.8in (30cm) high; upright; moderate growth rate.

Leaf: 7.1in (18cm) long; 3.9in (10cm) wide; 6 to 8 vein pairs; chartreuse with blue-green veins and slightly rippled margins; slightly shiny on top; slightly shiny underneath; lance-shaped with tapered base; moderately cupped overall.

Scape: 17.7 to 27.6in (45 to 70cm) high; green
Flower: 2in (5cm) long; medium lavender; Bækmarksbro, Denmark; 8/2-8/11-8/18æ

Clump History: original sport; 4 years old; Bækmarksbro, Denmark
Notable Characteristics: definite striping effect on leaves with strong structure and easy to maintain habit
Parentage: Sport of *H.* ‘Halcyon’
Seasonal Color: becomes very shiny later in the season.

H. ‘My Danish Sunshine’ P. Poulsen (ONIR)
Plant: 15.7in (40cm) diameter; 5.9in (15cm) high; upright; slow growth rate.
Leaf: 5.1in (13cm) long; 4.7in (12cm) wide; 9 to 12 vein pairs;

pale green with flat margins; slightly shiny on top; dull underneath; nearly round with rounded base; relatively flat overall.

Scape: 17.7 to 27.6in (45 to 70cm) high; green
Flower: 2in (5cm) long; near white; bell-shaped; Bækmarksbro, Denmark; 7/15-8/10-8/18
Seed: sets viable seeds; green

Clump History: original sport; 4 years old; Bækmarksbro, Denmark
Notable Characteristics: Good strong grower. Upright form with horizontally held, light green leaves.
Parentage: Sport of *H.* ‘Fragrant Bouquet’
Seasonal Color: Color fades to even more pale green by season’s end.

H. ‘My Maria’ Sebright Gardens (ONIR)
Plant: 18in (45.7cm) diameter; 8in (20.3cm) high; mound-like; fast growth rate.

Leaf: 3.5 in (8.9cm) long; 1.5 in (3.8cm) wide; 3 vein pairs; ivory-white with .3in (0.8cm) wide, dark green, flat margins; slightly shiny on top; dull underneath; lance-shaped with tapered base; lightly cupped & folded and moderately twisted & wavy overall.

Petiole Characteristics: Ivory centers that age to light green, with dark-green edges
Scape: 18 to 20in (45.7 to 50.8cm) high; green
Flower: deep purple stripes and white centers; tubular; Salem, OR; 7/15-7/25-8/10

Seed: sets seeds, viability not submitted; light green
Clump History: original sport; 6 years old; Salem, OR
Notable Characteristics: Vigorous grower with lance shaped, ivory-white leaves and wavy, dark green margins.
Parentage: Sport of *H.* ‘Manzō’
Seasonal Color: Ivory centers change to light green in summer.

O

H. ‘Ohh! Blue Granite’ E. Schulz (ONIR)
Plant: 26in (66cm) diameter; 14 in (35.6cm) high; mound-like; slow growth rate.

Leaf: 8in (20.3cm) long; 6.5in (16.5cm) wide; 13 vein pairs; intensely blue-green with slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; ovate with cordate base; relatively flat overall.

Scape: 24 to 36in (61 to 91.4cm) high; green
Flower: 1in (2.5cm) long; near white with light lavender in middle of interior petals; tubular; Dubuque, IA; 6/16-7/1-7/15
Seed: sets viable seed; green

Clump History: original seedling; 4 years old; Dubuque, IA
Notable Characteristics: Blue color is deep, intense and long-lasting. Will sustain light to heavy frosts.
Parentage: Unknown Parentage
Seasonal Color: Holds deep blue color well into the fall.

H. Out of the Fog G. Myers (ONR) R. Solberg (I)
Plant: 10in (25.4cm) diameter; 6in (15.2cm) high; mound-like; fast growth rate.

Leaf: 3in (7.6cm) long; 1in (2.5cm) wide; 5 vein pairs; light yellow-green with brilliant yellow-green flecks and streaks; slightly rippled margins; dull on top; dull underneath; lance-shaped with tapered base; moderately folded overall.
Petiole Characteristics: mostly upright petioles are just slightly

2018 REGISTRATIONS

longer than the leaf

Flower: No flowers observed to date

Clump History: original seedling; 5 years old; Menomonie, WI

Notable Characteristics: Dense, miniature clump of mostly light colored, streaky leaves.

Parentage: *H. 'Allegan Fog'* x OP

Seasonal Color: streaks/flecks gradually increase until leaf is generally light-green all over.

P

H. 'Paddlefoot' R. & G. Fox (O) R. Fox (NIR)

Plant: 45in (114.3cm) diameter; 24in (61cm) high; mound-like.

Leaf: 9in (22.9cm) long; 6in (15.2cm) wide; 8 vein pairs; dark green with slightly rippled margins; slightly shiny on top; slightly shiny underneath; ovate with tapered base; lightly wavy overall.

Scape: 28 to 30in (71.1 to 76.2cm) high;

Flower: pale purple; tubular; Jul 15 to Aug 15; Lowell, IN

Clump History: original seedling; 7 years old; Lowell, IN

Notable Characteristics: Dark, slightly shiny leaves with slightly wavy edges.

Parentage: Unknown Parentage

H. 'Paver' M. Gilligan (ONIR)

Plant: 31in (78.7cm) diameter; 11in (27.9cm) high; upright; moderate growth rate.

Leaf: 9in (22.9cm) long; 5.8in (14.8cm) wide; 8 to 10 vein pairs; dark green with heavily rippled margins; very shiny on top; dull underneath; broadly ovate with cordate base; deeply wavy overall.

Petiole Characteristics: Strong, upright petioles hold leaves outright to better display the curled tips.

Scape: 30 to 34in (76.2 to 86.4cm) high; green

Flower: 2.3in (5.8cm) long; pale purple; medium purple buds open to reveal pale purple petals with white center streak and translucent edges; tubular; Winchester, New Zealand; 12/5 - 12/26 - 1/5

Seed: sets seed, viability unknown; dark green

Clump History: original seedling; 6 years old; Winchester, New Zealand

Notable Characteristics: Handsome, shiny green, elegant plant with wavy leaves that have a distinct twisted curl at the tip. It differs from *H. 'Clovelly'* in that it has narrower, darker green leaves with no white underside & smooth (not pebbled) top surface.

Parentage: (*H. 'Clovelly'* x OP)

Seasonal Color: Shiny, dark green color holds the entire season.

H. 'Peyton Augusta' C. Kwick (ONIR)

Plant: 26in (66cm) diameter; 8in (20.3cm) high; rhizomatous; fast growth rate.

Leaf: 3.5in (8.9cm) long; 2.5in (6.4cm) wide; 5 to 7 vein pairs; medium green with slightly rippled margins; slightly shiny on top; very shiny underneath; lance-shaped with tapered base; lightly folded and wavy overall.

Petiole Characteristics: medium green, shiny on backside

Scape: 16 to 22in (40.6 to 55.9cm) high; green

Flower: 2in (5.1 cm) long; pale purple with purple striping; tubular; Eau Claire, WI; 7/15-7/30-8/15

Seed: sets seeds, viability not submitted; green

Clump History: original seedling; 5 years old; Eau Claire, WI

Notable Characteristics: Short plant with shiny, iridescent

leaves. Fast multiplier and very pretty flowers.

Parentage: (*H. 'Hadspen Blue'* x *H. 'Carol'*)

Seasonal Color: darkens slightly during the season

H. 'Playin' Peoria' R. Mortko (O) B. Ankney (NR)

Central Illinois Hosta Society (I)

Plant: 12in (30.5cm) diameter; 5in (12.7cm) high; mound-like

Leaf: 4in (10.2cm) long; 4in (10.2cm) wide; 11 vein pairs; slightly blue green; broadly ovate with tapered base.

Flower: near white; tubular; July 15 to Aug 15; Olathe, KS

Clump History: original sport; 2 years old; Olathe, KS

Notable Characteristics: blue-green sport of *H. 'Lakeside Cupcake'* with a very thin lighter edge. Chosen as convention plant for the Midwest Regional Hosta Society in 2018.

Parentage: Sport of *H. 'Lakeside Cupcake'*

H. 'Plum Saucy' M. Gilligan (ONIR)

Plant: 24in (61cm) diameter; 9.5in (24.1cm) high; mound-like; fast growth rate.

Leaf: 5.5in (14cm) long; 3.8in (9.7cm) wide; 7 to 8 vein pairs; deep blue with subtle purple tones and slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; lightly wavy overall.

Petiole Characteristics: Petioles are the same purple as the leaf central vein and stay purple even when leaves turn green.

Scape: 20 to 23in (50.8 to 58.4cm) high; purple

Flower: 2.5in (6.4cm) long; medium lavender; strong bluish purple petals with white flashes at the base; tubular; Winchester, New Zealand; 12/1 - 12/18 - 12/31

Seed: does not set seed

Clump History: original seedling; 5 years old; Winchester, New Zealand; seeds obtained from R. Goodenough

Notable Characteristics: Heavily textured blue leaves with dense white undersides, have purple veining early while the central vein and petioles remain purple all season.

Parentage: (*H. 'Flo Jo'* x *H. 'Jack Berry'*)

Seasonal Color: Becomes more green in high summer temps, finally turning a dark, shiny green.

H. 'Pointed Question' M. Shadrack (ONIR)

Plant: 27in (68.6cm) diameter; 14in (35.6cm) high; upright; moderate growth rate.

Leaf: 8.5in (21.6cm) long; 4.3in (10.9cm) wide; 8 to 10 vein pairs; dark green with .3 to .5in (.8 to 1.3cm) wide, golden-yellow, flat margins; slightly shiny on top; dull underneath; ovate with tapered base.

Scape: 20 to 24in (50.8 to 61cm) high; pale green

Flower: 1.3in (3.3 cm) long; medium lavender; tubular; Hamburg, NY; 6/5-6/30-7/10

Seed: sets seed, viability unknown; pale green

Clump History: original seedling; 4 years old; Hamburg, NY

Notable Characteristics: Very pointed, dark green leaves with a narrow, golden-yellow margin.

Parentage: *H. 'Swoosh'* x OP

Seasonal Color: Golden-yellow margins fade toward the end of the season.

R

H. 'Rambunctious' W. G. Struhar (ONIR)

Plant: 60in (152.4cm) diameter; 36in (91.4cm) high; mound-like; moderate growth rate.

2018 REGISTRATIONS

Leaf: 15in (38.1cm) long; 13in (33cm) wide; 14 to 15 vein pairs; grayish-green with flat margins; dull on top; dull underneath; nearly round with cordate base; lightly cupped and moderately corrugated overall.

Petiole Characteristics: typical "U" shape, same color as the leaf

Scape: 47 to 54in (119.4 to 137.2cm) high; green

Flower: 2.5in (6.4cm) long; 2in (5.4cm) wide; 6 petal tubular, white with slightly translucent edges; Harrison Township, MI; 7/5-7/10-7/31

Seed: sets seeds, viability not submitted; green

Clump History: original seedling; 8 years old; Harrison Township, MI

Notable Characteristics: nearly round, grey-green leaves of heavy substance that form a clump that resembles a bank of dark clouds. Every flower sets a pod (occasionally with two pistils).

Parentage: Unknown Parentage

Seasonal Color: darkens to medium green by July

H. 'River City Blues' M. Zilis (O) B. Ankney (NR)
Central Illinois Hosta Society (I)

Plant: 30in (76.2cm) diameter; 19in (48.3cm) high; upright

Leaf: 10in (25.4cm) long; 7.5 in (19.1cm) wide; 10 to 12 vein pairs; medium blue-green with slightly rippled margins; dull on top; dull underneath; ovate with tapered base; lightly corrugated overall.

Flower: pale lavender; tubular; Jun 1 to Jul 15; Washburn, IL

Clump History: original seedling; 5 years old; Washburn, IL

Notable Characteristics: Upright, moderately blue-green leaves have wavy edges with moderate corrugation.

Parentage: Unknown Parentage

Seasonal Color: Turns green in late summer (viridescent), especially if grown in the sun.

H. 'Road Rage' D. & M. Beilstein (ONIR)

Plant: 28in (71.1cm) diameter; 15in (38.1 cm) high; mound-like; moderate growth rate.

Leaf: 7in (17.8cm) long; 5in (12.7cm) wide; 8 to 9 vein pairs; medium green with moderately ruffled margins; slightly shiny on top; slightly shiny underneath; broadly ovate with cordate base; lightly cupped & twisted, moderately wavy, deeply folded and intensely corrugated overall.

Scape: 18 to 19in (45.7 to 48.3cm) high; green

Flower: 1in (2.5 cm) long; deep purple; tubular; Mansfield, OH; 8/10-8/24-8/30

Seed: sets viable seeds (on top half of scape); green

Clump History: original seedling; 9 years old; Mansfield, OH

Notable Characteristics: This plant enjoys a severe amount of puckers and for fun tries to fold and shrivel up. It loves the uncontrolled reaction of passers-by, similar to the reaction of drivers being cut-off in traffic. You either LOVE it or HATE it.

Parentage: *H. 'King of Spades'* x *OP*

H. 'Rowan My Boat' D. & M. Beilstein (ONIR)

Plant: 31in (78.7cm) diameter; 14in (35.6cm) high; upright; moderate growth rate.

Leaf: 10in (25.4cm) long; 5in (12.7cm) wide; 9 to 10 vein pairs; blue with slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; elliptical; cordate with leaf edges touching; deeply folded and moderately corrugated overall.

Scape: 22 to 24in (55.9 to 61cm) high; green

Flower: 1.3in (3.3cm) long; medium lavender; tubular; Mansfield, OH; 6/20-6/26-7/15

Seed: sets viable seeds; green

Clump History: original seedling; 8 years old; Mansfield, OH

Notable Characteristics: Emerges with a strong blue, mirror-like reflective surface that then becomes slightly puckered and folded (like a boat shape). The name 'Rowan My Boat' fits perfectly.

Parentage: (*H. 'Butternut Hill'* x *H. 'Azure Snow'*) sdlg x *H. 'Treasure Island'*

Seasonal Color: Leaves emerge shiny before developing their glaucous coating later.

H. 'Royal Crest' H. Hansen (ONR) Walters Gardens, Inc. (I)

Plant: 53 in (134.6cm) diameter; 25in (63.5cm) high; mound-like; moderate growth rate.

Leaf: 10in (25.4cm) long; 7in (17.8cm) wide; 9 to 10 vein pairs; medium green with flat margins; slightly shiny on top; very shiny underneath; ovate with rounded base; relatively flat overall.

Scape: 24 to 41in (61 to 104.1cm) high; green

Flower: 2.8in (7.1cm) long; fragrant; pure white; tubular; Zeeland, MI; 8/7-8/20-9/10

Seed: sets viable seeds; green

Clump History: original seedling; 6 years old; Zeeland, MI

Notable Characteristics: Rounded, very thick, glossy leaves and very large fragrant white flowers.

Parentage: *H. 'Royal Standard'* x *H. 'Braveheart'*

H. 'Ruffles n Ridges' R. & G. Fox (O)
Fox Hosta Farm (NI) R. Fox (R)

Plant: 72in (182.9cm) diameter; 36in (91.4cm) high; upright; fast growth rate.

Leaf: 15in (38.1cm) long; 13in (33cm) wide; 16 vein pairs; blue-green with slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; nearly round with cordate base; moderately corrugated and deeply wavy overall.

Scape: 40 to 50in (101.6 to 127cm) high; green

Flower: 1.5in (3.8cm) long; medium lavender; tubular; Lowell, IN; 6/10-6/20-7/1

Seed: sets viable seeds; green

Clump History: original seedling; 6 years old; Lowell, IN

Notable Characteristics: Light blue leaves with ridges and ruffled edges.

Parentage: (*H. 'Komodo Dragon'* x *H. 'Powder Blue'*)

S

H. 'Sam Hill' G. R. Goodwin (ONIR)

Plant: 30in (76.2cm) diameter; 12in (30.5cm) high; mound-like; slow growth rate.

Leaf: 8in (20.3cm) long; 7in (17.8cm) wide; 13 to 14 vein pairs; medium green with in flat margins; slightly shiny on top; slightly shiny underneath; nearly round with cordate base; intensely cupped, corrugated & folded, and lightly wavy and twisted overall.

Scape: 30 to 36in (76.2 to 91.4cm) high; green

Flower: 1.5 to 2in (3.8 to 5.1cm) long; pure white with yellow anthers; tubular; Zionsville, IN; 6/20-7/1-7/10

Seed: sets viable seeds; green

Clump History: original seedling; 10 years old; Zionsville, IN

Notable Characteristics: fully corrugated and not just cupped - it's a full LADLE.

Parentage: (*H. 'Commander Cody'* x unknown)

H. 'Send Your Camel to Bed' M. Dammen (ONIR)
Plant: 22in (55.9cm) diameter; 14in (35.6cm) high; mound-like; fast growth rate.

Leaf: 5.5in (14cm) long; 4.5in (11.4cm) wide; 10 vein pairs; green with variable width chartreuse, flat margins; slightly shiny on top; dull underneath; broadly ovate with tapered base; lightly corrugated & mostly flat overall.

Petiole Characteristics: green with chartreuse edges that turn solid green later

Scape: 15 to 22in (38.1 to 55.9cm) high; green

Flower: pale lavender with lavender streaks; closed; Hollandale, MN; 7/25-8/5-8/15

Clump History: original sport; 6 years old; Hollandale, MN

Notable Characteristics: Differs from its parent in its reverse variegation, it has no white coloration and no green flecks. This plant's variegation continually changes throughout the growing season.

Parentage: Sport of *H. 'Midnight at the Oasis'*

Seasonal Color: Leaves emerge with light shades of bright greens & somewhat streaked variegation, turning darker variegations of green in early summer and finally darker green with very little variegation in late summer.

H. 'Shimmer' D. Dean (ONIR)

Plant: 26in (66cm) diameter; 9in (22.9cm) high; mound-like; moderate growth rate.

Leaf: 7.5in (19.1cm) long; 5.3in (13.5cm) wide; 11 vein pairs; intense blue-green with .8 to 1in (1.9 to 2.5cm) wide, pale yellow, slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; lightly twisted & corrugated, and moderately folded & wavy overall.

Petiole Characteristics: color matches leaf center

Scape: 12 to 16in (30.5 to 40.6cm) high; blue-green

Flower: 1.8 in (4.6 cm) long; pale lavender; bell-shaped; Ramsey, MN; 8/6-8/12-8/20

Seed: sets viable seeds; blue-green

Clump History: original seedling; 7 years old; Ramsey, MN

Notable Characteristics: Long-lasting, clear blue coloration on a small-sized, flat clump. Glows morning and evening. Holds its blue color late (in Minnesota).

Parentage: (*H. 'Dorset Clown'* x *H. 'Silver Bay'*)

Seasonal Color: margin becomes near white later

H. 'Silly String' H. Hansen (ONR) Walters Gardens, Inc. (I)

Plant: 28in (71.1cm) diameter; 14in (35.6cm) high; mound-like; moderate growth rate.

Leaf: 7in (17.8cm) long; 1.3in (3.3cm) wide; 4 vein pairs; medium blue-green with heavily rippled margins; glaucous bloom on top; glaucous bloom underneath; lance-shaped with tapered base; moderately wavy overall.

Petiole Characteristics: red stippling on back of petioles

Scape: 17 to 27in (43.2 to 68.6cm) high; purple

Flower: 2in (5.1cm) long; pale purple; interior of petals are purple with white throat at the base of each petal; tubular; Zeeland, MI; 7/22-8/1-8/30

Seed: sets viable seeds; purple

Clump History: original seedling; 5 years old; Zeeland, MI

Notable Characteristics: Unique in that it has intensely wavy, narrow blue leaves and purple flower scapes.

Parentage: *H. 'Curly Fries'* x Hansen H10-429-1 sdlg

Seasonal Color: leaves are most blue in spring

H. 'Sir Augie W' C. Kwick (ONIR)

Plant: 55in (139.7cm) diameter; 20in (50.8cm) high; upright; moderate growth rate.

Leaf: 12in (30.5cm) long; 11in (27.9cm) wide; 12 to 13 vein pairs; medium green with slightly rippled margins; slightly shiny on top; glaucous bloom underneath; nearly round with cordate base; lightly cupped, wavy and corrugated overall.

Petiole Characteristics: light green with glaucous bloom

Scape: 30 to 42in (76.2 to 106.7cm) high; light green

Flower: 2.5in (6.4 cm) long; pale lavender striping surrounded by white; tubular; Eau Claire, WI; 6/15-6/30-7/15

Seed: sets seeds, viability not submitted; green

Clump History: original seedling; 5 years old; Eau Claire, WI

Notable Characteristics: Upright clump of large, almost round, shiny leaves.

Parentage: (*H. 'Sagae'* x *H. 'Sea Gulf Stream'*)

Seasonal Color: darkens slightly during the season

H. 'Solitude' D. Dean (ONIR)

Plant: 34in (86.4cm) diameter; 14in (35.6cm) high; mound-like; moderate growth rate.

Leaf: 8in (20.3cm) long; 6.3in (16cm) wide; 12 to 13 vein pairs; medium blue-green with heavily rippled margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; lightly cupped & twisted, moderately folded & corrugated, and deeply wavy overall

Petiole Characteristics: matches leaf

Scape: 25 to 31in (63.5 to 78.7cm) high; medium blue-green

Flower: 2.3in (5.8cm) long; pale lavender; bell-shaped; Ramsey, MN; 8/16-8/24-9/3

Seed: sets viable seeds; medium blue-green

Clump History: original seedling; 8 years old; Ramsey, MN

Notable Characteristics: Flat mound of moderately bright blue leaves.

Parentage: [(*H. 'Frosted Dimples'* x *H. 'Sea Frolic'*) x (*H. 'Tsuma Tajima'* x *H. 'Pewterware'*)]

H. 'Soul Shine' D. Dean (ONIR)

Plant: 56in (142.2cm) diameter; 29in (73.7cm) high; upright.

Leaf: 14in (35.6cm) long; 9in (22.9cm) wide; 12 to 13 vein pairs; greenish-yellow with heavily rippled margins; dull on top; dull underneath; ovate with cordate base; moderately twisted, folded & wavy, and deeply corrugated overall.

Petiole Characteristics: matches leaf

Scape: 21 to 23in (53.3 to 58.4cm) high; dull greenish-yellow

Flower: 2.3in (5.8cm) long; medium lavender with darker lavender markings on interior; tubular; Ramsey, MN; 7/5-7/11-7/20

Seed: sets viable seeds; greenish-yellow

Clump History: original seedling; 8 years old; Ramsey, MN

Notable Characteristics: Vase-shaped, cascading mound of heavily puckered yellow leaves.

Parentage: [*H. 'Babbling Brook'* x ((*H. 'Sun Power'* sdlg x *H. 'Golden Sculpture'*) x *H. 'Fluted Fountain'*)]

Seasonal Color: becomes brighter yellow through the season

H. 'Sun Dogs' G. & J. Meyer (ONIR)

Plant: 72in (182.9cm) diameter; 36in (91.4cm) high; mound-like; moderate growth rate.

Leaf: 14in (35.6cm) long; 9in (22.9cm) wide; 14 to 16 vein pairs; luminescent greenish-yellow with .5in (1.3cm) wide, yellow, slightly rippled margins; slightly shiny on top; dull underneath; ovate with cordate base; lightly wavy overall.

Scape: 50 to 54in (127 to 137.2cm) high; green
Flower: 2in (5.1cm) long; pale lavender; bell-shaped; Pine Island, MN; 7/1-7/15-8/1
Seed: sets viable seeds; green
Clump History: original sport; 10 years old; Pine Island, MN
Notable Characteristics: same luminescent color as *H.* ‘Sun Power’ but with a rippled, yellow edge.
Parentage: Sport of *H.* ‘Sun Power’
Seasonal Color: leaf changes from golden yellow to light green.

H. ‘Sunrise’ G. R. Goodwin (ONIR)
Plant: 24in (61cm) diameter; 12in (30.5cm) high; mound-like; moderate growth rate.
Leaf: 4in (10.2cm) long; 3in (7.6cm) wide; 8 to 10 vein pairs; dark green with .5 to .8in (1.3 to 2cm) wide, yellow, slightly rippled margins; slightly shiny on top; slightly shiny underneath; nearly round with cordate base; deeply corrugated, moderately cupped & folded, and lightly wavy overall.
Scape: 12 to 24in (30.5 to 61cm) high; green
Flower: 1.5 to 2in (3.8 to 5.1cm) long; medium lavender with distinct striping; tubular; Zionsville, IN; 6/15-7/30-8/15
Seed: sets viable seeds; green
Clump History: original sport; 15 years old; Zionsville, IN
Notable Characteristics: consistent yellow margin for the entire growing season (unlike its predecessors).
Parentage: Sport of *H.* ‘Forest Paintbrush’

H. ‘Super Samson’ J. Kuntz (ONIR)
Plant: 60in (152.4cm) diameter; 36in (91.4cm) high; mound-like.
Leaf: 18in (45.7cm) long; 16in (40.6cm) wide; 14 to 15 vein pairs; dark green; with 1 to 3in (2.5 to 7.6 cm) wide light green, heavily rippled margins; shiny on top; dull underneath; nearly round with cordate base; lightly cupped, moderately wavy & corrugated overall.
Scape: 36 to 48in (91.4 to 121.9 cm) high; green
Flower: 3in (7.6 cm) long; pale lavender with slightly darker stripes; tubular; Goodfield, IL; 7/1- 7/15-15
Seed: does not set seeds
Clump History: original sport; 3 years old; Goodfield, IL
Notable Characteristics: Seersuckering and corrugation very evident with leaf lip slightly cupped. An eyecatcher because of the size and rich color with shiny, very thick rubber-like leaves.
Parentage: Sport of *H.* ‘Sum and Substance’

H. ‘Syncopated Harmony’ D. Dean (ONIR)
Plant: 27in (68.6cm) diameter; 11in (27.9cm) high; rhizomatous.
Leaf: 8in (20.3cm) long; 1.5in (3.8cm) wide; 6 to 7 vein pairs; medium green with .3in (.8cm) wide, yellow, heavily rippled margins; dull on top; dull underneath; lance-shaped with tapered base; lightly twisted & folded, and intensely wavy overall.
Petiole Characteristics: leaf variegation extends to base of petiole
Scape: 28 to 33in (71.1 to 83.8cm) high; medium green
Flower: 2.3in (5.8cm) long; pale lavender with near white edges; tubular; Ramsey, MN; 8/14-8/20-8/30
Seed: sets viable seeds; medium green
Clump History: original seedling; 8 years old; Ramsey, MN
Notable Characteristics: Very narrow leaves with heavily rippled margins have clean contrast between leaf center and margin colors. Deeply impressed veins on a semi-rhizomatous clump.

Parentage: [(((*H.* ‘Liberty Bell’ x (*H.* ‘Urajiro Hachijo’ x *H.* *pycnophylla*)) x *H.* ‘Ebony Spires’) x *H.* ‘Astral Bliss’) x *H.* ‘Fire Island’]
Seasonal Color: margins become near white later

T

H. ‘The Horseshoe’ D. & M. Beilstein (ONIR)
Plant: 45in (114.3cm) diameter; 28in (71.1cm) high; upright; moderate growth rate.
Leaf: 11in (27.9cm) long; 9in (22.9cm) wide; 16 to 17 vein pairs; blue-green with flat margins; dull on top; dull underneath; nearly round with cordate base; deeply cupped & corrugated overall and folded towards leaf edges.
Petiole Characteristics: all green, firm petioles
Scape: 36 to 38in (91.4 to 96.5cm) high; green
Flower: 1.5in (3.8cm) long; pale lavender; tubular; Mansfield, OH; 6/25-7/10-7/30
Seed: sets viable seeds; green; 1.5”
Clump History: original seedling; 11 years old; Mansfield, OH
Notable Characteristics: Captures characteristics from both parents. Large clump size and very corrugated, very cupped leaves resemble Brutus’ home stadium filled with cheering fans.
Parentage: *H.* ‘Brutus’ x *H.* ‘Abiqua Recluse’

H. ‘Toyo-no-omoide’ T. Nakayama (O) M. Lockwood (NIR)
Plant: 25in (63.5cm) diameter; 20in (50.8cm) high; upright; moderate growth rate.
Leaf: 6in (15.2cm) long; 4.8in (12.2cm) wide; 10 vein pairs; medium green with flat margins; slightly shiny on top; glaucous bloom underneath; broadly ovate with flat base; lightly cupped overall.
Scape: 24 to 28in (61 to 71.1cm) high; green
Flower: 1.5in (3.8cm) long; near white; tubular; Buford, GA; 7/9-7/16-7/25
Seed: sets seeds, viability not submitted; green
Clump History: original seedling; 11 years old; Buford, GA
Notable Characteristics: Slightly cupped, shiny green leaves grow upright resembling spoons. “Toyo-no-omoide” means “Memories of Toyo” in honor of the late Toyozo Nakayama who gave me the seeds in 2006. Plant has been growing in a container for its entire 11 years.
Parentage: *H.* ‘Uguis’ x OP

H. ‘Trilogy’ M. Gilligan (ONIR)
Plant: 23in (58.4cm) diameter; 12in (30.5cm) high; upright; moderate growth rate
Leaf: 8in (20.3cm) long; 5.5in (14cm) wide; 7 to 9 vein pairs; blue-green/yellow/white with .3 to .8in (.8 to 2cm) wide, green, flat margins; dull on top; dull underneath; broadly ovate with flat base; deeply wavy overall
Scape: 20 to 25in (50.8 to 63.5cm) high; green
Flower: 2.8in (7.1cm) long; nearly white with pale lavender stripes and translucent edges; tubular; Winchester, New Zealand; 11/16 - 12/1 - 12/18
Seed: sets seed, viability unknown; green
Clump History: original seedling; 6 years old; Winchester, New Zealand
Notable Characteristics: Leaves undergo a ‘Trilogy’ of color changes throughout the season.
Parentage: (streaked seedling x *H.* ‘Embroidery’)
Seasonal Color: Leaf centers emerge blue-green, change to

strong yellow midsummer then clear white in late summer, always with strong green margins.

V

H. 'Valley's Double Dutch' J. Linneman (ONIR)
Plant: 11.8in (30cm) diameter; 9.8in (25cm) high; upright; moderate growth rate.
Leaf: 5.9in (15cm) long; 4.7in (12cm) wide; 9 vein pairs; blue/grey/green; with 1in (2.5cm) wide, yellow-green, slightly rippled margins; very shiny on top; dull underneath; broadly ovate with rounded base; deeply twisted & wavy overall.
Petiole Characteristics: dark purple spots on lower portion
Scape: 11.8 to 15.7in (30 to 40cm) high; green with purple dots at the base
Flower: 1.6in (4cm) long; pale lavender; tubular; Aug 15 to Oct 1; Zwolle, Holland
Seed: sets viable seeds; green
Clump History: original seedling; 7 years old; Zwolle, Holland
Notable Characteristics: Wavy leaves are thick with a great margin that is yellow green in spring & deep white in summer. A real eye-catcher in the garden.
Parentage: Unknown Parentage
Seasonal Color: yellow-green margins turn white in summer

H. 'Valley's Glossy Veins' J. Linneman (ONIR)
Plant: 31.5in (80cm) diameter; 23.6in (60cm) high; upright; slow growth rate.
Leaf: 16.5in (42cm) long; 12.2in (31cm) wide; 9 vein pairs; medium green with heavily rippled margins; slightly shiny on top; dull underneath; ovate with cordate base; moderately cupped, deeply wavy and lightly corrugated overall.
Scape: 31.5 to 35.4 in (80 to 90cm) high; green
Flower: 2.4in (6cm) long; deep purple; tubular; Jul 15 to Aug 15; Zwolle, Holland
Seed: sets viable seeds; green
Clump History: original seedling; 10 yrs old; Zwolle, Holland
Notable Characteristics: Big glossy leaves with nice ruffled margins paired with bright purple flowers make a great display.
Parentage: *H. 'Uncle Albert'* x OP

H. 'Valley's Grand Folks' J. Linneman (ONIR)
Plant: 43.3in (110cm) diameter; 43.3in (110cm) high; upright; fast growth rate.
Leaf: 17.7in (45cm) long; 11.8in (30cm) wide; 15 vein pairs; light to medium yellow-green with 2.8 to 3.5in (7 to 9cm) wide, medium blue-green, flat margins; dull on top; dull underneath; broadly ovate with cordate base; mostly flat overall.
Scape: 43.3 to 51.2in (110 to 130 cm) high; green
Flower: 2.4in (6cm) long; pale lavender; tubular; Jun 1 to Jul 15; Zwolle, Holland
Seed: sets viable seeds; streaked colours
Clump History: original seedling; 8 years old; Zwolle, Holland
Notable Characteristics: Huge hosta with big leaves. Color pattern is similar to *H. 'June'* on a much bigger leaf.
Parentage: *H. 'Valley's Streaked Goose'* x *H. 'Empress Wu'*
Seasonal Color: blue margin turns greener and center turns creamy later in the season.

H. 'Valley's Heartbreak Hotel' J. Linneman (ONIR)
Plant: 43.3in (110cm) diameter; 39.4in (100cm) high; upright.
Leaf: 18.9in (48cm) long; 12.6in (32cm) wide; 16 vein pairs;
 22

blue streaked with yellow to creamy white, flat margins; dull on top; dull underneath; broadly ovate with cordate base; mostly flat overall.

Petiole Characteristics: streaks continue into the petioles
Scape: 47.2 to 51.2 in (120 to 130cm) high; green with coloured streaks
Flower: 2.4in (6cm) long; near white; tubular; Jun 1 to Jul 15; Zwolle, Holland
Seed: sets viable seeds; streaked colours
Clump History: original seedling; 8 years old; Zwolle, Holland
Notable Characteristics: Like its pod parent (streaked *H. sieboldiana* 'Elegans' type), it has huge streaked leaves and makes a good breeder for big-leaved, streaked hostas.
Parentage: *H. 'Valley's Streaked Goose'* x *H. 'Empress Wu'*
Seasonal Color: blue turns more green and the streaks get more white later in the season.

H. 'Valley's Lazy Sunday' J. Linneman (ONIR)
Plant: 27.6in (70cm) diameter; 19.7in (50cm) high; upright.
Leaf: 18.9in (48cm) long; 5.5in (14cm) wide; 14 vein pairs; medium green with flat margins; dull on top; glaucous bloom underneath; ovate with cordate base; mostly flat overall with powder white undersides.
Scape: 23.6 to 27.6in (60 to 70 cm) high; green
Flower: 1.6in (4cm) long; pale lavender; tubular; Jun 1 to Jul 15; Zwolle, Holland
Seed: sets viable seeds; green
Clump History: original seedling; 10 yrs old; Zwolle, Holland
Notable Characteristics: Big, long narrow leaves with nice white backs. Good grower.
Parentage: *H. 'Mikawa-no-Yuki'* x OP
Seasonal Color: gets lighter green later in the season

H. 'Valley's Parlay' J. Linneman (ONIR)
Plant: 15.7in (40cm) diameter; 13.8 in (35cm) high; upright; moderate growth rate.
Leaf: 7.1in (18cm) long; 5.1in (13cm) wide; 9 vein pairs; grey-green with heavily rippled margins; dull on top; glaucous bloom underneath; broadly ovate with cordate base; lightly twisted while mostly flat overall.
Scape: 15.7 to 23.6in (40 to 60cm) high; green
Flower: 1.4in (3.5cm) long; deep purple; tubular; Aug 15 to Oct 1; Zwolle, Holland
Seed: sets viable seeds; green
Clump History: original seedling; 7 years old; Zwolle, Holland
Notable Characteristics: Great, upward growing scapes with nice purple flowers. Leaves have white backs.
Parentage: *H. pycnophylla* sdlg x *H. pycnophylla* sdlg
Seasonal Color: changes to light green later in the season

H. 'Valley's Ruffle Shuffle' J. Linneman (ONIR)
Plant: 11.8in (30cm) diameter; 11.8in (30cm) high; upright; moderate growth rate.
Leaf: 6.7in (17cm) long; 2.8in (7cm) wide; 7 vein pairs; medium green with heavily rippled margins; dull on top; glaucous bloom underneath; lance-shaped with flat base; lightly cupped & folded, deeply twisted & wavy overall.
Petiole Characteristics: nice purple color
Scape: 11.8 to 15.7in (30 to 40 cm) high; green with light purple base
Flower: 1.2in (3cm) long; deep purple; spider-like; Jul 15 to Aug 15; Zwolle, Holland
Seed: sets viable seeds; green

2018 REGISTRATIONS

Clump History: original seedling; 12 yrs old; Zwolle, Holland
Notable Characteristics: Small, wavy & ruffled leaves have extremely white backs. Good breeder for seedlings with wavy leaves & white backs.

Parentage: small-leaved *H. pycnophylla* sdlg x *H. kikutii* sdlg

H. ‘Valley’s Ticket to Ride’ J. Linneman (ONIR)

Plant: 15.7in (40cm) diameter; 17.7in (45cm) high; upright; moderate growth rate.

Leaf: 9.1in (23cm) long; 8.3in (21cm) wide; 9 vein pairs; medium green streaked with yellow & white; heavily rippled margins; very shiny on top; glaucous bloom underneath; nearly round with cordate base; lightly cupped and deeply wavy overall.

Scape: 19.7 to 23.6 in (50 to 60cm) high; green

Flower: 1.4in (3.5cm) long; pale purple; tubular; After Oct 1; Zwolle, Holland

Seed: sets viable seeds; streaked green

Clump History: original seedling; 7 years old; Zwolle, Holland

Notable Characteristics: Nice combination of both parents - streaked leaves with nice white backs hold up well into autumn.

Parentage: *H. ‘Tsuma Tajima’* x *H. pycnophylla*

Seasonal Color: green gets darker and streaks turn pure white later in the season

H. ‘Valley’s Up’ J. Linneman (ONIR)

Plant: 23.6in (60cm) diameter; 31.5in (80cm) high; upright.

Leaf: 17.3in (44cm) long; 9.5in (24m) wide; 12 vein pairs; dark green with slightly rippled margins; very shiny on top; dull underneath; broadly ovate with cordate base; lightly folded and wavy overall.

Scape: 35.4 in (90 cm) high; green

Flower: 2in (5cm) long; deep purple; tubular; Jul 15 to Aug 15; Zwolle, Holland

Seed: sets viable seeds; green

Clump History: original seedling; 8 years old; Zwolle, Holland

Notable Characteristics: Big glossy, dark green leaves with wavy margins and beautiful purple flowers.

Parentage: *H. ‘Uncle Albert’* x OP

Seasonal Color: soft green early changes to dark glossy green

H. ‘Valley’s Wairere’ J. Linneman (ONIR)

Plant: 31.5in (80cm) diameter; 31.5in (80cm) high; upright.

Leaf: 16.5in (42cm) long; 4.7in (12cm) wide; 13 vein pairs; intense blue with flat margins; glaucous bloom on top; glaucous bloom underneath; ovate with cordate base; mostly flat overall.

Scape: 31.5 to 39.4 in (80 to 100cm) high; blue-green

Flower: 1.6in (4cm) long; near white; tubular; Jul 15 to Aug 15; Zwolle, Holland

Seed: sets viable seeds; green

Clump History: original seedling; 9 years old; Zwolle, Holland

Notable Characteristics: Long, narrow, extremely blue “hanging” leaves look like a waterfall. Leaves also have white backs.

Parentage: *H. ‘Mikawa-no-Yuki’* x OP

Seasonal Color: blue turns green later in summer

H. ‘Valley’s Whale Rider’ J. Linneman (ONIR)

Plant: 31.5in (80cm) diameter; 31.5in (80cm) high; upright.

Leaf: 17.3in (44cm) long; 9.8in (25cm) wide; 10 vein pairs; blue with heavily rippled margins; glaucous bloom on top; glaucous bloom underneath; ovate with cordate base; lightly twisted and deeply wavy overall.

Scape: 31.5 to 39.4in (80 to 100cm) high; green

Flower: 2.8in (7cm) long; near white; tubular; Aug 15 to Oct 1; Zwolle, Holland

Seed: sets viable seeds; green

Clump History: original seedling; 8 years old; Zwolle, Holland

Notable Characteristics: Big thick wavy blue leaves. Very fertile and good breeder.

Parentage: *H. ‘Neptune’* x *H. ‘Big John’*

Seasonal Color: holds blue color throughout the season

W

H. ‘Waterslide’ H. Hansen (ONR) Walters Gardens, Inc. (I)

Plant: 36in (91.4cm) diameter; 15.5in (39.4cm) high; mound-like; moderate growth rate.

Leaf: 8in (20.3cm) long; 4in (10.2cm) wide; 7 to 8 vein pairs; intensely blue-green with heavily rippled margins; glaucous bloom on top; glaucous bloom underneath; lance-shaped with tapered base; moderately folded and deeply wavy overall.

Scape: 12 to 16in (30.5 to 40.6cm) high; blue-green

Flower: appears pale lavender from exterior, interior shows lavender mid-rib with white margins; tubular; Zeeland, MI; 7/27-8/1-8/26

Seed: sets viable seeds; blue-green

Clump History: original seedling; 7 years old; Zeeland, MI

Notable Characteristics: Wonderful compact blue with thick, wavy blue leaves and proportional upright flower scapes and lavender flowers.

Parentage: [(*H. ‘Medusa’* x *H. venusta*) x *H. ‘Blue Moon’*] x *H. pycnophylla*] x *H. ‘Neptune’*

Seasonal Color: holds its blue color well into the summer

H. ‘Wide Receiver’ D. & M. Beilstein (ONIR)

Plant: 48in (121.9cm) diameter; 28in (71.1cm) high; upright; moderate growth rate.

Leaf: 15.5in (39.4cm) long; 11in (27.9cm) wide; 15 to 16 vein pairs; bright green with moderately rippled margins; shiny on top; shiny underneath; broadly ovate with cordate base; deeply wavy overall with deeply impressed veins.

Scape: 51 to 53in (129.5 to 134.6cm) high; green

Flower: 1.5 in (3.8cm) long; medium lavender; tubular; Mansfield, OH; 6/20-7/1-7/16

Seed: sets viable seeds; green; 1.8”

Clump History: original seedling; 11 years old; Mansfield, OH

Notable Characteristics: Takes the characteristics of both parents and gives us leaves that are a wide flat playing field contained within boundaries of ruffles.

Parentage: *H. ‘Brutus’* x *H. ‘Niagara Falls’*

H. ‘Wrinkle in Time’ H. Hansen (OR)

Walters Gardens, Inc. (NI)

Plant: 28in (71.1cm) diameter; 9in (22.9cm) high; mound-like; fast growth rate.

Leaf: 4in (10.2cm) long; 2.5in (6.4cm) wide; 7 vein pairs; green with .3 to .8in (.7 to 2cm) wide, cream colored, flat margins; dull on top; dull underneath; ovate with flat base; moderately twisted, folded & wavy overall.

Scape: 11 to 16in (27.9 to 40.6cm) high; green

Flower: 1.8in (4.6cm) long; pale lavender with purple interior stripes, buds are dark lavender; tubular; Zeeland, MI; 7/9-7/16-8/2

Seed: sets viable seeds; green

Clump History: original sport; 4 years old; Zeeland, MI
Notable Characteristics: Leaves have showy, wavy margins with a single prominent wave that begins one-third of the way from the leaf base. Grey-green color appears where center & margin colors overlap.
Parentage: Sport of *H.* ‘Pilgrim’

X

***H.* ‘X-cellent’** D. & M. Beilstein (ONIR)
Plant: 30in (76.2cm) diameter; 11in (27.9cm) high; mound-like; moderate growth rate.
Leaf: 7in (17.8cm) long; 5in (12.7cm) wide; 10 to 11 vein pairs; creamy white with 3 to 4in (7.6 to 10.2cm) wide, dark green flat margins; dull on top; dull underneath; broadly ovate with cordate base; lightly folded and moderately corrugated overall.
Petiole Characteristics: petioles have same creamy centers and dark green edges as the leaf
Scape: 20 to 22in (50.8 to 55.9cm) high; white
Flower: 1in (2.5 cm) long; pale lavender; tubular; Mansfield, OH; 7/8-7/18-7/24
Seed: sets seeds on top half of scape, unknown viability; cream
Clump History: original seedling; 6 years old; Mansfield, OH
Notable Characteristics: Eye pleasing, semi-tight clump of moderately puckered, tri-color leaves. The soft, creamy-yellow center blends into a light green, then dark green border. This plant begs you “Look at me twice.”
Parentage: streaked sdlg 7 SPEC 149ED x OP
Seasonal Color: Center emerges creamy yellow changing to creamy white, and the tri-color contrast sharpens as the season progresses.

Y

***H.* ‘Yankee Doodle’** G. R. Goodwin (ONIR)
Plant: 36in (91.4cm) diameter; 15in (38.1cm) high; mound-like; slow growth rate.
Leaf: 12in (30.5cm) long; 8in (20.3cm) wide; 14 vein pairs; olive green with .3in (.8cm) wide, yellow, slightly rippled margins; slightly shiny on top; dull underneath; broadly ovate with cordate base; lightly cupped, twisted, folded and wavy overall.
Scape: 25 to 30in (63.5 to 76.2cm) high; light green
Flower: 1.5 to 2in (3.8 to 5.1cm) long; pale lavender with faint striping on center of petal; tubular; Zionsville, IN; 6/20-7/15-7/30
Seed: sets viable seeds; light green
Clump History: original sport; 12 years old; Zionsville, IN
Notable Characteristics: distinctive green color accented by thin yellow margins on a strongly veined leaf surface.
Parentage: Sport of *H.* ‘Yankee Doodle Dandy’

Z

***H.* ‘ZIP Code’** D. & M. Beilstein (ONIR)
Plant: 15in (38.1cm) diameter; 11in (27.9cm) high; upright; moderate growth rate.
Leaf: 6in (15.2cm) long; 1.4 in (3.6cm) wide; 5 to 6 vein pairs; medium green with .4in (1.1 cm) wide creamy white, slightly rippled margins; slightly shiny on top; slightly shiny underneath; lance-shaped with tapered base; lightly folded and wavy overall.
Petiole Characteristics: petioles are 1 to 1.5X the length of the leaf (8-10 inches) and don’t know where to start or stop.
Scape: 18 to 20in (45.7 to 50.8cm) high; green with light red specks.
Flower: pale lavender; tubular; Mansfield, OH; 7/10-7/20-7/30
Seed: does not set seed
Clump History: original seedling; 5 years old; Mansfield, OH
Notable Characteristics: Long, stretched-out, firm bladed leaf. The narrow creamy edge runs around a slightly wavy margin on the end of a petiole that can’t figure out where to start. ‘ZIP Code’ is available to send anywhere.
Parentage: (7DB5(S)3W67 sdlg x *H.* ‘Salute’) x (*H.* ‘Lizard Lick’ x *H.* ‘Atom Smasher’)

Instructions for
Registration Form
On Reverse

Minimum requirements for registration are:

- This form with bold-faced items completed in their entirety
- Three **digital** photographs: one of the entire clump, one close-up showing a representative leaf, and one close-up of the flower. Please supply the photographer's name and do not reduce or compress the original file. Do not send hard-copy prints. Digital photos must be emailed to HostaRegistry@gmail.com
- Written permission from the originator (if other than the registrant)
- \$5 registration fee per cultivar name. Make check(s) payable to "The American Hosta Society"

Optional:

- Additional digital photo(s) showing unique plant characteristics

Mail required items to:

Hosta Registrar
 Gayle Hartley Alley
 33001 E 155th Street
 Pleasant Hill, MO 64080-9365

or email to:

HostaRegistry@gmail.com

Questions can be answered by calling **(816) 697-2007** or emailing GiboshiGayle@gmail.com

Feel free to photocopy this form, or visit <http://www.hostaregistrar.org> for additional copies.

Terms used on this form can be found in *The American Hosta Society Glossary of Terms* at http://www.hostaregistrar.org/hosta_terminology.html

Please Note: Un-established cultivar names submitted for registration do not become established until they are published in the *Registrations* supplement of *The Hosta Journal*, accompanied by their description. However, cultivar names can become established outside this avenue by being published elsewhere prior to the publication date of the *Registrations* supplement (which could potentially negate your registration).

Key A – Flowering period(s)

Key B – Leaf Colors

Northern Hemisphere	Southern Hemisphere
AN = before June 1	AS = before Dec 1
BN = June 1 – July 15	BS = Dec 1 – Jan 15
CN = July 15 – Aug 15	CS = Jan 15 – Feb 15
DN = Aug 15 – Oct 1	DS = Feb 15 – April 1
EN = after Oct 1	ES = after April 1

light green	slightly blue-green
medium green	medium blue-green
dark green	intensely blue-green
greenish-yellow	greenish-white
pale yellow	creamy white
yellow	pure white
golden yellow	
green speckling	white speckling
streaked with _____	(enter color from above)
mottled with _____	(enter color from above)

INTERNATIONAL REGISTRATION OF HOSTA CULTIVARS

Registrant Information

CULTIVAR NAME:		Alternate Name:	
Registrant Name:	Phone:	Email:	
Street Address:			
City:	State:	ZIP Code:	
Enter names below only if different from the "Registrant"			
Introducer:	Originator:	Nominant (Namer):	

General Information

All Measurements presented on this application are in:	Inches	Centimeters	(circle one)
Is the cultivar being grown or sold under a different name or designation?	Yes	No	(circle one) <i>If yes, provide detailed explanation.</i>
Has this cultivar name ever been published?	Yes	No	(circle one) <i>If yes, provide publication name(s) [catalogs included] and date(s).</i>
Is the cultivar a Sport?	Yes	No	(circle one) <i>If yes --> Parent Name:</i>
Is the cultivar a Seedling?	Yes	No	(circle one) <i>If yes enter parentage below.</i>
Pod Parent:	Pollen Parent:		
The clump described is ____ years old and is (circle all that apply on line below)			
original seedling	original sport	(enter number →) __ generation division	tissue cultured unknown history
The clump was obtained from _____ (enter 1, 2, 3 or 4) 1) Yourself 2) A Nursery 3) The Originator (select this <u>only</u> if the Originator <u>is different</u> from the Registrant above) 4) Other Source _____			
The clump described is growing in (city/state/country):			
What diagnostic characteristics make this cultivar unique from other hostas? (describe below)			

Plant Patent or Breeders' Rights

Is (or will) there be a patent, or Breeders Rights, applied for? Yes No (circle one)		
If you circled "Yes" complete any applicable field(s) below.		
Country:	Application #	Date:
Country:	Pat. Pending	Date:
Country:	Patent #	Date:
Country:	Breeders' Rights #	Date:

Plant Details

Plant Habit:	Upright	Mound	Rhizomatous	(circle one)
Growth Rate:	Slow	Medium	Fast	(circle one)
Plant Width:	Plant Height:			

INTERNATIONAL REGISTRATION OF HOSTA CULTIVARS

Leaf Details

Leaf Color (choose from **Key B** on page 1, or from a recognized color authority such as the Royal Horticultural Society color chart). If leaf is a single color, enter under "Center Color"

Center Color:	Margin Color:
Margin Width:	Is variegation relatively stable? Yes No <i>(circle one)</i>

Seasonal Color Change *(describe, if applicable)*

Leaf Width:	Leaf Length:	Number of Vein Pairs (range):
--------------------	---------------------	-------------------------------

Unique Petiole [leaf stalk] Characteristics *(describe, if applicable)*






Margin Appearance: Flat Slightly Rippled Heavily Rippled Serrated *(circle one)*





Leaf Texture (top surface): Dull Slightly Shiny Very Shiny Glaucous Bloom *(circle one)*

Leaf Texture (bottom surface): Dull Slightly Shiny Very Shiny Glaucous Bloom *(circle one)*

Is leaf relatively flat? Yes No *(circle one)* If "No" use one or more modifiers at right to describe **only** the applicable leaf characteristics below. [L]ightly [M]oderately [D]eeply [I]ntensely

Cupped
 Twisted
 Folded
 Wavy
 Corrugated

Leaf Shape:  Lance
  Elliptic
  Ovate
  Broadly Ovate
  Nearly Round *(select one)*

Leaf Base:  Tapered
  Flat
  Heart-shaped [cordate]
  Rounded *(select one)*

Flower, Scape & Pod Details

Flower Period: AN BN CN DN EN AS BS CS DS ES *(circle one)* (see **Key A** on pg 1 for explanation of codes)

Flower Color: White Near White Pale Lavender Medium Lavender Pale Purple Deep Purple Other _____ *(circle one)*

Scape Height: _____ to _____ *(range)* Scape Color: _____ Flower Length: _____ Fragrance? Yes No *(circle one)*

Unique bracts? *(describe if present)*

Bloom Time Start: ____/____ *(month/day)* Bloom Time Peak: ____/____ *(month/day)* Bloom Time Finish: ____/____ *(month/day)*

Flower Color Patterns *(striping, translucent margins, etc.. Please describe):*

Flower Shape:  Tubular
  Bell
  Spider
 Closed
 Double
 Other _____ *(select one)*

Does it set seed? Yes No *(circle one)* If yes --> Is the seed viable? Yes No *(circle one)* Seed Pod Color: _____

- - REGISTRAR USE ONLY - -

Registration Received: _____ Date: _____

Registered (or Rejected): _____ Date: _____

Name Reserved: _____ Date: _____