

177 new registrations were added in 2020, for a total of 6,292 registered hostas.

The revised cutoff date for submission of registration materials has continued to work well. Thus, the date of December 1st will again be the deadline in 2021. Please respect the need for adequate preparation time during the busy holiday season and have your registration materials to me prior to December 1st.

As I exercise my duties as Registrar, I owe much to Warren Pollock and Don Rawson for their assistance and oversight. Don's meticulous attention to detail contributes beyond measure, not only to the accuracy of this document but to the hosta world in general. Additionally, a direct consequence of Don's encouragement is evidenced by fifteen additional "Oldies But Goodies" being registered this year. Couple Don's vision of excellence with Warren's "Onward and Upward" mantra, and my job becomes a pleasure to perform.

Respectfully submitted,



Gayle Hartley Alley
International Registrar for the Genus *Hosta*
33001 E 155th Street
Pleasant Hill, MO 64080-9365
(816) 697-2007 or (816) 914-3220
GiboshiGayle@gmail.com or HostaRegistry@gmail.com

Registration forms are available:

- ✓ On the final pages of this publication
- ✓ At http://www.hostaregistrar.org/registration_form-printable.html
- ✓ Contact me to request a copy

NOTE: Online registration at <http://www.hostaregistrar.org/Registration/> does **NOT** require the use of a hard-copy form.

Contents

<i>International Code of Nomenclature for Cultivated Plants (ICNCP) Ninth Edition</i>	4
Name Release Form.....	4
Photograph Requirements.....	4
Registration Errors.....	4
Website Updates	4
Symbol Usage in Parentage Descriptions.....	5
Typographer’s Quotation Symbols.....	5
Rounding of Dimensions	5
Cultivar Name Establishment	5
AHS Name Reservation Policy.....	5
Flowering Periods.....	5
Clump Sizes	6
Color Selection for Leaf and Margins	6
Indicating Ploidy in Registrations.....	6
Cumulative Index to Hosta Registrations	6
Plant Patents, Plant Breeders’ Rights and Establishment	6
Corrections and Comments.....	6
REGISTRATIONS	8
Registration Form	36

International Code of Nomenclature for Cultivated Plants (ICNCP) Ninth Edition

The *ICNCP* is the official publication incorporating the Rules and Recommendations for naming plants in cultivation. The Ninth Edition of the *ICNCP* was published by the International Society for Horticultural Science (ISHS) in June 2016. Hereafter, the *ICNCP* will be referred to simply as “the *Code*.”

Name Release Form

Per the *Code*, permission must be granted for a person’s name to be used as the registered name of a cultivar. Permission forms are available from The American Hosta Society or the Hosta Registry at:
<http://www.americanhostasociety.org/RegisteringHosta/name-release.pdf> or
http://www.hostaregistrar.org/registration_form-printable.html

Photograph Requirements

Commencing in 2017, all photographs are to be submitted with no reduction or file compression. Registrants are asked to supply a minimum of three photos per registration: one of the entire clump, one close-up showing a representative leaf and one close-up of the flower. Please provide the photographer’s full name for appropriate watermarking. With registration photos being published, it is important to portray your cultivar’s noteworthy feature(s). For example, if red spotted petioles make your hosta unique – provide a photograph that adequately showcases this characteristic.

Registration Errors

As has been the policy for a number of years, clear typographical and/or data entry errors are easily corrected by updating the database itself and by publishing those corrections within this document. Anyone finding what they believe to be such errors is encouraged to contact me so corrections may be published.

Not so straight-forward, are instances where the published data accurately reflects the registrant’s information at the time the registration was approved and published, yet later proves to be misleading or outright erroneous. In these cases, **the registrant must approve any changes.**

In cases where the original registrant is not available and obvious errors are noted, we strive to work with what we have as best we can. An example would be the registration of *H.* ‘Love Pat’ that has been discussed in depth, yet still remains as originally registered. To allow the AHS Show Classification team to update and clarify their classification listings, the registrar’s office now sanctions the use of the following materials:

- *Mark Zilis’ Field Guide to Hostas* by Mark R. Zilis, 2014 (Q & Z Nursery, Inc. Rochelle, IL)
- *The Hostapedia An Encyclopedia of Hostas* by Mark R. Zilis, 2009 (Q & Z Nursery, Inc. Rochelle, IL)

The official registration of hosta cultivars continues to be per the printed *Registrations* issue published each year.

We acknowledge that official registrations are a mere “snapshot in time” providing only static details. Registration data is gathered at a single geographic location and the state of maturity will vary from quite young to fully mature. Thus, original data may fall short of supplying complete, real-life details. When you have need for more information than what is contained in this document, you will find relevant, accurate, and interesting information in the reference materials listed above.

Website Updates

The revamped registry website was revealed to the public in October, 2018, but smaller, incremental updates are continually being implemented. Please peruse the *Hosta Treasury* to investigate, using either one of the following web addresses: <http://www.hostaregistrar.org> or <http://www.hostatreasury.org>.

- New field “Additional Comments” provides interesting information that does not appear within this hardcopy publication. Examples of the 180+ cultivars with Additional Comments are *H.* ‘Because of Art’ (2018), *H.* ‘Baby Bunting’ (1982) and *H.* ‘Potomac Pride’ (1995). Select the “Registration Details” button for each to see what Additional Comments appear there.
- Updated Help Document for registrants. Go to <http://www.hostatreasury.org> select the Registrations tab then Registrations Guidelines from the drop-down menu. This takes you to a downloadable pdf explaining all facets of registration.

Symbol Usage in Parentage Descriptions

Parentheses are commonly used within each parentage description. To assist with more complicated crosses, the use of brackets and braces has been added. When using brackets and braces to describe parentage, the order of precedence is: parentheses () occur first, followed by brackets [] and then braces { }. Any number of these symbols can be used consecutively in a parentage equation depending on the complexity of the hybridization. Additionally, the mathematical \times symbol is now used to indicate each cross between pod and pollen parents.

Typographer's Quotation Symbols

Introduced in 2017 is the use of proper quotation symbols instead of straight quotes. Straight quotes are left-overs from the age of typewriters when using one key for two different marks helped save space on a keyboard. Thanks to modern word processing features it is relatively easy to replace the old "dumb quotes" with proper typographer's "smart quotes." The prime symbol, which looks like a dumb quote, is still used for denoting measurements such as feet and inches (5'2").

Rounding of Dimensions

In the future, all registration dimensions will be rounded to the nearest tenth of an inch (English) or tenth of a centimeter (metric). Rounding dimensions to the nearest tenth means the published dimension will always be within .05 of the original before it was rounded. English dimensions submitted as fractions are converted to their decimal equivalent prior to being recorded in the database, and prior to rounding. The example below illustrates the rounding policy.

A registrant submits a leaf size of $2\frac{1}{4}'' \times 5\frac{1}{8}''$. The decimal equivalent $2.25'' \times .625''$ is entered into the database. After rounding, the published size is $2.3'' \times .6''$. The first rounded dimension is only .05" different from the original, and the second is only .025" different. Both are insignificant, even in the realm of miniature leaf sizes.

All conversions from metric to English (or English to metric), are done before any rounding occurs.

A registration that submits metric dimensions are converted first to English, then rounded to the nearest tenth of an inch. Thus, a metric dimension of $4.75\text{cm} \times 3.65\text{cm}$, is first converted to English ($1.870'' \times 1.437''$) and then rounded to be $1.9'' \times 1.4''$.

Cultivar Name Establishment

To establish a cultivar name, the *Code* calls for registrations to appear in a suitable dated publication that is made publicly available. Thus, epithets that have not been published per this document are NOT guaranteed to be available for registration. Examples of how a name can be established outside of registration are: 1) if it has been listed in a nursery catalogue, 2) sold online under the name in question, or 3) a Plant Patent or Plant Breeders' Rights has been issued. Any of these scenarios might be sufficient to establish a name such that no one else can register a hosta using that name.

AHS Name Reservation Policy

As the *Code* has no provision for name reservations, each plant society develops its own policies. To alleviate confusion, The American Hosta Society (AHS) adopted a formal policy on name reservations that was published in the *Registrations 2013* issue. After periodic revisions, the current name reservation policy is as follows. "A cultivar name is reserved through the AHS Registrar. The reserved name does not require descriptive information, will be protected for a one time period of three years, and requires a \$10 reservation fee. A maximum of 15 reserved names may be held concurrently by any one registrant." Similar to the section titled "Cultivar Name Establishment," a reservation is NOT a guarantee, it is a place holder that limits the ability for another person to register a plant using your reserved name. This protection does not extend into the three areas where names may be established outside of registration.

Flowering Periods

Flowering periods may be entered using the codes per Key A (see instruction page of registration form) or using a "start-peak-finish" format (both options are available). If both types are entered, the more accurate "start-peak-finish" information will appear in the formal registration.

Clump Sizes

There have been multiple changes in the registration form and the information required to adequately describe plant size. An option to indicate a general size description (miniature, small, medium, large and giant) was allowed at one point early on. After input and discussion, this option was discontinued in preference for utilizing dimensional measurements to indicate a plant's width and height. This will remain standard policy, with the understanding that dimensions reflect clump size at the age and location recorded in each registration.

Color Selection for Leaf and Margins

Commentary upon determining accurate margin or leaf colors was published in the *Registrations 2008* and *2009* issues. While no color charts have been provided online, we recommend using charts provided by the Royal Horticultural Society when concerns about color arise. In this year's registrations, leaf colors contain references to the RHS Colour Charts in parentheses following the color descriptive text. See *H. 'Blue Mountains'* for an example where "...moderate greenish-blue (122A RHS Chart)" appears within the Leaf details.

Indicating Ploidy in Registrations

A comprehensive discussion regarding ploidy was printed in the *Registrations 2009* thru *2011* issues. Current policy prohibits the inclusion of ploidy terminology within registrations unless scientifically verified.

Cumulative Index to Hosta Registrations

The Cumulative Index of registered hostas is now provided as a stand-alone document and can be found at http://www.hostaregistrar.org/hosta_registration_lists.html. Commencing with the 2016 index, each registration references the year it was registered (instead of the previous practice of listing *THJ* Volume and Registration Issue). Additionally, each entry now references all years in which corrections or additions have been published.

Plant Patents, Plant Breeders' Rights and Establishment

The *Code*, page 64, under DIVISION IV: REGISTRATION OF NAMES states:

3) A statutory plant registration authority is an organization established by national legal enactment or by international treaty, which, as part of its remit, establishes variety denominations or other names for plants. Names established by statutory plant registration authorities must be cited in the relevant register and checklist.

A table of all hosta cultivars known to be established per statutory authorities is now included as Appendix A of the *Cumulative Index*. Cultivars listed therein are "established" via the legal protection(s) shown and thus are not available for use by anyone other than the original applicant. See previous section (titled Complete Index to Hosta Registrations) for the web address where a copy of the latest *Cumulative Index* can be retrieved.

Corrections and Comments

H. 'Bill Brincka' (1988) – was registered with incorrect Registrant's name.

Corrected name is: W. Brincka (R)

H. 'Bluebigwa' (2019) – was originally registered with incomplete parentage details. Corrected information

is: **Parentage:** *H. 'Abiqua Drinking Gourd'* × *H. 'Blue Umbrellas'*

H. 'Enchanted Mist' (2015) – was originally registered with incorrect leaf coloration. Corrected information

is: **Leaf:** ... white, with 0 to .5in wide, flat medium green margins ...

H. 'Grand Canyon' (1995) – was registered with incorrect Originator and Registrant information.

Corrected information is: O. Petryszyn & W. Brincka (OR)

H. 'Great Plains' (1994) – was registered with incorrect Originator and Registrant information.

Corrected information is: W. Brincka & O. Petryszyn (OR)

H. 'Green with Envy' (2000) – was registered with an incorrect spelling for Originator and Nominant.

Corrected information is: I. Chrystal (ON)

H. ‘**Kiwi Blue Ruffles**’ (1999) – was originally registered with incorrect leaf size. Corrected information is:
Leaf: 7.5in (19cm) long; 5.5in (14cm) wide

H. ‘**Lipstick Blonde**’ (2012) – was originally registered with incorrect leaf size. Corrected information is:
Leaf: 7.0in (17.8cm) long; 2.9in (7.3cm) wide

H. ‘**Little Caesar**’ (2000) – was registered with an incorrect spelling for Introducer
Corrected information is: I. Chrystal & S. Bond (I)

H. ‘**Manhattan**’ (1994) – was registered with incorrect Originator and Registrant information.
Corrected information is: W. Brincka & O. Petryszyn (OR)

H. ‘**My Lucky Star**’ (2012) – was originally registered with incorrect leaf size. Corrected information is:
Leaf: 10in (25.4cm) long; 4in (10.2cm) wide

H. ‘**Streets of Gold**’ (2006) – was originally registered with incomplete parentage. Corrected information is:
Parentage: *H.* ‘Blue Mammoth’ × *H.* ‘Golden Medallion’

H. ‘**Sum it Up**’ (1999) – was originally registered with a typographical error and should have been registered
as *H.* ‘**Sum It Up**’ (capital letter on It)

H. ‘**The High Life**’ (2012) – was originally registered with incorrect coloration. Corrected information is:
Leaf: ... vein pairs; golden yellow with variable width dark green, flat margins;

H. ‘**Wiggle Worms**’ (2009) – was originally registered with incorrect leaf size. Corrected information is:
Leaf: 7 to 10in (17.8 to 25.4cm) long; .5 to 1.5in (1.3 to 3.8cm) wide

A

H. 'A Dash of Lemon' O. Walker & C. Potts (ONR)
Sienna Hosta (I)

Plant: 19.7in (50cm) diameter; 11.8in (30cm) high; mound-like; moderate growth rate.

Leaf: 3.9in (10cm) long; 2.8in (7cm) wide; 9 vein pairs; green with 0.4in (1cm) wide, light yellow, slightly rippled margins; slightly shiny on top; dull underneath; ovate.

Scape: 7.9 to 11.8in (20 to 30cm) high; green

Flower: 1.6in (4cm) long; pale lavender; bell-shaped; Jun 1 to Jul 15; Knaphill, Surrey, UK

Seed: sets seed, viability unknown

Clump History: original sport; 3 yrs old; Knaphill, Surrey, UK

Notable Characteristics: Emerges with just the right "dash of lemon" on the leaf margins. Yellow margins turn green and the center gets brighter over time (or with more sun).

Parentage: Parentage Unknown

Seasonal Color: over time (or given more sun) the center is brighter yellow

H. 'Above the Clouds' H. Hansen (ONR), Walters Gardens (I)
Plant: 59in (149.9cm) diameter; 25in (63.5cm) high; mound-like; moderate growth rate.

Leaf: 11in (27.9cm) long; 9in (22.9cm) wide; 11 to 12 vein pairs; blue with flat margins; glaucous bloom on top; glaucous bloom underneath; nearly round with cordate base; lightly corrugated overall.

Scape: 30 to 38in (76.2 to 96.5cm) high; blue

Flower: 1.5in (3.8cm) long; pale lavender; petals are near white with pale lavender interior stripes; tubular; Zeeland, MI; 7/15 - 7/22 - 8/1

Seed: no pods observed

Clump History: original seedling; 9 years old; Zeeland, MI

Notable Characteristics: Rounded leaves, blue color, formal habit.

Parentage: *H. 'Silver Moon'* × *H. 'Liberty'*

H. 'Apostel' G. & R. Ragus (ONIR)

Plant: 24.4in (62cm) diameter; 13in (33cm) high; upright; moderate growth rate.

Leaf: 8.3in (21cm) long; 7.1in (18cm) wide; 9 to 11 vein pairs; greenish yellow with slightly rippled margins; dull on top; dull underneath; broadly ovate with cordate base; relatively flat overall.

Petiole Characteristics: red speckles at the base

Scape: 22.4 to 25.6in (57 to 65cm) high; green; small, variegated bracts close to each bulbous bud.

Flower: 1.1in (2.9cm) long; deep purple with dark purple inner lines and white at the base; tubular; Ganderkesee, Germany; 7/21 - 8/10 - 8/24

Seed: sets viable seed; green pods

Clump History: original seedling; 5 years old; Ganderkesee, Germany

Notable Characteristics: Large greenish yellow leaves with partly serrated margins. Dual colored flowers, very short seedpods, very sun tolerant, greener when grown in more shade and occasionally produces multi-branched scapes.

Parentage: *H. 'Sum and Substance'* × OP

H. 'Ava Ann'

J. Heinz (ONIR)

Plant: 31in (78.7cm) diameter; 13in (33cm) high; mound-like; moderate growth rate.

Leaf: 8.5in (21.6cm) long; 5.5in (14cm) wide; 8 to 9 vein pairs; yellow with slightly rippled margins; dull on top; broadly ovate with cordate base; lightly cupped and wavy overall.

Flower: 2.3in (5.7cm) long; pale lavender; tubular; June 1 to July 15; Independence, IA

Seed: sets viable seed

Clump History: original seedling; 4 yrs old; Independence, IA

Notable Characteristics: Medium sized clump of bright leaves with prominent inflorescence leaves.

Parentage: Sdlg of streaked sport of *H. 'Tea and Crumpets'* × OP

Seasonal Color: turns more chartreuse by late summer

H. 'Avocado Toast'

R. Solberg (ONIR)

Plant: 22in (55.9cm) diameter; 10in (25.4cm) high; upright; fast growth rate.

Leaf: 5in (12.7cm) long; 4in (10.2cm) wide; 6 to 7 vein pairs; dark green with 1in (2.5cm) wide yellow flat margins; slightly shiny on top; slightly shiny underneath; broadly ovate with cordate base; lightly corrugated and moderately cupped overall.

Petiole Characteristics: beet red petiole color extends up the mid-rib nearly to the center of the leaf

Scape: 28 to 30in (71.1 to 76.2cm) high; very dark purple

Flower: 2in (5.1cm) long; pale purple; tubular; Franklinton, NC; 7/20 - 8/1 - 8/15

Seed: sets viable seed

Clump History: original sport; 2 years old; Franklinton, NC

Notable Characteristics: Uniquely colored green leaves with wide yellow margins are cupped and puckered. Rich purple flowers and deep purple scapes.

Parentage: Sport of *H. 'Lemon Snap'*

Seasonal Color: margins become greenish yellow in summer

B

H. 'Baby Blanket'

C. Kwick (ONIR)

Plant: 46in (116.8cm) diameter; 16in (40.6cm) high; mound-like; moderate growth rate.

Leaf: 14in (35.6cm) long; 12in (30.5cm) wide; 12 to 13 vein pairs; greenish yellow with slightly rippled margins; glaucous bloom on top; slightly shiny underneath; broadly ovate with cordate base; lightly folded and corrugated with a velvety smooth appearance.

Scape: 18 to 24in (45.7 to 61cm) high; light green with glaucous bloom

Flower: 2in (5.1cm) long; pale lavender with lavender center stripe surrounded by white, alternate petals have translucent margins; tubular; Eau Claire, WI; 7/3 - 7/12 - 7/20

Clump History: original seedling; 6 years old; Eau Claire, WI

Notable Characteristics: Low mound of huge, velvety, greenish yellow leaves that cover the ground like a blanket.

Parentage: *H. 'Sum of All'* × *H. 'Sum and Substance'*

H. 'Baby Boo' R. Daykin (ONIR)
Plant: 7.9in (20cm) diameter; 3.1in (8cm) high; mound-like; slow growth rate.
Leaf: 1.8in (5cm) long; 1.6in (4cm) wide; greenish white with variable width blue green, flat margins; glaucous bloom on top; dull underneath; nearly round.
Flower: pale purple; Jun 1 to Jul 15; West Yorkshire, UK
Clump History: original sport; 3 yrs old; West Yorkshire, UK
Notable Characteristics: 'Blue Mouse Ears' leaf with a greenish white flash fading to light greenish yellow flash up the mid-rib.
Parentage: Sport of *H. 'Blue Mouse Ears'*
Seasonal Color: center fades to green as season progresses

H. 'Beautiful Night' M. Dammen (ONIR)
Plant: 44in (111.8cm) diameter; 20in (50.8cm) high; mound-like; moderate growth rate.
Leaf: 10in (25.4cm) long; 9in (22.9cm) wide; 12 vein pairs; medium blue green; with 2in (5.1cm) wide yellow/white slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; moderately corrugated overall.
Scape: 28 to 32in (71.1 to 81.3cm) high
Flower: near white; tubular; Hollandale, MN; 6/25 - 7/5 - 7/15
Clump History: original sport; 5 years old; Hollandale, MN
Notable Characteristics: Large clump of medium blue green leaves with yellow turning white margins and minor streaking where the two colors meet. More vigorous and grows larger than its parent *H. 'Rotini'* due to having more blue green foliage.
Parentage: Sport of *H. 'Rotini'*
Seasonal Color: yellow margins early turn white over the season

H. 'Beauty Mark' M. Zilis (O), E. Schulz (NR), J. White (I)
Plant: 52in (132.1cm) diameter; 26in (66cm) high; mound-like; fast growth rate.
Leaf: 11.5in (29.2cm) long; 8.5in (21.6cm) wide; 13 to 14 vein pairs; medium green with moderately rippled margins; slightly shiny on top; dull underneath; broadly ovate with cordate base; lightly cupped, wavy and corrugated overall with deeply impressed veins.
Scape: 28 to 34in (71.1 to 86.4cm) high; green
Flower: 1.1in (2.8cm) long; medium lavender with splash of white on interior of each petal; tubular; Dubuque, IA; 7/12 - 7/30 - 8/18
Seed: sets seed, viability unknown; green pods
Clump History: original seedling; 9 years old; Dubuque, IA
Notable Characteristics: Dense mass of flowers with rare seed set atop a mound of deeply veined leaves with pie crusted margins.
Parentage: *H. 'Rosedale Dough Boy'* × *H. 'Korean Snow'*
Seasonal Color: holds medium green color all season

H. 'Best Friend' D. Dean (OI), P. Weidman (N), D. Poos (R)
Plant: 22in (55.9cm) diameter; 8.5in (21.6cm) high; mound-like; moderate growth rate.
Leaf: 5in (12.7cm) long; 3in (7.6cm) wide; 7 to 8 vein pairs; intense blue green with slightly wavy margins; dull on top; dull underneath; ovate with cordate base.
Petiole Characteristics: green with slight burgundy speckling
Scape: 10 to 12in (25.4 to 30.5cm) high; green
Flower: 1.5in (3.8cm) long; pale lavender with translucent margins; bell-shaped; Ramsey, MN; 7/15 - 8/1 - 8/15
Seed: sets seed, viability unknown; green pods

Clump History: original seedling; 5 years old; Ramsey, MN
Notable Characteristics: Strong substance and long-lasting intense blue green color.
Parentage: *H. 'Astral Bliss'* × *H. 'Purple Verticulated Elf'*

H. 'Betty Boop' R. Hatt (ONIR)
Plant: 36in (91.4cm) diameter; 26in (66cm) high; mound-like; moderate growth rate.
Leaf: 7in (17.8cm) long; 3.5in (8.9cm) wide; 7 to 8 vein pairs; pure white with 1in (2.5cm) wide dark green very lightly rippled margins; slightly shiny on top; very shiny underneath; ovate with tapered base; moderately twisted and wavy overall with a third light green color between the center and margin.
Petiole Characteristics: all three leaf colors extend down the petioles
Scape: 40 to 45in (101.6 to 114.3cm) high; dark green; bracts are bright white in the center
Flower: 2.5in (6.4cm) long; white with very light purple interior streaks; tubular; Merrimac, MA; 7/16 - 7/24 - 8/1
Seed: does not set seed
Clump History: original sport; 4 years old; Merrimac, MA
Notable Characteristics: Unique tri-color leaves. Bright white centers are highlighted by dark green margins with brightly contrasting light green streaking between the two.
Parentage: Parentage Unknown

H. 'Bi Yu Jin Guang' Zhiyang Liu (ONIR)
Plant: 18in (45.7cm) diameter; 12in (30.5cm) high; rhizomatous; fast growth rate.
Leaf: 9.8in (24.9cm) long; 5.8in (14.7cm) wide; 5 to 6 vein pairs; medium green with 0.2in (0.5cm) wide golden yellow slightly rippled margins; very shiny on top; slightly shiny underneath; lance-shaped with tapered base; lightly twisted and wavy overall.
Petiole Characteristics: short green petioles
Scape: 17 to 19in (43.2 to 48.3cm) high; light green
Flower: medium lavender with translucent margins; funnel-shaped; fragrant; Harbin/Heilongjiang, China; 7/15 - 7/20 - 7/25
Seed: sets viable seed
Clump History: original seedling; 3 years old; Harbin/Heilongjiang, China
Notable Characteristics: Can reproduce from seed and has consistently stable golden margins.
Parentage: *H. 'Shen Qi Shi Jie'* × *H. 'Tan Xian'*
Seasonal Color: colors deepen after autumn

H. 'Big Beaulieu' C. Kwick (ONIR)
Plant: 38in (96.5cm) diameter; 16in (40.6cm) high; rhizomatous; moderate growth rate.
Leaf: 9in (22.9cm) long; 8in (20.3cm) wide; 10-11 vein pairs; blue green with slightly rippled margins; slightly shiny on top; glaucous bloom underneath; nearly round with cordate base; lightly cupped with widely spaced veins.
Petiole Characteristics: lighter green on the back
Scape: 24 to 30in (61 to 76.2cm) high; green with glaucous bloom
Flower: 2.5in (6.4cm) long; medium lavender with lavender center stripe narrowly surrounded by white, alternate petals have translucent margins; tubular; Eau Claire, WI; 6/30 - 7/8 - 7/22
Seed: sets seed, viability unknown; green pods
Clump History: original seedling; 6 years old; Eau Claire, WI

Notable Characteristics: Medium sized mound of blue green nearly round leaves. Glaucous bloom gives a velvety appearance.

Parentage: *H.* ‘Blue Umbrellas’ × OP

***H.* ‘Black Belgium’** M. Vertz (ONIR)
Plant: 37in (94cm) diameter; 15in (38.1cm) high; mound-like; moderate growth rate.

Leaf: 8.5in (21.6cm) long; 7in (17.8cm) wide; 10 to 11 vein pairs; very dark green with flat margins; dull on top; glaucous bloom underneath; nearly round with cordate base; very thick substance, lightly twisted and moderately corrugated overall.

Scape: 22 to 24in (55.9 to 61cm) high; dark green

Flower: near white with light lavender stripe down the center of each petal; tubular; Jul 15 to Aug 15; De Pere, WI

Seed: sets seed, viability unknown; green pods

Clump History: original seedling; 10 years old; De Pere, WI

Notable Characteristics: Very thick, almost black heart-shaped leaves that are moderately corrugated with a slight twist at the tip.

Parentage: Parentage Unknown

***H.* ‘Blue Elf’** H. Hansen (ONR), Walters Gardens (I)
Plant: 11in (27.9cm) diameter; 4in (10.2cm) high; mound-like; slow growth rate.

Leaf: 3.5in (8.9cm) long; 3in (7.6cm) wide; 11 vein pairs; intense blue green with flat margins; glaucous bloom on top; glaucous bloom underneath; nearly round with rounded base; slight convex cupping overall.

Scape: 3 to 5in (7.6 to 12.7cm) high; blue green

Flower: 0.8in (1.9cm) long; near white; tubular; Zeeland, MI; 6/18 - 6/25 - 7/13

Seed: does not set seed

Clump History: original seedling; 8 years old; Zeeland, MI

Notable Characteristics: Small hosta with very thick blue leaves

Parentage: *H.* ‘Blue Mouse Ears’ × *H.* ‘Osiris Obscur’

***H.* ‘Blue Mountains’** P. Warmerdam (O), AHS/G. H. Alley (R)
Plant: 40in (101.6cm) diameter; 24in (61cm) high; upright; moderate growth rate.

Leaf: 11in (27.9cm) long; 8.5in (21.6cm) wide; 17 to 18 vein pairs; moderate greenish blue (122A RHS Chart) with flat margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; lightly corrugated with deeply impressed veins and slightly shiny over the glaucous bloom.

Scape: 22 to 24in (55.9 to 61cm) high; pale blue

Flower: 2in (5.1cm) long; near white; tubular; Pleasant Hill, MO; 6/4 - 6/11 - 6/28

Seed: sets viable seed; frosty green pods

Clump History: nursery purchase; 11 yrs old; Pleasant Hill, MO

Notable Characteristics: Upright clump of powdery blue green leaves that hold their bluish cast well throughout the season.

Parentage: *H.* *sieboldiana* ‘Elegans’ × *H.* ‘Halcyon’

Seasonal Color: if sited in shade it will retain its glaucous blue coating quite late in the season

***H.* ‘Bluebird of Happiness’** R. Solberg (ONIR)

Plant: 24in (61cm) diameter; 12in (30.5cm) high; mound-like; slow growth rate.

Leaf: 6in (15.2cm) long; 3.5in (8.9cm) wide; 9 to 10 vein pairs; intense blue green with rippled margins; glaucous bloom on top; glaucous bloom underneath; ovate with rounded base; moderately twisted & wavy and deeply folded overall.

Scape: 16 to 18in (40.6 to 45.7cm) high; blue

Flower: 2in (5.1cm) long; pale lavender; tubular; Franklinton, NC; 7/10 - 7/15 - 7/25

Clump History: original seedling; 5 years old; Franklinton, NC

Notable Characteristics: Very blue leaves with heavy substance that are twisted and folded like a Bird of Paradise plant.

Parentage: *H.* ‘Touch of Class’ × OP

***H.* ‘Bohemian Queen’** D. Bowe (ONIR)

Plant: 40in (101.6cm) diameter; 20in (50.8cm) high; mound-like; moderate growth rate.

Leaf: 10in (25.4cm) long; 7in (17.8cm) wide; 11 to 12 vein pairs; light green with moderately rippled margins; slightly shiny on top; slightly shiny underneath; broadly ovate with cordate base; lightly corrugated and moderately wavy overall.

Scape: 29 to 35in (73.7 to 88.9cm) high; light green

Flower: 3in (7.6cm) long; medium lavender with white star pattern inside throat; tubular, flares widely (almost spidery); Chagrin Falls, OH; 7/23 - 7/30 - 8/15

Seed: does not set seed

Clump History: original seedling; 10 years old; Chagrin Falls, OH

Notable Characteristics: Leaf shape derived from

H. ‘Manhattan’. Shiny, bright, rippled green foliage and large fragrant, lavender flowers. Buds and bracts have a distinctive purple hue on somewhat recumbent scapes.

Parentage: *H.* ‘Manhattan’ × *H.* *plantaginea*

***H.* ‘Bookoo Waves’** K. Dye (ONIR)

Plant: 59.1in (150cm) diameter; 39.4in (100cm) high; mound like; fast growth rate.

Leaf: 16.1in (41cm) long; 11.8in (30cm) wide; 14 vein pairs; dark green with heavily rippled margins; dull on top; dull underneath; broadly ovate with cordate base; moderately wavy overall.

Scape: 27.6 to 29.5in (70 to 75cm) high; light green

Flower: 2.4in (6cm) long; near white with pale lavender interior stripes and base; tubular; Mapleton, IL; 7/8 - 7/23 - 8/10

Seed: does not set seed

Clump History: original seedling; 20 years old; Mapleton, IL

Notable Characteristics: Larger and more substance than either parent.

Parentage: *H.* ‘Lakeside Ripples’ × *H.* ‘Permanent Wave’

***H.* ‘Breakwater’** G. R. Goodwin (ONIR)

Plant: 30in (76.2cm) diameter; 12in (30.5cm) high; mound-like; slow growth rate.

Leaf: 7in (17.8cm) long; 6in (15.2cm) wide; 15 vein pairs; medium blue green with variable up to 2in (5.1cm) wide, yellow flat margins; slightly shiny on top; dull underneath; broadly ovate with cordate base; lightly cupped & folded and moderately corrugated overall.

Scape: 15 to 18in (38.1 to 45.7cm) high; light green

Flower: 1.5in (3.8cm) long; near white with very pale lavender stripes; bell-shaped; Zionsville, IN; 6/1 - 6/15 - 6/30

Seed: sets viable seed; light green pods

Clump History: original seedling; 20 years old; Zionsville, IN

Notable Characteristics: Pointed, heart shaped leaves exhibit strong contrasting spring colors. The bright yellow margins cut deeply into the center in a flame-like pattern.

Parentage: *H.* *montana* sdlg × OP

Seasonal Color: yellow margins turn white in the summer

H. 'Brother Don' C. Kwick (ONIR)
Plant: 30in (76.2cm) diameter; 17in (43.2cm) high; mound-like; moderate growth rate.
Leaf: 13in (33cm) long; 8.5in (21.6cm) wide; 14 to 15 vein pairs; medium green with flat margins; shiny on top; slightly shiny underneath; broadly ovate with cordate base; lightly folded, wavy and corrugated overall with prominent veins.
Petiole Characteristics: dark green with lighter green down the center
Scape: 26 to 28in (66 to 71.1cm) high; light green
Flower: 2.8in (7.1cm) long; near white with hint of lavender veins and translucent margins; tubular; Eau Claire, WI; 7/10 - 7/18 - 7/30
Seed: sets seeds, viability not submitted; green pods
Clump History: original seedling; 7 years old; Eau Claire, WI
Notable Characteristics: Shiny, emerald green leaves are deeply veined with occasional areas of corrugation that increase throughout the season.
Parentage: *H. 'Blue Umbrellas'* × *H. 'Satisfaction'*

H. 'Buffalo Designer Genes' D. & M. Zubrik (ONIR)
Plant: 11.8in (30cm) diameter; 8.9in (22.5cm) high; mound-like; moderate growth rate.
Leaf: 4.3in (11cm) long; 3.1in (8cm) wide; 6 to 8 vein pairs; yellow with slightly rippled margins; dull on top; dull underneath; broadly ovate with tapered base; lightly corrugated overall.
Petiole Characteristics: dark red petioles held outstretched
Scape: 23.6 to 25.6in (60 to 65cm) high; dark burgundy
Flower: 1.6in (4cm) long; deep purple; striped; bell-shaped; Jun 1 to Jul 15; Ziar nad Hronom, Slovak Republic
Seed: sets viable seed; purple green pods
Clump History: original seedling; 5 years old; Ziar nad Hronom, Slovak Republic
Notable Characteristics: Nice yellow slightly wrinkled heart-shaped leaves held on strong red petioles. Tall burgundy scapes with profuse purple flowers.
Parentage: *H. 'Designer Genes'* × OP
Seasonal Color: viridescent eventually, but holds its yellow color most of the season

H. 'Buffalo Ice Mouse' D. & M. Zubrik (ONIR)
Plant: 13.8in (35cm) diameter; 7.9in (20cm) high; mound-like; moderate growth rate.
Leaf: 2.8in (7cm) long; 2.4in (6cm) wide; 9 to 10 vein pairs; medium blue green with 0.1in (0.2cm) wide white flat margins; dull on top; dull underneath; nearly round with rounded base; relatively flat overall.
Scape: 7.9 to 9.8in (20 to 25cm) high; green
Flower: 0.8in (2cm) long; pale lavender; striped; bell-shaped; Jul 15 to Aug 15; Ziar nad Hronom, Slovak Republic
Seed: does not set seed
Clump History: original sport; 3 years old; Ziar nad Hronom, Slovak Republic
Notable Characteristics: Striking white line for the borders that occasionally extends into the leaf blade.
Parentage: Sport of *H. 'Blue Mouse Ears'*

H. 'Buffalo Spring Beauty' D. & M. Zubrik (ONIR)
Plant: 25.6in (65cm) diameter; 17.7in (45cm) high; mound-like; moderate growth rate.
Leaf: 5.5in (14cm) long; 3.1in (8cm) wide; 6 to 8 vein pairs; white with 1in (2.5cm) wide dark green slightly rippled margins;

dull on top; dull underneath; ovate with tapered base; relatively flat overall.
Petiole Characteristics: center white color extends down the entire petiole
Scape: 15.7 to 23.6in (40 to 60cm) high; white
Flower: 1.6in (4cm) long; pale lavender; striped; tubular; Jul 15 to Aug 15; Ziar nad Hronom, Slovak Republic
Seed: does not set seed
Clump History: original sport; 5 years old; Ziar nad Hronom, Slovak Republic
Notable Characteristics: Emerges chartreuse with creamy white centers changing over the season to dark green with white centers.
Parentage: Sport of *H. 'Risky Business'*
Seasonal Color: see Notable Characteristics

C

H. 'Celadon Rainbow' K. Dye (ONIR)
Plant: 7.1in (18cm) diameter; 3.9in (10cm) high; rhizomatous; slow growth rate.
Leaf: 3.7in (9.5cm) long; 2in (5cm) wide; 5 vein pairs; creamy white with variable width, medium blue green, slightly rippled margins; slightly shiny on top; slightly shiny underneath; elliptical with tapered base;
Petiole Characteristics: variegation continues down the entire petiole.
Scape: 9.1 to 9.8in (23 to 25cm) high; light green
Flower: 1.6in (4cm) long; medium lavender with pale interior striping; tubular; Mapleton, IL; 7/15 - 8/1 - 8/15
Seed: does not set seed
Clump History: original seedling; 10 years old; Mapleton, IL
Notable Characteristics: Small variegated hosta with good substance. Each leaf has four to five distinct colors.
Parentage: Parentage Unknown

H. 'Celadon Treasure' I. Chrystal (O)
 J. Colley & J. Baker (NIR)
Plant: 32in (81.3cm) diameter; 29in (73.7cm) high; upright; moderate growth rate.
Leaf: 9.2in (23.4cm) long; 7in (17.8cm) wide; 11 vein pairs; dark green with 1 to 1.5in (2.5 to 3.8cm) wide creamy yellow & creamy white, slightly rippled margins; dull on top; dull underneath; ovate with cordate base; moderately wavy overall with varying shades of green between the center and margin colours.
Scape: 30 to 33in (76.2 to 83.8cm) high; green
Flower: 1.8in (4.4cm) long; pale lavender and slightly darker purple on interior; bell-shaped; Lindford, Hampshire, UK; 6/20 - 7/7 - 7/28
Seed: does not set seed
Clump History: original seedling; 10 years old; container grown; Lindford, Hampshire, UK
Notable Characteristics: Lasting celadon streaks and nice texture.
Parentage: *H. 'Dorothy Benedict'* sdlg × OP
Seasonal Color: multiple colours hold well into autumn

H. 'Chili Fries' R. Solberg (ONIR)
Plant: 16in (40.6cm) diameter; 7in (17.8cm) high; mound-like; moderate growth rate.

2020 REGISTRATIONS

Leaf: 6.5in (16.5cm) long; 0.8in (1.9cm) wide; 4 to 5 vein pairs; medium green with 0.1in (0.2cm) wide yellow slightly rippled margins; slightly shiny on top; glaucous bloom underneath; lance-shaped with tapered base; moderately folded and intensely wavy overall.

Scape: 23 to 26in (58.4 to 66cm) high; purple

Flower: 2in (5.1cm) long; medium lavender with purple stripes; tubular; Franklinton, NC; 7/10 - 7/20 - 8/10

Seed: sets viable seed

Clump History: original sport; 3 years old; Franklinton, NC

Notable Characteristics: Narrow ruffled green leaves with a thin yellow margin.

Parentage: Sport of *H.* 'Curly Fries'

H. 'Color Fairy'

R. Hatt (ONIR)

Plant: 14in (35.6cm) diameter; 6in (15.2cm) high; mound-like; moderate growth rate.

Leaf: 6in (15.2cm) long; 3.5in (8.9cm) wide; 8 to 9 vein pairs; color varies from green to yellow to cream with 0.1 to 0.5in (0.2 to 1.3cm) wide dark green slightly rippled margins; slightly shiny on top; slightly shiny underneath; ovate with cordate base; lightly wavy overall and very lightly corrugated late in the season.

Scape: 20 to 22in (50.8 to 55.9cm) high; medium green

Flower: 2.5in (6.4cm) long; pale lavender; large bulbous pale purple buds; tubular; Merrimac, MA; 8/1 - 8/10 - 8/20

Seed: does not set seed

Clump History: original sport; 3 years old; Merrimac, MA

Notable Characteristics: Leaves start out green with slightly darker margins. Leaf centers fade slowly through lighter shades of green, yellow & cream. Margins appear to get darker as the centers fade. An ever evolving (kaleidoscopic) array of colors and textures.

Parentage: Sport of *H.* 'Yellow Polka Dot Bikini'

Seasonal Color: leaf centers fade from green to yellow to cream throughout the season

H. 'Cotton Fluff'

M. Vertz (ONIR)

Plant: 26in (66cm) diameter; 12in (30.5cm) high; mound-like; moderate growth rate.

Leaf: 6in (15.2cm) long; 5in (12.7cm) wide; 11 to 12 vein pairs; dark green with 0.5 to 2in (1.3 to 5.1cm) wide, creamy white speckled with dark green, slightly rippled margins; slightly shiny on top; glaucous bloom underneath; broadly ovate with cordate base; lightly twisted & wavy and moderately cupped & corrugated overall.

Petiole Characteristics: Speckled margins extend down the petioles

Scape: 18 to 20in (45.7 to 50.8cm) high; dark green

Flower: 2.5in (6.4cm) long; near white with light purple striping; tubular; Jul 15 to Aug 15; De Pere, WI

Seed: sets seed, viability unknown

Clump History: original sport; 5 years old; De Pere, WI

Notable Characteristics: Dark green centers with variable width, feathered, heavily misted creamy white margins.

Parentage: Sport of *H.* 'Cotton Candy'

H. 'Country Candied Confection' D. Dean (OR), J. Spece (NI)

Plant: 38in (96.5cm) diameter; 16in (40.6cm) high; mound-like; moderate growth rate.

Leaf: 7in (17.8cm) long; 5.8in (14.6cm) wide; 8 to 9 vein pairs; medium blue green with heavily rippled margins; glaucous bloom on top; glaucous bloom underneath; nearly round with cordate base; lightly twisted & convexly cupped, and deeply

wavy & corrugated overall.

Scape: 17 to 20in (43.2 to 50.8cm) high; medium blue green
Flower: 1.8in (4.4cm) long; pale lavender; interior has medium lavender centers with white throat and margins; bell-shaped; Ramsey, MN; 8/3 - 8/12 - 8/18

Seed: sets viable seed; slightly blue green pods

Clump History: original seedling; 13 years old; Ramsey, MN

Notable Characteristics: Medium sized dense mound of wavy blue, white backed leaves. From a forced piece of 'Candy Dish'.

Parentage: (*H.* 'Frosted Dimples' × *H.* 'Sea Frolic') × *H.* 'Candy Dish'

H. 'Country Confessions'

J. Spece (ONIR)

Plant: 59in (149.9cm) diameter; 21in (53.3cm) high; mound-like; moderate growth rate.

Leaf: 11in (27.9cm) long; 8in (20.3cm) wide; 11 to 13 vein pairs; greenish yellow with 2in (5.1cm) wide yellow flat margins; dull on top; nearly round with cordate base; lightly cupped & wavy and heavily corrugated overall.

Flower: 2.5in (6.4cm) long; near white; tubular; Jun 1 - Jul 15; Independence, IA

Seed: sets viable seed

Clump History: original sport; 8 yrs old; Independence, IA

Notable Characteristics: Extra wide yellow margins surround a shadowy chartreuse leaf center. Good substance.

Parentage: Sport of *H.* 'Faith'

Seasonal Color: colors turn more chartreuse later in the season

H. 'Country Fine Print'

J. Spece (ONIR)

Plant: 39in (99.1cm) diameter; 19in (48.3cm) high; mound-like; moderate growth rate.

Leaf: 9in (22.9cm) long; 7.8in (19.7cm) wide; 13 to 14 vein pairs; creamy white with 3.5 in (8.9cm) wide medium green moderately rippled margins; dull on top; broadly ovate with cordate base; lightly cupped, twisted, wavy and corrugated overall.

Flower: pale lavender; tubular; Jun 1- Jul 15; Independence, IA

Seed: sets non-viable seeds; white pods

Clump History: original sport; 7 yrs old; Independence, IA

Notable Characteristics: Very narrow creamy white centers differentiate this from its parent.

Parentage: Sport of *H.* 'Lakeside Paisley Print'

Seasonal Color: creamy centers turn white

H. 'Country River Rapids'

D. Dean (OIR), J. Spece (N)

Plant: 32in (81.3cm) diameter; 17in (43.2cm) high; mound-like; moderate growth rate.

Leaf: 6in (15.2cm) long; 4.8in (12.1cm) wide; 8 vein pairs; medium blue green with 0.3in (0.6cm) wide yellow heavily rippled margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; lightly twisted & folded, moderately corrugated and deeply wavy overall with downward curling tips.

Scape: 19 to 24in (48.3 to 61cm) high; lightly speckled burgundy

Flower: 2in (5.1cm) long; pale lavender; interior has medium lavender stripes and pale lavender margins; tubular; Ramsey, MN; 8/14 - 8/22 - 9/2

Seed: sets seed, viability unknown; green pods

Clump History: original seedling; 7 years old; Ramsey, MN

Notable Characteristics: Wavy blue green leaves with variable width margins. Blue holds late into the season.

Parentage: (*H.* 'Swoosh' sdlg × *H.* 'High Kicker') × *H.* 'Astral Bliss'

Seasonal Color: margins fade to pale yellow over the season

H. 'Country Sun Drop'

J. Spece (ONIR)

Plant: 34in (86.4cm) diameter; 13 in (33cm) high; mound-like; moderate growth rate.

Leaf: 6in (15.2cm) long; 4in (10.2cm) wide; 5 to 6 vein pairs; yellow with slightly rippled margins; dull on top; broadly ovate with rounded base; lightly cupped, wavy and corrugated overall.

Flower: 2.3in (5.7cm) long; pale purple; tubular; Jun 1 - Jul 15; Independence, IA

Seed: sets viable seed

Clump History: original seedling; 8 yrs old; Independence, IA

Notable Characteristics: Compact clump of chartreuse foliage that brightens to sunny yellow later. Large flowers on tall straight scapes, good growth rate.

Parentage: Parentage Unknown

Seasonal Color: early chartreuse color quickly brightens to a sunny yellow

H. 'Cowboy Drinking Cup'

J. Gamradt (ONIR)

Plant: 37in (94cm) diameter; 26in (66cm) high; mound-like.

Leaf: 9in (22.9cm) long; 6in (15.2cm) wide; 10 to 12 vein pairs; medium green with flat margins; very shiny on top; broadly ovate with cordate base; moderately cupped overall.

Flower: near white; Jun 1 to Jul 15; Apple Valley, MN

Clump History: original seedling; 5 yrs old; Apple Valley, MN

Notable Characteristics: Shiny green leaves are cupped like 'Abiqua Drinking Gourd'.

Parentage: Parentage Unknown

H. 'Crinkled Creature'

B. & R. Klotz (ONIR)

Plant: 50in (127cm) diameter; 26in (66cm) high; mound-like; moderate growth rate.

Leaf: 12.5in (31.8cm) long; 8.3in (21cm) wide; 12 vein pairs; greenish yellow with slightly rippled margins; dull on top; slightly shiny underneath; broadly ovate with flat base; lightly wavy and intensely corrugated overall.

Scape: 37 to 40in (94 to 101.6cm) high; light green

Flower: 2.1in (5.3cm) long; pale lavender; white edges surround pale lavender centers; bell-shaped; Monroeville, OH; 7/10 - 7/19 - 7/28

Seed: sets viable seed; light green pods

Clump History: original seedling; 8 yrs old; Monroeville, OH

Notable Characteristics: First flush of leaves has intense crinkling. Emerging leaves are so crinkly they look like tiny aliens. Very last to emerge - never any frost damage.

Parentage: Parentage Unknown

H. 'Cupid's Bow'

D. Bowe (ONIR)

Plant: 17in (43.2cm) diameter; 7in (17.8cm) high; mound-like; moderate growth rate.

Leaf: 3.5in (8.9cm) long; 2.3in (5.8cm) wide; 8 vein pairs; blue with slightly rippled margins; dull on top; glaucous bloom underneath; ovate with flat base; lightly cupped & wavy, and moderately folded overall.

Petiole Characteristics: narrow blue petioles

Scape: 19 to 20in (48.3 to 50.8cm) high; blue

Flower: 1.4in (3.6cm) long; near white; tubular; Chagrin Falls, OH; 7/13 - 7/17 - 7/23

Seed: sets seed, viability unknown; blue green pods

Clump History: original seedling; 5 yrs old; Chagrin Falls, OH

Notable Characteristics: Small blue with arrow shaped leaves

in a tight clump. Same leaf shape as *H. 'Tot Tot'* but larger.

Parentage: *H. 'Powderpuff'* × *H. 'Tot Tot'*

Seasonal Color: leaves change to dark blue green over the season

D

H. 'Dancing Crane'

D. Dean (ONIR)

Plant: 35in (88.9cm) diameter; 15in (38.1cm) high; upright; moderate growth rate.

Leaf: 9.8in (24.8cm) long; 4in (10.2cm) wide; 8 to 9 vein pairs; yellow with slightly rippled margins; dull on top; dull underneath; ovate with cordate base; moderately wavy overall.

Petiole Characteristics: deep red speckles extend $\frac{3}{4}$ up each petiole

Scape: 26 to 30in (66 to 76.2cm) high; yellow green blushed pink

Flower: 2.3in (5.7cm) long; pale lavender; translucent margins; bell-shaped; Ramsey, MN; 7/16 - 7/24 - 8/4

Seed: sets viable seed; light green pods

Clump History: original seedling; 10 years old; Ramsey, MN

Notable Characteristics: Upright yellow with cascading shape

early becomes a flared mound of greenish yellow leaves later.

Heavily speckled red petioles and blushed scapes provide nice contrast.

Pod Parent: {[(*H. 'Liberty Bell'* × (*H. 'Urajiro Hachijo'* × *H. pycnophylla*)) × *H. 'Ebony Spires'*] × *H. 'Astral Bliss'*} × [(*H. 'Liberty Bell'* × (*H. 'Urajiro Hachijo'* × *H. pycnophylla*)) × (*H. 'Liberty Bell'* × *H. yingeri*)]

Pollen Parent: (*H. 'Grand Slam'* × OP) × *H. 'Fluted Fountain'*

Seasonal Color: turns greenish yellow over the season

H. 'Dream Queen'

J. van den Top (ONI)

AHS/G. H. Alley (R)

Plant: 34in (86.4cm) diameter; 19in (48.3cm) high; upright; moderate growth rate.

Leaf: 6 to 9in (15.2 to 22.9 cm) long; 6.5 to 8in (16.5 to 20.3 cm) wide; 16 to 19 vein pairs; light yellow-green (145B RHS Chart) with 1 to 3in (2.5 to 7.6cm) wide moderate blue (116B RHS Chart), flat margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate to nearly round with cordate base; lightly cupped & corrugated and moderately wavy overall.

Scape: 20 to 24in (50.8 to 61cm) high; pale yellowish green

Flower: 2in (5.1cm) long; near white with very pale lavender stripes on interior of petals; tubular; Pleasant Hill, MO; 6/5 - 6/15 - 6/28

Seed: sets viable seed; pale yellowish green pods

Clump History: unknown history; 17 years old; Pleasant Hill, MO

Notable Characteristics: Large upright clump of thick leaves hosts a third green color between the yellowish green "flame-like" centers and the very wide blue green margins.

Parentage: Sport of *H. 'Great Expectations'*

Seasonal Color: centers appear whiter later in the season (close to 160C on the RHS Chart)

H. 'Dreamworld'

G. R. Goodwin (ONIR)

Plant: 30in (76.2cm) diameter; 10in (25.4cm) high; mound-like; moderate growth rate.

Leaf: 7in (17.8cm) long; 5.5in (14cm) wide; 9 to 10 vein pairs; medium green with flat margins; slightly shiny on top; slightly shiny underneath; broadly ovate with cordate base; lightly twisted & wavy and moderately cupped, folded and corrugated overall.

Scape: 18 to 24in (45.7 to 61cm) high; green

Flower: 1.8in (4.4cm) long; pale purple; very pale lavender

2020 REGISTRATIONS

petals with medium purple stripes; tubular; Zionsville, IN; 7/10 - 7/20 - 8/1

Seed: sets viable seed; light green pods

Clump History: original seedling; 15 years old; Zionsville, IN

Notable Characteristics: Light to medium green heart-shaped leaves early, develop greenish yellow mottling and streaks throughout the season.

Parentage: sdlg of *H. 'Gaijin'* × OP

Seasonal Color: greenish yellow mottling and streaks appear throughout the season

E

H. 'Echo the Sun' H. Hansen (ONR), Walters Gardens (I)

Plant: 44in (111.8cm) diameter; 19in (48.3cm) high; mound-like; moderate growth rate.

Leaf: 8.5in (21.6cm) long; 5.5in (14cm) wide; 12 to 13 vein pairs; yellow with rippled margins; dull on top; glaucous bloom underneath; broadly ovate with rounded base; lightly cupped and wavy overall.

Scape: 18 to 27in (45.7 to 68.6cm) high; green

Flower: 2in (5.1cm) long; pale lavender with very pale interior stripes; tubular; Zeeland, MI; 7/11 - 7/25 - 8/1

Seed: sets viable seed; green pods

Clump History: original seedling; 6 years old; Zeeland, MI

Notable Characteristics: Beautiful yellow heart-shaped leaves with nicely rippled margins.

Parentage: (*H. rupifraga* streaked hybrid × *H. 'Dancing Queen'*) × [gold hybrid × H9-57 (*H. 'Neptune'* × *H. 'Fulda'*)]

H. 'Elf Arrows' G. R. Goodwin (ONIR)

Plant: 10in (25.4cm) diameter; 4in (10.2cm) high; mound-like; fast growth rate.

Leaf: 4in (10.2cm) long; 0.8in (1.9cm) wide; 4 vein pairs; medium green with 0.2in (0.5cm) wide yellow turning white, rippled margins; slightly shiny on top; slightly shiny underneath; lance-shaped with tapered base; moderately folded overall.

Petiole Characteristics: margin coloration extends down the petioles

Scape: 12 to 18in (30.5 to 45.7cm) high; green

Flower: 1.5in (3.8cm) long; pale purple; white throat bisected with purple stripes; spider; Zionsville, IN; 7/15 - 7/30 - 8/15

Seed: sets viable seed; green pods

Clump History: original seedling; 15 years old; Zionsville, IN

Notable Characteristics: Small to miniature clump of thin pointed medium green blades are highlighted with rippled yellow margins in the spring that turn white later.

Parentage: Parentage Unknown

Seasonal Color: yellow margins turn white later

H. 'Emerald Chalice' C. Kwick (ONIR)

Plant: 32in (81.3cm) diameter; 19in (48.3cm) high; upright; moderate growth rate.

Leaf: 11in (27.9cm) long; 8.5in (21.6cm) wide; 11 vein pairs; medium green with moderately rippled margins; very shiny on top; very shiny underneath; broadly ovate with cordate base; deeply cupped with widely spaced veins.

Scape: 30 to 36in (76.2 to 91.4cm) high; green

Flower: 2in (5.1cm) long; pale lavender, alternate petals have white surrounding the pale lavender centers and translucent margins; tubular; Eau Claire, WI; 7/26 - 8/10 - 8/16

Seed: sets seed, viability unknown; green pods

Clump History: original seedling; 6 years old; Eau Claire, WI

Notable Characteristics: Very shiny heart-shaped leaves are cupped and rippled with widely spaced veins.

Parentage: *H. montana* 'Aureomarginata' × *H. 'Paradigm'*

Seasonal Color: darkens slightly throughout the season

H. 'Epic Neon Crème' C. Kwick (ONIR)

Plant: 19in (48.3cm) diameter; 11in (27.9cm) high; mound-like; slow growth rate.

Leaf: 10in (25.4cm) long; 6in (15.2cm) wide; 11 vein pairs; yellow green with moderately rippled margins; glaucous bloom on top; glaucous bloom underneath; ovate with cordate base; lightly folded overall.

Scape: 26 to 30in (66 to 76.2cm) high; light green with glaucous bloom

Flower: 2in (5.1cm) long; pale lavender; tubular; Eau Claire, WI; 6/18 - 6/28 - 7/10

Seed: sets seeds, viability not submitted; green pods

Clump History: original seedling; 6 years old; Eau Claire, WI

Notable Characteristics: Creamy yellow-green leaves with prominent veins and moderately rippled margins.

Parentage: *H. 'Sum and Substance'* × *H. 'Sagae'*

H. 'Erikson Debut' P. Erikson (ONIR)

Plant: 18in (45.7cm) diameter; 12in (30.5cm) high; mound-like; fast growth rate.

Leaf: 5in (12.7cm) long; 2.5in (6.4cm) wide; 7 vein pairs; medium green with slightly rippled margins; slightly shiny on top; slightly shiny underneath; ovate; lightly wavy overall.

Scape: 17 to 18in (43.2 to 45.7cm) high; green

Flower: 1in (2.5cm) long; pale lavender with darker lavender stripes; tubular; Langley, B.C., Canada; 7/12 - 8/1 - 8/15

Seed: sets seed, viability unknown; green pods

Clump History: original sport; 3 years old; Langley, B.C., Canada

Notable Characteristics: Shiny leaves with deep veins. Slug resistant.

Parentage: Sport of *H. 'Elvis Lives'*

H. 'Erikson Encore' P. Erikson (ONIR)

Plant: 16in (40.6cm) diameter; 7in (17.8cm) high; mound-like; fast growth rate.

Leaf: 3.5in (8.9cm) long; 1.3in (3.2cm) wide; 4 to 5 vein pairs; dark green with 0.1in (0.3cm) wide, creamy white, slightly rippled margins; dull on top; dull underneath; ovate.

Scape: 15 to 16in (38.1 to 40.6cm) high; green

Flower: 1.5in (3.8cm) long; pale lavender with white stripes; tubular; Langley, B.C., Canada; 7/20 - 7/30 - 8/12

Seed: sets seed, viability unknown; green pods

Clump History: original sport; 3 years old; Langley, B.C., Canada

Notable Characteristics: Interesting streaking through the green portion of the leaves.

Parentage: Sport of *H. 'Grand Prize'*

F

H. 'Finnegan's Gold' C. Kwick (ONIR)

Plant: 30in (76.2cm) diameter; 11in (27.9cm) high; upright; moderate growth rate.

Leaf: 9in (22.9cm) long; 7in (17.8cm) wide; 12 to 13 vein pairs; gold with slightly rippled margins; dull on top; glaucous bloom

underneath; broadly ovate with cordate base; moderately cupped and lightly twisted, wavy & corrugated overall.

Petiole Characteristics: strong, upright

Scape: 16 to 20in (40.6 to 50.8cm) high; light green with glaucous bloom

Flower: 1.5in (3.8cm) long; near white with alternate petals having translucent margins; tubular; Eau Claire, WI; 6/20 - 7/9 - 7/20

Seed: does not set seed

Clump History: original seedling; 6 years old; Eau Claire, WI

Notable Characteristics: Cupped, twisted and corrugated gold leaves.

Parentage: Parentage Unknown

H. 'First Dance' H. Hansen (OR) Walters Gardens, Inc. (NI)

Plant: 74in (188cm) diameter; 32in (81.3cm) high; mound-like.

Leaf: 12in (30.5cm) long; 9in (22.9cm) wide; 13 vein pairs; yellow with 0.5 to 1.5in (1.3 to 3.8cm) wide, green rippled margins; dull on top; slightly shiny underneath; ovate with cordate base; lightly wavy and very lightly corrugated overall.

Scape: 32 to 50in (81.3 to 127cm) high; yellow

Flower: 2.3in (5.7cm) long; near white with faint lavender pattern in center of each petal; tubular; Zeeland, MI; 6/13 - 6/25 - 7/18

Seed: sets viable seed; greenish yellow pods

Clump History: original sport; 7 years old; Zeeland, MI

Notable Characteristics: Rippled leaves with varying width green margins on bright yellow centers provide a graceful appearance.

Parentage: Sport of *H. 'Dancing Queen'*

Seasonal Color: contrast is greatest in the spring as the leaf centers turn more green later in the season

H. 'Floating on Air' M. Vertz (ONIR)

Plant: 38in (96.5cm) diameter; 16in (40.6cm) high; mound-like; moderate growth rate.

Leaf: 12in (30.5cm) long; 10in (25.4cm) wide; 14 to 15 vein pairs; intense blue green with slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; nearly round with cordate base; lightly cupped and deeply corrugated overall.

Flower: near white; Jul 15 to Aug 15; De Pere, WI

Clump History: original seedling; 4 years old; De Pere, WI

Notable Characteristics: Nearly round corrugated leaves lay out in a fairly flat form that appears to be floating above the ground.

Parentage: Parentage Unknown

H. 'Fluff and Puff' D. Dean (OIR), G. Lindheimer (N)

Plant: 23in (58.4cm) diameter; 10in (25.4cm) high; mound-like; moderate growth rate.

Leaf: 5.5in (14cm) long; 4.5in (11.4cm) wide; 7 to 8 vein pairs; greenish yellow with heavily rippled margins; slightly shiny on top; slightly shiny underneath; nearly round with cordate base; moderately wavy and corrugated overall.

Scape: 16 to 23in (40.6 to 58.4cm) high; light green; pale bracts are blushed red

Flower: 2in (5.1cm) long; near white; very pale lavender interior stripe and translucent margins; tubular; Ramsey, MN; 7/2 - 7/11 - 7/20

Seed: sets seed, viability unknown; green pods

Clump History: original seedling; 9 years old; Ramsey, MN

Notable Characteristics: Low growing, small sized clump of heavily wrinkled and puckered yellow leaves.

Pod Parent: [*(H. 'Liberty Bell' × (H. 'Urajiro Hachijo' × H. pycnophylla)) × H. 'Whimsey'] × (H. 'Party Favor' × H. 'Grand Slam')*

Pollen Parent: OP

Seasonal Color: becomes bright yellow as season progresses

H. 'Fooled You' M. Vertz (ONIR)

Plant: 42in (106.7cm) diameter; 25in (63.5cm) high; upright; moderate growth rate.

Leaf: 12in (30.5cm) long; 8in (20.3cm) wide; 12 to 13 vein pairs; yellow with flat margins; slightly shiny on top; slightly shiny underneath; ovate with rounded base; lightly twisted overall.

Scape: very dark green

Flower: near white; Jul 15 to Aug 15; De Pere, WI

Clump History: original seedling; 10 years old; De Pere, WI

Notable Characteristics: Light green changing to intense yellow leaves have a slight twist to the tips and retains light green color along midrib. Has only flowered once.

Parentage: Parentage Unknown

Seasonal Color: emerges light green, turns intense yellow by August

H. 'Frensham Airbrush Paints' J. Colley & J. Baker (ONIR)

Plant: 29.5in (74.9cm) diameter; 11in (27.9cm) high; mound-like; slow growth rate.

Leaf: 9in (22.9cm) long; 6.5in (16.5cm) wide; 9 to 10 vein pairs; cream & yellow streaks on dark green leaf with flat margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with flat base; lightly corrugated overall and widely spaced veins.

Scape: 32 to 36in (81.3 to 91.4cm) high; dark green with glaucous bloom

Flower: 1.2in (3cm) long; pale lavender; bell-shaped; Lindford, Hampshire, UK; 7/10 - 7/20 - 8/20

Seed: does not set seed

Clump History: original seedling; 10 years old; container grown; Lindford, Hampshire, UK

Notable Characteristics: Very leathery leaves, slug and snail resistant, sun tolerant with dense clusters of pale lavender flowers.

Parentage: *H. 'Dorothy Benedict' × (H. yingeri × OP)*

Seasonal Color: later in the season some celadon streaks occur

H. 'Frensham Apple and Bramble Tart' J. Colley & J. Baker (ONIR)

Plant: 16.5in (41.9cm) diameter; 4.5in (11.4cm) high; upright; moderate growth rate.

Leaf: 6in (15.2cm) long; 2.5in (6.4cm) wide; 6 vein pairs; mostly yellow with blue green margins of variable width over the season and slightly rippled; glaucous bloom on top; glaucous bloom underneath; ovate with tapered base; lightly wavy overall.

Petiole Characteristics: bright red early changing to reddish purple

Scape: 8 to 10in (20.3 to 25.4cm) high; purple

Flower: 1in (2.5cm) long; medium lavender with interior white stripe; bell-shaped; Lindford, Hampshire, UK; 8/10 - 8/27 - 9/5

Seed: does not set seed

Clump History: original seedling; 6 years old; container grown; Lindford, Hampshire, UK

Notable Characteristics: Small, red-legged clump of two-toned leaves.

Parentage: *H. longipes* f. *hypoglauca* × sdlg of *H. Tardiana* Group

Seasonal Color: emerges blue green then develops yellow centers then turns blue green again by October

H. ‘Frensham Basking Viper’ J. Colley & J. Baker (ONIR)

Plant: 32in (81.3cm) diameter; 22in (55.9cm) high; upright; moderate growth rate.

Leaf: 9.8in (24.9cm) long; 7in (17.8cm) wide; 11 to 12 vein pairs; blue green with slightly rippled margins; glaucous bloom on top; dull underneath; broadly ovate with cordate base; occasionally twisted and intensely corrugated overall.

Scape: 18 to 19in (45.7 to 48.3cm) high; green

Flower: 2.1in (5.3cm) long; pale lavender; bell-shaped; Lindford, Hampshire, UK; 6/1 - 6/15 - 7/10

Seed: sets viable seed; green pods

Clump History: original seedling; 10 years old; container grown; Lindford, Hampshire, UK

Notable Characteristics: Heavy corrugation with closely spaced puckering and unruly foliage.

Parentage: *H. ‘Peanut’* × OP

Seasonal Color: turns green in late summer or if exposed to very bright light

H. ‘Frensham Cinnamon Turnover’ J. Colley & J. Baker (ONIR)

Plant: 19in (48.3cm) diameter; 11in (27.9cm) high; mound-like; moderate growth rate.

Leaf: 5.2in (13.2cm) long; 2.2 to 3.5in (5.6 to 8.9cm) wide; 6 vein pairs; medium green with flat margins; very shiny on top; glaucous bloom underneath; ovate with rounded base; relatively flat overall with occasional twists and curls.

Petiole Characteristics: reddish purple to reddish brown petioles

Scape: 17 to 20in (43.2 to 50.8cm) high; reddish brown

Flower: 1.8in (4.6cm) long; deep purple; bell-shaped; Lindford, Hampshire, UK; 8/21 - 9/5 - 10/10

Seed: does not set seed

Clump History: original seedling; 11 years old; container grown; Lindford, Hampshire, UK

Notable Characteristics: Red petioles hold up shiny leaves of good substance with occasional curls or twists. Lasts well into October.

Parentage: *H. ‘Cinnamon Sticks’* × *H. longipes* f. *hypoglauca*

H. ‘Frensham Elderberry Gin’ J. Colley & J. Baker (ONIR)

Plant: 25in (63.5cm) diameter; 19.5in (49.5cm) high; upright; fast growth rate.

Leaf: 10.2in (25.9cm) long; 3.2in (8.1cm) wide; 7 to 9 vein pairs; dark blue with moderately rippled margins; glaucous bloom on top; glaucous bloom underneath; ovate with tapered base; lightly folded and wavy overall.

Petiole Characteristics: dark bluish purple with glaucous bloom

Scape: 30 to 32in (76.2 to 81.3cm) high; bluish purple

Flower: 1.8in (4.6cm) long; near white; tubular; Lindford, Hampshire, UK; 7/27 - 8/8 - 8/30

Seed: does not set seed

Clump History: original seedling; 7 years old; container grown; Lindford, Hampshire, UK

Notable Characteristics: Tall blue with white backed leathery leaves. Thick bloom so the colour holds well, red legs and

slug/snail resistant. Near white flowers are enhanced by the dark scapes and creamy yellow bracts.

Parentage: *H. hypoleuca* sdlg × *H. ‘Theo’s Blue’*

Seasonal Color: turns dark blue green when exposed to bright light and later in the season

H. ‘Frensham Firebolt’ J. Colley & J. Baker (ONIR)

Plant: 20.5in (52.1cm) diameter; 7.6in (19.3cm) high; mound-like; moderate growth rate.

Leaf: 4.8in (12.2cm) long; 1.4in (3.6cm) wide; 4 to 5 vein pairs; yellow, cream & white streaks on medium green leaf with flat margins; very shiny on top; very shiny underneath; lance-shaped with tapered base; relatively flat overall.

Scape: 14 to 22in (35.6 to 55.9cm) high; green

Flower: 1.4in (3.6cm) long; deep purple; tubular; Lindford, Hampshire, UK; 7/2 - 7/12 - 8/3

Seed: sets viable seed; reddish brown pods

Clump History: original seedling; 10 years old; container grown; Lindford, Hampshire, UK

Notable Characteristics: Relatively stable variegation, useful in hybridizing either as pod or pollen parent, nice reddish pods.

Parentage: *H. gracillima* sdlg × OP

H. ‘Frensham Floral Tribute’ J. Colley & J. Baker (ONIR)

Plant: 28in (71.1cm) diameter; 17in (43.2cm) high; mound-like; fast growth rate.

Leaf: 7in (17.8cm) long; 4.5in (11.4cm) wide; 7 vein pairs; green with flat margins; dull on top; slightly shiny underneath; elliptical with rounded base; relatively flat overall.

Scape: 22 to 25in (55.9 to 63.5cm) high; green

Flower: 2in (5.1cm) long; medium lavender; upward-facing with striped flaring petals; bell-shaped; Lindford, Hampshire, UK; 7/3 - 7/14 - 8/16

Seed: does not set seed

Clump History: original seedling; 6 years old; container grown; Lindford, Hampshire, UK

Notable Characteristics: Large upward-facing flowers with striped petals are lovely against dark green leaves.

Parentage: Parentage Unknown

H. ‘Frensham Frosted Glass’ I. Chrystal (O)
J. Colley & J. Baker (NIR)

Plant: 18in (45.7cm) diameter; 12in (30.5cm) high; mound-like; moderate growth rate.

Leaf: 5in (12.7cm) long; 2.8in (7cm) wide; 5 to 6 vein pairs; medium green; with 0.2 to 0.3in (0.5 to 0.8cm) wide creamy white slightly rippled margins; shiny on top; dull underneath; broadly ovate with flat base; lightly wavy overall.

Scape: 24 to 30in (61 to 76.2cm) high; green

Flower: 1.3in (3.2cm) long; deep purple with long reddish brown pedicels; tubular; Lindford, Hampshire, UK; 7/18 - 8/1 - 8/30

Seed: does not set seed

Clump History: original seedling; 10 years old; container grown; Lindford, Hampshire, UK

Notable Characteristics: White irregular margins on broadly ovate leaf with a weeping habit.

Parentage: *H. yingeri* × OP

Seasonal Color: light glaucous bloom disappears quickly

H. ‘Frensham Glow Worm’ J. Colley & J. Baker (ONIR)

Plant: 6in (15.2cm) diameter; 3in (7.6cm) high; mound-like; slow growth rate.

Leaf: 2.1in (5.3cm) long; 1.1in (2.8cm) wide; 4 to 5 vein pairs; streaky green and white with flat margins; dull on top; slightly shiny underneath; ovate with tapered base; relatively flat overall.

Scape: 4 to 6in (10.2 to 15.2cm) high; green

Flower: .8in (2cm) long; pale purple; tubular; Lindford, Hampshire, UK; 7/23 - 8/8 - 8/28

Seed: sets non-viable seeds; green pods

Clump History: original seedling; 5 years old; container grown; Lindford, Hampshire, UK

Notable Characteristics: Good streaky addition to miniature hostas. Pollen fertile. Needs divided every four years or so to maintain streaky character.

Parentage: *H. venusta* × OP

H. 'Frensham Gold Nugget' J. Colley & J. Baker (ONIR)

Plant: 28in (71.1cm) diameter; 16in (40.6cm) high; mound-like; moderate growth rate.

Leaf: 6.2in (15.8cm) long; 2.2in (5.6cm) wide; 6 vein pairs; yellow green with slightly rippled margins; dull on top; dull underneath; lance-shaped with tapered base; lightly wavy overall.

Scape: 22 to 24 in (55.9 to 61cm) high; brownish green

Flower: 1.6in (4.1cm) long; pale purple; tubular; Lindford, Hampshire, UK; 8/2 - 8/12 - 8/27

Clump History: original seedling; 12 years old; container grown; Lindford, Hampshire, UK

Notable Characteristics: Pleasing appearance with bright colour that lasts into October. Attractive blended hues of yellow and green all season.

Parentage: *H. 'Ogon Koba'* × OP

Seasonal Color: emerges pale yellow green turning golden yellow by mid-summer

H. 'Frensham Gold Reserve' J. Colley & J. Baker (ONIR)

Plant: 24.9in (63.2cm) diameter; 29.5in (74.9cm) high; mound-like; fast growth rate.

Leaf: 7in (17.8cm) long; 5.9in (15cm) wide; 8 to 9 vein pairs; dark green streaked with golden yellow and creamy white with flat margins; dull on top; dull underneath; broadly ovate with cordate base; relatively flat overall.

Scape: 36 to 38in (91.4 to 96.5cm) high; yellow green

Flower: 1.7in (4.3cm) long; pale lavender; tubular; Lindford, Hampshire, UK; 7/15 - 7/30 - 8/15

Seed: does not set seed

Clump History: original sport; 8 years old; container grown; Lindford, Hampshire, UK

Notable Characteristics: Very attractive colours with good stability in variegation. Good as pollen parent for hybridizing.

Parentage: Sport of *H. 'Gold Standard'*

Seasonal Color: green speckling appears in non-green areas as the season progresses

H. 'Frensham Heart Beat' J. Colley & J. Baker (ONIR)

Plant: 22.5in (57.2cm) diameter; 12in (30.5cm) high; mound-like; fast growth rate.

Leaf: 6.2in (15.8cm) long; 3.8in (9.5cm) wide; 8 vein pairs; blue with very faint white outline on the flat margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; relatively flat overall.

Scape: 16 to 18in (40.6 to 45.7cm) high; green

Flower: 1.9in (4.8cm) long; medium lavender with flaring petals - some facing upwards; bell-shaped; Lindford, Hampshire, UK; 6/20 - 7/8 - 7/28

Seed: does not set seed

Clump History: original seedling; 5 years old; container grown; Lindford, Hampshire, UK

Notable Characteristics: Large flowers with flaring petals are nicely displayed against well-proportioned dark blue leaves.

Parentage: *H. nakaiana* sdlg × unnamed sdlg

H. 'Frensham Icy Blue Waters' J. Colley & J. Baker (ONIR)

Plant: 32.5in (82.6cm) diameter; 23in (58.4cm) high; upright; slow growth rate.

Leaf: 11.1in (28.2cm) long; 8.3in (21.1cm) wide; 15 vein pairs; icy blue with flat margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with rounded base; relatively flat overall.

Scape: 20 to 23in (50.8 to 58.4cm) high; green

Flower: 1.5in (3.8cm) long; near white; bell-shaped; Lindford, Hampshire, UK; 7/1 - 7/15 - 8/5

Seed: sets viable seed; green pods

Clump History: original seedling; 7 years old; container grown; Lindford, Hampshire, UK

Notable Characteristics: Intense icy blue colour. One of the bluest as compared to all Tardianas. Remains blue unless watered from above.

Parentage: Parentage Unknown

Seasonal Color: remains blue in semi-shade

H. 'Frensham Lemon Crepes' J. Colley & J. Baker (ONIR)

Plant: 38.8in (98.6cm) diameter; 22in (55.9cm) high; mound-like; slow growth rate.

Leaf: 7.5in (19.1cm) long; 6.5in (16.5cm) wide; 11 vein pairs; dark green with 1 to 2in (2.5 to 5.1cm) wide creamy yellow flat margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate to nearly round with flat base; lightly corrugated overall with widely spaced veins and some celadon streaks between the center and margin colours.

Scape: 15 to 18in (38.1 to 45.7cm) high; pale green

Flower: 2in (5.1cm) long; medium lavender; attractive buds with dark shades of purple against pale lavender; tubular; Lindford, Hampshire, UK; 7/15 - 8/1 - 8/20

Seed: does not set seed

Clump History: original seedling; 10 years old; container grown; Lindford, Hampshire, UK

Notable Characteristics: Leathery texture provides good slug/snail resistance. Dense flower clusters. Some leaves are very rounded while others are not so round - a bit like crepes.

Parentage: *H. 'Dorothy Benedict'* sdlg × *H. yingeri*

Seasonal Color: blue green bloom fades in the heat leaving dark green centers

H. 'Frensham Lost Stork' J. Colley & J. Baker (ONIR)

Plant: 22in (55.9cm) diameter; 12in (30.5cm) high; mound-like; moderate growth rate.

Leaf: 4.8in (12.2cm) long; 1.7in (4.3cm) wide; 5 vein pairs; blue green with 0.1 to 0.2in (0.3 to 0.5cm) wide creamy white flat margins; glaucous bloom on top; glaucous bloom underneath; lance-shaped with tapered base; relatively flat overall.

Petiole Characteristics: red speckles on lower half

Scape: 15 to 18in (38.1 to 45.7cm) high; green

Flower: 1.9in (4.8cm) long; pale purple; tubular; Lindford, Hampshire, UK; 9/2 - 9/10 - 10/3

Seed: does not set seed

Clump History: original seedling; 10 years old; container grown; Lindford, Hampshire, UK

Notable Characteristics: Creamy white edge and blue green centers of good substance on a smallish clump. Dark pistils on late blooming flowers.

Parentage: sdlg of *H. Tardiana* Group × (*H. yingeri* × *H. longipes*)

H. ‘Frensham Matcha Tea Sorbet’ J. Colley & J. Baker (ONIR)

Plant: 35in (88.9cm) diameter; 16in (40.6cm) high; mound-like; moderate growth rate.

Leaf: 7.5in (19.1cm) long; 4.7in (11.9cm) wide; 10 vein pairs; light to medium green with slightly rippled margins; slightly shiny on top; very shiny underneath; ovate with cordate base; lightly wavy overall.

Scape: 19 to 25in (48.3 to 63.5cm) high; reddish brown

Flower: 1.8in (4.6cm) long; pale purple; bell-shaped; Lindford, Hampshire, UK; 7/15 - 8/6 - 8/22

Seed: does not set seed

Clump History: original seedling; 10 years old; container grown; Lindford, Hampshire, UK

Notable Characteristics: Shiny green rippled leaves flow from erect reddish spotted petioles. Contrasting dark coloured recumbent scapes hold light purple flowers.

Parentage: (*H. longipes* × *H. yingeri*) × OP

H. ‘Frensham Peanut Brittle’ J. Colley & J. Baker (ONIR)

Plant: 20.9in (53.1cm) diameter; 12in (30.5cm) high; mound-like; moderate growth rate.

Leaf: 5.1in (13cm) long; 4.7 in (11.9cm) wide; 10 vein pairs; blue with flat margins; glaucous bloom on top; glaucous bloom underneath; nearly round with cordate base; deeply corrugated overall.

Scape: 20 to 23in (50.8 to 58.4cm) high; pale green

Flower: 1.8in (4.6cm) long; near white with pale lavender tinge; tubular; Lindford, Hampshire, UK; 6/20 - 7/10 - 8/5

Seed: sets viable seed; green pods

Clump History: original seedling; 12 years old; container grown; Lindford, Hampshire, UK

Notable Characteristics: Heavy dimpling for a small hosta. Nice blue colour with large dimples, good texture and cupped leaves.

Parentage: Parentage Unknown (found in a patch of *H. ‘Floradora’*)

Seasonal Color: will turn dark bluish green if exposed to strong light

H. ‘Frensham Petit Four’ J. Colley & J. Baker (ONIR)

Plant: 10.2in (25.9cm) diameter; 4.8in (12.2cm) high; mound-like; moderate growth rate.

Leaf: 3.5in (8.9cm) long; 1.2in (3cm) wide; 5 vein pairs; blue green with slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; lance-shaped with tapered base; lightly wavy overall.

Petiole Characteristics: purplish red petioles

Scape: 12.5 to 15in (31.8 to 38.1cm) high; pale green

Flower: 1in (2.5cm) long; pale purple; reblooms in October; tubular; Lindford, Hampshire, UK; 6/15 - 7/1 - 7/15

Seed: does not set seed

Clump History: original seedling; 6 years old; container grown; Lindford, Hampshire, UK

Notable Characteristics: Mini-sized clump of blue green leaves with wavy edges and red petioles, and some areas of darker blue. Long lasting well into autumn and reblooms in October.

Parentage: (*H. minor* × *H. longipes*) × sdlg of *H. Tardiana* Group

Seasonal Color: becomes slightly lighter as summer progresses

H. ‘Frensham Red Lime Cordial’ J. Colley & J. Baker (ONIR)

Plant: 29in (73.7cm) diameter; 18in (45.7cm) high; mound-like; moderate growth rate.

Leaf: 6.8in (17.3cm) long; 4.5in (11.4cm) wide; 8 vein pairs; lime green with slightly rippled margins; dull on top; glaucous bloom underneath; ovate with cordate base; lightly wavy overall.

Petiole Characteristics: dark reddish brown speckling along the entire petiole and up to 3 inches into the leaves

Scape: 12 to 14.5in (30.5 to 36.8cm) high; recumbent; dark purple

Flower: 1.9in (4.8cm) long; deep purple; bell-shaped; Lindford, Hampshire, UK; 7/3 - 7/14 - 8/10

Seed: does not set seed

Clump History: original seedling; 6 years old; container grown; Lindford, Hampshire, UK

Notable Characteristics: Open clump. Dark reddish brown petioles, purple recumbent scapes and deep purple flowers contrast well with the limey green leaves.

Parentage: (*H. pycnophylla* × *H. longipes*) × *H. longipes*

H. ‘Frensham Redcurrant Jelly’ J. Colley & J. Baker (ONIR)

Plant: 17.5in (44.5cm) diameter; 12.5in (31.8cm) high; mound-like; fast growth rate.

Leaf: 4.8in (12.2cm) long; 1.9in (4.8cm) wide; 5 to 6 vein pairs; blue green with flat margins; glaucous bloom on top; glaucous bloom underneath; lance-shaped with tapered base; relatively flat overall.

Petiole Characteristics: bright red wine coloured early changing to dull reddish brown later

Scape: 12 to 13in (30.5 to 33cm) high; green

Flower: 1.8in (4.6cm) long; pale lavender; tubular; Lindford, Hampshire, UK; 8/23 - 9/8 - 10/2

Seed: does not set seed

Clump History: original seedling; 11 years old; container grown; Lindford, Hampshire, UK

Notable Characteristics: Compact clump of narrow blue green leaves with nice red petioles.

Parentage: *H. yingeri* × *H. longipes* f. *hypoglauca*

Seasonal Color: glaucous bloom early, shiny green later in the season

H. ‘Frensham Royal Connection’ J. Colley & J. Baker (ONIR)

Plant: 32.3in (82cm) diameter; 27.6in (70.1cm) high; upright; moderate growth rate.

Leaf: 11.5in (29.2cm) long; 9.4in (23.9cm) wide; 13 to 15 vein pairs; light greenish blue; with 1 to 2in (2.5 to 5.1cm) wide cream to chartreuse flat margins; glaucous bloom on top; dull underneath; broadly ovate with cordate base; moderately corrugated overall.

Scape: 33.5 to 40in (85.1 to 101.6cm) high; green

Flower: 2.3in (5.7cm) long; near white; occasional slight tinge of purple; tubular; Lindford, Hampshire, UK; 6/25 - 7/8 - 7/28

Seed: does not set seed

Clump History: original sport; 13 years old; container grown; Lindford, Hampshire, UK

Notable Characteristics: Large shiny corrugated leaves with variable cream to chartreuse margins provide a nice background for the nearly white flowers.

Parentage: Sport of *H. 'Ming Jade'*

Seasonal Color: glaucous bloom early leaving a nice sheen later in the season

H. Frensham Shining Armour J. Colley & J. Baker (ONIR)

Plant: 11.5in (29.2cm) diameter; 8.7in (22.1cm) high; moderate growth rate.

Leaf: 5.5 to 8in (14 to 20.3cm) long; 1.5 to 4in (3.8 to 10.2cm) wide; 6 vein pairs; cream, yellow, white and green streaks with flat margins; very shiny on top; glaucous bloom underneath; elliptical with tapered base; relatively flat overall.

Scape: 20 to 24in (50.8 to 61cm) high; reddish purple at top of scapes

Flower: 1.8in (4.4cm) long; pale purple; tubular; Lindford, Hampshire, UK; 6/23 - 7/7 - 7/27

Seed: sets viable seed; reddish brown pods

Clump History: original seedling; 10 years old; container grown; Lindford, Hampshire, UK

Notable Characteristics: Nice streaky cream and green colours are relatively stable if divided every four years. Pollen fertile but red pods are low in viable seed production.

Parentage: *H. gracillima* sdlg × *H. longipes* sdlg

H. 'Frensham So Long' J. Colley & J. Baker (ONIR)

Plant: 18.5in (47cm) diameter; 29in (73.7cm) high; upright; slow growth rate.

Leaf: 9.8in (24.9cm) long; 4.4in (11.2cm) wide; 11 to 12 vein pairs; dark greenish blue with slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; ovate with cordate base; lightly wavy overall with prominent veins.

Scape: 36 to 45in (91.4 to 114.3cm) high; green

Flower: 1.8in (4.4cm) long; pale lavender; tubular; Lindford, Hampshire, UK; 7/14 - 7/30 - 8/16

Seed: sets viable seed; green pods

Clump History: original seedling; 13 years old; container grown; Lindford, Hampshire, UK

Notable Characteristics: Elongated leathery leaves with long sturdy legs.

Parentage: *H. 'Blue Angel'* × OP

H. 'Frizzy Hair' M. Vertz (ONIR)

Plant: 25in (63.5cm) diameter; 13in (33cm) high; mound-like; moderate growth rate.

Leaf: 6.5in (16.5cm) long; 4.5in (11.4cm) wide; 8 to 9 vein pairs; medium blue green with slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; ovate with cordate base; lightly twisted & corrugated, and moderately wavy overall.

Flower: has not flowered in 10 years; De Pere, WI

Clump History: original seedling; 10 years old; De Pere, WI

Notable Characteristics: Puckered leaves with unruly wavy margins and twisted tips remind you of frizzy hair.

Parentage: Parentage Unknown

Seasonal Color: by August the leaves turn darker green while the edges become lighter

H. 'Frost Warning' B. & R. Klotz (ONIR)

Plant: 48in (121.9cm) diameter; 22in (55.9cm) high; mound-like; moderate growth rate.

Leaf: 12.5in (31.8cm) long; 7.3in (18.4cm) wide; 12 vein pairs; pale blue with heavily rippled margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with rounded base; lightly folded and moderately wavy overall.

Petiole Characteristics: glaucous bloom

Scape: 17 to 28in (43.2 to 71.1cm) high; whitish pale blue

Flower: 1.8in (4.4cm) long; near white with very pale lavender center stripe on interior of each petal; tubular; Monroeville, OH; 7/4 - 7/18 - 7/29

Seed: does not set seed

Clump History: original seedling; 8 yrs old; Monroeville, OH

Notable Characteristics: Rippled margins adorn the ghostly, whitish blue leaves. This unique color fades on the edges to almost white.

Parentage: Parentage Unknown

H. 'Frosted Frolic' R. Livingston (ONI), AHS/G. H. Alley (R)

Plant: 24in (61cm) diameter; 9in (22.9cm) high; mound-like; moderate growth rate.

Leaf: 4in (10.2cm) long; 3in (7.6cm) wide; 6 to 7 vein pairs; grayish olive green (NN137C RHS Chart) with 0.3 to 0.5in (0.8 to 1.3cm) wide pale yellow green (4D RHS Chart) flat margins; slightly shiny on top; dull underneath; broadly ovate with tapered base; light convex cupping and occasional light corrugation.

Petiole Characteristics: leaf coloration extends down the entire length of the petiole

Scape: 10 to 12in (25.4 to 30.5cm) high; frosty bluish green

Flower: 2in (5.1cm) long; pale lavender; lavender stripes are darker toward inner base of petals; tubular; Pleasant Hill, MO; 7/6 - 7/20 - 8/10

Seed: sets viable seed; medium green pods

Clump History: nursery purchase; 7 yrs old; Pleasant Hill, MO

Notable Characteristics: Petite yet hardy clump of thick, two-tone green leaves with yellow to creamy white margins.

Parentage: Unnamed sdlg × Unnamed sdlg

Seasonal Color: margins turn almost white by mid-season

G

H. 'Georgie Porgie Puddin and Pie' C. Kwick (ONIR)

Plant: 60in (152.4cm) diameter; 23in (58.4cm) high; mound-like; moderate growth rate.

Leaf: 15in (38.1cm) long; 10in (25.4cm) wide; 12 to 13 vein pairs; dark green with slightly rippled margins; slightly shiny on top; glaucous bloom underneath; broadly ovate with cordate base; lightly folded and corrugated overall with a velvet-like appearance.

Petiole Characteristics: lighter green than the leaf

Scape: 45 to 58in (114.3 to 147.3cm) high; light green

Flower: 2in (5.1cm) long; pale lavender; lavender center stripe surrounded by white; tubular; Eau Claire, WI; 7/10 - 7/18 - 7/24

Clump History: original seedling; 7 years old; Eau Claire, WI

Notable Characteristics: Huge plant with large velvety shiny rippled leaves and very tall bloom scape.

Parentage: *H. 'Blue Umbrellas'* × OP

H. 'Gold Country' G. R. Goodwin (OIR), G. H. Alley (N)

Plant: 36in (91.4cm) diameter; 30in (76.2cm) high; mound-like;

moderate growth rate.

Leaf: 11in (27.9cm) long; 7in (17.8cm) wide; 14 to 16 vein pairs; greenish yellow with flat margins; slightly shiny on top; dull underneath; nearly round with cordate base; lightly twisted & wavy, moderately cupped & folded and deeply corrugated overall.

Scape: 36 to 40in (91.4 to 101.6cm) high; dark green

Flower: 2in (5.1cm) long; near white; tubular; Zionsville, IN; 6/1 - 6/15 - 6/30

Seed: sets viable seed; yellow green pods

Clump History: original seedling; 15 years old; Zionsville, IN

Notable Characteristics: Large clump of corrugated, downturned leaves that begin each season greenish yellow turning a bright golden yellow later.

Parentage: Parentage Unknown

Seasonal Color: greenish yellow early turns a bright golden yellow later

H. 'Green Meadow' Haitao Li (ONIR)

Plant: 30in (76.2cm) diameter; 5.9in (15cm) high; upright; slow growth rate.

Leaf: 17in (43.2cm) long; 10in (25.4cm) wide; 6 to 7 vein pairs; greenish yellow with flat margins; slightly shiny on top; slightly shiny underneath; broadly ovate with rounded base; lightly cupped overall.

Scape: 22 to 28in (55.9 to 71.1cm) high; greenish yellow

Flower: 2.2in (5.6cm) long; fragrant; pale lavender; emerges white then turns lavender after blooming; bell-shaped;

Harbin/Heilongjiang, China; 8/1 - 8/15 - 8/30

Seed: sets viable seed

Clump History: original seedling; 3 years old;

Harbin/Heilongjiang, China

Notable Characteristics: Light green early turning slightly yellow in summer. White flowers slowly turn lavender after blooming.

Parentage: 2013-4-04 × 2011-24-03

Seasonal Color: tender green early turning yellowish later

H

H. 'Hands of Hope' D. G. Krueger (ONI) J. Wheat (R)

Plant: 20in (50.8cm) diameter; 7in (17.8cm) high; mound-like; slow growth rate.

Leaf: 5.5in (14cm) long; 5in (12.7cm) wide; 8 vein pairs; medium green with flat margins; dull on top; glaucous bloom underneath; broadly ovate with cordate base; lightly cupped and corrugated overall.

Scape: 12 to 17 in (30.5 to 43.2 cm) high

Flower: near white with pale lavender striping that is not always noticeable, spent blooms are fairly lavender; tubular; Cross Plains, WI; 6/23 - 7/10 - 7/20

Seed: sets viable seed; very light creamy green pods

Clump History: original seedling; 7 years old; Cross Plains, WI

Notable Characteristics: Variety of leaf shapes from ovate, to broadly ovate to nearly round, all with white backs, widely spaced veins and mucronate tips.

Parentage: *H. 'Blue Legend'* × *OP*

H. 'Heavenly Beginnings' R. Balitewicz (O),

AHS/G. H. Alley (R)

Plant: 33in (83.8cm) diameter; 18in (45.7cm) high; upright; slow growth rate.

Leaf: 8.5in (21.6cm) long; 7.5in (19.1cm) wide; 14 to 16 vein pairs; moderate green (N138A RHS Chart) with 1in (2.5cm)

20

wide strong yellow green (143C RHS Chart) flat margins; dull on top; dull underneath; broadly ovate with cordate base; lightly cupped and moderately corrugated overall.

Petiole Characteristics: strong petioles support heavy leaves easily

Scape: 18 to 20in (45.7 to 50.8cm) high; pale glaucous blue

Flower: 1.8in (4.4cm) long; near white with pale lavender stripes on interior; tubular; Pleasant Hill, MO; 6/10 - 6/18 - 7/2

Seed: sets viable seed; frosty green pods

Clump History: nursery purchase; 12 yrs old; Pleasant Hill, MO

Notable Characteristics: Large upright powdery blue leaves with chartreuse margins are nicely corrugated and held at differing heights for optimal viewing.

Parentage: *H. 'Dorothy Benedict'* × *H. 'Elatior'*

Seasonal Color: dull blue green with bright chartreuse margins early, turn a slightly shiny moderate green with yellow-green margins later.

H. 'Hero Angel' M. Vertz (ONIR)

Plant: 33in (83.8cm) diameter; 20in (50.8cm) high; mound-like; moderate growth rate.

Leaf: 7.5in (19.1cm) long; 6in (15.2cm) wide; 9 to 10 vein pairs; medium green with 1.5 to 2 in (3.8 to 5.1cm) wide dark green flat margins; dull on top; glaucous bloom underneath; broadly ovate with cordate base; lightly cupped, twisted & wavy and moderately corrugated overall.

Petiole Characteristics: Leaf colors extend down the petioles.

The center remains medium green throughout the season.

Scape: 30 to 31in (76.2 to 78.7cm) high

Flower: pale purple with white striping; tubular; Jul 15 to Aug 15; De Pere, WI

Seed: sets viable seed; green pods

Clump History: original sport; 4 years old; De Pere, WI

Notable Characteristics: Heart-shaped leaves emerge with distinct variegation that transitions to a barely discernible variegation later in the season.

Parentage: Sport of *H. 'American Hero'*

Seasonal Color: center darkens to almost the same color as the dark green margins

H. 'Hugs for You' M. Vertz (ONIR)

Plant: 36in (91.4cm) diameter; 22in (55.9cm) high; mound-like; moderate growth rate.

Leaf: 10in (25.4cm) long; 7in (17.8cm) wide; 11 to 12 vein pairs; creamy white with 1 to 1.5in (2.5 to 3.8cm) wide, two-tone green slightly rippled margins; dull on top; glaucous bloom underneath; broadly ovate with cordate base; lightly cupped, twisted, wavy and corrugated overall.

Petiole Characteristics: Creamy white leaf center extends down the entire petiole with some green streaking.

Scape: 26 to 28in (66 to 71.1cm) high; white

Flower: near white; Jun 1 to Jul 15; De Pere, WI

Seed: sets viable seed; green striped pods

Clump History: original seedling; 5 years old; De Pere, WI

Notable Characteristics: Creamy white center transitions through shades of light green before resulting in dark green margins with a blue blush.

Parentage: Parentage Unknown

Seasonal Color: emerges with yellow centers that gradually turn creamy white by August

I

H. ‘Ian’s Crystal Ball’

I. Chrystal (O)

J. Colley & J. Baker (NIR)

Plant: 14in (35.6cm) diameter; 8in (20.3cm) high; mound-like; slow growth rate.

Leaf: 1.6 to 2.6 in (4.1 to 6.6cm) long; 1.5 to 2.5in (3.8 to 6.4cm) wide; 5 to 6 vein pairs; blue green with 0.2 to 0.4in (0.5 to 1cm) wide yellow-green flat margins; glaucous bloom on top; glaucous bloom underneath; nearly round with rounded base; lightly corrugated overall.

Scape: 14 to 22in (35.6 to 55.9cm) high; green; relatively large green bracts

Flower: 1.8in (4.4cm) long; pale lavender with white stripes; tubular; Lindford, Hampshire, UK; 6/5 - 6/25 - 7/18

Seed: does not set seed

Clump History: original seedling; 11 years old; container grown; Lindford, Hampshire, UK

Notable Characteristics: Mini to small clump of blue green rounded leaves with thin yellow-green margins and nice lavender flowers.

Parentage: *H.* ‘Galaxy’ × *H.* ‘Popo’

Seasonal Color: turns green in late summer or if exposed to very bright light

H. ‘Ice Crystals’

B. & R. Klotz (ONIR)

Plant: 30in (76.2cm) diameter; 15in (38.1cm) high; upright; moderate growth rate.

Leaf: 8.5in (21.6cm) long; 5in (12.7cm) wide; 10 to 11 vein pairs; light yellowish green with 0.5 to 1in (1.3 to 2.5cm) wide creamy white slightly rippled margins; dull on top; dull underneath; broadly ovate with cordate base; moderately wavy and corrugated overall.

Petiole Characteristics: light green with variable white streaks

Scape: 14 to 16in (35.6 to 40.6cm) high; lime green

Flower: 1.9in (4.8cm) long; pale lavender; inside color is white at the base with lavender centers and pale lavender misting on outer edges; bell-shaped; Monroeville, OH; 7/11 - 7/21 - 7/30

Seed: sets viable seed; green pods

Clump History: original seedling; 6 yrs old; Monroeville, OH

Notable Characteristics: Short but upright posture with most leaves growing upward (like crystals). White margins are wider towards the tip and narrower at the base.

Parentage: Parentage Unknown

Seasonal Color: very bright yellow in spring changing to light green later

J

H. ‘Janie Girl’

C. Hanna (ONIR)

Plant: 68in (172.7cm) diameter; 28in (71.1cm) high; mound-like; moderate growth rate.

Leaf: 10.5in (26.7cm) long; 7.5in (19.1cm) wide; 11 to 12 vein pairs; yellow with 1in (2.5cm) wide dark green flat margins; slightly shiny on top; glaucous bloom underneath; broadly ovate with cordate base; lightly cupped and corrugated overall.

Petiole Characteristics: dark green with yellow center

Scape: 32 to 38in (81.3 to 96.5cm) high; green

Flower: 1.8in (4.4cm) long; medium lavender with white stripes; tubular; Marion, OH; 7/15 - 7/28 - 8/10

Seed: sets viable seed; green pods

Clump History: original seedling; 7 years old; Marion, OH

Notable Characteristics: Very dark green margins transition to a light green area bordering irregularly shaped rich yellow centers. Every visitor to the garden spots ‘Janie Girl’ from a distance and wants to buy it. Named for my wife Jane Hanna.

Parentage: *H.* ‘Yellow Splash’ × *H.* ‘Kirkside Blue’

Seasonal Color: yellow centers become white late in the season

H. ‘Joan’s Alter Ego’

J. Altman (OI), D. Bowe (NR)

Plant: 18in (45.7cm) diameter; 18in (45.7cm) high; mound-like; moderate growth rate.

Leaf: 6in (15.2cm) long; 4in (10.2cm) wide; 7 to 8 vein pairs; yellow gold with flat margins; slightly shiny on top; glaucous bloom underneath; ovate with cordate base; lightly cupped and corrugated overall.

Petiole Characteristics: yellow

Scape: 23 to 26in (58.4 to 66cm) high; yellow

Flower: 1.3in (3.2cm) long; pale lavender; broad lavender center stripe on white petals; tubular; New Wilmington, PA; 7/11 - 7/17 - 7/26

Seed: sets seed, viability unknown; yellow pods

Clump History: original sport; 3 yrs old; New Wilmington, PA

Notable Characteristics: Gold leaves develop a misty green center later in the fall. The shape and size are otherwise similar to its marginally variegated parent *H.* ‘Joan Altman’.

Parentage: Sport of *H.* ‘Joan Altman’

Seasonal Color: later in the fall the yellow gold fades to yellow and the leaf centers develop a green mist.

K

H. ‘Kiss of Innocence’

C. Kwick (ONIR)

Plant: 11in (27.9cm) diameter; 4in (10.2cm) high; rhizomatous; slow growth rate.

Leaf: 3.3in (8.3cm) long; 2.3in (5.7cm) wide; 6 vein pairs; gold with flat margins; dull on top; glaucous bloom underneath; ovate with tapered base; lightly folded overall.

Petiole Characteristics: light green at emergence - turn gold throughout the season

Scape: 14 to 15in (35.6 to 38.1cm) high; light green

Flower: 1.3in (3.2 cm) long; medium lavender stripes surrounded by white, alternate petals have translucent margins; tubular; Eau Claire, WI; 8/15 - 8/22 - 8/31

Seed: sets seeds, viability not submitted; green pods

Clump History: original seedling; 4 years old; Eau Claire, WI

Notable Characteristics: Small, rhizomatous plant with leaves that emerge greenish gold before turning gold.

Parentage: *H.* ‘Carol’ × OP

H. ‘Kissed the Girls and Made Them Cry’ C. Kwick (ONIR)

Plant: 33in (83.8cm) diameter; 14in (35.6cm) high; mound-like; moderate growth rate.

Leaf: 8.5in (21.6cm) long; 6.5in (16.5cm) wide; 10 to 11 vein pairs; gold with flat margins; slightly shiny on top; glaucous bloom underneath; broadly ovate with cordate base; lightly corrugated overall.

Scape: 28 to 36in (71.1 to 91.4cm) high; light green with glaucous bloom

Flower: 1.5in (3.8cm) long; pale lavender; light lavender stripe surrounded by white, alternate petals have translucent margins; tubular; Eau Claire, WI; 6/27 - 7/10 - 7/22

Seed: sets seeds, viability not submitted; green pods

2020 REGISTRATIONS

Clump History: original seedling; 6 years old; Eau Claire, WI
Notable Characteristics: Low growing mound with occasional green striping in the leaves.
Parentage: *H. 'Paradigm'* × *H. 'Sagae'*

L

H. 'Lady Anna-Quin' C. Kwick (ONIR)
Plant: 24in (61cm) diameter; 13in (33cm) high; upright; moderate growth rate.
Leaf: 8.5in (21.6cm) long; 5.5in (14cm) wide; 8 to 9 vein pairs; yellowish gold with moderately rippled margins; dull on top; glaucous bloom underneath; ovate with cordate base; lightly folded overall.
Scape: 20 to 28in (50.8 to 71.1cm) high; light green with glaucous bloom
Flower: 1.5in (3.8cm) long; pale lavender center stripe surrounded by white, alternate petals have translucent margins; tubular; Eau Claire, WI; 6/28 - 7/10 - 7/16
Clump History: original seedling; 5 years old; Eau Claire, WI
Notable Characteristics: Pert, upright golden leaves with serrated edges.
Parentage: *H. montana* 'Aureomarginata' × *H. sieboldiana* 'Elegans'
Seasonal Color: emerges limey green quickly turning yellow then more golden as the season progresses.

H. 'Lady Gloria' C. Kwick (ONIR)
Plant: 24in (61cm) diameter; 10in (25.4cm) high; mound-like; slow growth rate.
Leaf: 9in (22.9cm) long; 5.5in (14cm) wide; 10 to 11 vein pairs; greenish yellow with flat margins; dull on top; glaucous bloom underneath; ovate with cordate base; lightly cupped overall.
Scape: 24 to 28in (61 to 71.1cm) high; light green
Flower: 1.8in (4.4cm) long; near white with very light lavender stripes, alternate petals have translucent margins; tubular; Eau Claire, WI; 7/5 - 7/11 - 7/21
Seed: sets seeds, viability not submitted; green pods
Clump History: original seedling; 5 years old; Eau Claire, WI
Notable Characteristics: Very light green petiole whose color extends into the base of deep veins in the yellow leaf.
Parentage: *H. 'Sea Gulf Stream'* × *H. 'Dream Queen'*

H. 'Lady Jan' C. Kwick (ONIR)
Plant: 28in (71.1cm) diameter; 9in (22.9cm) high; mound-like; moderate growth rate.
Leaf: 7in (17.8cm) long; 6in (15.2cm) wide; 11 to 12 vein pairs; greenish yellow with flat margins; slightly shiny on top; very shiny underneath; nearly round with cordate base; lightly cupped and corrugated overall.
Scape: 22 to 27in (55.9 to 68.6cm) high; greenish yellow with glaucous bloom
Flower: 1.5in (3.8cm) long; white; tubular; Eau Claire, WI; 6/27 - 7/10 - 7/20
Clump History: original seedling; 5 years old; Eau Claire, WI
Notable Characteristics: Low growing mound of nearly round, cupped and puckered greenish yellow leaves.
Parentage: Parentage Unknown

H. 'Lady Maude' C. Kwick (ONIR)
Plant: 36in (91.4cm) diameter; 14in (35.6cm) high; rhizomatous; moderate growth rate.

Leaf: 8in (20.3cm) long; 6.3in (15.9cm) wide; 10 to 11 vein pairs; medium green with slightly rippled margins; slightly shiny on top; very shiny underneath; broadly ovate with cordate base; lightly folded and wavy overall with distinctly acuminate leaf tips.

Scape: 32 to 36in (81.3 to 91.4cm) high; green
Flower: 2.2in (5.6cm) long; medium lavender, alternate petals have white surrounding the lavender center and translucent margins; tubular; Eau Claire, WI; 7/20 - 7/30 - 8/15
Seed: sets seed, viability unknown; green pods
Clump History: original seedling; 6 years old; Eau Claire, WI
Notable Characteristics: Uniformly shaped, lightly folded leaves with slightly rippled margins. This rhizomatous plant seems to be bug resistant.
Parentage: *H. 'Summer Lovin'* × OP
Seasonal Color: darkens slightly throughout the season

H. 'Lemon Jello' G. R. Goodwin (ONIR)
Plant: 12in (30.5cm) diameter; 6in (15.2cm) high; upright; moderate growth rate.
Leaf: 3in (7.6cm) long; 1.3in (3.2cm) wide; 4 to 5 vein pairs; greenish yellow with 0.1in (0.3cm) wide creamy white, rippled margins; slightly shiny on top; slightly shiny underneath; narrowly ovate with tapered base; lightly twisted & folded and moderately wavy overall.
Scape: 10 to 18in (25.4 to 45.7cm) high; yellow green
Flower: 1.5in (3.8cm) long; medium lavender with purple stripes and white throat; tubular; Zionsville, IN; 7/15 - 8/10 - 8/30
Seed: sets viable seed; light green pods
Clump History: original seedling; 15 years old; Zionsville, IN
Notable Characteristics: Small in stature, this long bladed cultivar displays pale yellow centers bordered by undulating creamy white margins.
Parentage: Parentage Unknown

H. 'Light Star' USTS-Xing Zhang (ONIR)
Plant: 21.7in (55cm) diameter; 7.9in (20cm) high; upright; moderate growth rate.
Leaf: 13.8in (35cm) long; 5.3in (13.5cm) wide; 6 vein pairs; medium green with 1.2in (3cm) wide golden yellow flat margins; dull on top; slightly shiny underneath; broadly ovate with rounded base; relatively flat overall.
Petiole Characteristics: nearly round petioles
Scape: 15.4 to 16.5in (39 to 43cm) high; medium green
Flower: 1.8in (4.5cm) long; pale purple with translucent margins; bell-shaped; Su Zhou/Jiang Su/China; 7/20 - 8/10 - 8/20
Seed: sets viable seed; green pods
Clump History: tissue cultured; 3 years old; Su Zhou/Jiang Su/China
Notable Characteristics: Bright green leaves with golden margins. Sun tolerant.
Parentage: Sport of Unnamed Cultivar
Seasonal Color: medium green centers increase in size while the margins get narrower

H. 'Lightning Storm' B. & R. Klotz (ONIR)
Plant: 24in (61cm) diameter; 10in (25.4cm) high; mound-like; moderate growth rate.
Leaf: 4in (10.2cm) long; 2.5in (6.4cm) wide; 5 vein pairs; greenish yellow with 0.5in (1.3cm) wide, flat green margins; dull on top; dull underneath; ovate with rounded base.

2020 REGISTRATIONS

Scape: 7 to 12in (17.8 to 30.5cm) high; green
Flower: 1.5in (3.8cm) long; near white outside and pale lavender inside; tubular; Monroeville, OH; 6/30 - 7/7 - 7/13
Seed: sets viable seed; light green pods
Clump History: original seedling; 6 yrs old; Monroeville, OH
Notable Characteristics: In early summer a thin white line develops between the center and margin colors.
Parentage: Parentage Unknown
Seasonal Color: white line between center and margin color appears 1 to 1.5 months into each season

H. 'Lord Dullripple' C. Kwick (ONIR)
Plant: 37in (94cm) diameter; 17in (43.2cm) high; mound-like; moderate growth rate.
Leaf: 11in (27.9cm) long; 7.5in (19.1cm) wide; 11 to 12 vein pairs; medium green with 0.1in (0.2cm) wide, white, heavily rippled margins; dull on top; glaucous bloom underneath; ovate with cordate base; lightly folded and moderately corrugated overall.
Scape: 30 to 36in (76.2 to 91.4cm) high; light green
Flower: 2.3in (5.7cm) long; near white; alternate petals have translucent margins; tubular; Eau Claire, WI; 6/25 - 7/10 - 7/16
Seed: sets seed, viability unknown; green pods
Clump History: original seedling; 7 years old; Eau Claire, WI
Notable Characteristics: Heavily rippled leaf margins that show a hint of white on the edges.
Parentage: *H. 'Blue Umbrellas'* × *H. montana* 'Aureomarginata'

H. 'Love Story' H. Hansen (ONR), Walters Gardens (I)
Plant: 39in (99.1cm) diameter; 14in (35.6cm) high; mound-like; moderate growth rate.
Leaf: 12in (30.5cm) long; 7.5in (19.1cm) wide; 11 to 12 vein pairs; white with 1 to 2.5in (2.5 to 6.4cm) wide green slightly rippled margins; dull on top; glaucous bloom underneath; ovate with cordate base; relatively flat overall.
Petiole Characteristics: white with green margins
Scape: 22 to 31in (55.9 to 78.7cm) high; white
Flower: 2.3in (5.7cm) long; white with translucent interior stripes; tubular; Zeeland, MI; 6/15 - 6/25 - 7/5
Seed: sets viable seed; white pods
Clump History: original seedling; 5 years old; Zeeland, MI
Notable Characteristics: White centers are surrounded by an irregular chartreuse color jetting out from the petiole, accented by a medium green color, before the final dark green margins. Add gentle picrust edges & long leaf tips to achieve a true "Love Story".
Parentage: Streaked sport of *H. 'Niagara Falls'* × *H. 'Viking Ship'*

H. 'Lucky Star' G. R. Goodwin (ONIR)
Plant: 6in (15.2cm) diameter; 5in (12.7cm) high; mound-like; moderate growth rate.
Leaf: 2.3in (5.7cm) long; 2in (5.1cm) wide; 5 vein pairs; medium green with 0.2in (0.4cm) wide creamy to pure white, slightly rippled margins; slightly shiny on top; slightly shiny underneath; nearly round with flat base; lightly folded and wavy overall.
Petiole Characteristics: white margins extend down the petioles
Scape: 12 to 15in (30.5 to 38.1cm) high; green
Flower: 1.5in (3.8cm) long; pale lavender with single purple stripe at base of petals and white throat; tubular; Zionsville, IN;

8/20 - 8/30 - 9/15
Seed: sets viable seed; green pods
Clump History: original seedling; 20 years old; Zionsville, IN
Notable Characteristics: Appealing medium green roundish leaves encircled by white margins form a nice symmetrical mounded clump.
Parentage: Parentage Unknown
Seasonal Color: margins change from cream to white

H. 'Luna Moth' W. J. Meyer (ONT), AHS/G. H. Alley (R)
Plant: 36in (91.4cm) diameter; 13in (33cm) high; mound-like; fast growth rate.
Leaf: 5 to 5.5in (12.7 to 14cm) long; 4 to 5in (10.2 to 12.7cm) wide; 8 to 10 vein pairs; moderate bluish green (126A RHS Chart) with 1.5 to 1.8in (3.8 to 4.4cm) wide moderate yellow green (146C RHS Chart) flat margins; slightly shiny on top; glaucous bloom underneath; broadly ovate with rounded to cordate base; lightly cupped overall.
Scape: 21 to 22 in (53.3 to 55.9 cm) high; frosty pale green
Flower: 1.8in (4.4cm) long; medium lavender; tubular; Pleasant Hill, MO; 6/10 - 6/18 - 7/4
Seed: very reluctant to set pods
Clump History: nursery purchase; 9 yrs old; Pleasant Hill, MO
Notable Characteristics: Quick to form a symmetrical clump of thick heart shaped leaves. Very wide margins draw the eye from a distance.
Parentage: Sport of *H. 'Parky's Prize'*

M

H. 'Maddox' G. R. Goodwin (ONIR)
Plant: 18in (45.7cm) diameter; 4.5in (11.4cm) high; mound-like; moderate growth rate.
Leaf: 6in (15.2cm) long; 2in (5.1cm) wide; 6 to 7 vein pairs; golden yellow with slightly rippled margins; dull on top; shiny underneath; lance-shaped with tapered base; lightly folded and wavy overall.
Scape: 15 to 18in (38.1 to 45.7cm) high; green
Flower: 1.5in (3.8cm) long; pale purple; tubular; Zionsville, IN; 6/25 - 7/10 - 7/25
Seed: sets non-viable seeds; green pods
Clump History: original sport; 15 years old; Zionsville, IN
Notable Characteristics: Narrow undulating leaves of bright golden yellow turn pale yellow later.
Parentage: Sport of *H. 'Lightning Bolt'*
Seasonal Color: golden yellow turns pale yellow green later

H. 'Mercury Rising' K. Dye (ONIR)
Plant: 29.5in (75cm) diameter; 14.6in (37cm) high; mound-like; moderate growth rate.
Leaf: 9.1in (23cm) long; 5.5in (14cm) wide; 11 vein pairs; yellow with slightly rippled margins; slightly shiny on top; slightly shiny underneath; ovate with flat base; lightly wavy overall.
Scape: 22.8 to 23.6 in (58 to 60cm) high; reddish purple
Flower: 2in (5cm) long; bluish lavender/reddish purple at the base with darker interior stripes; tubular; Mapleton, IL; 7/5 - 7/21 - 8/1
Seed: does not set seed
Clump History: original seedling; 10 years old; Mapleton, IL
Notable Characteristics: Bright yellow with reddish purple scapes and deep bluish lavender flowers.

Parentage: Parentage Unknown

H. 'Missy Marie' J. Husemann (ONIR)
Plant: 44in (111.8cm) diameter; 24in (61cm) high; mound-like; fast growth rate.

Leaf: 14in (35.6cm) long; 10in (25.4cm) wide; 15 vein pairs; golden yellow with slightly rippled margins; slightly shiny on top; dull underneath; broadly ovate with cordate base; moderately wavy overall with green veins.

Scape: 24 to 29in (61 to 73.7cm) high; green

Flower: 1.5in (3.8cm) long; near white; tubular; Asbury, IA; 7/1 - 7/8 - 7/14

Seed: sets viable seed; green pods

Clump History: original seedling; 5 years old; Asbury, IA

Notable Characteristics: Nice contrast between the golden yellow color and the green veins. Holds up well late into the season.

Parentage: *H. 'Krugerrand'* × *H. 'Queen of the Seas'*

Seasonal Color: limey green early then turning golden yellow

H. 'Morning Call' D. Dean (ONIR)

Plant: 26in (66cm) diameter; 11in (27.9cm) high; mound-like; moderate growth rate.

Leaf: 6.3in (15.9cm) long; 4.5in (11.4cm) wide; 6 to 7 vein pairs; pale greenish yellow with moderately rippled margins; glaucous bloom on top; glaucous bloom underneath; ovate with cordate base; relatively flat overall.

Petiole Characteristics: saturated purple with glaucous bloom
Scape: 16 to 18in (40.6 to 45.7cm) high; saturated purple with glaucous bloom

Flower: 1.8in (4.4cm) long; pale lavender; interior petals have lavender centers and translucent margins; bell-shaped; Ramsey, MN; 8/13 - 8/21 - 8/29

Seed: sets seed, viability unknown; burgundy pods

Clump History: original seedling; 7 years old; Ramsey, MN

Notable Characteristics: Flared mound of pale greenish yellow leaves with saturated purple petioles and flower scapes, all with glaucous bloom.

Pod Parent: (*H. 'Liberty Bell'* × (*H. 'Urajiro Hachijo'* × *H. pycnophylla*)) × *H. 'Ebony Spires'*

Pollen Parent: *H. 'Candy Dish'* × OP

H. 'Mouse Madness' R. Solberg (ONIR)

Plant: 6in (15.2cm) diameter; 3in (7.6cm) high; mound-like; moderate growth rate.

Leaf: 2.5in (6.4cm) long; 2in (5.1cm) wide; 9 vein pairs; medium blue green with 0.5in (1.3cm) wide creamy white slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; nearly round with rounded base; moderately folded and lightly wavy overall.

Scape: 5 to 6 in (12.7 to 15.2cm) high

Flower: medium lavender; tubular; Franklinton, NC; 6/10 - 6/15 - 6/30

Clump History: original sport; 2 years old; Franklinton, NC

Notable Characteristics: Rounded blue green leaves with wide white margins that become greenish white in the summer.

Parentage: Sport of *H. 'Solar Mouse'*

Seasonal Color: margins become greenish white in summer

H. 'Mystic Giant' B. & R. Klotz (ONIR)

Plant: 70in (177.8cm) diameter; 32in (81.3cm) high; mound-like; moderate growth rate.

Leaf: 15.5in (39.4cm) long; 11.5in (29.2cm) wide; 15 vein pairs; dark green with 1 to 1.5 in (2.5 to 3.8cm) wide light green/chartreuse rippled margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; moderately wavy overall.

Petiole Characteristics: light green with dark green edges

Scape: 15 to 20in (38.1 to 50.8cm) high; light green

Flower: 1.9in (4.8cm) long; white with pale lavender center stripe; tubular; Monroeville, OH; 7/18 - 7/24 - 8/8

Seed: does not set seed

Clump History: original seedling; 9 yrs old; Monroeville, OH

Notable Characteristics: Dark green centers are surrounded with an irregular area of white and grayish green which jets toward the center and are finally bordered with light green/chartreuse margins. The white flowers are hidden under the leaf canopy.

Parentage: Parentage Unknown

N

H. 'Nature Green' INRE-Yanting Qu (ONIR)

Plant: 21.7in (55cm) diameter; 7.9in (20cm) high; upright; moderate growth rate.

Leaf: 14.2in (36cm) long; 5.9in (15cm) wide; 9 to 10 vein pairs; medium green with flat margins; dull on top; slightly shiny underneath; broadly ovate with rounded base; lightly corrugated overall.

Scape: 12.6 to 15.4in (32 to 39cm) high; light green

Flower: 1in (2.5cm) long; pale lavender with translucent margins; tubular; Harbin/Heilongjiang, China; 6/29 - 7/18 - 7/30

Seed: sets viable seed, green pods

Clump History: tissue cultured; 3 years old;

Harbin/Heilongjiang, China

Notable Characteristics: Wide leaves are lightly corrugated.

Flowers early, sun tolerant.

Parentage: Sport of Unnamed Cultivar

H. 'Night Rhythms' D. Dean (ONIR)

Plant: 32in (81.3cm) diameter; 10in (25.4cm) high; mound-like; moderate growth rate.

Leaf: 7in (17.8cm) long; 5.5in (14cm) wide; 9 to 11 vein pairs; intense blue green with moderately rippled margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; moderately wavy and corrugated overall with variable cupping, twisting and downward curved tips from leaf to leaf.

Scape: 12 to 15in (30.5 to 38.1cm) high; blue green with light glaucous bloom

Flower: 1.3in (3.2cm) long; pale lavender; medium lavender centers and translucent margins; bell-shaped; Ramsey, MN; 8/4 - 8/13 - 8/20

Seed: sets seed, viability unknown; blue green pods

Clump History: original seedling; 8 years old; Ramsey, MN

Notable Characteristics: Mound of heavily rugose intense blue green leaves. Holds up well until frost.

Parentage: *H. 'Country Candied Confection'* × (*H. 'Astral Bliss'* × *H. 'Purple Verticulated Elf'*)

O

H. 'Ohh! Powder River Blue' E. Schulz (ONIR)
Plant: 28in (71.1cm) diameter; 18in (45.7cm) high; upright; slow growth rate.
Leaf: 7in (17.8cm) long; 6.5in (16.5cm) wide; 12 vein pairs; light powder blue; glaucous bloom on top; glaucous bloom underneath; nearly round with cordate base; lightly corrugated overall.
Scape: 24 to 28in (61 to 71.1cm) high; green
Flower: .8in (2cm) long; near white; tubular; Dubuque, IA; 6/20 - 7/1 - 7/14
Seed: sets seed, viability unknown; green pods
Clump History: original seedling; 5 years old; Dubuque, IA
Notable Characteristics: Attractive leaf presentation and persistent light blue color.
Parentage: Unnamed sdg × OP

H. 'One Last Dance' H. Hansen (OR)
 Walters Gardens, Inc. (NI)
Plant: 73in (185.4cm) diameter; 35in (88.9cm) high; mound-like; fast growth rate.
Leaf: 15in (38.1cm) long; 10in (25.4cm) wide; 13 vein pairs; green with 0.5 to 2in (1.3 to 5.1cm) wide, yellow rippled margins; dull on top; slightly shiny underneath; ovate with cordate base; lightly wavy and very lightly corrugated overall.
Scape: 35 to 49in (88.9 to 124.5cm) high; green
Flower: 2.5in (6.4cm) long; near white with lavender band in the interior of each petal; tubular; Zeeland, MI; 6/13 - 6/27 - 7/18
Seed: sets viable seed; green pods
Clump History: original sport; 7 years old; Zeeland, MI
Notable Characteristics: Dramatic margins of varying width have irregular patterns creating an elegant feathered look.
Parentage: Sport of *H. 'Dancing Queen'*
Seasonal Color: contrast is greatest in the spring as the yellow margins turn greener later in the season

H. 'Out of This World' G. R. Goodwin (OIR), G. H. Alley (N)
Plant: 48in (121.9cm) diameter; 12in (30.5cm) high; mound-like; moderate growth rate.
Leaf: 8in (20.3cm) long; 7in (17.8cm) wide; 10 to 11 vein pairs; dark green with flat margins; very shiny on top; slightly shiny underneath; nearly round with cordate base; very lightly corrugated and lightly cupped & folded overall.
Scape: 30 to 36in (76.2 to 91.4cm) high; medium green
Flower: 1.8in (4.4cm) long; pale purple with white throat and dark purple stripes; Zionsville, IN; 7/1 - 7/15 - 7/30
Seed: sets non-viable seeds; dark green pods
Clump History: original seedling; 20 years old; Zionsville, IN
Notable Characteristics: Large almost black, glossy, heart-shaped leaves.
Parentage: *H. 'Gaijin'* × OP

H. 'Oxford Blue Top' J. Colley & J. Baker (ONIR)
Plant: 16in (40.6cm) diameter; 6in (15.2cm) high; mound-like; moderate growth rate.
Leaf: 4.5in (11.4cm) long; 2.4in (6.1cm) wide; 8 to 9 vein pairs; dark blue with flat margins; glaucous bloom on top; glaucous bloom underneath; ovate with rounded base; relatively flat overall.
Petiole Characteristics: lightly pigmented brownish red with glaucous bloom
Scape: 7 to 9in (17.8 to 22.9cm) high; green

Flower: .9 to 1.5in (2.3 to 3.8cm) long; pale purple; when open petals show a splash of pale lavender with a white outline; bell-shaped; Lindford, Hampshire, UK; 8/5 - 8/24 - 9/26
Seed: sets viable seed; green pods
Clump History: original seedling; 5 years old; container grown; Lindford, Hampshire, UK
Notable Characteristics: Deep Oxford Blue colour on a flat mound with a long season of attractive flowers.
Parentage: Parentage Unknown

P

H. 'Paradox' E. Schulz (ONIR)
Plant: 32in (81.3cm) diameter; 18in (45.7cm) high; mound-like; moderate growth rate.
Leaf: 7.5in (19.1cm) long; 5.5in (14cm) wide; 11 vein pairs; streaked/mottled/speckled green with slightly rippled margins; dull on top; glaucous bloom underneath; ovate with cordate base; lightly cupped overall.
Scape: 22 to 25in (55.9 to 63.5cm) high; green
Flower: 1.1in (2.8cm) long; white; tubular; Dubuque, IA; 6/30 - 7/10 - 7/24
Seed: sets seed, viability unknown; green pods
Clump History: original seedling; 5 years old; Dubuque, IA
Notable Characteristics: Most leaves have spotting, mottling or streaking. A few leaves remain green.
Parentage: *H. 'Who Dat'* × *H. 'Laella'*
Seasonal Color: emerges all green developing yellowish streaks, spots and mottling shortly thereafter

H. 'Party Trimmings' D. Dean (ONIR)
Plant: 35in (88.9cm) diameter; 15in (38.1cm) high; mound-like; moderate growth rate.
Leaf: 8in (20.3cm) long; 4.5in (11.4cm) wide; 8 to 9 vein pairs; medium blue green with 0.3 to 0.5in (0.6 to 1.3cm) wide creamy yellow heavily rippled margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with rounded base; lightly twisted & folded and wavy overall with downward curled tips.
Scape: 24 to 29in (61 to 73.7cm) high; medium blue green
Flower: 1.5in (3.8cm) long; medium lavender; tubular; Ramsey, MN; 8/13 - 8/23 - 9/4
Seed: sets seed, viability unknown; green pods
Clump History: original seedling; 12 years old; Ramsey, MN
Notable Characteristics: Medium sized flared mound of blue green leaves with creamy yellow rippled margins.
Pod Parent: *H. 'Liberty Bell'* × (*H. 'Urajiro Hachijo'* × *H. pycnophylla*)
Pollen Parent: *H. 'Sparkling Burgundy'*
Seasonal Color: margins emerge yellow fading to pale creamy yellow

H. 'Pass the Butter' K. Dye (ONIR)
Plant: 18.9in (48cm) diameter; 9.1in (23cm) high; mound-like; moderate growth rate.
Leaf: 4.1in (10.5cm) long; 1.6in (4cm) wide; 5 vein pairs; yellow with slightly rippled margins; dull on top; slightly shiny underneath; lance-shaped with tapered base; moderately wavy and lightly twisted overall.
Scape: 15.7 to 18.9in (40 to 47cm) high; green
Flower: 1.4in (3.5cm) long; medium lavender; interior purple with white stripes; tubular; Mapleton, IL; 7/10 - 7/21 - 8/10
Seed: does not set seed

Clump History: original seedling; 7 years old; Mapleton, IL
Notable Characteristics: Bright yellow, vigorous grower with good substance.
Parentage: Parentage Unknown

H. 'Patsy' J. Husemann (ONIR)
Plant: 30in (76.2cm) diameter; 12in (30.5cm) high; mound-like; moderate growth rate.
Leaf: 7in (17.8cm) long; 7in (17.8cm) wide; 9 to 10 vein pairs; dark green with heavily rippled margins; slightly shiny on top; glaucous bloom underneath; nearly round with cordate base
Scape: 16 to 18in (40.6 to 45.7cm) high; green
Flower: 1.8in (4.4cm) long; pale lavender with translucent margins; tubular; Asbury, IA; 9/1 - 9/10 - 9/16
Seed: sets seed, viability unknown; green pods
Clump History: original seedling; 5 years old; Asbury, IA
Notable Characteristics: Nearly round leaves with very wavy margins. Recumbent scapes. Most flowers have double stamens and pistils.
Parentage: *H. 'Marilyn Monroe'* × *H. 'Jim Hawes'*

H. 'Paulus' G. & R. Ragus (ONIR)
Plant: 21.7in (55cm) diameter; 19.7in (50cm) high; upright; moderate growth rate.
Leaf: 9.1in (23cm) long; 6in (15.3cm) wide; 11 vein pairs; medium blue green with slightly rippled margins; dull on top; dull underneath; broadly ovate with rounded base; lightly cupped overall.
Petiole Characteristics: thick, upright petioles
Scape: 25.6 to 39.4in (65 to 100cm) high; pale green
Flower: 1.7in (4.2cm) long; pale purple with pale purple interior stripes from top to base; tubular; Ganderkesee, Germany; 7/4 - 7/18 - 8/4
Seed: sets viable seed; slightly blue green
Clump History: original seedling; 5 years old; Ganderkesee, Germany
Notable Characteristics: Nice combination of leaves with very strong flower stems. Impressive appearance until autumn.
Parentage: Parentage Unknown

H. 'Peace and Quiet' R. Solberg (ONIR)
Plant: 24in (61cm) diameter; 13in (33cm) high; mound-like; moderate growth rate.
Leaf: 6in (15.2cm) long; 4.5in (11.4cm) wide; 7 to 8 vein pairs; medium green with 0.4 to 0.8in (1 to 2cm) wide creamy white slightly rippled margins; slightly shiny on top; slightly shiny underneath; broadly ovate with cordate base; lightly wavy and convexly cupped overall.
Petiole Characteristics: purple petiole color extends almost to the leaf base
Scape: 18 to 20in (45.7 to 50.8cm) high; brownish purple
Flower: pale lavender; tubular; Franklinton, NC; 9/10 - 9/20 - 10/01
Seed: sets viable seed; green pods
Clump History: original sport; 2 years old; Franklinton, NC
Notable Characteristics: Domed green leaves with creamy white variegation that is much wider at the leaf tips. Late season bloomer.
Parentage: Sport of *H. 'Pandemonium'*

H. 'Pebble Creek Basin' J. Kovalcsik (OI) P. Lenhard (N)
 J. Kovalcsik & P. Lenhard (R)

Plant: 29in (73.7cm) diameter; 29in (73.7cm) high; upright; slow growth rate.
Leaf: 10in (25.4cm) long; 10in (25.4cm) wide; 14 to 15 vein pairs; light blue green with flat margins; glaucous bloom on top; glaucous bloom underneath; nearly round with overlapping cordate base; deeply cupped and moderately corrugated overall with short up-turned leaf tips.
Petiole Characteristics: glaucous blue green petioles
Scape: 37 to 42in (94 to 106.7cm) high; green
Flower: 2in (5.1cm) long; near white with light lavender striping, translucent margins and bright yellow pollen; tubular; Brighton, MI; 6/28 - 7/2 - 7/23
Seed: sets viable seed; green pods
Clump History: original seedling; 9 years old; Brighton, MI
Notable Characteristics: Rounded and deeply cupped blue green leaves reminiscent of an old-fashioned basin.
Parentage: *H. 'Gentle Giant'* × *H. 'Pebble Creek GPS'*
Seasonal Color: darkens to medium blue green later

H. 'Pebble Creek Doggone Nice' R. Livingston (O)
 J. Kovalcsik (NI), J. Kovalcsik & R. Livingston (R)
Plant: 32in (81.3cm) diameter; 21in (53.3cm) high; upright; fast growth rate.
Leaf: 6.5in (16.5cm) long; 10.5in (26.7cm) wide; 11 to 12 vein pairs; greenish yellow with softly rippled & micro-serrated margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; lightly twisted, wavy and corrugated overall with deeply impressed veins, extended leaf tips, sturdy substance and prominent veins on the white backs.
Petiole Characteristics: greenish yellow with a soft white bloom
Scape: 18 to 19in (45.7 to 48.3cm) high; greenish yellow with glaucous bloom, tops are speckled lavender; pale green bracts are streaked with lavender
Flower: 2.5in (6.4cm) long; medium lavender; alternate petals have translucent & ruffled margins, and narrow lavender stripes; tubular; Vassar, MI; 7/15 - 7/21 - 7/29
Seed: sets viable seed; greenish yellow pods
Clump History: original seedling; 9 years old; Vassar, MI
Notable Characteristics: All season, the rippled and serrated leaves of this charming hybrid put on a show. Superb substance & remains attractive in temps near 100°. From a distance, the entire bloom scape appears lavender – unusual against the greenish yellow foliage.
Parentage: *H. 'Blue Dogwood'* × *H. 'Lemon Ice'*
Seasonal Color: emerges citron yellow with glaucous blue coating; becomes greenish yellow by July retaining a soft blue bloom at the mid-rib

H. 'Pebble Creek GPS' J. Vrable (O), J. Kovalcsik (NI),
 J. Kovalcsik & J. Vrable (R)
Plant: 41in (104.1cm) diameter; 21in (53.3cm) high; upright; slow growth rate.
Leaf: 11.5in (29.2cm) long; 9.5in (24.1cm) wide; 14 to 16 vein pairs; medium green with flat margins; slightly shiny on top; very shiny underneath; nearly round with cordate base; moderately corrugated overall with prominent veins both front and back.
Petiole Characteristics: petioles have darker green edges
Scape: 25 to 27in (63.5 to 68.6cm) high; light green transitioning to greenish yellow at the top; bracts are greenish white with greenish yellow edges
Flower: 2.3in (5.7cm) long; pale lavender centers surrounded by white, orange pollen on peach-colored anthers, alternate petals

have translucent margins; tubular; Vassar, MI; 7/15 - 7/23 - 7/31

Seed: sets viable seed; light to medium-green pods

Clump History: original seedling; 12 years old; Vassar, MI

Notable Characteristics: Nearly round, corrugated leaves and extremely fertile pollen. Finds the path to pod-set even on difficult cultivars. Attractive progeny.

Parentage: (*H.* 'Dorothy Benedict' × *H. nigrescens*) × (*H.* 'Dorothy Benedict' × *H. nigrescens*)

***H.* 'Pebble Creek Grey Roses'** J. Kovalcsik (ONIR)

Plant: 51in (129.5cm) diameter; 23in (58.4cm) high; mound-like; fast growth rate.

Leaf: 12in (30.5cm) long; 9in (22.9cm) wide; 16 to 17 vein pairs; blue to green with slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; lightly cupped, wavy and corrugated overall with deeply impressed veins and white backs

Petiole Characteristics: glaucous medium blue green

Scape: 26 to 27in (66 to 68.6cm) high; glaucous blue green; celery-colored bracts blush mauve if weather is cool

Flower: 2.8in (7cm) long; near white with pale lavender center stripe, tangerine colored pollen on purple-rimmed anthers; tubular; Vassar, MI; 6/24 - 7/5 - 7/16

Seed: sets viable seed; glaucous blue green pods

Clump History: original seedling; 11 years old; Vassar, MI

Notable Characteristics: When scapes emerge, the plush grey-blue leaves are complemented by large bud clusters reminiscent of roses. Classic, elegant and very fertile.

Parentage: (*H.* 'Green Piecrust' × *H.* 'Big John') × OP

Seasonal Color: emerges intense silvery grey-blue changing to grey-green by August

***H.* 'Pebble Creek Nightscape'** J. Kovalcsik (ONIR)

Plant: 28in (71.1cm) diameter; 14in (35.6cm) high; upright; moderate growth rate.

Leaf: 7in (17.8cm) long; 6in (15.2cm) wide; 10 to 12 vein pairs; dark green with flat margins; glaucous bloom on top; glaucous bloom underneath; nearly round with cordate base; moderately cupped and corrugated overall and deeply impressed veins. Newer leaves are deeply cupped while more mature leaves are slightly domed.

Petiole Characteristics: very dark green, sturdy and deeply concaved, lighter green center and a touch of dark red at the base

Scape: green; bracts are pinkish purple at the base.

Flower: 1.5in (3.8cm) long; medium lavender center stripe, translucent margins, slight ripple on alternate tepals, orange & purple speckled anthers, orange pollen; tubular; Vassar, MI; 8/23 - 9/1 - 9/8

Seed: sets viable seed; dark green pods

Clump History: original seedling; 8 years old; Vassar, MI

Notable Characteristics: Sturdy petioles display glaucous leaves that darken to deep forest green. Striking symmetrical form.

Parentage: Unnamed *H. sieboldiana*-type sdlg × *H.* 'Mr Black'

Seasonal Color: becomes deep forest green by mid-season

***H.* 'Pebble Creek Silver Sensation'** J. Kovalcsik (ONIR)

Plant: 40in (101.6cm) diameter; 15in (38.1cm) high; mound-like; moderate growth rate.

Leaf: 10.5in (26.7cm) long; 7.5in (19.1cm) wide; 12 to 14 vein pairs; light to medium green with flat to heavily ruffled margins; glaucous bloom on top; glaucous bloom underneath; leaf shape

varies from ovate to broadly ovate to nearly round with cordate base; lightly twisted, moderately wavy & corrugated overall, with deeply impressed veins.

Petiole Characteristics: powdery silver coating on all petiole surfaces

Scape: 25 to 28.5in (63.5 to 72.4cm) high; light to medium green with silvery coating

Flower: 2.3in (5.8cm) long; white with pale lavender shading in center of alternate tepals, bright orange pollen on dark-rimmed anthers; tubular; Vassar, MI; 7/3 - 7/12 - 7/20

Seed: sets viable seed; silver coated light to medium green pods

Clump History: original seedling; 11 years old; Vassar, MI

Notable Characteristics: Variable leaf shapes and an overall silvery coating make this sturdy cultivar unique. Extremely fertile and produces beautiful blue and yellow progeny.

Parentage: Parentage Unknown

Seasonal Color: in spring the leaves are heavily coated with silver; some coating wears off revealing light to medium green leaves

***H.* 'Percy'** R. Benedict (O), AHS/G. H. Alley (R)

Plant: 30in (76.2cm) diameter; 16in (40.6cm) high; upright; slow to moderate growth rate.

Leaf: 9.5in (24.1cm) long; 5.5in (14cm) wide; 10 to 11 vein pairs; moderate yellow green (137C RHS Chart) with 1in (2.5cm) wide strong greenish yellow (151B RHS Chart) flat margins; slightly shiny on top; dull underneath; ovate with tapered base; very slight undulations and slight convex cupping.

Petiole Characteristics: leaf coloration extends down the entire petiole

Scape: 12 to 22in (30.5 to 55.9cm) high; green

Flower: 1.5in (3.8cm) long; pale lavender, interior lavender stripes are darker towards the inner base; tubular; Pleasant Hill, MO; 7/15 - 7/27 - 8/10

Seed: sets viable seed; medium to dark green pods

Clump History: nursery purchase; 6 yrs old; Pleasant Hill, MO

Notable Characteristics: Satiny sheen on olive green leaves with creamy feathered margins. Nice fountain-like stature.

Named after Percy Stough: a teacher who encouraged Ralph (Herb) and influenced him greatly.

Parentage: *H.* 'Yellow Splash' × *H.* 'Yellow Splash'

Seasonal Color: margins turn more creamy white by mid-season.

***H.* 'Periwinkle'**

M. Vertz (ONIR)

Plant: 27in (68.6cm) diameter; 21in (53.3cm) high; upright; moderate growth rate.

Leaf: 7.5in (19.1cm) long; 6in (15.2cm) wide; 11 to 13 vein pairs; intense blue green with flat margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; deeply cupped, folded and corrugated overall with very thick substance.

Scape: 23 to 27in (58.4 to 68.6cm) high; blue green

Flower: white; tubular; Jun 1 to Jul 15; De Pere, WI

Seed: sets viable seed; green pods

Clump History: original seedling; 4 years old; De Pere, WI

Notable Characteristics: Very tough, deeply corrugated and folded leaves that sometimes are folded almost in half.

Parentage: Parentage Unknown

Seasonal Color: by mid-August has lost most of its blue color but retains a blue cast all season

***H.* 'Pete's Dark Satellite'**

P. de Rooij (ONI)
AHS/G. H. Alley (R)

R

Plant: 42in (106.7cm) diameter; 20in (50.8cm) high; mound-like; moderate growth rate.

Leaf: 6 to 8in (15.2 to 20.3cm) long; 6 to 8in (15.2 to 20.3cm) wide; 11 to 12 vein pairs; dark yellowish green (139A RHS Chart) with flat margins; slightly shiny on top; glaucous bloom underneath; nearly round with cordate base; lightly cupped and corrugated overall.

Petiole Characteristics: petioles are lighter green than the leaf
Scape: 20 to 22in (50.8 to 55.9cm) high; pale green

Flower: 2.5in (6.4cm) long; pale lavender; tubular; Pleasant Hill, MO; 7/1 - 7/14 - 7/20

Seed: sets viable seed; green pods

Clump History: nursery purchase; 10 yrs old; Pleasant Hill, MO

Notable Characteristics: Dense clump of very dark almost round leaves with a nice satiny sheen held in a pleasing manner for optimum overhead viewing.

Parentage: *H. 'Green Sleeve'* × OP

H. 'Puff the Magic Dragon' R. Hatt (ONIR)

Plant: 32in (81.3cm) diameter; 19in (48.3cm) high; mound-like; moderate growth rate.

Leaf: 12in (30.5cm) long; 5.5in (14cm) wide; 8 to 12 vein pairs; medium green with heavily rippled margins; slightly shiny on top; dull underneath; lance-shaped with tapered base; moderately wavy and twisted overall.

Petiole Characteristics: ruffles extend down the leaf edges leaving no clear distinction where the petiole begins.

Scape: 35 to 40in (88.9 to 101.6cm) high; slightly blue green

Flower: 3in (7.6cm) long; pale lavender; purple buds early appear more lavender with purple striping as they mature, open flowers have heavy purple striping; tubular; Merrimac, MA; 6/20 - 7/1 - 7/12

Seed: sets viable seed; slightly blue green pods

Clump History: original seedling; 4 years old; Merrimac, MA

Notable Characteristics: Many leaves are very elongated with highly ruffled margins that often extend down the fairly upright petioles - reminiscent of an early ruffled collar. A very majestic looking hosta.

Parentage: *H. ventricosa* × OP

H. 'Purple Elf' Zhiyang Liu (ONIR)

Plant: 10.7in (27.2cm) diameter; 6.5in (16.5cm) high; upright; fast growth rate.

Leaf: 8.2in (20.8cm) long; 5.3in (13.5cm) wide; 7 to 8 vein pairs; dark green with flat margins; dull on top; slightly shiny underneath; ovate with tapered base; relatively flat overall.

Scape: 12.2 to 13.4in (31 to 34cm) high; dark green

Flower: 2.3in (5.8cm) long; deep purple; tubular; Harbin/Heilongjiang, China; 7/20 - 8/15 - 9/5

Seed: sets viable seed; green pods

Clump History: tissue cultured; 3 years old;

Harbin/Heilongjiang, China

Notable Characteristics: Purple flowers atop light green leaves that turn dark green later in the season.

Parentage: Sport of Unnamed Cultivar

Seasonal Color: color deepens over the season

H. 'Rabble Rouser'

R. Lysne (ONIR)

Plant: 46in (116.8cm) diameter; 26in (66cm) high; mound-like; moderate growth rate.

Leaf: 10in (25.4cm) long; 7.5in (19.1cm) wide; 12 to 14 vein pairs; deep green with 1.5in (3.8 cm) wide medium yellow-gold flat margins; slightly shiny on top; slightly shiny underneath; broadly ovate with cordate base; light seersuckering overall.

Scape: 28 to 30 in (71.1 to 76.2 cm) high; green

Flower: 1.5in (3.8cm) long; pale lavender; tubular; Ferryville, WI; 7/15 - 7/22 - 8/2

Seed: sets seed, viability unknown; green pods

Clump History: original sport; 10 years old; Ferryville, WI

Notable Characteristics: Heavily pebbled/puckered at maturity. Green centers streak outward onto gold borders.

Parentage: Sport of *H. 'Lakeport Blue'*

Seasonal Color: consistent coloration throughout the season

H. 'Raging River'

B. & R. Klotz (ONIR)

Plant: 24in (61cm) diameter; 9in (22.9cm) high; mound-like; moderate growth rate.

Leaf: 5.3in (13.3cm) long; 4in (10.2cm) wide; 9 vein pairs; blue with 0.1 to 0.9in (0.3 to 2.3cm) wide, cream colored flat margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; moderately corrugated overall.

Scape: 15 to 18in (38.1 to 45.7cm) high; light green with glaucous bloom

Flower: 1.8in (4.4cm) long; near white with light lavender streaks on interior of petals; tubular; Monroeville, OH;

6/27 - 7/3 - 7/12

Seed: sets viable seed; dark green pods

Clump History: original seedling; 8 yrs old; Monroeville, OH

Notable Characteristics: Dark blue leaves with creamy feathered margins that are wider towards the leaf tips.

Parentage: Parentage Unknown

Seasonal Color: blue centers turn green as season progresses

H. 'Rebel Heart' C. Wasitis (ON), Bridgewood Gardens (I) AHS/G. H. Alley (R)

Plant: 24in (61cm) diameter; 14in (35.6cm) high; semi-upright; moderate growth rate.

Leaf: 5.5 to 6.5in (14 to 16.5cm) long; 3 to 4.5 in (7.6 to 11.4cm) wide; 10 to 11 vein pairs; moderate greenish blue (122A RHS Chart) with 0.2 to 0.5in (0.5 to 1.3cm) wide creamy yellow slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; ovate to broadly ovate with cordate base; lightly wavy overall with a third transition color between the margins and center color.

Scape: 12 to 18in (30.5 to 45.7cm) high; pale greenish blue with glaucous bloom

Flower: 2in (5.1cm) long; near white; bell-shaped; Pleasant Hill, MO; 6/12 - 6/20 - 7/4

Seed: sets viable seed; frosty bluish green

Clump History: nursery purchase; 8 yrs old; Pleasant Hill, MO

Notable Characteristics: Nice greenish blue leaves with variable width creamy yellow to white margins held in a semi-upright posture with each leaf claiming its own space.

Parentage: unnamed *H. 'Sea Prize'* sdlg × uncertain

Seasonal Color: margins turn creamy white mid-season

H. 'Red Cloud' D. & M. Beilstein (O), A. Malloy (NI),
AHS/G. H. Alley (R)

Plant: 13in (33cm) diameter; 7in (17.8cm) high; mound-like; moderate growth rate.

Leaf: 5in (12.7cm) long; 2.5in (6.4cm) wide; 5 to 7 vein pairs; moderate green (N138A RHS Chart) with streaks, mottling and some clear areas of light yellow green (145D RHS Chart) and slightly wavy margins; dull on top; dull underneath; ovate with tapered base; lightly corrugated overall.

Petiole Characteristics: deep red speckles on petioles extend up into the leaf, each petiole has the same streaking and mottling as the leaf.

Scape: 7 to 12in (17.8 to 30.5 cm) high; variable; small, variegated bracts are purplish red at the base

Flower: 1.5in (3.8cm) long; pale lavender with translucent margins; tubular; Pleasant Hill, MO; 7/4 - 7/15 - 7/30

Seed: sets viable seed; medium green pods

Clump History: nursery purchase; 5 yrs old; Pleasant Hill, MO

Notable Characteristics: Streaked plant with red speckles on the petioles that go up into the leaf-back. Leaves also have a white back and some "frosting" on the front.

Parentage: *H. 'Neat Splash'* × *H. 'Riptide'*

H. 'Reid All About It' D. & M. Beilstein (ONIR)

Plant: 28in (71.1cm) diameter; 20in (50.8cm) high; mound-like.

Leaf: 9in (22.9cm) long; 5.5in (14cm) wide; 15 to 16 vein pairs; dark green with 1 to 1.5in (2.5 to 3.8cm) wide, white, very slightly rippled margins; dull on top; dull underneath; ovate, cordate with leaf edges overlapping; very lightly folded and wavy overall.

Petiole Characteristics: white edges extend down the petioles

Scape: 28 to 30in (71.1 to 76.2cm) high; green

Flower: 1in (2.5 cm) long; pale lavender to near white; tubular; Mansfield, OH; 7/1 - 7/13 - 7/25

Seed: sets viable seeds; green pods

Clump History: original seedling; 10 years old; Mansfield, OH

Notable Characteristics: Sweeping and graceful describe this plant with wide creamy margins that clearly define where they go. A grand looking plant that enhances anything beside it.

Parentage: (*H. 'Color Fantasy'* × *OP*) × *H. montana* 'Aureomarginata'

H. 'Rimmed Cauldron' K. Dye (ONIR)

Plant: 23.6in (60cm) diameter; 15.7in (40cm) high; mound-like; fast growth rate.

Leaf: 7.5in (19cm) long; 6.5in (16.5cm) wide; 15 vein pairs; intense blue green; with variable width feathered, yellow, slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; nearly round with cordate base; deeply cupped and corrugated & moderately wavy overall.

Scape: 20.9 to 23.6 in (53 to 60cm) high; medium green

Flower: 2in (5cm) long; pale lavender with darker interior stripes and lighter lavender edges; tubular; Mapleton, IL; 6/15 - 6/27 - 7/5

Seed: sets viable seed; light green pods

Clump History: original seedling; 24 years old; Mapleton, IL

Notable Characteristics: Cupped, glaucous blue with yellow margins. Chosen "Best Seedling" leaf at the 2018 Midwest Regional convention.

Parentage: (*H. 'William Lachman'* × *H. 'Love Pat'*) × *H. 'Abiqua Drinking Gourd'*

Seasonal Color: glaucous bloom fades to medium blue green with heat and sun.

H. 'Ritz Glitz' G. R. Goodwin (ONIR)

Plant: 18in (45.7cm) diameter; 10 in (25.4cm) high; upright; moderate growth rate.

Leaf: 8in (20.3cm) long; 3in (7.6cm) wide; 8 vein pairs; medium green with 0.2in (0.4cm) wide creamy white slightly rippled margins; very shiny on top; slightly shiny underneath; ovate with rounded base; lightly folded and wavy overall.

Petiole Characteristics: petioles have almost purple edges

Scape: 12 to 18in (30.5 to 45.7cm) high; green

Flower: 1.5in (3.8cm) long; pale lavender; nearly white petals have three purple center stripes and translucent margins; tubular; Zionsville, IN; 8/15 - 8/25 - 9/5

Seed: sets viable seed; green pods

Clump History: original seedling; 20 years old; Zionsville, IN

Notable Characteristics: Interesting rounded blade base stretches into an elongated tip. The cream margin is very narrow, but the bright sheen accentuates the distinction between center and rim.

Parentage: Parentage Unknown

H. 'River Dance' D. Dean (OIR), W. Pollock (N)

Plant: 30in (76.2cm) diameter; 14in (35.6cm) high; mound-like; moderate growth rate.

Leaf: 7.3in (18.4cm) long; 4in (10.2cm) wide; 9 to 10 vein pairs; medium blue green with serrated margins; glaucous bloom on top; glaucous bloom underneath; ovate with cordate base; lightly folded and corrugated overall with very wavy edges and pointed twisted leaf tips.

Scape: 20 to 22in (50.8 to 55.9cm) high; blue green

Flower: 1.8in (4.4cm) long; pale lavender; interior has medium lavender centers surrounded by white and translucent margins; tubular; Ramsey, MN; 7/10 - 7/15 - 7/23

Seed: sets viable seed; blue green pods

Clump History: original seedling; 9 years old; Ramsey, MN

Notable Characteristics: Medium sized clump of elongated blue leaves with serrated wavy edges and white leaf backs.

Parentage: (*H. 'Grand Slam'* × *H. 'Party Favor'*) × *H. 'Astral Bliss'*

H. 'Rufus Rider' R. Livingston (ONI), AHS/G. H. Alley (R)

Plant: 26in (66cm) diameter; 13in (33cm) high; mound-like; moderate growth rate.

Leaf: 6 to 7in (15.2 to 17.8 cm) long; 2 to 3in (5.1 to 7.6cm) wide; 7 vein pairs; moderate yellowish green (N138B RHS Chart) with 0.1 to 0.5in (0.3 to 1.3cm) wide pale greenish yellow (2D RHS Chart) slightly rippled margins; slightly shiny on top; dull underneath; elliptical with tapered base; lightly wavy overall.

Petiole Characteristics: leaf coloration extends down the entire length and red speckles appear on the backside

Scape: 25 to 29in (63.5 to 73.7cm) high; pale green with red speckles on lower portion

Flower: 1.5in (3.8cm) long; near white with extremely pale lavender striping down center of petals, alternate petals have translucent margins; tubular; Pleasant Hill, MO; 7/28 - 8/15 - 8/31

Seed: sets viable seed; light to medium green pods

Clump History: nursery purchase; 12 yrs old; Pleasant Hill, MO

Notable Characteristics: Nice low-growing yet fountain-like clump of undulating elliptical leaves. Nice size and shape for the front of your garden.

Parentage: Unnamed sdlg × *H. 'Red Neck Heaven'*

Seasonal Color: margins turn slightly whiter throughout the season.

S

H. ‘Satin Green’ G. & R. Ragus (ONIR)

Plant: 15.7in (40cm) diameter; 8.7in (22cm) high; mound-like; moderate growth rate.

Leaf: 4.9in (12.5cm) long; 2.5in (6.4cm) wide; 5 to 6 vein pairs; dark green with slightly rippled margins; slightly shiny on top; very shiny underneath; ovate with tapered base; relatively flat overall with a nice satiny sheen.

Petiole Characteristics: dark green petioles with brown dots at the base

Scape: 14.6 to 18.9in (37 to 48cm) high; dark green

Flower: 1.7in (4.2cm) long; pale purple; tubular; Ganderkesee, Germany; 7/25 - 8/12 - 8/24

Seed: sets viable seed; green pods

Clump History: original seedling; 8 years old; Ganderkesee, Germany

Notable Characteristics: Very dark green satiny leaves.

Parentage: Parentage Unknown

H. ‘Satoko’ J. Colley & J. Baker (ONIR)

Plant: 18in (45.7cm) diameter; 9in (22.9cm) high; mound-like; moderate growth rate.

Leaf: 7.3in (18.5cm) long; 3in (7.6cm) wide; 8 vein pairs; dark green with flat margins; glaucous bloom on top; glaucous bloom underneath; lance-shaped with tapered base; relatively flat overall.

Petiole Characteristics: dark red pigment most prominent about 4” from base and glaucous bloom overall

Scape: 17 to 20in (43.2 to 50.8cm) high; green with reddish speckles

Flower: 1.5 to 2in (3.8 to 5.1cm) long; pale purple; inside has dark lavender stripe outlined with white; bell-shaped; Lindford, Hampshire, UK; 8/18 - 8/28 - 9/25

Seed: sets viable seed; green pods

Clump History: original seedling; 5 years old; container grown; Lindford, Hampshire, UK

Notable Characteristics: Good substance with flowing appearance like a dark green ‘Mikawa-no-yuki’. Has pointed leaves and red legs. Named for longtime friend Satoko Kurata.

Parentage: (*H. kikutii* × *H. hypoleuca*) × sdlg of *H. Tardiana* Group

Seasonal Color: glaucous bloom early, shiny dark green later in the season

H. ‘Seasons in the Sun’ H. Hansen (ONR), Walters Gardens (I)

Plant: 49in (124.5cm) diameter; 28in (71.1cm) high; upright; moderate growth rate.

Leaf: 11in (27.9cm) long; 9in (22.9cm) wide; 12 to 13 vein pairs; yellow with slightly rippled margins; slightly shiny on top; slightly shiny underneath; nearly round with cordate base; lightly wavy overall.

Scape: 25 to 39in (63.5 to 99.1cm) high; chartreuse

Flower: 2.3in (5.7cm) long; near white with faint lavender interior stripes; bell-shaped; Zeeland, MI; 7/5 - 7/20 - 8/1

Seed: sets viable seed; green pods

Clump History: original seedling; 6 years old; Zeeland, MI

Notable Characteristics: Beautiful upright yellow

Parentage: (*H. ‘Komodo Dragon’* × *H. ‘Key West’*) × [gold sdlg × H9-57 (*H. ‘Neptune’* × *H. ‘Fulda’*)]

H. ‘Shout Out Silas’ M. Whitmer (ONIR)

Plant: 48in (121.9cm) diameter; 26in (66cm) high; upright; moderate growth rate.

Leaf: 12in (30.5cm) long; 11in (27.9cm) wide; 16 vein pairs; blue; with flat margins; dull on top; glaucous bloom underneath; nearly round with cordate base; intensely corrugated, moderately cupped and lightly twisted, folded & wavy overall.

Scape: 30 to 35in (76.2 to 88.9cm) high; dark green

Flower: 2in (5.1cm) long; fragrant; pure white; tubular; Maumee, OH; 6/19 - 6/25 - 6/30

Seed: sets viable seed; light green pods

Clump History: original seedling; 7 years old; Maumee, OH

Notable Characteristics: Vase shaped rugose clump with medium white backs, great substance and seersucker leaf texture.

Parentage: *H. ‘Old Rough House’* × OP

Seasonal Color: leaves turn blue green later in the season

H. ‘Silver Bullet’ H. Hansen (ONR), Walters Gardens (I)

Plant: 22in (55.9cm) diameter; 11in (27.9cm) high; mound-like; slow growth rate.

Leaf: 5in (12.7cm) long; 5in (12.7 cm) wide; 8 to 10 vein pairs; intense blue green with flat margins; glaucous bloom on top; glaucous bloom underneath; round with rounded base; relatively flat overall.

Scape: 9 to 13in (22.9 to 33cm) high; blue green

Flower: 1.5in (3.8cm) long; near white with very pale translucent stripes; bell-shaped; Zeeland, MI; 7/5 - 7/10 - 7/16

Seed: no pods observed

Clump History: original seedling; 7 years old; Zeeland, MI

Notable Characteristics: Densely packed clump of very thick, rounded blue leaves that often lay on top of one another.

Parentage: *H. ‘Love Pat’* hybrid × *H. ‘Blue Mouse Ears’* hybrid

H. ‘Silverback’ R. Merritt (ONR), New Hampshire Hostas (I)

Plant: 50in (127cm) diameter; 28in (71.1cm) high; mound-like; moderate growth rate.

Leaf: 15in (38.1cm) long; 13in (33cm) wide; 12 to 13 vein pairs; blue green with 1.5in (3.8cm) wide creamy yellow flat margins; dull on top; dull underneath; broadly ovate with cordate base; lightly corrugated overall.

Scape: 40 to 50 in (101.6 to 127 cm) high; green

Flower: 2.5in (6.4cm) long; near white; tubular; Jun 1 to Jul 15; South Hampton, NJ

Seed: sets viable seed; green pods

Clump History: original sport; 3 years old; South Hampton, NH

Notable Characteristics: Same blue green leaves as its parent with an added creamy yellow margin and a third greyish hue jetting from the margin to the midrib.

Parentage: Sport of *H. ‘Humpback Whale’*

Seasonal Color: margins brighten as the season progresses

H. ‘Smokey Bear’ O. Petryszyn (ONI), AHS/G. H. Alley (R)

Plant: 46in (116.8cm) diameter; 34in (86.4cm) high; upright; moderate growth rate.

Leaf: 14in (35.6cm) long; 12in (30.5cm) wide; 16 to 17 vein pairs; light greenish blue (119B RHS Chart) with moderately rippled margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; lightly cupped &

wavy, deeply corrugated overall with deeply impressed veins and cuspidate leaf tips.

Scape: 30 to 40in (76.2 to 101.6cm) high; pale blue

Flower: 2in (5.1cm) long; near white with pale lavender interior stripes and translucent margins on alternate petals; tubular; Valparaiso, IN; 6/10 - 6/15 - 7/1

Seed: sets viable seed; medium to dark green pods

Clump History: original seedling; 12 yrs old; Valparaiso, IN

Notable Characteristics: Large upright clump of heavily puckered, frosty blue green leaves with nicely rippled margins. Clump is 40"dia x 24"tall in the registrant's western Missouri garden (zone 6a) with fair amount of afternoon sun.

Parentage: *H.* 'Blue Betty Lou' × *H.* 'Manhattan'

Seasonal Color: turns slightly shiny greyish green (189A RHS Chart) after wax melts off.

***H.* 'Sneak Peek'** G. R. Goodwin (OIR), G. H. Alley (N)

Plant: 24in (61cm) diameter; 14in (35.6cm) high; mound-like; fast growth rate.

Leaf: 5in (12.7cm) long; 3in (7.6cm) wide; 9 to 10 vein pairs; grey green with 1.5in (3.8cm) wide medium green flat margins; slightly shiny on top; dull underneath; broadly ovate with rounded base; lightly folded and corrugated overall.

Scape: 15 to 24in (38.1 to 61cm) high; medium green

Flower: 1.8in (4.4cm) long; pale lavender; mostly white petals have lavender stripes and translucent margins; tubular; Zionsville, IN; 7/15 - 8/1 - 8/15

Clump History: original sport; 15 years old; Zionsville, IN

Notable Characteristics: This 'Striptease' sport displays greyish green centers and green margins divided by a thin white line.

Parentage: Sport of *H.* 'Striptease'

***H.* 'Spiral Nebula'** I. Chrystal (O), J. Colley & J. Baker (NIR)

Plant: 24in (61cm) diameter; 23in (58.4cm) high; mound-like; moderate growth rate.

Leaf: 6.6in (16.8cm) long; 1.8in (4.6cm) wide; 4 to 5 vein pairs; green with slightly rippled margins; slightly shiny on top; glaucous bloom underneath; lance-shaped with tapered base; lightly wavy overall.

Petiole Characteristics: red speckles look attractive when seen from below

Scape: 16 to 21in (40.6 to 53.3cm) high; recumbent; reddish purple

Flower: 1.8in (4.4cm) long; pale purple with dark coloured stigma and style; tubular; Lindford, Hampshire, UK; 7/27 - 8/10 - 8/30

Seed: does not set seed

Clump History: original seedling; 11 years old; container grown; Lindford, Hampshire, UK

Notable Characteristics: Long narrow shiny green leaves with red speckled petioles and nice lavender flowers on very long dark maroon twisting scapes. Good in hanging baskets.

Parentage: (*H. longipes* f. *hypoglauca* × *H. kikutii*) × *H. kikutii* var. *polyneuron*

***H.* 'Stuck on Blue'** D. Dean (ONIR)

Plant: 29in (73.7cm) diameter; 11in (27.9cm) high; mound-like; moderate growth rate.

Leaf: 6in (15.2cm) long; 4.8in (12.1cm) wide; 10 to 11 vein pairs; intense blue green with rippled margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate

base; lightly twisted, moderately folded & corrugated and intensely wavy overall.

Scape: 14 to 15in (35.6 to 38.1cm) high; blue green

Flower: 1.5 in (3.8cm) long; pale lavender; medium lavender centers and translucent margins; tubular; Ramsey, MN; 8/13 - 8/23 - 8/29

Seed: sets viable seed; blue green pods

Clump History: original seedling; 13 years old; Ramsey, MN

Notable Characteristics: Neat mound of wavy, rugose, intensely blue green leaves with white backs. Color holds until frost.

Parentage: (*H.* 'Frosted Dimples' × *H.* 'Sea Frolic') × *H.* 'Subterranean Pool'

***H.* 'Summer Bird'** S. D. Smith (ONIR)

Plant: 13in (33cm) diameter; 7in (17.8cm) high; mound-like; moderate growth rate.

Leaf: 4.5in (11.4cm) long; 3in (7.6cm) wide; 7 to 8 vein pairs; yellow with flat margins; slightly shiny on top; slightly shiny underneath; ovate with cordate base; lightly folded overall.

Scape: 2 to 8in (5.1 to 20.3cm) high; green

Flower: 1.5in (3.8cm) long; pale lavender with lavender stripes; tubular; Kalamazoo, MI; 7/15 - 7/20 - 7/28

Seed: sets viable seed; green pods

Clump History: original seedling; 5 years old; Kalamazoo, MI

Notable Characteristics: Low tight clump of bright yellow thick leaves that look like plumes of yellow feathers. Holds its color throughout the entire season.

Parentage: *H.* 'June Fever' × OP

***H.* 'Summertime Blues'** D. Dean (OIR), G. Lindheimer (N)

Plant: 22in (55.9cm) diameter; 9in (22.9cm) high; mound-like; moderate growth rate.

Leaf: 5.5in (14cm) long; 4in (10.2cm) wide; 8 to 9 vein pairs; intense blue green with moderately rippled margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; moderately twisted, folded, wavy and corrugated overall with pointed leaf tips that curl downward.

Scape: 15 to 16in (38.1 to 40.6cm) high; blue green

Flower: 1.8in (4.4cm) long; pale lavender; medium lavender centers and translucent margins; tubular; Ramsey, MN; 8/6 - 8/14 - 8/23

Seed: sets seed, viability unknown; blue green pods

Clump History: original seedling; 10 years old; Ramsey, MN

Notable Characteristics: Small clump of wavy blue green, thick leaves. Heavy bloomer.

Parentage: *H.* 'Country Candied Confection' × *H.* 'Baby Blue Eyes'

***H.* 'Sun Chariot'** R. Lysne (ONIR)

Plant: 50in (127cm) diameter; 26in (66cm) high; mound-like; moderate growth rate.

Leaf: 12in (30.5cm) long; 8.5in (21.6cm) wide; 13 to 15 vein pairs; deep gold with flat margins; slightly shiny on top; slightly shiny underneath; broadly ovate with cordate base; deeply corrugated overall with prominent veins.

Scape: 30 to 34in (76.2 to 86.4cm) high; green

Flower: 1.5in (3.8cm) long; pale lavender; tubular; Ferryville, WI; 7/10 - 7/15 - 7/22

Seed: sets viable seed; green pods

Clump History: original seedling; 9 years old; Ferryville, WI

Notable Characteristics: Leaves exhibit heavy substance, deep veins and are very rugose at maturity. Strong resistance to sun damage.

Parentage: *H.* 'Sunny Smiles' × *H.* 'Streets of Gold'

Seasonal Color: emerges golden chartreuse quickly turning bright gold before settling into a creamy gold for the remainder of the season

***H.* 'Sunshine Gold'** M. Vertz (ONIR)

Plant: 34in (86.4cm) diameter; 18in (45.7cm) high; upright; fast growth rate.

Leaf: 9in (22.9cm) long; 5.5in (14cm) wide; 9 to 11 vein pairs; golden yellow with slightly rippled margins; dull on top; dull underneath; ovate with cordate base; lightly folded and moderately wavy overall.

Scape: 34 to 36in (86.4 to 91.4cm) high; lime green

Flower: near white; tubular; De Pere, WI; 7/1 - 7/15 - 7/28

Seed: sets seed, viability unknown; light green pods

Clump History: original seedling; 3 years old; De Pere, WI

Notable Characteristics: Long golden yellow leaves with twisted tips have contrasting lime green coloration along the veins.

Parentage: Parentage Unknown

Seasonal Color: leaves emerge lime green quickly turning golden yellow between the veins

***H.* 'Sutter's Mill'** R. Balitewicz (O), AHS/G. H. Alley (R)

Plant: 50in (127cm) diameter; 25in (63.5cm) high; upright; moderate growth rate.

Leaf: 10.5in (26.7cm) long; 9in (22.9cm) wide; 15 to 17 vein pairs; strong yellow green (144A RHS Chart) with slightly rippled margins; dull on top; slightly shiny underneath; broadly ovate with cordate base; lightly cupped and moderately corrugated overall with deeply impressed veins.

Petiole Characteristics: greenish petiole color extends up into the leaf central vein

Scape: 24 to 34in (61 to 86.4cm) high; pale green

Flower: 2.5in (6.4cm) long; near white with pale lavender interior stripes; tubular; Pleasant Hill, MO; 6/1 - 6/10 - 6/24

Seed: sets viable seed; medium green pods

Clump History: nursery purchase; 11 yrs old; Pleasant Hill, MO

Notable Characteristics: Very large, bright chartreuse to gold leaves held proudly upright with deeply impressed veins and nice corrugation. Twenty to thirty seed pods per each scape.

Parentage: *H.* 'High Noon' × *H.* 'Big John'

Seasonal Color: turns more yellow as the season progresses

T

***H.* 'Taco Chips'** G. R. Goodwin (ONIR)

Plant: 40in (101.6cm) diameter; 24in (61cm) high; mound-like; slow growth rate.

Leaf: 11in (27.9cm) long; 10in (25.4cm) wide; 16 vein pairs; golden yellow with slightly rippled margins; dull on top; dull underneath; nearly round with cordate base; convexly cupped and moderately corrugated overall with prominent veins.

Scape: 20 to 30in (50.8 to 76.2cm) high; greenish yellow

Flower: 1.8in (4.4cm) long; near white; tubular; Zionsville, IN; 7/1 - 7/15 - 7/30

Seed: sets viable seed; yellow green pods

Clump History: original seedling; 18 years old; Zionsville, IN

Notable Characteristics: Large cultivar with rounded, turned-down, corrugated leaves of yellow green that turn a pale golden yellow in summer.

Parentage: Parentage Unknown

***H.* 'Tarantella'** G. & R. Ragus (ONIR)

Plant: 26.8in (68cm) diameter; 13in (33cm) high; mound-like; moderate growth rate.

Leaf: 7.9in (20cm) long; 3.8in (9.6cm) wide; 9 vein pairs; medium blue green with flat margins; dull on top; dull underneath; broadly ovate with cordate base; lightly cupped overall.

Petiole Characteristics: lightly blue green petioles

Scape: 17.7 to 23.6in (45 to 60cm) high; green

Flower: 1.7in (4.2cm) long; pale purple with purple inner lines and white at the base; tubular; Ganderkese, Germany; 7/24 - 8/2 - 8/12

Seed: sets viable seed; green pods

Clump History: original seedling; 5 years old; Ganderkese, Germany

Notable Characteristics: Nice combination of leaves and very strong upright flower stems with numerous large flowers.

Unexpected shape considering the pod parent. Large seedpods.

Parentage: *H.* 'Dancing Mouse' × OP

***H.* 'Teltow Fifty Pence'** M. Entemann (ONIR)

Plant: 31in (78.7cm) diameter; 12.5in (31.8cm) high; mound-like; moderate growth rate.

Leaf: 6in (15.2cm) long; 5in (12.7cm) wide; 11 vein pairs; blue with slightly rippled margins; glaucous bloom on top; slightly shiny underneath; nearly round with cordate base; relatively flat overall.

Petiole Characteristics: 12 to 13in long petioles

Scape: 10 to 12in (25.4 to 30.5cm) high; blue

Flower: 2in (5.1 cm) long; pale lavender; bell-shaped; Teltow, Germany; 8/15 - 8/30 - 9/15

Seed: does not set seed

Clump History: original seedling; 6 yrs old; Teltow, Germany

Notable Characteristics: Solid, nearly round leaves covered with blue wax and having long petioles.

Parentage: Parentage Unknown

***H.* 'Teltow Gay Honey Moon'** M. Entemann (ONIR)

Plant: 22in (55.9cm) diameter; 13in (33cm) high; mound-like; moderate growth rate.

Leaf: 6.5in (16.5cm) long; 4in (10.2cm) wide; 9 vein pairs; streaked medium green, yellow & white with loosely serrated margins; very shiny on top; slightly shiny underneath; ovate with rounded base; moderately cupped overall.

Scape: 17 to 20in (43.2 to 50.8cm) high; blue

Flower: 1.5in (3.8cm) long; pale lavender; bell-shaped; Teltow, Germany; 7/15 - 7/31 - 8/15

Seed: sets seed, viability unknown; green pods

Clump History: original sport; 5 years old; Teltow, Germany

Notable Characteristics: Compact clump of irregularly colored and streaked leaves.

Parentage: Sport of *H.* 'Honey Moon'

***H.* 'Temptation'** R. Cornitensis (O), AHS/G. H. Alley (R)

Plant: 60in (152.4cm) diameter; 28in (71.1cm) high; upright; fast growth rate.

Leaf: 11in (27.9cm) long; 10in (25.4cm) wide; 14 to 17 vein pairs; light yellow green (144D RHS Chart) with highly variable

width, dark bluish green, slightly rippled margins; slightly shiny on top; glaucous bloom underneath; broadly ovate with cordate base; lightly twisted and moderate to quite wavy overall.

Corrugation occurs mainly in the darker tissue and often a third color appears between center and margin colors.

Scape: 28 to 32in (71.1 to 81.3cm) high; bluish green

Flower: 2in (5.1cm) long; white with pale lavender interior stripes and translucent margins; tubular; Pleasant Hill, MO; 6/10 - 6/20 - 6/30

Seed: sets viable seed; medium to dark green pods

Clump History: nursery purchase; 5 yrs old; Pleasant Hill, MO

Notable Characteristics: Large upright clump of wavy puckered leaves. The blue green margins provide bright contrast for the creamy yellow centers.

Parentage: Sport of *H. sieboldiana* 'Elegans'

Seasonal Color: center changes to moderate yellow green (147B) with moderate olive green (137A) margins by early July

H. 'Terms of Endearment' H. Hansen (ONR)
Walters Gardens (I)

Plant: 66in (167.6cm) diameter; 29in (73.7cm) high; mound-like; moderate growth rate.

Leaf: 14in (35.6cm) long; 11in (27.9cm) wide; 14 to 15 vein pairs; medium blue green with 1.5 to 2in (3.8 to 5.1cm) wide yellow flat margins; glaucous bloom on top; glaucous bloom underneath; nearly round with cordate base; moderately corrugated overall.

Scape: 25 to 36in (63.5 to 91.4cm) high; green

Flower: 2in (5.1cm) long; white; tubular; Zeeland, MI; 6/25 - 7/1 - 7/20

Seed: sets viable seed; green pods

Clump History: original seedling; 8 years old; Zeeland, MI

Notable Characteristics: Beautiful large blue 'Elegans' type with non-burning yellow margins.

Parentage: streaked sport of *H. sieboldiana* 'Elegans' × *H. 'Empress Wu'*

H. 'The Partridge Family' R. Hatt (ONIR)

Plant: 10in (25.4cm) diameter; 8in (20.3cm) high; mound-like; slow growth rate.

Leaf: 4.5in (11.4cm) long; 3in (7.6cm) wide; 6 to 9 vein pairs; medium green with flat margins; slightly shiny on top; glaucous bloom underneath; ovate with tapered base; relatively flat overall.

Petiole Characteristics: upright, dark green and relatively long (3x the length of the leaves).

Flower: does not flower

Clump History: original sport; 2 years old; Merrimac, MA

Notable Characteristics: Nicely compact upright mound of bright green leaves held on relatively long petioles.

Parentage: Sport of *H. 'Yellow Polka Dot Bikini'*

Seasonal Color: starts out light to medium green, getting darker as the season progresses

H. 'Thunderbolt' A. R. Crowder (ON), AHS/G. H. Alley (R)
Hawksridge Farms Inc (I)

Plant: 50in (127cm) diameter; 28in (71.1cm) high; upright; moderate growth rate.

Leaf: 8 to 10in (20.3 to 25.4cm) long; 7 to 9in (17.8 to 22.9cm) wide; 16 to 19 vein pairs; strong yellow green (144C RHS Chart) with 3 to 5in (7.6 to 12.7cm) wide dark bluish green (131A RHS Chart) flat margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate to nearly round with

cordate base; lightly wavy and moderately corrugated overall with prominent veins.

Scape: 18 to 22in (45.7 to 55.9cm) high; very pale yellowish green

Flower: 2in (5.1cm) long; white with translucent margins;

tubular; Pleasant Hill, MO; 6/1 - 6/10 - 6/20

Seed: sets viable seed; pale greenish yellow

Clump History: nursery purchase; 12 yrs old; Pleasant Hill, MO

Notable Characteristics: Bright yellow green centers are framed by extremely wide, blue green margins. Nearly round leaves are corrugated, very thick and deeply furrowed. Vigorous grower.

Parentage: Sport of *H. sieboldiana* 'Elegans'

Seasonal Color: center color on older leaves turn almost white; once the glaucous bloom fades the leaves are dull to very slightly shiny

H. 'Tick Tock' E. Kipplen (ON), Naylor Creek Nursery (I),
AHS/G. H. Alley (R)

Plant: 28in (71.1cm) diameter; 12in (30.5cm) high; mound-like; moderate growth rate.

Leaf: 4.5in (11.4cm) long; 3.5in (8.9cm) wide; 9 to 10 vein pairs; strong yellow green (144A RHS Chart) with 0.5 to 1.5 in (1.3 to 3.8cm) wide moderate olive green (147A RHS Chart) flat margins; slightly shiny on top; slightly shiny underneath; broadly ovate with cordate base; lightly cupped overall.

Scape: 14 to 18in (35.6 to 45.7cm) high; medium green

Flower: 1.3in (3.2cm) long; pale lavender; bell-shaped; Pleasant Hill, MO; 6/18 - 6/30 - 7/10

Seed: sets viable seed; green pods

Clump History: nursery purchase; 11 years old; Pleasant Hill, MO

Notable Characteristics: Very dense, symmetrical and compact clump of cute heart shaped leaves.

Parentage: Sport of *H. 'Gold Drop'*

H. 'Tokyo Spring' G. & R. Ragus (ONIR)

Plant: 19.7in (50cm) diameter; 10.6in (27cm) high; upright; moderate growth rate.

Leaf: 7.1in (18cm) long; 5.3in (13.5cm) wide; 7 vein pairs; greenish yellow with flat margins; slightly shiny on top; slightly shiny underneath; ovate with tapered base; relatively flat overall.

Petiole Characteristics: dense red dots at the base gradually get sparser going up the petiole

Scape: 17.7 to 23.6in (45 to 60cm) high; red

Flower: 1.7in (4.2cm) long; pale lavender with purple inner stripes; tubular; Ganderkesee, Germany; 7/24 - 8/2 - 8/12

Seed: sets viable seed; green pods with brown dots

Clump History: original seedling; 3 years old; Ganderkesee, Germany

Notable Characteristics: Combines the leaf form of 'Tokyo Smog' with the red stems of 'Maya Kingsnake' in a new yellow green color.

Parentage: *H. 'Tokyo Smog'* × *H. 'Maya Kingsnake'*

U

H. 'Uniquely Gooool!' M. Rosenberg & J. Goodrich (ONIR)

Plant: 39in (99.1cm) diameter; 28in (71.1cm) high; upright; moderate growth rate.

Leaf: 13in (33cm) long; 8in (20.3cm) wide; 13 to 14 vein pairs; blue with very slightly wavy margins; glaucous bloom on top;

glaucous bloom underneath; ovate with cordate base; lightly corrugated and deeply cupped overall.

Flower: pale purple; Jun 1 to Jul 15; Elroy, WI

Clump History: original sport; 4 years old; Elroy, WI

Notable Characteristics: Blue version of *H.* 'World Cup' with the same upright posture and cupping as the original.

Parentage: Sport of *H.* 'World Cup'

***H.* 'Uniquely Inconceivable'**

M. Rosenberg & J. Goodrich (ONIR)

Plant: 66in (167.6cm) diameter; 32in (81.3cm) high; mound-like; moderate growth rate.

Leaf: 15in (38.1cm) long; 13in (33cm) wide; 18 vein pairs; medium blue with moderately rippled margins; glaucous bloom on top; glaucous bloom underneath; nearly round with cordate base; moderately cupped and corrugated overall.

Flower: white; tubular; Jun 1 to Jul 15; Elroy, WI

Seed: sets viable seed

Clump History: original seedling; 6 years old; Elroy, WI

Notable Characteristics: Large blue cupped leaves with rippled edges and white backs.

Parentage: *H.* 'Fickle Blue Genes' × OP

***H.* 'Uniquely Purple People Eater'**

J. Miller (O)

M. Rosenberg & J. Goodrich (NIR)

Plant: 30in (76.2cm) diameter; 17in (43.2cm) high; mound-like; moderate growth rate.

Leaf: 8.5in (21.6cm) long; 5in (12.7cm) wide; 9 vein pairs; medium blue green with very slightly wavy margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; lightly cupped overall with nicely shaped acuminate tips.

Flower: pale lavender; tubular; Jul 15 to Aug 15; Elroy, WI

Clump History: original seedling; 6 years old; Elroy, WI

Notable Characteristics: Holds its purple blush later into June.

Parentage: Parentage Unknown

Seasonal Color: purple blush in the spring

***H.* 'Uniquely Shirley Temple'**

M. Rosenberg & J. Goodrich (ONIR)

Plant: 36in (91.4cm) diameter; 15in (38.1cm) high; mound-like; fast growth rate.

Leaf: 7in (17.8cm) long; 2.5in (6.4cm) wide; 7 to 8 vein pairs; dark green with 0.3in (0.6cm) wide light green flat margins; slightly shiny on top; ovate with tapered base; relatively flat overall.

Scapes: reddish purple

Flower: pale lavender; tubular; Elroy, WI; 8/5 - 8/15 - 8/25

Seed: sets viable seed; purple pods

Clump History: original sport; 5 years old; Elroy, WI

Notable Characteristics: Dark green center with lighter green margins.

Parentage: Sport of *H.* 'Maraschino Cherry'

***H.* 'Uniquely Sweet Lady'**

M. Rosenberg & J. Goodrich (ONIR)

Plant: 40in (101.6cm) diameter; 20in (50.8cm) high; upright; moderate growth rate.

Leaf: 13in (33cm) long; 11in (27.9cm) wide; 14 vein pairs; yellow with very slightly rippled margins; dull on top; nearly round with cordate base; moderately corrugated overall with widely spaced prominent veins.

Flower: pale lavender; Jun 1 to Jul 15; Elroy, WI

Clump History: original seedling; 5 years old; Elroy, WI

Notable Characteristics: Large yellow with good corrugation.

Parentage: *H.* 'Justice' × OP

***H.* 'Up in Smoke'**

J. Husemann (ONIR)

Plant: 36in (91.4cm) diameter; 16in (40.6cm) high; mound-like; moderate growth rate.

Leaf: 8.5in (21.6cm) long; 3.5in (8.9cm) wide; 8 vein pairs; greyish blue with heavily rippled margins; glaucous bloom on top; glaucous bloom underneath; lance-shaped with tapered base; moderately twisted, folded and wavy overall.

Scapes: 24 to 28in (61 to 71.1cm) high; grey-blue

Flower: 1.5in (3.8cm) long; pale lavender; tubular; Asbury, IA; 7/25 - 8/1 - 8/5

Seed: sets viable seed; green pods

Clump History: original seedling; 5 years old; Asbury, IA

Notable Characteristics: Unusual greyish blue color and heavy wax bloom.

Parentage: *H.* 'Purple Verticulated Elf' × *H.* 'Smoke Signals'

W

***H.* 'When I Dream'** H. Hansen (ONR), Walters Gardens (I)

Plant: 62in (157.5cm) diameter; 28 in (71.1cm) high; mound-like; moderate growth rate.

Leaf: 14.5in (36.8cm) long; 9.5in (24.1cm) wide; 12 to 13 vein pairs; creamy white with 1 to 3in (2.5 to 7.6cm) wide blue green slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; lightly corrugated overall.

Petiole Characteristics: white with thin green margins

Scapes: 27 to 34in (68.6 to 86.4cm) high; white

Flower: white; tubular; Zeeland, MI; 6/15 - 6/25 - 7/10

Seed: sets non-viable seed; white pods

Clump History: original seedling; 9 years old; Zeeland, MI

Notable Characteristics: Large creamy white centered leaves with very wide rippled blue green margins and chartreuse between the center and margin colors.

Parentage: Streaked sport of *H.* 'Empress Wu' × *H.* 'Queen of the Seas'

Seasonal Color: bluest in spring

***H.* 'Wild Imagination'** H. Hansen (ONR), Walters Gardens (I)

Plant: 53in (134.6cm) diameter; 22in (55.9cm) high; mound-like; moderate growth rate.

Leaf: 12in (30.5cm) long; 3.5in (8.9cm) wide; 8 vein pairs; blue green with heavily rippled margins; glaucous bloom on top; glaucous bloom underneath; lance-shaped with tapered base; moderately twisted and intensely wavy overall.

Scapes: 17 to 36in (43.2 to 91.4cm) high; blue

Flower: 2.5in (6.4cm) long; medium lavender; white petals with lavender stripe down the center; tubular; Zeeland, MI; 7/23 - 8/7 - 8/30

Seed: sets viable seed; green pods

Clump History: original seedling; 8 years old; Zeeland, MI

Notable Characteristics: Large mound of narrow blue twisted and ruffled leaves.

Parentage: *H.* 'Electrocution' × [H9-57 (*H.* 'Neptune' × *H.* 'Fulda')] × *H.* 'Joy Ride']

***H.* 'Wu-La-La'**

H. Hansen (ONR), Walters Gardens (I)

Plant: 68in (172.7cm) diameter; 29in (73.7cm) high; upright;

fast growth rate.

Leaf: 15in (38.1cm) long; 12in (30.5cm) wide; 15 vein pairs; blue green with 0.5 to 2.5in (1.3 to 6.4cm) wide chartreuse, flat margins; dull on top; glaucous bloom underneath; broadly ovate with cordate base; lightly corrugated overall.

Scape: 24 to 47in (61 to 119.4cm) high; green

Flower: 2in (5.1cm) long; pale lavender interior stripes and translucent margins; tubular; Zeeland, MI; 7/4 - 7/18 - 7/25

Seed: sets viable seed; green pods

Clump History: original sport; 7 years old; Zeeland, MI

Notable Characteristics: Blue green leaves with striking yellow margins have good substance and the clump size is the same as 'Empress Wu'.

Parentage: Sport of *H.* 'Empress Wu'

Seasonal Color: chartreuse margins become brighter through the season

X

H. 'Xcuse Me' D. Dean (ONIR)

Plant: 28in (71.1cm) diameter; 15in (38.1cm) high; upright; moderate growth rate.

Leaf: 6in (15.2cm) long; 4.8in (12.1cm) wide; 7 to 8 vein pairs; medium green with flat margins; slightly shiny on top; slightly shiny underneath; ovate with rounded base; lightly twisted and wavy overall with leaf tips that twist and curve downward.

Petiole Characteristics: saturated garnet red that extends up into the leaf

Scape: 20 to 26in (50.8 to 66cm) high; saturated purplish red with slight glaucous bloom

Flower: 1.8in (4.4cm) long; medium lavender; translucent margins; tubular; Ramsey, MN; 8/19 - 8/28 - 9/12

Seed: sets seed, viability unknown; burgundy pods

Clump History: original seedling; 6 years old; Ramsey, MN

Notable Characteristics: Saturated red petioles extend up and out to form an open mound of rich green foliage. Posture shows off the attractive petioles.

Parentage: *H.* 'Crimson Desire' × *H.* 'Night Flight'

H. 'Xiangfei' Yantai Ag Science & Tech Inst (ONIR)

Plant: 20.9in (53cm) diameter; 16.5in (42cm) high; upright; moderate growth rate.

Leaf: 4.9in (12.3cm) long; 3.2in (8.1cm) wide; 7 to 8 vein pairs; medium green with moderately rippled margins; very shiny on top; slightly shiny underneath; ovate

Scape: 7.9 to 16.5in (20 to 42cm) high; medium green

Flower: 4.4in (11.2cm) long; pure white; bell-shaped; Yantai City, Shandong Province; 8/3 - 8/21 - 9/28

Seed: sets seed, viability unknown; grayish yellow pods

Clump History: original seedling; 3 years old; Yantai City, Shandong Province

Notable Characteristics: Large pure white flowers with strong fragrant aroma.

Parentage: *H.* 'Royal Standard' × *H.* 'Summer Fragrance'

Seasonal Color: changes from medium green to yellow

Y

H. 'Yellowbeard' M. Kurasz (ONIR)

Plant: 24in (61cm) diameter; 12in (30.5cm) high; mound-like; moderate growth rate.

Leaf: 8in (20.3cm) long; 5in (12.7cm) wide; 7 to 9 vein pairs; medium green with 0.5in (1.3cm) wide yellow, slightly rippled margins; slightly shiny on top; slightly shiny underneath; broadly ovate; lightly wavy overall.

Scape: 24 to 36in (61 to 91.4cm) high; medium green

Flower: pale lavender; tubular; Jun 1 to Jul 15; Neillsville, WI

Seed: does not set seed

Clump History: original sport; 3 years old; Neillsville, WI

Notable Characteristics: Yellow margins on an 'Undulata Erromena' type leaf.

Parentage: Sport of *H.* 'Undulata Erromena'

Seasonal Color: emerges with light green margins that turn gold then yellow by bloom time

H. 'Yippee' D. & M. Beilstein (ONIR)

Plant: 15in (38.1cm) diameter; 11in (27.9cm) high; upright; moderate growth rate.

Leaf: 6in (15.2cm) long; 1.4 in (3.6cm) wide; 5 to 6 vein pairs; medium green with 0.4in (1.1 cm) wide creamy white, slightly rippled margins; slightly shiny on top; slightly shiny underneath; lance-shaped with tapered base; lightly folded and wavy overall.

Petiole Characteristics: petioles are 1 to 1.5X the length of the leaf (8-10 inches) and don't know where to start or stop.

Scape: 18 to 20in (45.7 to 50.8cm) high; green with light red specks.

Flower: pale lavender; tubular; Mansfield, OH; 7/10-7/20-7/30

Seed: does not set seed

Clump History: original seedling; 7 years old; Mansfield, OH

Notable Characteristics: Long, stretched-out, firm bladed leaf. The narrow creamy edge runs around a slightly wavy margin on the end of a petiole that can't figure out where to start.

Parentage: (7DB5(S)3W67 sdlg × *H.* 'Salute') × (*H.* 'Lizard Lick' × *H.* 'Atom Smasher')

INTERNATIONAL REGISTRATION OF HOSTA CULTIVARS

Minimum requirements for registration are:

- This form with bold-faced items completed in their entirety
- Three **digital** photographs: one of the entire clump, one close-up showing a representative leaf, and one close-up of the flower. Please supply the photographer's name and do not reduce or compress the original file. Do not send hard-copy prints. Digital photos must be emailed to HostaRegistry@gmail.com
- Written permission from the originator (if other than the registrant)
- \$5 registration fee per cultivar name. Make check(s) payable to "The American Hosta Society"

Optional:

- Additional digital photo(s) showing unique plant characteristics

Mail required items to:

Hosta Registrar
 Gayle Hartley Alley
 33001 E 155th Street
 Pleasant Hill, MO 64080-9365

or email to:

HostaRegistry@gmail.com

Questions can be answered by calling **(816) 697-2007** or emailing GiboshiGayle@gmail.com

Feel free to photocopy this form, or visit <http://www.hostaregistrar.org> for additional copies.

Terms used on this form can be found in *The American Hosta Society Glossary of Terms* at http://www.hostaregistrar.org/hosta_terminology.html

Please Note: Un-established cultivar names submitted for registration do not become established until they are published in the *Registrations* supplement of *The Hosta Journal*, accompanied by their description. However, cultivar names can become established outside this avenue by being published elsewhere prior to the publication date of the *Registrations* supplement (which could potentially negate your registration).

Key A – Flowering period(s)

Key B – Leaf Colors

Northern Hemisphere	Southern Hemisphere
AN = before June 1	AS = before Dec 1
BN = June 1 – July 15	BS = Dec 1 – Jan 15
CN = July 15 – Aug 15	CS = Jan 15 – Feb 15
DN = Aug 15 – Oct 1	DS = Feb 15 – April 1
EN = after Oct 1	ES = after April 1

light green	slightly blue-green
medium green	medium blue-green
dark green	intensely blue-green
greenish-yellow	greenish-white
pale yellow	creamy white
yellow	pure white
golden yellow	
green speckling	white speckling
streaked with _____ (enter color from above)	
mottled with _____ (enter color from above)	

INTERNATIONAL REGISTRATION OF HOSTA CULTIVARS

Registrant Information

CULTIVAR NAME:		Alternate Name:	
Registrant Name:	Phone:	Email:	
Street Address:			
City:	State:	ZIP Code:	
Enter names below only if different from the "Registrant"			
Introducer:	Originator:	Nominant (Namer):	

General Information

All Measurements presented on this application are in:	Inches	Centimeters	(circle one)
Is the cultivar being grown or sold under a different name or designation?	Yes	No	(circle one) <i>If yes, provide detailed explanation.</i>
Has this cultivar name ever been published?	Yes	No	(circle one) <i>If yes, provide publication name(s) [catalogs included] and date(s).</i>
Is the cultivar a Sport?	Yes	No	(circle one) <i>If yes --> Parent Name:</i>
Is the cultivar a Seedling?	Yes	No	(circle one) <i>If yes enter parentage below.</i>
Pod Parent:	Pollen Parent:		
The clump described is ____ years old and is (circle all that apply on line below)			
original seedling	original sport	(enter number →) __ generation division	tissue cultured unknown history
The clump was obtained from _____ (enter 1, 2, 3 or 4) 1) Yourself 2) A Nursery 3) The Originator (select this <u>only</u> if the Originator <u>is different</u> from the Registrant above) 4) Other Source _____			
The clump described is growing in (city/state/country):			
What diagnostic characteristics make this cultivar unique from other hostas? (describe below)			

Plant Patent or Breeders' Rights

Is (or will) there be a patent, or Breeders Rights, applied for? Yes No (circle one)		
If you circled "Yes" complete any applicable field(s) below.		
Country:	Application #	Date:
Country:	Pat. Pending	Date:
Country:	Patent #	Date:
Country:	Breeders' Rights #	Date:

Plant Details

Plant Habit:	Upright	Mound	Rhizomatous	(circle one)
Growth Rate:	Slow	Medium	Fast	(circle one)
Plant Width:	Plant Height:			

INTERNATIONAL REGISTRATION OF HOSTA CULTIVARS

Leaf Details

Leaf Color (choose from **Key B** on page 1, or from a recognized color authority such as the Royal Horticultural Society color chart). If leaf is a single color, enter under "Center Color"

Center Color:

Margin Color:

Margin Width:

Is variegation relatively stable? Yes No (*circle one*)

Seasonal Color Change (*describe, if applicable*)

Leaf Width:

Leaf Length:

Number of Vein Pairs (range):

Unique Petiole [leaf stalk] Characteristics (*describe, if applicable*)

Margin Appearance: Flat Slightly Rippled Heavily Rippled Serrated (*circle one*)

Leaf Texture (top surface): Dull Slightly Shiny Very Shiny Glaucous Bloom (*circle one*)

Leaf Texture (bottom surface): Dull Slightly Shiny Very Shiny Glaucous Bloom (*circle one*)

Is leaf relatively flat? Yes No (*circle one*) If "No" use one or more modifiers at right to describe **only** the applicable leaf characteristics below. [L]ightly [M]oderately [D]eeply [I]ntensely






___ Cupped





___ Twisted

___ Folded

___ Wavy

___ Corrugated

Leaf Shape:  Lance  Elliptic  Ovate  Broadly Ovate  Nearly Round (*select one*)

Leaf Base:  Tapered  Flat  Heart-Shaped [cordate]  Rounded (*select one*)

Flower, Scape & Pod Details

Flower Period: AN BN CN DN EN AS BS CS DS ES (*circle one*) (see **Key A** on pg 1 for explanation of codes)

Flower Color: White Near White Pale Lavender Medium Lavender Pale Purple Deep Purple Other ___ (*circle one*)

Scape Height: ___ to ___ (*range*)

Scape Color:

Flower Length:

Fragrance? Yes No (*circle one*)

Unique bracts? (*describe if present*)

Bloom Time Start: ___/___ (*month/day*)

Bloom Time Peak: ___/___ (*month/day*)

Bloom Time Finish: ___/___ (*month/day*)

Flower Color Patterns (*striping, translucent margins, etc.. Please describe*):

Flower Shape:  Tubular  Bell  Spider Closed Double Other ___ (*select one*)

Does it set seed? Yes No (*circle one*) If yes -->

Is the seed viable? Yes No (*circle one*)

Seed Pod Color:

- - REGISTRAR USE ONLY - -

Registration Received:

Date:

Registered (or Rejected):

Date:

Name Reserved:

Date:

INTERNATIONAL REGISTRATION OF HOSTA CULTIVARS

Registrant Information

CULTIVAR NAME:		Alternate Name:	
Registrant Name:	Phone:	Email:	
Street Address:			
City:	State:	ZIP Code:	
Enter names below only if different from the "Registrant"			
Introducer:	Originator:	Nominant (Namer):	

General Information

All Measurements presented on this application are in:	Inches	Centimeters	(circle one)
Is the cultivar being grown or sold under a different name or designation?	Yes	No	(circle one) <i>If yes, provide detailed explanation.</i>
Has this cultivar name ever been published?	Yes	No	(circle one) <i>If yes, provide publication name(s) [catalogs included] and date(s).</i>
Is the cultivar a Sport?	Yes	No	(circle one) <i>If yes --> Parent Name:</i>
Is the cultivar a Seedling?	Yes	No	(circle one) <i>If yes enter parentage below.</i>
Pod Parent:	Pollen Parent:		
The clump described is ____ years old and is (circle all that apply on line below)			
original seedling	original sport	(enter number →) __ generation division	tissue cultured unknown history
The clump was obtained from _____ (enter 1, 2, 3 or 4) 1) Yourself 2) A Nursery 3) The Originator (select this <u>only</u> if the Originator <u>is different</u> from the Registrant above) 4) Other Source _____			
The clump described is growing in (city/state/country):			
What diagnostic characteristics make this cultivar unique from other hostas? (describe below)			

Plant Patent or Breeders' Rights

Is (or will) there be a patent, or Breeders Rights, applied for? Yes No (circle one)		
If you circled "Yes" complete any applicable field(s) below.		
Country:	Application #	Date:
Country:	Pat. Pending	Date:
Country:	Patent #	Date:
Country:	Breeders' Rights #	Date:

Plant Details

Plant Habit:	Upright	Mound	Rhizomatous	(circle one)
Growth Rate:	Slow	Medium	Fast	(circle one)
Plant Width:	Plant Height:			

INTERNATIONAL REGISTRATION OF HOSTA CULTIVARS

Leaf Details

Leaf Color (choose from **Key B** on page 1, or from a recognized color authority such as the Royal Horticultural Society color chart). If leaf is a single color, enter under "Center Color"

Center Color: _____ **Margin Color:** _____

Margin Width: _____ **Is variegation relatively stable?** Yes No (*circle one*)

Seasonal Color Change (*describe, if applicable*)

Leaf Width: _____ **Leaf Length:** _____ Number of Vein Pairs (range): _____

Unique Petiole [leaf stalk] Characteristics (*describe, if applicable*)






Margin Appearance: Flat Slightly Rippled Heavily Rippled Serrated (*circle one*)





Leaf Texture (top surface): Dull Slightly Shiny Very Shiny Glaucous Bloom (*circle one*)

Leaf Texture (bottom surface): Dull Slightly Shiny Very Shiny Glaucous Bloom (*circle one*)

Is leaf relatively flat? Yes No (*circle one*) If "No" use one or more modifiers at right to describe **only** the applicable leaf characteristics below. [L]ightly [M]oderately [D]eeply [I]ntensely

___ Cupped ___ Twisted ___ Folded ___ Wavy ___ Corrugated

Leaf Shape:  Lance  Elliptic  Ovate  Broadly Ovate  Nearly Round (*select one*)

Leaf Base:  Tapered  Flat  Heart-shaped [cordate]  Rounded (*select one*)

Flower, Scape & Pod Details

Flower Period: AN BN CN DN EN AS BS CS DS ES (*circle one*) (see **Key A** on pg 1 for explanation of codes)

Flower Color: White Near White Pale Lavender Medium Lavender Pale Purple Deep Purple Other _____ (*circle one*)

Scape Height: _____ to _____ (*range*) Scape Color: _____ Flower Length: _____ Fragrance? Yes No (*circle one*)

Unique bracts? (*describe if present*)

Bloom Time Start: ____/____ (*month/day*) Bloom Time Peak: ____/____ (*month/day*) Bloom Time Finish: ____/____ (*month/day*)

Flower Color Patterns (*striping, translucent margins, etc.. Please describe*):

Flower Shape:  Tubular  Bell  Spider Closed Double Other _____ (*select one*)

Does it set seed? Yes No (*circle one*) If yes --> _____ Is the seed viable? Yes No (*circle one*) Seed Pod Color: _____

- - REGISTRAR USE ONLY - -

Registration Received: _____ Date: _____

Registered (or Rejected): _____ Date: _____

Name Reserved: _____ Date: _____