

2022 Registrations



The due date for registration submissions is December 1!

140 new registrations were added in 2022, for a total of 6,562 registered hostas.

The cutoff date for submission of registration materials continues to be December 1st. Please respect the need for adequate preparation time during the busy holiday season and submit your registration requests prior to December 1st.

There are **no fees** for the first five (5) registrations per calendar year when registrants use the online registration tool at <http://www.hostaregistrar.org/Registration/>.

A \$10 fee IS required for each registration beyond five.

For those who cannot register online, the registrar provides registration completion for a fee of \$15 per cultivar. Use the new “worksheet” to gather and submit your registration details.

NOTE: **None** of the old registration “forms” are acceptable for use after January 1, 2022.

Respectfully submitted,



Gayle Hartley Alley

International Registrar for the Genus *Hosta*

33001 E 155th Street

Pleasant Hill, MO 64080-9365

(816) 697-2007 or (816) 914-3220

GiboshiGayle@gmail.com or HostaRegistry@gmail.com

Worksheets are available:

- ✓ On the final pages of this publication
- ✓ At <http://www.hostaregistrar.org/Registration/> (download the “Registration Guidelines” pdf)
- ✓ Contact the registrar to request a copy

Contents

<i>International Code of Nomenclature for Cultivated Plants (ICNCP) Ninth Edition</i>	5
Registration Guidelines	5
Name Release Forms	5
Photograph Requirements.....	5
Registration Errors.....	5
Symbol Usage in Parentage Descriptions.....	5
Typographer's Quotation Symbols.....	5
Rounding of Dimensions	6
Cultivar Name Establishment.....	6
AHS Name Reservation Policy.....	6
Flowering Periods.....	6
Clump Sizes	6
Color Selection for Leaf and Margins	6
Indicating Ploidy in Registrations.....	7
Cumulative Index to Hosta Registrations	7
Plant Patents, Plant Breeders' Rights and Establishment	7
Corrections and Comments.....	7
REGISTRATIONS	9

International Code of Nomenclature for Cultivated Plants (ICNCP) Ninth Edition

The *ICNCP* is the official publication incorporating the Rules and Recommendations for naming plants in cultivation. The Ninth Edition of the *ICNCP* was published by the International Society for Horticultural Science (ISHS) in June 2016. Hereafter, the *ICNCP* will be referred to simply as “the *Code*.”

Registration Guidelines

A continuously updated “Help” document is available for registrants. Go to: <http://www.hostaregistrar.org/> and select the Registrations tab, then select the link for “Registrations Guidelines.” This opens a downloadable pdf that explains all facets of registration.

Name Release Forms

Per the *Code*, permission must be granted for a person’s name to be used as the registered name of a cultivar. Permission forms with instructions for their use are included in the “Registration Guidelines” (see above).

Photograph Requirements

All registrations now require the submission of digital photographs. With registration photos being published, it is important to portray your cultivar’s noteworthy feature(s). For example, if red blushing leaves make your hosta unique – provide photos that adequately showcase this characteristic. Complete photograph requirements are included in the “Registration Guidelines” document (see above).

Registration Errors

Clear typographical and/or data entry errors are easily corrected by updating the database information and publishing those corrections within this document.

Not so straight-forward, are instances where the published data accurately reflects the registrant’s information at the time the registration was approved and published, yet later proves to be misleading or outright erroneous. In these cases, **the registrant must approve any changes.**

In cases where the original registrant is not available and obvious errors are noted, we strive to work with what we have as best we can. An example would be the registration of *H. ‘Love Pat’* that has been discussed in depth, yet still remains as originally registered. To allow the AHS Show Classification team to update and clarify their classification listings, the registrar’s office now sanctions the use of the following materials:

- *Mark Zilis’ Field Guide to Hostas* by Mark R. Zilis, 2014 (Q & Z Nursery, Inc. Rochelle, IL)
- *The Hostapedia An Encyclopedia of Hostas* by Mark R. Zilis, 2009 (Q & Z Nursery, Inc. Rochelle, IL)

The official registration of hosta cultivars continues to be per the printed *Registrations* issue published each year.

We acknowledge that official registrations are a mere “snapshot in time” providing only static details. Registration data is gathered at a single geographic location and the state of maturity will vary from quite young to fully mature. Thus, original data may fall short of supplying complete, real-life details. When you have need for more information than what is contained in this document, you will find relevant, accurate, and interesting information in the reference materials listed above.

Symbol Usage in Parentage Descriptions

Parentheses are commonly used within each parentage description. To assist with more complicated crosses, the use of brackets and braces has been added. When using brackets and braces to describe parentage, the order of precedence is: parentheses () occur first, followed by brackets [] and then braces { }. Any number of these symbols can be used consecutively in a parentage equation depending on the complexity of the hybridization. Additionally, the mathematical × symbol is now used to indicate each cross between pod and pollen parents.

Typographer’s Quotation Symbols

Introduced in 2017 is the use of proper quotation symbols instead of straight quotes. Straight quotes are left over from the age of typewriters when using one key for two different marks helped save space on a keyboard. Thanks to modern word processing features it is relatively easy to replace the old “dumb quotes” with proper typographer’s

“smart quotes.” The prime symbol, which looks like a dumb quote, is still used for denoting measurements such as feet and inches (5'2").

Rounding of Dimensions

In the future, all registration dimensions will be rounded to the nearest tenth of an inch (English) or tenth of a centimeter (metric). Rounding dimensions to the nearest tenth means the published dimension will always be within .05 of the original before it was rounded. English dimensions submitted as fractions are converted to their decimal equivalent prior to being recorded in the database, and prior to rounding. The example below illustrates the rounding policy.

A registrant submits a leaf size of 2¼" × 5/8". The decimal equivalent 2.25" × .625" is entered into the database. After rounding, the published size is 2.3" × .6". The first rounded dimension is only .05" different from the original, and the second is only .025" different. Both are insignificant, even in the realm of miniature leaf sizes.

All conversions from metric to English (or English to metric), are done before any rounding occurs. A registration that submits metric dimensions is converted first to English, then rounded to the nearest tenth of an inch. Thus, a metric dimension of 4.75cm × 3.65cm, is first converted to English (1.870" × 1.437") and then rounded to be 1.9" × 1.4".

Cultivar Name Establishment

To establish a cultivar name, the *Code* calls for registrations to appear in a suitable dated publication that is made publicly available. Thus, epithets that have not been published per this document are NOT guaranteed to be available for registration. Examples of how a name can be established outside of registration are: 1) if it has been listed in a nursery catalogue, 2) sold by the originator online under the name in question, or 3) a Plant Patent or Plant Breeders' Rights has been issued. Any of these scenarios might be sufficient to establish a name such that no one else can register a hosta using that name.

AHS Name Reservation Policy

As the *Code* has no provision for name reservations, each plant society develops its own policies. The American Hosta Society (AHS) states its Name Reservation policy as follows. “*A cultivar name is reserved through the AHS Registrar. Reserved names do not require descriptive information or photographs and will be protected for a one time period of three (3) years. A maximum of 10 reserved names may be held concurrently by any one registrant.*” Similar to the section titled “Cultivar Name Establishment,” a reservation is NOT a guarantee, it is a place holder that limits the ability for another person to register a plant using your reserved name. This protection does not extend into the three areas where names may be established outside of registration.

Flowering Periods

Flowering periods may be entered using the codes per Key A (see instruction page of registration form) or using a “start-peak-finish” format (both options are available). If both types are entered, the more accurate “start-peak-finish” information will appear in the formal registration.

Clump Sizes

There have been multiple changes in the registration form and the information required to adequately describe plant size. An option to indicate a general size description (miniature, small, medium, large and giant) was allowed at one point early on. After input and discussion, this option was discontinued in preference for utilizing dimensional measurements to indicate a plant's width and height. This will remain standard policy, with the understanding that dimensions reflect clump size at the age and location recorded in each registration.

Color Selection for Leaf and Margins

Commentary upon determining accurate margin or leaf colors was published in the *Registrations 2008* and *2009* issues. While no color charts have been provided online, we recommend using charts provided by the Royal Horticultural Society when concerns about color arise. In some of this year's registrations, leaf colors contain references to the RHS Colour Charts in parentheses following the color descriptive text. See *H. 'Memphis Blue'* for an example where “...moderate greenish-blue (122A RHS Chart)” appears within the Leaf details.

Indicating Ploidy in Registrations

A comprehensive discussion regarding ploidy was printed in the *Registrations 2009* thru *2011* issues. Current policy prohibits the inclusion of ploidy terminology within registrations unless scientifically verified.

Cumulative Index to Hosta Registrations

The *Cumulative Index* of registered hostas is now provided as a stand-alone document and can be found at http://www.hostaregistrar.org/hosta_registration_lists.html. Commencing with the 2016 index, each registration references the year it was registered (instead of the previous practice of listing *THJ* Volume and Registration Issue). Additionally, each entry now references all years in which corrections or additions have been published.

Plant Patents, Plant Breeders' Rights and Establishment

The *Code*, page 64, under DIVISION IV: REGISTRATION OF NAMES states:

3) A statutory plant registration authority is an organization established by national legal enactment or by international treaty, which, as part of its remit, establishes variety denominations or other names for plants. Names established by statutory plant registration authorities must be cited in the relevant register and checklist.

A table of all hosta cultivars known to be established per statutory authorities is now included as Appendix A of the *Cumulative Index*. Cultivars listed therein are “established” via the legal protection(s) shown and thus are not available for use by anyone other than the original applicant. See previous section (titled Complete Index to Hosta Registrations) for the web address where a copy of the latest *Cumulative Index* can be retrieved.

Corrections and Comments

H. ‘Blue Yonder’ (2021) – was originally registered with incomplete ONIR Name.
Corrected name is: S. D. Smith (ONIR)

H. ‘Fragrant Blue Ribbons’ (2007) – was originally registered with a spelling error for ONIR.
Corrected information is: S. Beikmann (ONIR)

H. ‘Freising’ (2009) – was originally registered with incorrect ONIR credits.
Corrected information is: H. Müssel (O) H. Klose (NI) P. Ruh (R)

H. ‘Kasseler Gold’ (2003) – was originally registered with incorrect ONIR credits.
Corrected information is: H. Klose (ONI) P. & J. Ruh (R)

H. ‘Livonia’ (1997) – was originally registered with incorrect ONIR credits.
Corrected information is: H. Klose (O) P. Ruh (NIR)

H. ‘My GOAT’ (2021) – was originally registered with an unsatisfactory Name. At the request of the Registrant (and Originator) the name is hereby changed to: **H. ‘Blueberries and Cream’** (2021)

H. ‘Outrageous’ (2009) – was originally registered with an incorrect flower color.
Corrected information is: **Flower:** white; Hillsdale, MI; July 1 to July 30

H. ‘Pebble Creek Doggone Nice’ (2020) – was originally registered with reversed leaf dimensions.
Corrected information is: **Leaf:** 10.5in (26.7cm) long; 6.5in (16.5cm) wide

H. ‘Remember Me’ (2001) – was originally registered with spelling errors for ONI names.
Corrected name(s): G. van Eijk-Bos & D. van Erven (ONI)

H. ‘The Partridge Family’ (2020) – was originally registered before full maturity. Revised registration now reads as follows:

H. 'The Partridge Family'

R. Hatt (ONIR)

Plant: 10in (25.4cm) diameter; 8in (20.3cm) high; mound-like; slow growth rate.**Leaf:** 6in (15.2cm) long; 3in (7.6cm) wide; 8 to 9 vein pairs; bright yellow early/dark green late with slightly rippled margins; shiny on top; glaucous bloom underneath; ovate with rounded base; moderately cupped overall.**Petiole Characteristics:** semi-upright and relatively long**Flower:** does not flower**Clump History:** original sport; 4 years old; Merrimac, MA**Notable Characteristics:** A fascinating, full season long, color transformation. Leaves emerge a glowing vivid yellow that remains for a month or more. Eventually, they start developing a light green color within the veins and petioles. The green continues to intensify, eventually spreading into the leaf surfaces and finally the leaves become a very shiny dark green. When one shoot comes up later than another, that part of the plant can be bright yellow while the other shoots are further within their process to green.**Parentage:** Sport of *H. 'Yellow Polka Dot Bikini'***Seasonal Color:** See Notable Characteristics

H. 'Twist Tie' (2019) – was originally registered with reversed clump dimensions. Corrected information is:

Plant: 18in (45.7cm) diameter; 10in (25.4cm) high; mound-like; moderate growth rate.

H. 'Weihenstephan' (2003) – was originally registered with incorrect ONIR credits.

Corrected information is: H. Müssel (O) H. Klose (NI) P. & J. Ruh (R)

2022 REGISTRATIONS

H. '00 Buckshot' C. Kwick (ONIR)
Plant: 44in (111.8cm) diameter; 19in (48.3cm) high; mound-like; moderate growth rate.
Leaf: 12in (30.5cm) long; 9in (22.9cm) wide; 12 to 13 vein pairs; medium blue green with slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; lightly wavy overall with deep veins on velvety leaves.
Scape: 32 to 38in (81.3 to 96.5 cm) high; light green with glaucous bloom
Flower: 2in (5.1cm) long; pale lavender with lavender striping, alternate petals have translucent margins; tubular; Eau Claire, WI; 6/28 - 7/10 - 7/23
Seed: sets seeds, viability is unknown; green pods
Clump History: original seedling; 10 years old; Eau Claire, WI
Notable Characteristics: Large, blue green velvety leaves with deep veins.
Parentage: *H. 'Blue Umbrellas'* × *H. 'Satisfaction'*

A

H. 'Affair to Remember' H. Hansen (ONR)
 Walters Gardens (I)
Plant: 69in (175.3cm) diameter; 29in (73.7cm) high; mound-like; moderate growth rate.
Leaf: 13in (33cm) long; 9in (22.9cm) wide; 13 to 14 vein pairs; pale greenish yellow with flat, 1 to 2in (2.5 to 5.1cm) wide dark green with intermediate medium green margins; slightly shiny on top; glaucous bloom underneath; ovate with cordate base; relatively flat overall with deeply impressed veins.
Scape: 27 to 33 in (68.6 to 83.8cm) high; white
Scape bracts: small white bracts with green margins
Flower: 1.8in (4.4cm) long; white with diamond dusting on petals; tubular; Zeeland, MI; 6/22 - 7/15 - 8/8
Seed: sets non-viable seed; white pods
Clump History: original seedling; 12 years old; Zeeland, MI
Notable Characteristics: Large heart-shaped leaves are pale greenish yellow with dark green margins and a medium green feather pattern where they overlap.
Parentage: (streaked sport of *H. 'Cherry Berry'* × *H. 'Mississippi Delta'*) × *H. 'Empress Wu'*
Seasonal Color: centers are pale greenish yellow turning white late in the season

H. 'Angel of Beauty' M. Zilis / K. Ziarek (O)
 K. Ziarek (NI) O. Purvis (R)
Plant: 48in (121.9cm) diameter; 22in (55.9cm) high; mound-like; moderate growth rate.
Leaf: 15in (38.1cm) long; 12in (30.5cm) wide; 14 to 15 vein pairs; blue green with 1in (2.5cm) wide greenish gold moderately rippled margins; dull on top; dull underneath; broadly ovate with cordate base; moderately corrugated overall.
Scape: 28 to 32in (71.1 to 81.3cm) high; green
Flower: 2 in (5.1cm) long; near white; tubular; Princeton, WI; 6/25 - 7/10 - 7/19
Seed: sets seeds, viability is unknown; green pods
Clump History: original sport; 10 years old; Princeton, WI
Notable Characteristics: Attractive sport of *H. 'Blue Angel'* with greenish gold margins that often streak into the leaf center.
Parentage: Sport of *H. 'Blue Angel'*

H. 'Aqua June' G. & R. Ragus (ONIR)
Plant: 35.4in (90cm) diameter; 18.9in (48cm) high; upright; moderate growth rate.
Leaf: 11.4in (29cm) long; 3.9in (10cm) wide; 7 vein pairs; blue green with moderately rippled margins; slightly shiny on top; dull underneath; lance-shaped with tapered base; lightly twisted and wavy overall with slight folding at the leaf base
Scape: 35.4 to 37.4in (90 to 95cm) high; grey green
Flower: 1in (2.5cm) long; medium lavender with white stripes; tubular; Ganderkesee, Germany; 8/12 - 9/14 - 10/12
Seed: sets viable seed; slightly blue green pods
Clump History: original seedling; 2 years old; Ganderkesee, Germany
Notable Characteristics: Very long blue green leaves with whitish undersides
Parentage: *H. 'Shining Tot'* × *H. 'June'*

H. 'Artisan Garden Gnome' S. D. Smith (ONIR)
Plant: 16in (40.6cm) diameter; 8in (20.3cm) high; mound-like; moderate growth rate.
Leaf: 5in (12.7cm) long; 4.5in (11.4cm) wide; 9 vein pairs; dark green with flat margins; dull on top; dull underneath; nearly round with rounded base; moderately cupped and deeply corrugated overall.
Scape: 18 to 22in (45.7 to 55.9cm) high; green
Flower: 1.5 in (3.8cm) long; near white with faint lavender striping on inside; tubular; Kalamazoo, MI; 7/8 - 7/20 - 7/27
Seed: sets viable seed; green pods
Clump History: original seedling; 5 years old; Kalamazoo, MI
Notable Characteristics: Very short compact clump of nearly round textured leaves.
Parentage: *H. 'Quilting Bee'* × *H. 'Clear Fork River Valley'*

H. 'Artisan Golden Pagoda' S. D. Smith (ONIR)
Plant: 30in (76.2cm) diameter; 14in (35.6cm) high; upright; moderate growth rate.
Leaf: 11in (27.9cm) long; 7in (17.8cm) wide; 11 vein pairs; golden yellow with slightly rippled margins; dull on top; dull underneath; ovate with cordate base; leaf edges turn under slightly (not cupped) giving a pillow appearance
Scape: 23 to 26in (58.4 to 66cm) high; green
Flower: 2.5in (6.4cm) long; near white with very pale lavender striping on inside; tubular; Kalamazoo, MI; 6/6 - 6/18 - 6/28
Seed: sets viable seed; green pods
Clump History: original seedling; 5 years old; Kalamazoo, MI
Notable Characteristics: Graceful gold leaves with slightly turned-under edges.
Parentage: *H. 'Convexity'* × OP
Seasonal Color: turns greenish yellow in summer

H. 'Artisan Grand Illusion' S. D. Smith (ONIR)
Plant: 30in (76.2cm) diameter; 20in (50.8cm) high; upright; moderate growth rate.
Leaf: 12in (30.5cm) long; 11in (27.9cm) wide; 13 vein pairs; streaks of white, dark green, green and grey blue with flat margins; dull on top; dull underneath; broadly ovate with cordate base; moderately corrugated overall.
Scape: 24 to 30in (61 to 76.2cm) high; green
Flower: 2.5in (6.4cm) long; near white with very pale lavender shading; tubular; Kalamazoo, MI; 6/5 - 6/15 - 7/4
Seed: sets viable seed; green pods
Clump History: original seedling; 6 years old; Kalamazoo, MI

Notable Characteristics: Large heavily textured leaves with streaks of bright white, dark green, green and grey blue.

Parentage: *H.* 'Pablo Picasso' × OP

Seasonal Color: white areas are limey green early before turning bright white in summer

***H.* 'Artisan Green Iguana'** S. D. Smith (ONIR)

Plant: 48in (121.9cm) diameter; 20in (50.8cm) high; upright; fast growth rate.

Leaf: 12in (30.5cm) long; 9.5in (24.1cm) wide; 14 vein pairs; slightly blue green with heavily rippled margins; dull on top; dull underneath; ovate with cordate base; very thick & heavy leaves are deeply wavy and intensely corrugated overall

Scape: 36 to 40in (91.4 to 101.6cm) high; green

Flower: 2.3in (5.7cm) long; near white with very pale lavender shading; tubular; Kalamazoo, MI; 6/18 - 7/10 - 7/20

Seed: sets viable seed; green pods

Clump History: original seedling; 8 years old; Kalamazoo, MI

Notable Characteristics: Large clump of thick, heavily textured and rippled leaves that look like a reptile.

Parentage: *H.* 'King Lizard' × OP

***H.* 'Artisan Voodoo Spell'** S. D. Smith (ONIR)

Plant: 28in (71.1cm) diameter; 12in (30.5cm) high; mound-like; moderate growth rate.

Leaf: 6in (15.2cm) long; 5in (12.7cm) wide; 7 vein pairs; slightly blue green with moderately rippled margins; dull on top; glaucous bloom underneath; broadly ovate with cordate base; lightly wavy overall.

Scape: 24 to 28in (61 to 71.1cm) high; near black

Flower: 1.5in (3.8cm) long; deep purple with white margins and striping on alternate petals; tubular; Kalamazoo, MI; 8/4-8/17-8/25

Seed: sets viable seed; red blush on dark green pods

Clump History: original seedling; 6 years old; Kalamazoo, MI

Notable Characteristics: Graceful, slightly rippled blue green leaves sit high on red petioles.

Parentage: *H.* 'Kiwi Black Magic' × OP

B

***H.* 'Banana Smoothie'** Sebright Gardens (ONIR)

Plant: 48in (121.9cm) diameter; 25in (63.5cm) high; mound-like; moderate growth rate.

Leaf: 10.5in (26.7cm) long; 8in (20.3cm) wide; 11 vein pairs; yellow with .5in (1.3cm) wide light green slightly rippled margins; slightly shiny on top; dull underneath; broadly ovate with cordate base; relatively flat overall.

Scape: 55 to 66in (139.7 to 167.6cm) high; green

Flower: pale lavender; fragrant; tubular; Salem, OR; 7/20-8/2-8/17

Seed: sets seed, viability unknown

Clump History: original sport; 5 years old; Salem, OR

Notable Characteristics: Banana yellow leaves with soft green variegation, and fragrant flowers mid-summer.

Parentage: Sport of *H.* 'Fried Bananas'

***H.* 'Barkskin Blue'** M. & J. Carlson (ONIR)

Plant: 45in (114.3cm) diameter; 19in (48.3cm) high; mound-like; moderate growth rate.

Leaf: 11in (27.9cm) long; 7in (17.8cm) wide; 12 vein pairs; blue with flat margins; glaucous bloom on top; dull underneath; elliptical with rounded base; lightly corrugated, moderately cupped, elongated canoe-shaped leaves.

Scape: 17 to 24in (43.2 to 61cm) high; green

Scape bracts: green bracts with maroon edges

Flower: 2in (5.1cm) long; medium lavender striped petals; bell-shaped; Evansville, MN; 8/14 - 8/20 - 9/2

Seed: sets viable seed; green pods

Clump History: original seedling; 11 years old; Evansville, MN

Notable Characteristics: Blue, canoe shaped leaves.

Pod Parent: (*H. longipes latifolia* 'Urajiro Hachijo' × *H.* 'Elvis Lives') × *H. longipes latifolia* 'Urajiro Hachijo' F2 sdlg

Pollen Parent: *H.* 'Riptide' × OP

***H.* 'BEautiful Midnight'** R. Gabarkiewicz (ONIR)

Plant: 25in (60-65cm) diameter; 15in (35-40cm) high; mound-like; fast growth rate.

Leaf: 6.7in (17cm) long; 5.1in (13cm) wide; 8 to 10 vein pairs; very dark green with flat margins; slightly shiny on top; glaucous bloom underneath; broadly ovate with cordate base; lightly cupped and very lightly corrugated overall.

Scape: 29.5 to 33.5in (75 to 85cm) high; green

Flower: 1.8in (4.5cm) long; pale lavender with slightly darker striping on petal centers; tubular; Pilawa, Mazowieckie, Poland; 7/1 - 7/15 - 7/31

Seed: sets seed, viability unknown; green pods

Clump History: original sport; 4 years old; Pilawa, Mazowieckie, Poland

Notable Characteristics: Symmetrical clump of extremely dark green heart-shaped leaves with heavy glaucous bloom on undersides. Makes an eye-catching dark spot in the garden.

Parentage: Sport of *H.* 'Eternal Flame'

***H.* 'Bebop'** D. Bowe (ONIR)

Plant: 11in (27.9cm) diameter; 5in (12.7cm) high; mound-like; fast growth rate.

Leaf: 1.8in (4.4cm) long; 1in (2.5cm) wide; 3 to 4 vein pairs; dark green with .13in (.3cm) wide white flat margins; very shiny on top; very shiny underneath; ovate with tapered base; lightly twisted and wavy overall.

Scape: 15 to 23in (38.1 to 58.4cm) high; green

Flower: 1.5in (3.8cm) long; pale purple with dark purple stripes inside and reddish base; tubular; Chagrin Falls, OH; 8/11-8/19-8/28

Seed: sets seed, viability unknown; pods are green stippled with red

Clump History: original seedling; 5 yrs old; Chagrin Falls, OH

Notable Characteristics: Mini with shiny green leaves, white margins and purple flowers. Scapes have red markings at the bract junctions.

Parentage: Unnamed sdlg 2180 × *H.* 'Shining Tot'

***H.* 'Beelitzer Turm'** M. Entemann (ONIR)

Plant: 40in (101.6cm) diameter; 17in (43.2cm) high; mound-like; moderate growth rate.

Leaf: 9in (22.9cm) long; 5in (12.7cm) wide; 10 vein pairs; green with flat margins; slightly shiny on top; slightly shiny underneath; ovate with tapered base; lightly cupped, twisted & wavy, moderately corrugated and deeply folded overall.

Scape: 68 to 72in (172.7 to 182.9cm) high; green

Flower: 2in (5.1cm) long; pale lavender; bell-shaped; Teltow, Germany; 6/25 - 7/10 - 7/15

Seed: sets seed, viability unknown; green pods

Clump History: original seedling; 5 yrs old; Teltow, Germany

Notable Characteristics: Extremely tall scapes (~70") inherited from its pod parent.

Parentage: *H.* 'Heideturm' × OP

H. 'Betty Blake' J. Kovalcsik (NIR) Unknown (O)
Plant: 16in (40.6cm) diameter; 6in (15.2cm) high; mound-like; fast growth rate.
Leaf: 2.3in (5.7cm) long; 1.3in (3.2cm) wide; 4 to 5 vein pairs; dark green with finely serrated margins; dull on top; slightly shiny underneath; ovate with tapered base; lightly twisted, folded & wavy overall with sharp tips and faintly speckled sturdy petioles.
Scape: 11 to 14in (27.9 to 35.6cm) high; green scape with small medium green, persistent bracts
Flower: 1.8in (4.4cm) long; purple speckles & striations on both the pedicels and tepal exteriors - purple and white forms an interior star-shaped blaze - alternate tepals have tiny green tips/ other alternates translucent margins - purple & white anthers, golden yellow pollen; tubular; Vassar, MI; 7/3 - 7/14 - 7/21
Seed: sets viable seed; green pods with faint red speckles & stripes
Clump History: unknown history; 12 years old; Vassar, MI
Notable Characteristics: Petite, dark green hosta with big flower power. Striped buds become colorful purple & white blossoms with an interior star-shaped blaze. Holding fertile pollen, the anthers are purple & white. Named for rock-garden enthusiast Betty Blake.
Parentage: *H. gracillima* × OP

H. 'Blue Carved Spoons' S. Beikmann (ONIR)
Plant: 16in (40.6cm) diameter; 13in (33cm) high; mound-like; slow growth rate.
Leaf: 5in (12.7cm) long; 4in (10.2cm) wide; 7 to 8 vein pairs; intense powder blue with flat margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; lightly cupped and moderately corrugated overall with leathery texture and purple at base of the petioles.
Scape: 8 to 10in (20.3 to 25.4cm) high; blue grey
Flower: 2in (5.1cm) long; pinkish lavender; bell-shaped; Niles, MI; 7/15 - 7/20 - 7/28
Seed: does not set seed
Clump History: original seedling; 10 years old; Niles, MI
Notable Characteristics: Intense powder blue, small leaves are slightly cupped with glaucous undersides. Plant matures to a small rosette shape.
Parentage: *H. 'Paradise Joyce'* × *H. 'Purple Haze'*
Seasonal Color: Holds blue color well past mid-summer

H. 'Boba Fett' D. Bowe (ONIR)
Plant: 26in (66cm) diameter; 21in (53.3cm) high; upright; moderate growth rate.
Leaf: 9in (22.9cm) long; 6.5in (16.5cm) wide; 10 to 11 vein pairs; medium green with .3in (.6cm) wide yellow to creamy white flat margins; dull on top; glaucous bloom underneath; ovate with cordate base; lightly wavy overall with occasional greyish green intermediate color between center and margins.
Scape: 19 to 20in (48.3 to 50.8cm) high; green with pinkish purple bracts
Flower: 1.1in (2.8cm) long; medium lavender with purple interior stripes; tubular; Chagrin Falls, OH; 7/25 - 8/10 - 8/25
Seed: sets seed, viability unknown; green pods
Clump History: original seedling; 4 yrs old; Chagrin Falls, OH
Notable Characteristics: Upright greyish green with creamy margins and pink flower buds.
Parentage: Unnamed sdlg 0519 × (*H. 'Cutting Edge'* × *H. 'Touch of Class'*)

H. 'Bora Bora' D. Bowe (ONIR)
Plant: 36in (91.4cm) diameter; 18in (45.7cm) high; upright; moderate growth rate.
Leaf: 10in (25.4cm) long; 7.8in (19.7cm) wide; 11 to 12 vein pairs; blue with flat margins; dull on top; glaucous bloom underneath; broadly ovate with cordate base; lightly corrugated and moderately cupped overall with open clump and slightly rhizomatous habit.
Scape: 12 to 14in (30.5 to 35.6cm) high; blue
Flower: 1.8in (4.4cm) long; medium lavender with interior lavender centers of varying width; tubular; Chagrin Falls, OH; 8/2 - 8/9 - 8/20
Seed: does not set seed
Clump History: original seedling; 7 yrs old; Chagrin Falls, OH
Notable Characteristics: Cupped blue horizontally held leaves with white backs. Short scapes present the flowers below the leaves.
Parentage: *H. hypoleuca* × *H. 'Blue Wedgwood'*

H. 'Boy Wonder' D. Bowe (ONIR)
Plant: 9in (22.9cm) diameter; 6in (15.2cm) high; mound-like; fast growth rate.
Leaf: 2.8in (7cm) long; 1.8in (4.4cm) wide; 4 vein pairs; apple green with .25 to .5 in (.6 to 1.3cm) wide yellow flat margins; dull on top; slightly shiny underneath; ovate with cordate base; lightly folded and wavy overall. Red speckled petioles with the speckles more dense at the base.
Scape: 12 to 18in (30.5 to 45.7cm) high; light green with pale edged bracts, scape is foliated at the base
Flower: 1.5in (3.8cm) long; pale purple with purple stripes inside and white at the base; tubular; Chagrin Falls, OH; 7/15 - 7/22 - 7/30
Seed: sets seed, viability unknown; light green pods
Clump History: original seedling; 4 yrs old; Chagrin Falls, OH
Notable Characteristics: Apple green leaves with yellow margins and red petioles, bring to mind the colors of *Robin the Boy Wonder's* uniform.
Parentage: (*H. 'One Man's Treasure'* × *H. 'Stardust'*) × OP
Seasonal Color: emerges apple green with yellow margins - changing to yellow with white margins.

H. 'Boysenberry' D. Bowe (ONIR)
Plant: 24in (61cm) diameter; 13in (33cm) high; upright; moderate growth rate.
Leaf: 7.3in (18.4cm) long; 5in (12.7cm) wide; 11 vein pairs; blue green with flat margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; lightly wavy overall
Scape: 19 to 22in (48.3 to 55.9cm) high; glaucous blue green with red speckles
Flower: 2in (5.1cm) long; pale lavender with light purple bands inside and darker purple stripes; tubular; Chagrin Falls, OH; 7/18 - 7/29 - 8/5
Seed: sets seed, viability unknown; blue green pods
Clump History: original seedling; 5 yrs old; Chagrin Falls, OH
Notable Characteristics: Upright form of broad bluish leaves with glaucous red petioles.
Parentage: *H. 'Gold Regal'* × *H. 'One Man's Treasure'*
Seasonal Color: emerges blue green changing to green & yellow green later

H. 'Britannia' W. G. Struhar (ONIR)
Plant: 48in (121.9cm) diameter; 26in (66cm) high; mound-like; fast growth rate.
Leaf: 14in (35.6cm) long; 11in (27.9cm) wide; 11 to 12 vein pairs; medium green with flat margins; slightly shiny on top; slightly shiny underneath; broadly ovate with cordate base; relatively flat overall with deeply impressed veins.
Scape: 50 to 60in (127 to 152.4cm) high; green
Flower: 1.9in (4.8cm) long; near white with very pale lavender streaks; narrowly tubular; Harrison Township, MI; 8/1 - 8/15 - 9/1
Seed: sets viable seed; green pods
Clump History: original seedling; 7 years old; Harrison Township, MI
Notable Characteristics: Fast growing large upright mound of dark green flat leaves with widely spaced deeply impressed veins. Leaves layer nicely for optimum viewing. Very tall erect flower scapes.
Parentage: Parentage Unknown

H. 'Bubble Wrap' D. & M. Beilstein (ONIR)
Plant: 30in (76.2cm) diameter; 18in (45.7cm) high; mound-like; moderate growth rate.
Leaf: 7in (17.8cm) long; 8in (20.3cm) wide; 9 to 10 vein pairs; dark green with gold margins 1in (2.5cm) wide narrowing to none; slightly shiny on top; dull underneath; nearly round with cordate base; lightly cupped and deeply corrugated overall.
Scape: 22 to 24in (55.9 to 61cm) high; green
Flower: 1.3in (3.2cm) long; medium lavender; tubular; Mansfield, OH; 7/11 - 7/25 - 8/8
Seed: sets viable seed; green pods
Clump History: original seedling; 8 years old; Mansfield, OH
Notable Characteristics: Upwardly cupped, highly rugose with wide margins that narrow to no margin at the leaf tips.
Pod Parent: Elslager sdlg × (*H. 'Dorothy Benedict'* × *H. 'Blue Hawaii'*)
Pollen Parent: (*H. 'Wahoo'* × unnamed sdlg) × *H. 'Silver Bay'*

H. 'Buffalo Grassland Berries' D. & M. Zubrik (ONIR)
Plant: 17.7in (45cm) diameter; 15.7in (40cm) high; upright; fast growth rate.
Leaf: 5.9in (15cm) long; 4.7in (12cm) wide; 6 vein pairs; light green with flat margins; slightly shiny on top; dull underneath; ovate with cordate base; relatively flat overall.
Scape: 23.6 to 27.6in (60 to 70cm) high; burgundy red
Flower: 1.6in (4 cm) long; medium lavender; bell-shaped; Ziar nad Hronom, Slovakia; 8/10 - 8/25 - 9/10
Seed: sets seed, viability unknown; reddish green pods
Clump History: original seedling; 5 years old; Ziar nad Hronom, Slovakia
Notable Characteristics: Green heart-shaped leaves on erect, distinctly red contrasting stems. Deep red color extends into the leaf. Late summer lavender blooms on burgundy red scapes.
Parentage: *H. 'Beet Salad'* × OP

H. 'Buffalo Grassland Lightning' D. & M. Zubrik (ONIR)
Plant: 15.7in (40cm) diameter; 15.7in (40cm) high; upright; moderate growth rate.
Leaf: 9.8in (25cm) long; 2in (5cm) wide; slightly blue green with heavily rippled margins; dull on top; glaucous bloom underneath; lance-shaped with tapered base; lightly twisted and moderately wavy overall. When viewed from a distance, intense red speckles give the appearance of fully red petioles.
Scape: 15.7 to 19.7in (40 to 50cm) high; green

Flower: 1.6in (4 cm) long; pale lavender; tubular; Ziar nad Hronom, Slovakia; 8/10 - 8/20 - 9/10
Seed: does not set seed
Clump History: original seedling; 5 years old; Ziar nad Hronom, Slovakia
Notable Characteristics: Narrow, wavy & twisted leaves end in a sharp tip. Petioles have red speckles and leaves have white backs. Forms an upright, dense clump with compact, light lavender blooms late in the summer.
Parentage: Parentage Unknown
Seasonal Color: turns medium green later in the spring

H. 'Buffalo Misty Fog' D. & M. Zubrik (ONIR)
Plant: 11.8in (30cm) diameter; 5.9in (15cm) high; mound-like; fast growth rate.
Leaf: 2in (5cm) long; 1.6in (4cm) wide; 4 vein pairs; medium green streaked with creamy white leaves with flat margins; slightly shiny on top; dull underneath; elliptical with tapered base; relatively flat overall.
Scape: 9.8 to 15.7in (25 to 40cm) high; green
Flower: 1.2in (3cm) long; medium lavender with darker lavender stripes; bell-shaped; Ziar nad Hronom, Slovakia; 8/20 - 9/5 - 9/25
Seed: does not set seed
Clump History: original seedling; 4 years old; Ziar nad Hronom, Slovakia
Notable Characteristics: Small, fast-growing, very dense clump of round leaves. Stable and relatively regular creamy white streaks on medium green. Variegation extends down the petioles. Blooms late in the season.
Parentage: Parentage Unknown

H. 'Buffalo Misty Mouse' D. & M. Zubrik (ONIR)
Plant: 11.8in (30cm) diameter; 3.9in (10cm) high; mound-like; moderate growth rate.
Leaf: 2.4in (6cm) long; 2in (5cm) wide; 7 vein pairs; medium blue green streaked with medium green leaves with flat margins; dull on top; dull underneath; nearly round with rounded base; moderately cupped overall.
Scape: 4.7 to 5.9in (12 to 15cm) high; green
Flower: .6in (1.5cm) long; medium lavender with darker lavender stripes; bell-shaped; Ziar nad Hronom, Slovakia; 7/5 - 7/15 - 7/25
Seed: does not set seed;
Clump History: tissue culture sport; 5 years old; Ziar nad Hronom, Slovakia
Notable Characteristics: Small, round greenish-blue leaves of very heavy substance. Medium green streaks are quite regular and are more pronounced later in the season.
Parentage: Sport of *H. 'Blue Mouse Ears'*
Seasonal Color: streaks become more pronounced as the season progresses

C

H. 'Carpathian Green Fields' B. Zglenicka (ONIR)
Plant: 39.4in (100cm) diameter; 31.5in (80cm) high; mound-like; moderate growth rate.
Leaf: 11.8in (30cm) long; 9.8in (25cm) wide; 12 to 14 vein pairs; powder blue early with moderately rippled margins; glaucous bloom on top; dull underneath; broadly ovate with

cordate base; lightly wavy and corrugated overall with overlapping lobes and curled under leaf tips
Scale: 35.4 to 43.3in (90 to 110cm) high; green
Flower: 1.6in (4cm) long; near white; tubular; Jul 15 to Aug 15; Bobrka / Podkarpacie, Poland
Seed: sets seed, viability not provided; green pods
Clump History: original seedling; 7 yrs old; Bobrka / Podkarpacie, Poland
Notable Characteristics: Pleasing ruffled edges on powdery blue leaves that transition gradually to all green over the season.
Parentage: Parentage Unknown
Seasonal Color: Powder blue leaves turn medium green by summer

H. 'Chance Encounter' H. Hansen (ONR) Walters Gardens (I)
Plant: 43in (109.2cm) diameter; 15in (38.1cm) high; mound-like; moderate growth rate.
Leaf: 11in (27.9cm) long; 8in (20.3cm) wide; 11 to 12 vein pairs; blue with 1 to 2 in (2.5 to 5.1cm) wide chartreuse, slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; very lightly cupped overall.
Scale: 13 to 18in (33 to 45.7cm) high; green
Flower: 2in (5.1cm) long; white with very pale lavender interior stripes; tubular; Zeeland, MI; 6/25 - 7/1 - 7/9
Seed: sets viable seed; green pods
Clump History: original seedling; 7 years old; Zeeland, MI
Notable Characteristics: Blue leaves have very jagged yellow margins with a watermark between the center and margin colors.
Parentage: streaked sport of *H. sieboldiana* 'Elegans' × *H. 'Viking Ship'*
Seasonal Color: watermarked area between center and margin appears after emergence

H. 'Cherry Tart Surprise' M. Dammen (ONIR)
Plant: 18in (45.7cm) diameter; 9in (22.9cm) high; mound-like; moderate growth rate.
Leaf: 5in (12.7cm) long; 1.5in (3.8cm) wide; 5 vein pairs; light green & yellow with flat margins; dull on top; dull underneath; lance-shaped with tapered base; lightly wavy overall.
Scale: 17 to 19in (43.2 to 48.3cm) high; red-spotted
Flower: 2.4in (6.1cm) long; medium lavender with interior stripes; tubular; Hollandale, MN; 8/1 - 8/7 - 8/15
Seed: sets viable seed
Clump History: original sport; 4 years old; Hollandale, MN
Notable Characteristics: Streaked sport of *H. 'Cherry Tart'*
Parentage: Sport of *H. 'Cherry Tart'*
Seasonal Color: fairly stable all season

H. 'Chiller' D. & M. Beilstein (ONIR)
Plant: 36in (91.4cm) diameter; 21 in (53.3cm) high; mound-like; moderate growth rate.
Leaf: 10in (25.4cm) long; 6.5in (16.5cm) wide; 9 to 10 vein pairs; powder blue with moderately ruffled margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; lightly cupped and folded overall with serrations on the ruffled margins.
Scale: 32 to 34in (81.3 to 86.4cm) high; blue green with glaucous bloom
Scale bracts: lavender with green edges covered with glaucous bloom
Flower: 1.3in (3.2cm) long; medium lavender; bell-shaped; Jul 15 to Aug 15; Mansfield, OH
Seed: sets viable seed; blue green pods with glaucous bloom

Clump History: original seedling; 5 years old; Mansfield, OH
Notable Characteristics: This hosta has it all! Unique "chill" color of powder blue on broadly ovate leaves with small ruffles & serrations around the rim. The leaves lay generally flat with the edges slightly rolled up for best presentation.
Parentage: *H. 'Neptune'* × *H. 'Astral Bliss'*

H. 'Cloud Illusions' D. Dean (ONIR)
Plant: 37in (94cm) diameter; 24in (61cm) high; upright; moderate growth rate.
Leaf: 9.5in (24.1cm) long; 5in (12.7cm) wide; 10 to 11 vein pairs; medium green with heavily rippled margins; dull on top; dull underneath; ovate with cordate base; lightly folded & corrugated, and deeply wavy overall with downward curving tips.
Scale: 35 to 41in (88.9 to 104.1cm) high; saturated fuchsia
Scale bracts: smallish fuchsia bracts are blushed green
Flower: 2.5in (6.4cm) long; purplish red (fuchsia) outside, pale lavender inside with darker lavender centers; tubular; Ramsey, MN; 7/26 - 8/9 - 8/18
Seed: sets seed, viability unknown; burgundy pods
Clump History: original seedling; 8 years old; Ramsey, MN
Notable Characteristics: Very wavy leaves with proportional, vibrant, deep red flower scapes that carry clusters of fuchsia-colored blooms.
Pod Parent: {[*H. 'Liberty Bell'* × (*H. 'Urajiro Hachijo'* × *H. pycnophylla*)] × *H. laevigata*} × *H. 'Fire Island'*
Pollen Parent: *H. 'Mister Red Genes'*

H. 'Cosmic Angel Wings' R. Kuenster (ONIR)
Plant: 35in (88.9cm) diameter; 24in (61cm) high; upright; moderate growth rate.
Leaf: 12in (30.5cm) long; 5in (12.7cm) wide; 12 to 13 vein pairs; slightly blue green with .1 to .8in (.3 to 1.9cm) wide creamy white moderately rippled margins; slightly shiny on top; slightly shiny underneath; ovate with cordate base; lightly cupped and moderately twisted, folded & wavy overall.
Scale: 22 to 26in (55.9 to 66cm) high; blue green
Flower: 2.3in (5.7cm) long; pale lavender with lavender stripes; tubular; Iowa City, IA; 8/20 - 8/30 - 9/7
Clump History: original seedling; 9 years old; Iowa City, IA
Notable Characteristics: Leaves stand like angel wings. Hosta looks great the entire growing season.
Parentage: *H. 'Chocolate Ripple'* × (*H. 'Fudge Ripple'* × *H. 'Elegant Wave'*)
Seasonal Color: creamy margins have some yellow in early spring

H. 'Cosmic Buddy' R. Kuenster (ONIR)
Plant: 36in (91.4cm) diameter; 22in (55.9cm) high; mound-like; moderate growth rate.
Leaf: 11in (27.9cm) long; 9in (22.9cm) wide; 10 to 11 vein pairs; intense blue green and greenish white streaked with slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; lightly folded and corrugated overall.
Scale: 32 to 36in (81.3 to 91.4cm) high; blue with streaking up the length
Scale bracts: .4in bracts are blue with streaking on the edges
Flower: 2.3in (5.7cm) long; near white with faint pale lavender stripes; tubular; Iowa City, IA; 7/5 - 7/14 - 7/28
Seed: sets viable seed; blue green pods with streaking
Clump History: division; 6 years old; Iowa City, IA

Notable Characteristics: Very fertile breeding plant that was a favorite of a friend of mine, Jeff Miller (who has the other half).
Parentage: (*H.* ‘Ma Breeder’ × *H.* ‘Cosmic Knuckles’) × *H.* ‘Cosmic Pluto’

H. ‘Cosmic Little Devil’ R. Kuenster (ONIR)
Plant: 24in (61cm) diameter; 12in (30.5cm) high; mound-like; moderate growth rate.
Leaf: 5.3in (13.3cm) long; 3in (7.6cm) wide; 7 to 8 vein pairs; slightly blue green with moderately rippled margins; dull on top; glaucous bloom underneath; ovate with cordate base; lightly folded and moderately twisted & wavy overall with long twisty leaf tips and white backs
Scape: 17 to 20in (43.2 to 50.8cm) high; blue green
Scape bracts: .3in blue green bracts
Flower: 1.8in (4.4cm) long; pale lavender with lavender striping; tubular; Iowa City, IA; 8/10 - 8/23 - 9/1
Seed: sets seed, viability unknown; blue green pods
Clump History: original seedling; 7 years old; Iowa City, IA
Notable Characteristics: The nicely twisted and wavy leaves give fleeting glimpses of the white leaf backs.
Parentage: *H.* ‘Cosmic Little Elf’ × sdlg YW1

H. ‘Country Flamethrower’ D. Dean (OR)
 J. Heinz (N) J. Spece (I)
Plant: 32in (81.3cm) diameter; 14in (35.6cm) high; upright; moderate growth rate.
Leaf: 6.5in (16.5cm) long; 6in (15.2cm) wide; 7 to 8 vein pairs; bright yellow green with heavily rippled margins; dull on top; dull underneath; broadly ovate with cordate base; moderately twisted and wavy overall with slight convex dome and widely spaced veins
Scape: 20 to 22in (50.8 to 55.9cm) high; burgundy
Scape bracts: burgundy to purple bracts
Flower: 1.5in (3.8cm) long; pale lavender with medium lavender central stripe; tubular; Ramsey, MN; 8/15 -8/21 - 8/31
Seed: sets seed, viability unknown; green pods
Clump History: original seedling; 7 years old; Ramsey, MN
Notable Characteristics: Bright yellow green leaves with ruffled edges atop saturated burgundy petioles, burgundy scapes stand out against the smooth bright leaves.
Parentage: *H.* ‘Evening Inferno’ × unnamed sdlg
Seasonal Color: Viridescent. Bright yellow green leaves turn greenish over time with a second flush of bright leaves in July.

H. ‘Creature from the Black Lagoon’ R. Hatt (ONIR)
Plant: 26in (66cm) diameter; 17in (43.2cm) high; mound-like; moderate growth rate.
Leaf: 6in (15.2cm) long; 6in (15.2cm) wide; 14 to 16 vein pairs; dark green with flat margins; glaucous bloom on top; glaucous bloom underneath; nearly round with cordate base; moderately cupped, intensely corrugated and twisted overall with no two leaves looking the same.
Scape: 9 to 11in (22.9 to 27.9cm) high; light green
Flower: 1.5in (3.8 cm) long; white; bell-shaped; Merrimac, MA; 7/5 - 7/10 - 7/15
Seed: sets seed, viability unknown; dark green
Clump History: original seedling; 6 years old; Merrimac, MA; seeds obtained from D. Beilstein
Notable Characteristics: Extremely thick dark green leaves are intensely corrugated and very unruly. Some leaves are cupped or partially so, some are twisted sideways or upside down while others are partially twisted one way then the other. Exceptionally

tough look and feel. White flowers peer out from underneath the leaves.
Parentage: (*H.* ‘Clear Fork River Valley’ × *H.* ‘Blue Shadows’) × OP
Seasonal Color: shiny dark green leaves later in the season

D

H. ‘Dancing on the Sun’ H. Hansen (ONR) Walters Gardens (I)
Plant: 65in (165.1cm) diameter; 31in (78.7cm) high; mound-like; moderate growth rate.
Leaf: 16in (40.6cm) long; 9.5in (24.1cm) wide; 13 to 15 vein pairs; gold with rippled margins; dull on top; glaucous bloom underneath; broadly ovate with cordate base; lightly wavy overall.
Scape: 28 to 42in (71.1 to 106.7cm) high; chartreuse
Scape bracts: moderate sized chartreuse-yellow bracts
Flower: 2.9in (7.4cm) long; white with very pale lavender interior stripes; tubular; Zeeland, MI; 7/25 - 8/5 - 8/19
Seed: sets viable seed; chartreuse-green pods
Clump History: original seedling; 8 years old; Zeeland, MI
Notable Characteristics: Arching upright mound of broad and wavy gold leaves.
Pod Parent: *H.* ‘Dancing Queen’ × [*H.* ‘Grand Slam’ × (*H.* ‘Neptune’ × *H.* ‘Komodo Dragon’)]
Pollen Parent: unnamed yellow sdlg × (*H.* ‘Neptune’ × *H.* ‘Fulda’)

H. ‘Dolfina’ C. Kwick (OIR) A. & M. Danguillecourt (N)
Plant: 39in (99.1cm) diameter; 16in (40.6cm) high; mound-like; slow growth rate.
Leaf: 15in (38.1cm) long; 11in (27.9cm) wide; 13 to 14 vein pairs; dark green with flat margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; lightly folded and moderately corrugated overall
Scape: 16 to 32in (40.6 to 81.3cm) high; green with glaucous bloom
Flower: 1.8in (4.4cm) long; near white with very faint lavender striping; tubular; Eau Claire, WI; 7/6 - 7/12 - 7/20
Seed: sets seed, viability not submitted; green pods
Clump History: original seedling; 10 years old; Eau Claire, WI
Notable Characteristics: Large slow-growing mound of dark green, gently folding corrugated leaves.
Parentage: *H.* ‘Blue Umbrellas’ × OP

E

H. ‘Endless Gift’ D. Dean (ONIR)
Plant: 24in (61cm) diameter; 15in (38.1cm) high; upright; moderate growth rate.
Leaf: 5.8in (14.6cm) long; 5in (12.7cm) wide; 7 to 8 vein pairs; light green with heavily rippled margins; dull on top; dull underneath; very broadly ovate with cordate base; lightly folded overall with impressed veins and twisted leaf tips
Scape: 18 to 20in (45.7 to 50.8cm) high; saturated red
Scape bracts: prominent yellow bracts are red at the base
Flower: 1.8in (4.4cm) long; pale lavender with medium lavender central stripe; tubular; Ramsey, MN; 8/3 - 8/15 - 8/22
Seed: sets seed, viability unknown; medium green pods
Clump History: original seedling; 7 years old; Ramsey, MN

2022 REGISTRATIONS

Notable Characteristics: Light green leaves with wavy margins reach upward atop saturated red petioles.

Parentage: *H.* 'Top of the Mornin' × *H.* 'Night Flight'

Seasonal Color: Viridescent. Light green leaves turn medium green in late summer to early fall.

***H.* 'Equoia'** D. & M. Beilstein (ONIR)

Plant: 50in (127cm) diameter; 22in (55.9cm) high; mound-like; moderate growth rate.

Leaf: 19in (48.3cm) long; 11in (27.9cm) wide; 18 to 19 vein pairs; blue green with slightly rippled margins; slightly shiny on top; glaucous bloom underneath; broadly ovate with cordate base; lightly twisted, folded & wavy, and moderately corrugated overall.

Scape: 46 to 48in (116.8 to 121.9cm) high; green

Scape bracts: creamy bracts with green edges are approximately .4in long

Flower: 1.3in (3.2cm) long; medium lavender; tubular; Mansfield, OH; 6/20 - 6/30 - 7/15

Seed: sets viable seed; green pods (1.6in long)

Clump History: original seedling; 15 years old; Mansfield, OH

Notable Characteristics: Sibling of *H.* 'Sequoia' with imposing *H. sieboldiana* type leaves having prominent veins, puckering and some overlapping at the base. Numerous lavender flowers make for a bee mecca.

Parentage: *H.* 'Brutus' × *H. montana* f. *macrophylla*

F

***H.* 'Flash Freeze'** D. & M. Beilstein (ONIR)

Plant: 42in (106.7cm) diameter; 26in (66cm) high; upright; moderate growth rate.

Leaf: 10in (25.4cm) long; 9.5in (24.1cm) wide; 11 to 12 vein pairs; powder blue with slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; moderately cupped and corrugated overall with prominent veins.

Scape: 32 to 34in (81.3 to 86.4cm) high; pale blue with glaucous bloom

Flower: 1in (2.5cm) long; near white; tubular; Jul 15 to Aug 15; Mansfield, OH

Seed: sets viable seed; blue pods with glaucous bloom

Clump History: original seedling; 7 years old; Mansfield, OH

Notable Characteristics: Powder blue cupped leaves with pointed tips are moderately rugose with prominent veins. Each cordate leaf base overlaps itself just atop the glaucous petiole.

Parentage: *H.* 'Clear Fork River Valley' × *H.* 'Glass Slipper'

G

***H.* 'Ghost Flower'** H. D. Hoks (ONIR)

Plant: 27in (68.6cm) diameter; 15in (38.1cm) high; mound-like; slow growth rate.

Leaf: 8.5in (21.6cm) long; 8.5in (21.6cm) wide; 13 vein pairs; pale blue green with flat margins; glaucous bloom on top; glaucous bloom underneath; nearly round with cordate base; lightly corrugated, moderately folded & convexly cupped overall with pinched tips that roll under.

Scape: no scapes produced

Flower: does not flower

Clump History: original seedling; 5 yrs old; Robbinsdale, MN

Notable Characteristics: Medium sized clump of convexly cupped blue green leaves. Does not flower.

Parentage: Parentage Unknown

Seasonal Color: silvery white bloom fades leaving moderately green leaves in late summer

***H.* 'Gilding the Lily'** R. Lysne (ONIR)

Plant: 40in (101.6cm) diameter; 22in (55.9cm) high; mound-like; moderate growth rate.

Leaf: 14in (35.6cm) long; 6.5in (16.5cm) wide; 12 to 13 vein pairs; golden chartreuse with 1in (2.5cm) wide creamy gold broadly undulating margins; dull on top; dull underneath; ovate with tapered base; deeply wavy overall.

Scape: 24 to 26in (61 to 66cm) high; green

Flower: 1.5in (3.8cm) long; medium lavender; tubular; Ferryville, WI; 7/20 - 7/28 - 8/12

Seed: sets seed, viability unknown; green pods

Clump History: original sport; 10 years old; Ferryville, WI

Notable Characteristics: Elongated *H. montana* type foliage with broadly undulating edges. Golden chartreuse leaf centers with clean gold margins.

Parentage: Sport of *H.* 'Sun Power'

***H.* 'Green Christmas'** O. Purvis (ONIR)

Plant: 42in (106.7cm) diameter; 18in (45.7cm) high; mound-like; moderate growth rate.

Leaf: 7in (17.8cm) long; 6in (15.2cm) wide; 8 to 9 vein pairs; medium green with flat margins; shiny on top; slightly shiny underneath; broadly ovate with cordate base; moderately cupped and corrugated overall.

Scape: 18 to 20in (45.7 to 50.8cm) high; green

Flower: 1.8in (4.4cm) long; medium lavender with wide white margins and medium lavender center stripes; tubular; Princeton, WI; 7/16 - 7/24 - 8/2

Seed: sets viable seed; green pods

Clump History: original seedling; 5 years old; Princeton, WI

Notable Characteristics: Bright shiny green color with some leaf cupping and nice corrugation.

Parentage: *H.* 'Christmas Tree' × OP

H

***H.* 'Herringbone'** D. Bowe (ONIR)

Plant: 19in (48.3cm) diameter; 7in (17.8cm) high; mound-like; fast growth rate.

Leaf: 7in (17.8cm) long; 2.3in (5.7cm) wide; 4 to 5 vein pairs; dark green with .1 to .3in (.3 to .6cm) wide yellow to white, slightly rippled margins; very shiny on top; very shiny underneath; lance-shaped with tapered base; lightly twisted & folded and deeply wavy overall. Subtle veining provides smooth leaf surfaces.

Scape: 21 to 24in (53.3 to 61cm) high; green scape with elongated, narrow bracts held at 45 degrees to the scape

Flower: 1.9in (4.8cm) long; medium purple with white throat and dark purple stripes inside; tubular; Chagrin Falls, OH; 8/13 - 8/20 - 8/30

Seed: sets seed, viability unknown; green pods

Clump History: original seedling; 5 yrs old; Chagrin Falls, OH

Notable Characteristics: Flower bracts angle upwards while the flowers & buds angle down. Shiny, dark green leaves with yellow (turning white) margins.

Parentage: streaked sdlg 8583 × (*H.* 'Ringtail' × *H.* 'Shining Tot')
Seasonal Color: yellow margins turn white later in the season

***H.* 'Hogwarts'** D. & M. Beilstein (ONIR)
Plant: 36in (91.4cm) diameter; 24in (61cm) high; upright; moderate growth rate.
Leaf: 10.5in (26.7cm) long; 7.5in (19.1cm) wide; 16 to 17 vein pairs; dark green with slightly rippled margins; slightly shiny on top; dull underneath; broadly ovate with cordate base; moderately cupped, folded & wavy and deeply corrugated overall with veins highly visible on leaf backs.
Scape: 36 to 38in (91.4 to 96.5cm) high; green
Scape bracts: bracts extend to half the length of the flowers
Flower: 1in (2.5cm) long; pale lavender; tubular; Mansfield, OH; 7/3 - 7/12 - 7/25
Seed: sets viable seed; green pods (1.3in long)
Clump History: original seedling; 6 years old; Mansfield, OH
Notable Characteristics: Highly corrugated folded dark green leaves on an upright clump that stands very tall in the garden.
Parentage: *H.* 'Clear Fork River Valley' × (*H.* 'Brutus' × *H.* *montana* f. *macrophylla*)

I

***H.* 'I am Lady Ruby'** C. Kwick (ONIR)
Plant: 30in (76.2cm) diameter; 11in (27.9cm) high; mound-like; slow growth rate.
Leaf: 9in (22.9cm) long; 6in (15.2cm) wide; 9 to 10 vein pairs; greenish yellow with moderately rippled margins; dull on top; glaucous bloom underneath; ovate with cordate base; lightly cupped wavy and corrugated overall with deeply impressed veins.
Scape: 16 to 22in (40.6 to 55.9cm) high; light green with glaucous bloom
Flower: 1.8in (4.4cm) long; pale lavender with lavender striping and translucent margins; tubular; Eau Claire, WI; 7/7 - 7/13 - 7/18
Seed: sets seed, viability not submitted; green pods
Clump History: original seedling; 10 years old; Eau Claire, WI
Notable Characteristics: Greenish yellow deeply veined leaves with pleasantly rippled margins.
Parentage: *H.* 'Delta Dawn' × *H.* 'Sum and Substance'
Seasonal Color: somewhat more golden as the season progresses

J

***H.* 'J. B. III'** C. Kwick (ONIR)
Plant: 28in (71.1cm) diameter; 13in (33cm) high; mound-like; moderate growth rate.
Leaf: 7.5in (19.1cm) long; 4.5in (11.4cm) wide; 9 to 10 vein pairs; greenish gold with slightly rippled margins; slightly shiny on top; glaucous bloom underneath; ovate with cordate base; lightly folded and wavy overall with deeply impressed veins.
Scape: 18 to 22in (45.7 to 55.9cm) high; light green with glaucous bloom
Flower: 2in (5.1cm) long; pale lavender; tubular; Eau Claire, WI; 7/3 - 7/10 - 7/20
Seed: sets seed, viability not submitted; green pods
Clump History: original seedling; 6 years old; Eau Claire, WI
Notable Characteristics: Deeply veined greenish gold leaves.
Parentage: *H.* 'Sunshine Glory' × *H.* 'Risky Business'
Seasonal Color: somewhat more gold as the season progresses

***H.* 'Jabberwocky'** R. Hatt (ONIR)
Plant: 30in (76.2cm) diameter; 16in (40.6cm) high; upright; moderate growth rate.
Leaf: 8in (20.3cm) long; 4in (10.2cm) wide; 6 to 7 vein pairs; multiple shades of green to light greenish blue with variable .1 to .8in (.2 to 2cm) wide heavily rippled margins of multiple shades of yellow/cream/white; dull on top; glaucous bloom underneath; lance-shaped with tapered base; very wavy overall with margin colors occasionally streaking into the center colors.
Flower: has not yet flowered
Clump History: original seedling; 2 years old; Merrimac, MA; seeds obtained from D. Beilstein
Notable Characteristics: Very striking vase-shaped specimen with long lance-shaped very wavy leaves on long petioles. Centers are many shades of green to blue with highly variable margins of cream and yellow. The leaves bounce majestically up and down with the slightest breeze.
Parentage: [*H.* 'Outrageous' × (*H.* 'Venetian Blue' × *H.* 'Salute')] × OP

***H.* 'Jasmine'** D. & M. Beilstein (ONIR)
Plant: 30in (76.2cm) diameter; 24in (61cm) high; upright; moderate growth rate.
Leaf: 13in (33cm) long; 8in (20.3cm) wide; 10 to 11 vein pairs; dark green with slightly rippled margins; very shiny on top; glaucous bloom underneath; broadly ovate with cordate base; lightly convexly cupped overall with prominent veins.
Scape: 38 to 40in (96.5 to 101.6cm) high; green
Scape bracts: extend to half the length of the flowers
Flower: 3+in (7.6cm) long; pale lavender; tubular; Mansfield, OH; 7/31 - 8/14 - 8/25
Seed: sets viable seed; dark green pods (2in long)
Clump History: original seedling; 5 years old; Mansfield, OH
Notable Characteristics: Very shiny thick leaves with prominent veins. Clump grows faster than its parents. Very fragrant, blunderbuss shaped flowers that smell like Jasmine.
Parentage: *H.* 'Mojito' × *H.* 'Lakeside Sir Logan'

***H.* 'Joby'** A. Frederking (ONIR)
Plant: 30in (76.2cm) diameter; 14in (35.6cm) high; mound-like; moderate growth rate.
Leaf: 7in (17.8cm) long; 6in (15.2cm) wide; 10 to 12 vein pairs; intensely blue green with lightly rippled margins; dull on top; glaucous bloom underneath; nearly round with cordate base; relatively flat overall.
Scape: 18 to 20in (45.7 to 50.8cm) high; blue green
Flower: 2in (5.1cm) long; near white with pale lavender stripes; tubular; Ottawa, ON Canada; 6/25 - 7/15 - 7/25
Seed: does not set seed
Clump History: original sdlg; 12 yrs old; Ottawa, ON Canada
Notable Characteristics: Lovely blue colour which holds well through the summer. Near white flowers with light lavender streaks.
Parentage: *H.* 'Déjà Blu' × OP
Seasonal Color: In a hot dry summer it will take on a yellowish color

***H.* 'Junonia'** S. Proctor (ONIR)
Plant: 8in (20.3cm) diameter; 4in (10.2cm) high; mound-like; moderate growth rate.
Leaf: 3.5in (8.9cm) long; .7in (1.8cm) wide; 3 to 5 vein pairs; medium blue green with moderately rippled margins; dull on top; dull underneath; ovate with tapered base; moderately wavy and folded overall.

Scape: 7 to 8in (17.8 to 20.3cm) high; blue green
Flower: 1in (2.5cm) long; medium lavender with pale interior stripes; Huddersfield, West Yorkshire, UK; 7/7 - 7/15 - 7/31
Seed: does not set seed
Clump History: original seedling; 5 years old; Huddersfield, West Yorkshire, UK
Notable Characteristics: Tardiana leaf shape (wavy and folded) on a tiny hosta.
Parentage: *H. 'Yakushima Mizu'* × *H. 'El Niño'*
Seasonal Color: turns more blue as the season progresses

K

H. 'Kettle Moraine' B. & J. Geske (O) A. & J Geske (NIR)
Plant: 62in (157.5cm) diameter; 28in (71.1cm) high; upright; fast growth rate.
Leaf: 15in (38.1cm) long; 14in (35.6cm) wide; 12 to 14 vein pairs; medium green with lightly ruffled margins; slightly shiny on top; broadly ovate with cordate base; intensely corrugated overall with very widely spaced veins and convex cupping
Flower: medium lavender; tubular; Jun 1 to Jul 15; Milton, WI
Clump History: original seedling ;15 years old; Milton, WI
Notable Characteristics: Velvety green mound with extremely large, corrugated leaves.
Parentage: Parentage Unknown

H. 'Kwick's Color Alchemy' C. Kwick (ONIR)
Plant: 30in (76.2cm) diameter; 17in (43.2cm) high; upright; moderate growth rate.
Leaf: 10in (25.4cm) long; 7.5in (19.1cm) wide; 11 to 12 vein pairs; dark green with slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; lightly cupped and wavy overall with deeply impressed veins and velvety appearance to the thick leaves.
Scape: 24 to 32in (61 to 81.3cm) high; light green with glaucous bloom
Flower: 1.8in (4.4cm) long; near white with very pale lavender mini-stripes; tubular; Eau Claire, WI; 6/25 - 7/12 - 7/25
Seed: sets seed, viability unknown; green pods
Clump History: original seedling; 8 years old; Eau Claire, WI
Notable Characteristics: Velvety leaves slowly develop a color variation whereby the leaf centers seem lighter than the outer edges.
Parentage: *H. 'Captain Kirk'* × OP
Seasonal Color: leaf centers lighten somewhat as the season progresses

H. 'Kwick's Golden Ladder' C. Kwick (ONIR)
Plant: 26in (66cm) diameter; 12in (30.5cm) high; mound-like; slow growth rate.
Leaf: 9in (22.9cm) long; 5in (12.7cm) wide; 7 to 9 vein pairs; greenish yellow with slightly rippled margins; dull on top; slightly shiny underneath; broadly ovate with cordate base; lightly folded and moderately corrugated overall.
Scape: 22 to 36in (55.9 to 91.4cm) high; light green
Scape bracts: bracts get smaller as they ascend towards the top
Flower: 1.8in (4.4cm) long; medium lavender with narrow lavender interior stripes; tubular; Eau Claire, WI; 7/5 - 7/12 - 7/24
Clump History: original seedling; 7 years old; Eau Claire, WI
Notable Characteristics: Greenish gold deeply veined leaves and a scape with a "ladder" of bracts in descending size.
Parentage: *H. 'Sea Gulf Stream'* × OP
Seasonal Color: somewhat more gold as the season progresses

H. 'Kwick's Ladder of Emerald Hearts' C. Kwick (ONIR)
Plant: 26in (66cm) diameter; 14in (35.6cm) high; mound-like; moderate growth rate.
Leaf: 7in (17.8cm) long; 5in (12.7cm) wide; 8 to 9 vein pairs; medium green with flat margins; dull on top; very shiny underneath; broadly ovate with cordate base; lightly folded and corrugated overall.
Scape: 18 to 20in (45.7 to 50.8cm) high; light green
Scape bracts: heart shaped, descending size going up the scapes
Flower: 1.3in (3.2cm) long; medium lavender with lavender stripes, alternate petals have translucent margins; tubular; Eau Claire, WI; 7/25 - 8/6 - 8/15
Seed: sets seed, viability unknown; green pods
Clump History: original seedling; 6 years old; Eau Claire, WI
Notable Characteristics: Tall scapes with descending sized bracts from bottom to top are held above a symmetrical mound of medium green leaves.
Parentage: *H. 'Summer Lovin'* × OP
Seasonal Color: darkens as the season progresses

H. 'Kwick's White Pine View' C. Kwick (ONIR)
Plant: 30in (76.2cm) diameter; 12in (30.5cm) high; mound-like; slow growth rate.
Leaf: 10in (25.4cm) long; 7.8in (19.7cm) wide; 11 to 12 vein pairs; gold with slightly rippled margins; dull on top; glaucous bloom underneath; ovate with cordate base; lightly wavy and corrugated overall with creamy colored petioles with green edges.
Scape: 16 to 27in (40.6 to 68.6cm) high; light green with glaucous bloom
Scape bracts: several large bracts per scape
Flower: 2in (5.1cm) long; near white with faint lavender stripes; tubular; Eau Claire, WI; 6/26 - 7/7 - 7/16
Seed: sets seed, viability not provided; green pods
Clump History: original seedling; 8 years old; Eau Claire, WI
Notable Characteristics: Deeply veined gold leaves with slightly serrated edges
Parentage: *H. sieboldiana* 'Elegans' × *H. 'Sunshine Glory'*
Seasonal Color: deeper gold as the season progresses

H. 'Kwickdraw' C. Kwick (ONIR)
Plant: 46in (116.8cm) diameter; 25in (63.5cm) high; upright; moderate growth rate.
Leaf: 15in (38.1cm) long; 8in (20.3cm) wide; 14 to 15 vein pairs; medium green with slightly rippled margins; slightly shiny on top; very shiny underneath; ovate with cordate base; light convex cupping overall.
Scape: 28 to 33in (71.1 to 83.8cm) high; green with glaucous bloom
Scape bracts: insignificant
Flower: 2.3in (5.7cm) long; pale lavender with lavender center stripes; tubular; Eau Claire, WI; 7/8 - 7/16 - 8/3
Seed: sets seed, viability not provided; green pods
Clump History: original seedling; 8 years old; Eau Claire, WI
Notable Characteristics: Very long shiny leaves.
Parentage: *H. montana* 'Aureomarginata' × OP

L

H. 'Lambeau Field' D. Bowe (ONIR)
Plant: 7in (17.8cm) diameter; 3in (7.6cm) high; rhizomatous; fast growth rate.

2022 REGISTRATIONS

Leaf: 1.5in (3.8cm) long; .5in (1.3cm) wide; 3 to 4 vein pairs; green with flat margins; slightly shiny on top; very shiny underneath; ovate with tapered base; lightly folded and wavy overall.

Scape: 8 to 11in (20.3 to 27.9cm) high; green

Flower: 1.4in (3.5cm) long; pale purple with white interior band; tubular; Chagrin Falls, OH; 8/2 - 8/17 - 8/25

Seed: sets seed, viability unknown; purple pods

Clump History: original seedling; 5 yrs old; Chagrin Falls, OH

Notable Characteristics: Fast growing, shiny mini with purple flowers that arrive as early as mid-July or as late as the last of August.

Parentage: *H.* 'Cookie Crumbs' × *H.* 'Shining Tot'

***H.* 'Leon's Neon'** C. Kwick (ONIR)

Plant: 30in (76.2cm) diameter; 10in (25.4cm) high; mound-like; moderate growth rate.

Leaf: 9in (22.9cm) long; 7in (17.8cm) wide; 11 to 12 vein pairs; greenish yellow with slightly rippled margins; dull on top; glaucous bloom underneath; broadly ovate with cordate base; lightly folded and corrugated overall with a bright neon look.

Scape: 30 to 34in (76.2 to 86.4cm) high; light green with glaucous bloom

Flower: 2.3in (5.7cm) long; near white with very pale lavender stripes and alternate petals have translucent margins; tubular; Eau Claire, WI; 7/2 - 7/14 - 7/25

Seed: sets seed, viability unknown; green pods

Clump History: original seedling; 6 years old; Eau Claire, WI

Notable Characteristics: Nice greenish yellow color

Parentage: *H.* 'Sea Gulf Stream' × *H.* 'Sagae'

Seasonal Color: somewhat more gold as the season progresses

***H.* 'Li'l Ruffian'** D. Dean (ONIR)

Plant: 9in (22.9cm) diameter; 4in (10.2cm) high; mound-like; moderate growth rate.

Leaf: 3in (7.6cm) long; 1.5in (3.8cm) wide; 4 to 5 vein pairs; medium green with slightly wavy margins; dull on top; dull underneath; lance-shaped with tapered base; deeply folded overall

Scape: 5 to 7in (12.7 to 17.8cm) high; deep purple red

Flower: 1.5in (3.8cm) long; medium lavender with pale lavender edges; tubular; Ramsey, MN; 8/3 - 8/15 - 8/22

Seed: does not set seed

Clump History: original seedling; 10 years old; Ramsey, MN

Notable Characteristics: True miniature with folded twisty leaves of heavy substance.

Parentage: (*H.* 'Hideko Tajima' × unnamed sdlg) × *H.* 'Chabo Unazuki'

***H.* 'Little Luke'** M. Dammen (ONIR)

Plant: 11in (27.9cm) diameter; 4in (10.2cm) high; mound-like; moderate growth rate.

Leaf: 3in (7.6cm) long; 2in (5.1cm) wide; 5 to 6 vein pairs; medium green with .3in (.6cm) wide creamy yellow, flat margins; dull on top; dull underneath; ovate with tapered base. Slight amount of wax on back of leaves.

Scape: 8 to 10in (20.3 to 25.4cm) high; medium green

Flower: 1.5in (3.8cm) long; pale lavender with stripes at base of petals and translucent margins; tubular; Hollandale, MN; 7/20 - 7/30 - 8/15

Seed: sets seed, viability unknown; medium green pods

Clump History: original seedling; 4 years old; Hollandale, MN

Notable Characteristics: Variegated little clump with a ground-hugging, wide spread. Matures 4" tall.

Parentage: *H.* 'Little Jim' × OP

Seasonal Color: Margins turn white later in the season

***H.* 'Luminosity'** S. Beikmann (ONIR)

Plant: 32in (81.3cm) diameter; 14in (35.6cm) high; upright; moderate growth rate.

Leaf: 7.5in (19.1cm) long; 4.5in (11.4cm) wide; 7 to 8 vein pairs; bright yellow with slightly rippled margins; slightly shiny on top; very shiny underneath; ovate with cordate base; lightly corrugated overall with acuminate leaf tips. One lightly pinched wave on each side of the narrowly triangular leaf is consistent.

Scape: 18 to 24in (45.7 to 61cm) high; green with reddish blush

Flower: 1.5in (3.8cm) long; medium lavender with slightly darker interior stripes; tubular; Niles, MI; 7/25 - 8/5 - 8/15

Seed: sets seed, viability unknown; green pods with reddish blush on some

Clump History: original seedling; 10 years old; Niles, MI

Notable Characteristics: Fluorescent yellow leaves for weeks in the spring. Lightly rippled leaves form a dense vase-shaped rosette.

Parentage: *H.* 'Paradise Joyce' × *H.* 'Fire Island'

Seasonal Color: Becomes more chartreuse in summer

M

***H.* 'Making Waves'** D. Dean (OIR) R. Mortko (N)

Plant: 30in (76.2cm) diameter; 12in (30.5cm) high; mound-like; moderate growth rate.

Leaf: 6.3in (15.9cm) long; 4.5in (11.4cm) wide; 8 to 9 vein pairs; lightly blue green .3 to .4in (.6 to 1cm) wide golden yellow, heavily rippled margins; satiny sheen on top; dull underneath; broadly ovate with cordate base; lightly folded, moderately twisted and deeply wavy overall with tips twisting downward.

Scape: 14 to 16in (35.6 to 40.6cm) high; saturated burgundy

Scape bracts: bracts are blushed purple

Flower: 1.8in (4.4cm) long; medium lavender center stripe with white margins and darker lavender pedicels; tubular; Ramsey, MI; 8/12 - 8/18 - 8/27

Seed: sets seed, viability unknown; medium green pods

Clump History: original seedling; 10 years old; Ramsey, MI

Notable Characteristics: Slightly blue green wavy leaf of heavy substance with golden yellow feathered margins, downward twisted tips and the distinctive flat whorled bloom habit of the pollen parent.

Parentage: *H.* 'Hideko Tajima' × *H.* 'Purple Verticulated Elf'

Seasonal Color: margins turn creamy white and centers become dark green later in the season

***H.* 'Mombo'** D. Bowe (ONIR)

Plant: 27in (68.6cm) diameter; 15in (38.1cm) high; mound-like; moderate growth rate.

Leaf: 8in (20.3cm) long; 5.5in (14cm) wide; 11 to 12 vein pairs; yellow with slightly rippled margins; slightly shiny on top; glaucous bloom underneath; broadly ovate with cordate base; lightly wavy overall and red speckling is more predominant on the back of the petioles

Scape: 20 to 23in (50.8 to 58.4cm) high; light green with red speckles

2022 REGISTRATIONS

Flower: 1.5in (3.8cm) long; pale lavender with interior lavender centers; tubular; Chagrin Falls, OH; 7/21 - 7/27 - 8/27

Seed: sets viable seed; chartreuse pods

Clump History: original seedling; 4 yrs old; Chagrin Falls, OH

Notable Characteristics: Bright yellow gold foliage with red speckled petioles that lighten through the season.

Parentage: *H.* 'One Man's Treasure' × *H.* 'Stardust'

Seasonal Color: lutescent (emerges greenish turning yellow as the season progresses)

***H.* 'Mr Mister'** L. Schmidt (ONIR)

Plant: 42in (106.7cm) diameter; 28 in (71.1cm) high; mound-like; moderate growth rate.

Leaf: 12in (30.5cm) long; 7in (17.8cm) wide; 9 vein pairs; medium green with pale yellow speckling; flat margins; slightly shiny on top; slightly shiny underneath; ovate with rounded base

Scape: 46 to 54in (116.8 to 137.2cm) high; green

Flower: 2.5in (6.4cm) long; near white; tubular; Buffalo, MN; 7/20 - 7/26 - 8/10

Seed: sets viable seed; green pods

Clump History: original seedling; 18 years old; Buffalo, MN

Notable Characteristics: Season long misting of yellow dots and occasional streaks against solid green leaves.

Parentage: Parentage Unknown

***H.* 'Mrs Raeder'** O. Purvis (ONIR)

Plant: 48in (121.9cm) diameter; 24in (61cm) high; mound-like; moderate growth rate.

Leaf: 10in (25.4cm) long; 9in (22.9cm) wide; 13 to 14 vein pairs; dark green with flat margins; slightly shiny on top; slightly shiny underneath; broadly ovate with cordate base; lightly cupped, twisted, wavy and corrugated overall.

Scape: 28 to 30in (71.1 to 76.2cm) high; green

Flower: 2in (5.1cm) long; medium lavender with darker lavender striping; tubular; Princeton, WI; 7/8 - 7/15 - 7/25

Seed: occasionally sets non-viable seed; green pods

Clump History: original sport; 8 years old; Princeton, WI

Notable Characteristics: Solid green version of *H.* 'Pat Raeder' has good leaf substance while the unique combination of leaf characteristics leads to an interesting and somewhat unruly looking plant.

Parentage: Sport of *H.* 'Pat Raeder'

N

***H.* 'Nathan's Gift'** D. & M. Beilstein (ONIR)

Plant: 48in (121.9cm) diameter; 33in (83.8cm) high; mound-like; moderate growth rate.

Leaf: 12in (30.5cm) long; 10in (25.4cm) wide; 15 to 16 vein pairs; medium green with .1 to 2in (.3 to 5.1cm) wide soft yellow, flat margins; slightly shiny on top; slightly shiny underneath; broadly ovate with cordate base; lightly wavy and corrugated overall with very narrow margins at the tip widening to 2in then decreasing to 1in at the leaf base.

Scape: 48 to 50in (121.9 to 127cm) high; green

Scape bracts: small lime green bracts

Flower: 1in (2.5cm) long; pale lavender; tubular; Mansfield, OH; 7/3 - 7/15 - 7/25

Seed: sets viable seed; green pods (1in long)

Clump History: original seedling; 8 years old; Mansfield, OH

Notable Characteristics: Joyous hosta that extends its leaves outward as to accept every drop of rain. The variable width

margins start off a soft yellow and gradually become a beautiful soft white.

Parentage: Elslager sdlg × *H.* 'Elatior'

Seasonal Color: soft yellow margins early turn soft white later in the season

***H.* 'Night Owl'** D. & M. Beilstein (ONIR)

Plant: 36in (91.4cm) diameter; 18in (45.7cm) high; mound-like; moderate growth rate.

Leaf: 7.5 in (19.1cm) long; 6.5in (16.5cm) wide; 9 to 10 vein pairs; creamy white with 2in (5.1cm) wide dark green, slightly rippled margins; very shiny on top; slightly shiny underneath; nearly round with cordate base; lightly cupped and corrugated overall with white center color extending down the petioles.

Scape: 24 to 26in (61 to 66cm) high; white

Scape bracts: creamy bracts have narrow green margins

Flower: 1.8in (4.4cm) long; medium lavender; tubular;

Mansfield, OH; 8/14 - 8/26 - 9/5

Seed: sets nonviable seed; white pods

Clump History: original seedling; 5 years old; Mansfield, OH

Notable Characteristics: Stunning looking plant hosts very dark green margins surrounding narrow creamy white centers with random outward spikes. Hardier than its parents.

Parentage: *H.* 'Purgatory' × *H.* 'Lakeside Sir Logan'

Seasonal Color: creamy centers turn white later in the season

***H.* 'Northernair Birdbath Blue'** M. & J. Carlson (ONIR)

Plant: 51in (129.5cm) diameter; 24in (61cm) high; mound-like; moderate growth rate.

Leaf: 11in (27.9cm) long; 9.5in (24.1cm) wide; 14 vein pairs; blue with slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; slightly convex cupping overall with piecrust to rippled margins and prominent veins.

Scape: 27 to 31in (68.6 to 78.7cm) high; green

Flower: 2.5in (6.4cm) long; medium lavender; dark lavender striping; tubular; Evansville, MN 7/16 - 7/28 - 8/5

Clump History: original seedling; 11 years old; Evansville, MN

Notable Characteristics: Large, round & symmetrical clump of icy blue leaves with prominent veins.

Parentage: Parentage Unknown

***H.* 'Northernair Bluetilda'** M. & J. Carlson (ONIR)

Plant: 55in (139.7cm) diameter; 20in (50.8cm) high; mound-like; moderate growth rate.

Leaf: 9in (22.9cm) long; 7.3in (18.4cm) wide; 12 vein pairs; blue with heavily rippled margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; lightly cupped, moderately twisted, folded & corrugated, deeply wavy with big bumps overall.

Scape: 19 to 24in (48.3 to 61cm) high; green

Flower: 3in (7.6cm) long; deep purple with white stripes on inside; tubular; Evansville, MN; 7/19 - 8/3 - 8/16

Seed: sets viable seed; green pods

Clump History: original seedling; 12 years old; Evansville, MN

Notable Characteristics: Big, blue and covered with wrinkles, crinkles, puckers, waves, folds and ripples.

Pod Parent: *H. longipes latifolia* 'Urajiro Hachijo' F2 × *H.* 'Potomac Pride' sdlg

Pollen Parent: *H. longipes latifolia* 'Urajiro Hachijo' × *H.* 'Potomac Pride'

H. 'Northernair Olive Oyl' M. & J. Carlson (ONIR)
Plant: 50in (127cm) diameter; 24in (61cm) high; mound-like; moderate growth rate.
Leaf: 12in (30.5cm) long; 6in (15.2cm) wide; 12 vein pairs; olive green with .5in (1.3cm) wide gold heavily rippled margins; dull on top; dull underneath; ovate with rounded base; moderately twisted, folded and wavy overall with twisted & curled leaf tips.
Scape: 32 to 38in (81.3 to 96.5cm) high; green
Flower: 2.8in (7cm) long; medium lavender with light lavender striping inside; tubular; Evansville, MN; 7/9 - 7/19 - 8/3
Seed: sets viable seed; green pods
Clump History: original seedling; 12 years old; Evansville, MN
Notable Characteristics: Olive green centers with wavy, rippled gold margins.
Parentage: *H. 'Galaxy'* × *H. 'Sum and Substance'*

H. 'Northernair on Point' M. & J. Carlson (ONIR)
Plant: 40in (101.6cm) diameter; 21in (53.3cm) high; mound-like; moderate growth rate.
Leaf: 7.5in (19.1cm) long; 3.3in (8.3cm) wide; 8 vein pairs; golden yellow with flat margins; slightly shiny on top; glaucous bloom underneath; lance-shaped with rounded base; moderately twisted and wavy overall.
Scape: 18 to 22in (45.7 to 55.9cm) high; green
Flower: 2in (5.1cm) long; deep purple with dark lavender striping inside; tubular; Evansville, MN; 7/24 - 7/30 - 8/5
Seed: sets viable seed; brownish red pods
Clump History: original seedling; 10 years old; Evansville, MN
Notable Characteristics: Long, bright golden yellow leaves have a slight twist and pointed tips. Purple flowers provide nice contrast. Can tolerate ½ to ¾ day of sun. Bright golden yellow color persists all season long.
Parentage: *H. 'Greybeard'* × *H. 'Ruffed Up'*

H. 'Northernair Waves of Gold' M. & J. Carlson (ONIR)
Plant: 48in (121.9cm) diameter; 18in (45.7cm) high; mound-like; moderate growth rate.
Leaf: 11in (27.9cm) long; 7in (17.8cm) wide; 11 vein pairs; golden yellow with heavily rippled margins; dull on top; slightly shiny underneath; ovate with cordate base; lightly cupped and moderately wavy overall.
Scape: 17 to 25in (43.2 to 63.5cm) high; green
Flower: 2in (5.1cm) long; pale lavender with lavender striping inside; tubular; Evansville, MN; 7/29 - 8/5 - 8/17
Seed: sets viable seed; green pods
Clump History: original seedling; 10 years old; Evansville, MN
Notable Characteristics: Heavily rippled gold leaves with green veins.
Parentage: Parentage Unknown

H. 'Notice Me' D. & M. Beilstein (ONIR)
Plant: 30in (76.2cm) diameter; 20in (50.8cm) high; mound-like; moderate growth rate.
Leaf: 10in (25.4cm) long; 7.5in (19.1cm) wide; 11 to 12 vein pairs; blue green with .8 to 1in (1.9 to 2.5cm) wide creamy white, slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; lightly corrugated overall.
Scape: 24 to 26in (61 to 66cm) high; green
Scape bracts: small, light green
Flower: 1in (2.5cm) long; pale lavender; bell-shaped; Mansfield, OH; 7/3 - 7/14 - 7/26

Seed: sets viable seed; green pods (1in long)
Clump History: original seedling; 5 years old; Mansfield, OH
Notable Characteristics: Starts the spring as a tri-color mound of soft faded, teal-colored leaves with creamy margins and greyish teal areas between the two. Leaves eventually turn a soft medium two-toned blue green with white margins when the bloom disappears. Beautiful all season.
Parentage: (*H. 'Color Fantasy'* × *OP*) × (*H. hypoleuca* × *OP*)
Seasonal Color: glaucous bloom fades (see Notable Characteristics)

P

H. 'Pam and Tall Guy' C. Kwick (ONIR)
Plant: 36in (91.4cm) diameter; 15in (38.1cm) high; mound-like; moderate growth rate.
Leaf: 10in (25.4cm) long; 8in (20.3cm) wide; 10 to 11 vein pairs; medium green; with slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; lightly folded and corrugated overall with deeply impressed veins.
Scape: 24 to 32in (61 to 81.3cm) high; light green with glaucous bloom
Flower: 1.8in (4.4cm) long; pale purple with lavender centers and translucent margins on alternate petals; tubular; Eau Claire, WI; 7/18 - 7/29 - 8/11
Seed: sets viable seed; green pods
Clump History: original seedling; 6 years old; Eau Claire, WI
Notable Characteristics: Large leaves of medium green with widely spaced veins and glaucous bloom.
Parentage: *H. 'Blue Umbrellas'* × *OP*

H. 'Peach Brandy' R. Solberg (ONIR)
Plant: 22in (55.9cm) diameter; 14in (35.6cm) high; mound-like; moderate growth rate.
Leaf: 7in (17.8cm) long; 4.5in (11.4cm) wide; 6 to 7 vein pairs; yellow; slightly shiny on top; glaucous bloom underneath; broadly ovate with cordate base; lightly wavy and corrugated overall. Rich purple petiole color with white wax extends halfway into each leaf.
Scape: 18 to 20in (45.7 to 50.8cm) high; purple with glaucous bloom
Flower: reddish purple with red at base; tubular; Franklinton, NC; 7/10 - 7/20 - 8/10
Clump History: original seedling; 4 years old; Franklinton, NC
Notable Characteristics: Bright yellow leaves with purple filling the base and extending halfway up the leaf.
Pod Parent: (*H. 'Smiley Face'* × *H. 'Beet Salad'*) × (*H. 'Peacock Strut'* × *H. 'Beet Salad'*)
Pollen Parent: "48/49 Best" × (*H. 'Sun Shower'* × *H. 'Designer Genes'*)
Seasonal Color: yellow leaves become light green later in the season

H. 'Pebble Creek Five Stones' J. Kovalcsik (ONIR)
Plant: 10in (25.4cm) diameter; 6.3in (15.9cm) high; upright; fast growth rate.
Leaf: 2.8in (7cm) long; 1.1in (2.8cm) wide; 5 to 6 vein pairs; medium green with serrated margins; dull on top; slightly shiny underneath; lance-shaped with tapered base; lightly twisted and moderately wavy overall with long pointy tips & ruffled finely serrated edges that flush red in the spring, some leaves pinch just

above the base of the mid-rib, red-speckling on petioles sometimes extends into the midrib.

Scape: 9 to 16in (22.9 to 40.6cm) high; green with purple speckles; olive green bracts with reddish-purple veins, base dries up and does not persist

Flower: 1.8in (4.4cm) long; color and patterning identical to the pod parent (see *H.* 'Betty Blake'); tubular; Vassar, MI; 7/31 - 8/9 - 8/14

Seed: limited fertility, choosy about pollen; green pods with reddish-purple speckles

Clump History: original seedling; 12 years old; Vassar, MI

Notable Characteristics: Mini hosta perfect for rock garden or trough. Rippled green leaves cluster into a tight vase-shaped mound on red petioles. Spring weather can bring a red blush to tips and edges. Cheery purple & white flowers have a snowflake pattern inside.

Parentage: *H.* 'Betty Blake' × *H.* 'Katsuragawa Beni'

***H.* 'Pebble Creek Grape Jelly'** J. Kovalcsik (ONIR)

Plant: 34in (86.4cm) diameter; 16in (40.6cm) high; upright; moderate growth rate.

Leaf: 8in (20.3cm) long; 7.5in (19.1cm) wide; 11 to 12 vein pairs; yellow with slightly rippled margins; dull on top; glaucous bloom underneath; nearly round with cordate base; lightly cupped, twisted & wavy and deeply corrugated overall. New leaves are rather narrow and smooth with white backs and downward turning tips. Leaves become rounder and corrugated over time. Rust spots in wet weather can be observed.

Scape: 19 to 21in (48.3 to 53.3cm) high; green with faint purple speckling

Scape bracts: bracts are intense purple at the base

Flower: 1.5in (3.8cm) long; lavender tepals with white bases, translucent margins and alternate tepals have a grape-colored dot on the back; tubular; Vassar, MI; 6/28 - 7/7 - 7/17

Seed: sets viable seed; pods are dark green with faint purple speckling

Clump History: original seedling; 11 years old; Vassar, MI

Notable Characteristics: Deeply corrugated foliage pairs well with grape-stained petioles and bracts on this viridescent specimen. Fertile and fabulous for mixing with early-blooming reds.

Parentage: *H.* 'Designer Genes' × (*H.* 'Christmas Tree' × *H.* 'Pebble Creek GPS')

Seasonal Color: yellow gives way to greenish white later in the season

***H.* 'Pebble Creek Great King'** J. Kovalcsik (ONIR)

Plant: 21in (53.3cm) diameter; 21in (53.3cm) high; upright; slow growth rate.

Leaf: 7.5in (19.1cm) long; 7.5in (19.1cm) wide; 12 to 13 vein pairs; dark green with slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; nearly round with cordate base; lightly wavy, moderately corrugated and deeply cupped at the far end of the leaf with sharp, extended tips. Very heavy substance.

Scape: 23 to 24.5in (58.4 to 62.2cm) high; glaucous dark green with red extending 1/3 of the way up from the base

Flower: 2in (5.1cm) long; near white with splashes of lavender, alternate tepals have translucent margins; tubular; Vassar, MI; 7/5 - 7/19 - 7/28

Seed: sets viable seed; medium green pods

Clump History: original seedling; 10 yrs old; Vassar, MI

Notable Characteristics: Glaucous, round, cupped, white-backed dark green leaves on scepter-like petioles that are red at the base. Opulent crown of near-white flowers.

Parentage: *H.* 'Nate the Great' × (*H.* 'Pebble Creek GPS' × *H.* 'Miss Linda Smith')

***H.* 'Pebble Creek Landmark'** J. Kovalcsik (OIR)
R. Livingston (N)

Plant: 41in (104.1cm) diameter; 17in (43.2cm) high; upright; fast growth rate.

Leaf: 8.5in (21.6cm) long; 4.5in (11.4cm) wide; 8 to 9 vein pairs; medium green with slightly rippled & lightly serrated margins; slightly shiny on top; slightly shiny underneath; lance-shaped with tapered base; lightly twisted, folded and wavy overall with light corrugation on mature leaves. Somewhat pinched at midrib and pointed tips that sometimes twist. Vigorous grower.

Petiole Characteristics: Narrow & deeply concave petioles are brilliant red in spring darkening to purple later. Coloration extends up the back mid-rib of each leaf.

Scape: 20 to 37in (50.8 to 94cm) high; deep mulberry at base, mulberry speckles in the middle & deep red on top

Scape bracts: first bract on each scape is long

Flower: 1.5in (3.8cm) long; pale lavender with purple veins and a bright purple center vein surrounded by white - purple splotches as weather cools; tubular; Vassar, MI; 8/27 - 9/7 - 9/19

Seed: sets viable seed (pod-set is rare); purple black pods

Clump History: original seedling; 11 years old; Vassar, MI
Notable Characteristics: Long twisting lightly rippled green leaves are lifted to the breeze on scarlet petioles. Dark scapes, purple-splashed bracts and pale lavender tepals each with a bright purple central vein create a striking summer display.

Parentage: *H.* 'Xanadu Virginia Mary' × *H.* 'Red Dragon'

***H.* 'Pebble Creek Magnificat'** J. Kovalcsik (OIR) P. Lenhard (N)

Plant: 40in (101.6cm) diameter; 16in (40.6cm) high; mound-like; fast growth rate.

Leaf: 10.5in (26.7cm) long; 6.3in (15.9cm) wide; 11 to 12 vein pairs; slightly blue green with heavily rippled margins; glaucous bloom on top; glaucous bloom underneath; narrowly ovate with cordate base; lightly twisted, folded & corrugated and moderately wavy overall. Leaf bases twist and sometimes overlap. Ruffled edges sometimes fold up to show the waxy backs.

Scape: 22.5 to 29.5in (57.2 to 74.9cm) high; medium blue green

Flower: 1.6in (4.1cm) long; near white with exterior lavender misting that is more dense at the tips, interior speckles create subtle striping. Alternate tepals are more heavily speckled and have translucent margins. Purple speckled pedicels; tubular; Vassar, MI; 7/7 - 7/16 - 7/29

Seed: sets viable seed; light green pods

Clump History: original seedling; 12 yrs old; Vassar, MI
Notable Characteristics: Long twisting, lightly folded, ruffled blue green leaves with waxy backs combine with spiky scapes and ruffled bracts to create a magnificent display.

Parentage: unnamed blue sdg × OP

***H.* 'Pebble Creek Provenance'** J. Kovalcsik (ONIR)

Plant: 29in (73.7cm) diameter; 15in (38.1cm) high; upright; fast growth rate.

Leaf: 9in (22.9cm) long; 3.3in (8.3cm) wide; 7 to 8 vein pairs; medium green with heavily rippled margins; slightly shiny on top; glaucous bloom underneath; lance-shaped with tapered base; lightly twisted and moderately wavy overall with very long leaf

tips that tend to bend downward, slightly twist & curve. Mature leaves can show some rugosity down the mid-rib.

Scape: 15 to 21in (38.1 to 53.3cm) high; glaucous reddish-purple with olive green bracts edged in reddish-purple with reddish-purple veining

Flower: 2.9in (7.3cm) long; medium lavender with purple margins outside, white inside with medium lavender centers and purple margins that become darker in cold weather; tubular; Vassar, MI; 8/9 - 8/26 - 9/9

Seed: sets viable seed; medium green pods with purple stripes

Clump History: original seedling; 11 years old; Vassar, MI

Notable Characteristics: Elliptical reddish-purple scapes emerge from a clump of white-backed, long-tipped, ruffled green leaves. Ample flowers with pointy tepals show off the temperature sensitive purple edges.

Parentage: *H. 'Red Dragon'* × *OP*

H. 'Pewter Bowl' D. Bowe (ONIR)

Plant: 32in (81.3cm) diameter; 13in (33cm) high; mound-like; moderate growth rate.

Leaf: 4.5in (11.4cm) long; 4.5in (11.4cm) wide; 7 vein pairs; blue with flat margins; dull on top; glaucous bloom underneath; nearly round with cordate base; deeply cupped overall

Scape: 19 to 21in (48.3 to 53.3cm) high; blue

Flower: 1.6in (4.1cm) long; pale lavender with lavender tips and broad bands of pale lavender inside; bell-shaped; Chagrin Falls, OH; 7/11 - 7/19 - 7/27

Seed: sets seed, viability unknown; blue green pods

Clump History: original seedling; 5 yrs old; Chagrin Falls, OH

Notable Characteristics: Blue cupped leaves are a bit larger than *H. 'Teaspoon'*

Parentage: *H. 'Teaspoon'* × *H. 'Blue Jay'*

H. 'Phil Hollenbaugh' D. Graves (ONIR)

Plant: 24in (61cm) diameter; 8in (20.3cm) high; mound-like; moderate growth rate.

Leaf: 6.5in (16.5cm) long; 4.5in (11.4cm) wide; 9 vein pairs; dark green with .5in (1.3cm) wide, greenish yellow, rippled margins; slightly shiny on top; dull underneath; broadly ovate with cordate base; lightly wavy overall

Scape: 16 to 24in (40.6 to 61cm) high; green

Flower: 2in (5.1cm) long; fragrant; near white with pale lavender stripes; tubular; Sylvania, OH; 6/1 - 6/13 - 7/5

Seed: sets viable seed; green pods

Clump History: original sdlg; 8 yrs old; Sylvania, OH

Notable Characteristics: Wavy chartreuse margins with fragrant flowers.

Parentage: (*H. 'Christmas Tree Gala'* × *H. montana*) × *OP*

H. 'Phoenix Feathers' D. Wols (ON) MRHS (I)
AHS/G. H. Alley (R)

Plant: 28in (71.1cm) diameter; 14in (35.6cm) high; upright; moderate growth rate.

Leaf: 10in (25.4cm) long; 6in (15.2cm) wide; 8 to 9 vein pairs; bright yellow with rippled margins; dull on top; glaucous bloom underneath; ovate with tapered and/or cordate base; lightly folded and wavy overall.

Petiole Characteristics: Saturated red at ground level gradually transitioning to red spots that extend slightly into the leaf front and somewhat further up the mid-rib on the leaf backs.

Scape: 20 to 22in (50.8 to 55.9cm) high; glaucous dusty purple

Flower: 1.5in (3.8cm) long; pale lavender; tubular; Mid-August; Tinley Park, IL

Seed: sets viable seed

Clump History: original sdlg; 4 yrs old; Tinley Park, IL

Notable Characteristics: Medium sized clump of bright yellow ruffled leaves held upright before draping over and downward. Give it some sun for full yellow color and once established, it tolerates more sun like its pollen parent *H. 'Sun Power'*. Chosen as the 2022 AHS Convention gift plant.

Parentage: *H. 'Harry van de Laar'* × *H. 'Sun Power'*

Seasonal Color: Emerges a waxy chartreuse early then quickly turns bright yellow that intensifies as the season progresses.

H. 'Piano Man' O. Purvis (ONIR)

Plant: 32in (81.3cm) diameter; 18in (45.7cm) high; mound-like; moderate growth rate.

Leaf: 8in (20.3cm) long; 7in (17.8cm) wide; 10 to 11 vein pairs; dark grayish green with moderately rippled margins; glaucous bloom on top; dull underneath; broadly ovate with cordate base; lightly twisted & corrugated and moderately wavy overall.

Scape: 28 to 32in (71.1 to 81.3cm) high; green

Flower: 1.8in (4.4cm) long; near white with pale purple center stripe; tubular; Princeton, WI; 7/8 - 7/15 - 7/21

Seed: sets viable seed; green pods

Clump History: original seedling; 8 years old; Princeton, WI

Notable Characteristics: Lightly corrugated, dark grayish green leaves with wavy edges and turned down tips. Emerging scapes are topped with a dense clump of whitish bracts with purple margins that look very much like a single flower bud. As the flowers begin developing, the dense clump of bracts become separated along the length of the scape.

Parentage: Parentage Unknown

Seasonal Color: more grayish bloom early in the season

H. 'Pineapple Salsa' R. Solberg (ONIR)

Plant: 20in (50.8cm) diameter; 12in (30.5cm) high; mound-like; moderate growth rate.

Leaf: 7in (17.8cm) long; 4in (10.2cm) wide; 5 to 6 vein pairs; yellow with .4in (1cm) wide dark green slightly rippled margins; slightly shiny on top; slightly shiny underneath; ovate with cordate base; lightly wavy and corrugated overall. Red speckles from the petioles extend into the base on both sides of the leaves.

Scape: 28 to 30in (71.1 to 76.2cm) high; red

Flower: reddish purple with red at base; tubular; Franklinton, NC; 7/10 - 7/20 - 8/10

Seed: sets viable seed; reddish yellow pods

Clump History: tissue culture sport; 3 years old; Franklinton, NC

Notable Characteristics: Bright yellow foliage with dark green margins and red petioles & scapes.

Parentage: Sport of *H. 'Mango Salsa'*

Seasonal Color: emerges bright yellow becoming yellow green later

H. 'Powder Brute' C. Koza Hajnosz (ONIR)

Plant: 60in (152.4cm) diameter; 30in (76.2cm) high; mound-like; moderate growth rate.

Leaf: 16in (40.6cm) long; 13in (33cm) wide; 14 vein pairs; dark blue-green streaked with green & creamy white and slightly rippled margins; glaucous bloom on top; dull underneath; broadly ovate with cordate base; lightly wavy and deeply corrugated overall.

Scape: 30 to 34in (76.2 to 86.4cm) high; blue green - occasionally streaked with white

Flower: 2in (5.1cm) long; pale lavender with slightly darker interior brush strokes; bell-shaped; Hamburg, NY; 7/1 - 7/15 - 7/25

2022 REGISTRATIONS

Seed: sets viable seed; dark green pods occasionally have white streaks

Clump History: original seedling; 6 years old; Hamburg, NY; seeds obtained from Jeff & Marie White

Notable Characteristics: Nicely corrugated, very thick dark blue leaves with green and creamy white streaks throughout.

Parentage: *H. 'Powder Keg'* × *H. 'Brutus'*

Seasonal Color: becomes slightly shiny dark green with white streaks in the fall

H. 'Prince Beorn Benicio' C. Kwick (ONIR)

Plant: 30in (76.2cm) diameter; 13in (33cm) high; mound-like; moderate growth rate.

Leaf: 7in (17.8cm) long; 7.3in (18.4cm) wide; 12 to 13 vein pairs; light green with flat margins; slightly shiny on top; glaucous bloom underneath; nearly round with cordate base; lightly cupped and heavily corrugated overall. The glistening puckers make this one stand out.

Scrape: 16 to 18in (40.6 to 45.7cm) high; light green

Flower: 1.5in (3.8cm) long; near white; with very pale lavender striping; tubular; Eau Claire, WI; 6/22 - 7/6 - 7/15

Clump History: original seedling; 6 years old; Eau Claire, WI

Notable Characteristics: Round, slightly shiny and heavily puckered leaves.

Parentage: *H. 'Tyler's Treasure'* × OP

H. 'Pull of the Moon' M. Zilis (O), R. Solberg (NIR)

Plant: 36in (91.4cm) diameter; 18in (45.7cm) high; upright; moderate growth rate.

Leaf: 10in (25.4cm) long; 5in (12.7cm) wide; 11 to 12 vein pairs; greenish yellow with 1.8in (4.4cm) wide, medium blue slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; ovate with rounded base; lightly twisted & wavy and moderately folded overall.

Scrape: 20 to 24in (50.8 to 61cm) high; medium blue green

Flower: 2.5in (6.4cm) long; near white; tubular; Franklinton, NC; 7/1 - 7/15 - 8/1

Clump History: tissue culture sport; 3 years old; Franklinton, NC

Notable Characteristics: Large, twisted and long pointed blue leaves with high vein count and a narrow yellow center.

Parentage: Sport of *H. 'Tidewater'*

R

H. 'Relentless' D. Dean (OIR) R. Mortko (N)

Plant: 36in (91.4cm) diameter; 17in (43.2cm) high; upright; moderate growth rate.

Leaf: 8.5in (21.6cm) long; 6.5in (16.5cm) wide; 10 to 11 vein pairs; yellow with moderately rippled margins; dull on top; dull underneath; broadly ovate with cordate base; lightly folded overall.

Scrape: 18 to 25in (45.7 to 63.5cm) high; pale green blushed red

Scrape bracts: moderate sized bracts are heavily blushed burgundy

Flower: 1.8in (4.4cm) long; pale lavender with medium lavender central stripe, reddish sepals and pedicels; tubular; Ramsey, MN; 7/2 - 7/10 - 7/18

Seed: sets seed, viability unknown; green pods with burgundy speckles

Clump History: original seedling; 12 years old; Ramsey, MN

Notable Characteristics: Bright full season yellow with wavy margins, blushed scapes & bracts contrast well with the leaf and flower colors.

Pod Parent: (*H. 'Liberty Bell'* × *H. 'Noah's Ark'*) × *H. 'Sea Drift'* sdlg

Pollen Parent: *H. 'Sea Frolic'* × *H. kiyosumiensis*

H. 'Rough Lemon' R. Solberg (ONIR)

Plant: 26in (66cm) diameter; 14in (35.6cm) high; mound-like; fast growth rate.

Leaf: 6.5in (16.5cm) long; 4in (10.2cm) wide; 6 to 7 vein pairs; yellow with slightly rippled margins; slightly shiny on top; glaucous bloom underneath; ovate with rounded base; relatively flat overall with purple color extending one-third into leaf.

Scrape: 30 to 32in (76.2 to 81.3cm) high; purplish red

Flower: 2in (5.1cm) long; pale purple; tubular; Franklinton, NC; 7/10 - 7/20 - 8/10

Seed: sets seed, viability not submitted; reddish pods

Clump History: original seedling; 4 yrs old; Franklinton, NC

Notable Characteristics: Yellow foliage in spring with reddish purple petioles whose color extends one-third into leaf area.

Pod Parent: (*H. 'Smiley Face'* × *H. 'Beet Salad'*) × (*H. 'Peacock Strut'* × *H. 'Beet Salad'*)

Pollen Parent: "48/49 Best" × (*H. 'Sun Shower'* × *H. 'Designer Genes'*)

Seasonal Color: becomes light green later

H. 'RSVP' R. Lysne (ONIR)

Plant: 24in (61cm) diameter; 8in (20.3cm) high; mound-like; moderate growth rate.

Leaf: 6.5in (16.5cm) long; 5in (12.7cm) wide; 9 vein pairs; dark green with .75in (1.9cm) wide clean white moderately rippled margins; dull on top; dull underneath; nearly round with cordate base; deeply corrugated overall.

Scrape: 12 to 14in (30.5 to 35.6cm) high; green

Flower: 1in (2.5cm) long; pale purple; bell-shaped; Ferryville, WI; 8/1 - 8/8 - 8/12

Seed: sets seed, viability unknown; green pods

Clump History: original seedling; 8 years old; Ferryville, WI

Notable Characteristics: Has a rather low spreading form with quite round and heart shaped leaves edged in clean white.

Becomes more puckered/rugose with age.

Parentage: Unnamed Sdlg × Unnamed Sdlg

S

H. 'Sandy Times Two' C. Owens (ONIR)

Plant: 38in (96.5cm) diameter; 23in (58.4cm) high; mound-like; moderate growth rate.

Leaf: 9in (22.9cm) long; 6in (15.2cm) wide; 12 vein pairs; yellow with 1in (2.5cm) wide slightly blue green flat margins; dull on top; dull underneath; broadly ovate with cordate base; lightly cupped and corrugated overall with margins that occasionally jet into the yellow centers.

Scrape: 19 to 28in (48.3 to 71.1cm) high; light green turning creamy white

Flower: 2in (5.1cm) long; white; tubular; Jackson, MI; 6/27 - 7/7 - 7/15

Seed: sets seed, viability unknown; green pods

Clump History: original seedling; 7 years old; Jackson, MI

Notable Characteristics: Thick, very textured leaves.

Parentage: *H. 'Sally and Bob'* × OP

Seasonal Color: yellow centers turn white later

H. 'Sarojini' S. Zolock (ONIR)
Plant: 27in (68.6cm) diameter; 10in (25.4cm) high; mound-like; moderate growth rate.
Leaf: 3.5in (8.9cm) long; 1.8in (4.4cm) wide; 5 to 6 vein pairs; medium green with very slightly rippled margins; slightly shiny on top; dull underneath; ovate with tapered base; lightly cupped overall.
Scape: 18 to 22in (45.7 to 55.9cm) high; green
Flower: 1.8in (4.4cm) long; medium lavender; tubular; Rostraver Twp, PA; 8/2 - 8/15 - 9/7
Seed: sets viable seed; green pods
Clump History: original sdlg; 16 yrs old; Rostraver Twp, PA
Notable Characteristics: Unique in uniformity of growth and abundance of flowers. Scares have a minimum of 20 flowers each. This one loves to grow and multiply.
Parentage: Unnamed Sdlg × Unnamed Sdlg

H. 'Selah's Choice' C. Kwick (ONIR)
Plant: 30in (76.2cm) diameter; 16in (40.6cm) high; mound-like; moderate growth rate.
Leaf: 10in (25.4cm) long; 8in (20.3cm) wide; 8 to 10 vein pairs; blue green with slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; ovate with cordate base; relatively flat overall.
Scape: 30 to 36in (76.2 to 91.4cm) high; green with glaucous bloom
Scape bracts: insignificant
Flower: 2.3in (5.7cm) long; pale lavender with lavender stripes, alternate petals have translucent margins; tubular; Eau Claire, WI; 7/18 - 7/23 - 7/30
Seed: sets seed, viability not provided; green pods
Clump History: original seedling; 7 years old; Eau Claire, WI
Notable Characteristics: Moderate sized mound of blue leaves each held at individual heights and spacing.
Parentage: *H. 'Blue Umbrellas'* × OP

H. 'Sequoia' D. & M. Beilstein (ONIR)
Plant: 78in (198.1cm) diameter; 40in (101.6cm) high; upright; moderate growth rate.
Leaf: 17in (43.2cm) long; 12in (30.5cm) wide; 16 to 17 vein pairs; medium green with slightly rippled margins; slightly shiny on top; glaucous bloom underneath; broadly ovate with cordate base; relatively flat while moderately corrugated overall with very visible veins and a twist to the tips.
Scape: 44 to 46in (111.8 to 116.8cm) high; green
Scape bracts: short bracts with slightly lavender edges
Flower: 1.5 in (3.8cm) long; medium lavender; tubular; Mansfield, OH; 6/20 - 7/3 - 7/20
Seed: sets viable seed; green pods (1.5in long)
Clump History: original seedling; 6 years old; Mansfield, OH
Notable Characteristics: Stands above all else in my garden. Upright form with flat, slightly dimpled leaves that cover wide spaces. With outreaching leaves, it looks like a giant tree.
Parentage: *H. 'Brutus'* × (*H. montana* f. *macrophylla* × *H. 'American Yeti'*)

H. 'Sir Dave' C. Kwick (ONIR)
Plant: 59in (149.9cm) diameter; 24in (61cm) high; mound-like; moderate growth rate.
Leaf: 14in (35.6cm) long; 9in (22.9cm) wide; 14 to 15 vein pairs; slightly blue green early with flat margins; dull on top; glaucous bloom underneath; broadly ovate with cordate base; lightly folded and cupped overall.

Scape: 25 to 34in (63.5 to 86.4cm) high; green with glaucous bloom; small bracts
Flower: 2.5in (6.4cm) long; near white with light lavender stripes and some translucency; tubular; Eau Claire, WI; 6/26 - 7/4 - 7/16
Seed: sets seed, viability unknown; green pods
Clump History: original seedling; 12 years old; Eau Claire, WI
Notable Characteristics: Large blue green hosta with slightly corrugated and gently folding leaves.
Parentage: *H. 'Komodo Dragon'* × OP
Seasonal Color: mostly green by flowering time

H. Sparkling Amethyst' D. & M. Beilstein (ONIR)
Plant: 24in (61cm) diameter; 14in (35.6cm) high; mound-like; moderate growth rate.
Leaf: 8in (20.3cm) long; 3.5in (8.9cm) wide; 5 to 6 vein pairs; medium green with flat margins; slightly shiny on top; slightly shiny underneath; ovate with tapered base; relatively flat overall
Scape: 24 to 26in (61 to 66cm) high; green
Flower: 1.3in (3.2cm) long; deep crimson with sparse white flecks on exterior while interior white flecks suggest stripes, white margins alternate with translucent margins on petal interiors; tubular; Mansfield, OH; 8/5 - 8/16 - 8/26
Seed: sets viable seed; green pods
Clump History: original seedling; 3 years old; Mansfield, OH
Notable Characteristics: Medium sized clump of green leaves with low vein count (typical *H. sieboldii* type). Saturated crimson flowers are the crowning glory.
Parentage: (*H. 'The Pit and the Pendulum'* sdlg1 × OP) × (Rawson 8-3 sdlg × OP)

H. 'Sparkling Garnet' D. & M. Beilstein (ONIR)
Plant: 20in (50.8cm) diameter; 15in (38.1cm) high; mound-like; moderate growth rate.
Leaf: 8in (20.3cm) long; 3in (7.6cm) wide; 5 to 6 vein pairs; medium green with flat margins; slightly shiny on top; slightly shiny underneath; ovate with tapered base; relatively flat overall
Scape: 36 to 38in (91.4 to 96.5cm) high; light green
Scape bracts: light green bracts extend to half the length of the flowers
Flower: 1.3in (3.2cm) long; warm deep pinkish red on exterior, interior reveals white stripes, alternating petals have wider white margins; tubular; Mansfield, OH; 8/5 - 8/12 - 8/24
Seed: sets viable seed; green pods
Clump History: original seedling; 3 years old; Mansfield, OH
Notable Characteristics: Small clump of green leaves with low vein count (typical *H. sieboldii* type). Stealing the show are warm deep pinkish red flowers on tall scapes in August.
Parentage: (*H. 'Flor Roja'* × *H. "Experimental 136"* F3) × (Rawson 10-4 sdlg × OP)

H. 'Sparkling Opal' D. & M. Beilstein (ONIR)
Plant: 16in (40.6cm) diameter; 10in (25.4cm) high; mound-like; fast growth rate.
Leaf: 5in (12.7cm) long; 2in (5.1cm) wide; 6 to 7 vein pairs; medium green with flat margins; slightly shiny on top; dull underneath; lance-shaped with rounded base; relatively flat overall.
Scape: 22 to 24in (55.9 to 61cm) high; green
Scape bracts: insignificant
Flower: 1in (2.5cm) long; white with flecks of red on base and tips of the exterior, inside reveals three main red lines along

entire length of each petal and occasional small lateral flecks of color; tubular; Mansfield, OH; 8/3 - 8/16 - 8/30

Seed: sets viable seed; green pods

Clump History: original seedling; 3 years old; Mansfield, OH

Notable Characteristics: The very distinct flowers on this typical *H. sieboldii* foliage makes a spectacular show.

Parentage: Rawson 15-43 sdlg × *H.* ‘The Pit and the Pendulum’ sdlg2

***H.* ‘Sparkling Ruby’** D. & M. Beilstein (ONIR)

Plant: 24in (61cm) diameter; 16in (40.6cm) high; mound-like; moderate growth rate.

Leaf: 6in (15.2cm) long; 3in (7.6cm) wide; 6 to 7 vein pairs; medium green with flat margins; slightly shiny on top; slightly shiny underneath; ovate with tapered base; relatively flat overall

Scape: 26 to 28in (66 to 71.1cm) high; green

Scape bracts: long narrow bracts extend entire length of flower

Flower: 1in (2.5cm) long; dark saturated red both inside and out with distinct narrow white margins; tubular; Mansfield, OH; 8/3 - 8/14 - 8/25

Seed: sets viable seed; green pods

Clump History: original seedling; 3 years old; Mansfield, OH

Notable Characteristics: Classic *H. sieboldii* type plant in size and leaf shape with intense dark red flowers to draw the eye.

Parentage: *H.* ‘Mysterious Cat’ sdlg10 × (*H.* ‘Peacock Strut’ × *H.* ‘War and Peace’) sdlg2

***H.* ‘Sparkling Sapphire’** D. & M. Beilstein (ONIR)

Plant: 18in (45.7cm) diameter; 12in (30.5cm) high; mound-like; moderate growth rate.

Leaf: 5in (12.7cm) long; 3in (7.6cm) wide; 5 to 6 vein pairs; medium green with flat margins; slightly shiny on top; slightly shiny underneath; ovate with tapered base; relatively flat overall

Scape: 20 to 22in (50.8 to 55.9cm) high; green

Scape bracts: bracts extend to half the length of the flowers

Flower: 1in (2.5cm) long; interior shows distinct stripes of white & deep violet with white margins while the exterior hosts more random splotches of white on deep violet; tubular; Mansfield, OH; 8/1 - 8/7 - 8/15

Seed: sets viable seed; green pods have purple streaks

Clump History: original seedling; 3 years old; Mansfield, OH

Notable Characteristics: Typical *H. sieboldii* plant form whose scapes are loaded with fully recurved, dark violet & white flowers.

Parentage: Rawson 7-1 sdlg × *H.* ‘Mysterious Cat’ sdlg8

***H.* ‘Speakeasy’** M. Zilis (O) E. Parks (N) AHS (I) B. Ankney (R)

Plant: 36in (91.4cm) diameter; 25in (63.5cm) high; mound-like; moderate growth rate.

Leaf: 12in (30.5cm) long; 10in (25.4cm) wide; 13 to 14 vein pairs; intense blue green with .3 to .8 in (.6 to 1.9cm) wide yellow, slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; lightly wavy and corrugated overall.

Scape: 30 to 32in (76.2 to 81.3cm) high; green

Flower: 2.3 in (5.7cm) long; pale lavender; bell-shaped; Jun 1 to Jul 15; Rochelle, IL

Seed: sets seed, viability unknown

Clump History: original sport; 5 years old; Rochelle, IL

Notable Characteristics: Large clump of blue green, lightly corrugated leaves with highly variable yellow margins.

Parentage: Sport of *H.* ‘Powder Blue’

***H.* ‘Stonegate’**

M. & J. Carlson (ONIR)

Plant: 34in (86.4cm) diameter; 18in (45.7cm) high; mound-like; moderate growth rate.

Leaf: 8.3in (21.1cm) long; 7in (17.8cm) wide; 15 vein pairs; light green with variable width up to in 3in (7.6cm) wide, blue slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; nearly round with cordate base; lightly cupped, moderately folded & wavy, and deeply corrugated overall.

Scape: 21 to 23in (53.3 to 58.4cm) high; green

Flower: 2in (5.1cm) long; white; tubular; Evansville, MN; 6/23 - 6/28 - 7/10

Seed: sets viable seed; some green pods & some brownish red

Clump History: original seedling; 10 years old; Evansville, MN

Notable Characteristics: Medium blue margins with light green centers on very thick, very puckered and crinkled leaves. Handles sun well but color contrast is better when grown in the shade.

Parentage: Parentage Unknown

***H.* ‘Strike Up the Band’** D. Dean (O), B. Michelletti (N), AHS/MRHS (I), B. Ankney (R)

Plant: 33in (83.8cm) diameter; 11in (27.9cm) high; mound-like; moderate growth rate.

Leaf: 6in (15.2cm) long; 3.8in (9.5cm) wide; 6 to 7 vein pairs; intense blue green with feathered .25 to .5in (.6 to 1.3cm) wide yellow slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; ovate with cordate base; moderately twisted and folded overall.

Scape: 12 to 15in (30.5 to 38.1cm) high; greenish purple

Flower: 1in (2.5cm) long; fragrant; pale lavender with white stripes; tubular; Aug 15 to Oct 1; Ramsey, MN

Clump History: original seedling; 12 years old; Ramsey, MN

Notable Characteristics: Random gray and green streaks are found between the leaf center and margins.

Pod Parent: [(*H.* ‘Liberty Bell’ × (*H.* ‘Urajiro Hachijo’ × *H. pycnophylla*)) × (*H.* ‘Ebony Spires’)]

Pollen Parent: *H.* ‘Purple Verticulated Elf’

Seasonal Color: yellow margins turn white by mid-season

***H.* ‘Sweeter than Honey’** S. Eason (ONR) R. Solberg (I)

Plant: 30in (76.2cm) diameter; 16in (40.6cm) high; upright; slow growth rate.

Leaf: 8.5in (21.6cm) long; 6in (15.2cm) wide; 7 to 9 vein pairs; yellow with flat margins; slightly shiny on top; slightly shiny underneath; broadly ovate with rounded to semi-cordate leaf base; relatively flat overall with occasional green flecks.

Scape: 22 to 25in (55.9 to 63.5cm) high; yellow

Flower: 2.5in (6.4cm) long; fragrant; near white; tubular; Durham, NC; 8/7 - 8/14 - 8/22

Seed: sets viable seed; yellow pods

Clump History: original seedling; 8 years old; Durham, NC

Notable Characteristics: Bright yellow heart-shaped leaves with good substance and lightly fragrant flowers.

Parentage: Sport of *H.* ‘Royal Standard’ × [(*H. ventricosa* × *H.* ‘Minuteman’) × OP]

Seasonal Color: turns greenish yellow in summer

T

***H.* ‘Telegraph’**

D. & M. Beilstein (ONIR)

Plant: 36in (91.4cm) diameter; 20in (50.8cm) high; upright; moderate growth rate.

Leaf: 8in (20.3cm) long; 6in (15.2cm) wide; 14 vein pairs; yellow with slightly rippled margins; dull on top; glaucous bloom underneath; broadly ovate with cordate base; lightly cupped, folded & wavy and moderately corrugated overall.
Scape: 28 to 30in (71.1 to 76.2cm) high; lime green
Flower: 1in (2.5cm) long; pale lavender; tubular; Mansfield, OH; 6/25 - 7/4 - 7/20
Seed: sets viable seed; green pods
Clump History: original seedling; 13 years old; Mansfield, OH
Notable Characteristics: Tight clump of rugose leaves and unusual ruffling for a yellow hosta. Takes ¾ sun with no sun burn in my zone 5b/6a garden.
Parentage: streaked sport of *H. 'Delta Dawn'* × *H. 'Brutus'*

H. 'Teltow Early Bells' M. Entemann (ONIR)
Plant: 22in (55.9cm) diameter; 11in (27.9cm) high; mound-like; slow growth rate.
Leaf: 5in (12.7cm) long; 4in (10.2cm) wide; 7 vein pairs; yellow with flat margins; slightly shiny on top; dull underneath; broadly ovate with rounded base; lightly folded overall.
Scape: 27 to 28in (68.6 to 71.1cm) high; green
Flower: 2in (5.1cm) long; pale lavender; bell-shaped; Teltow, Germany; 6/15 - 6/25 - 7/15
Seed: sets seed, viability unknown; green pods
Clump History: original seedling; 9 yrs old; Teltow, Germany
Notable Characteristics: Stable yellow leaves throughout the season and big blossoms arrive early.
Parentage: Parentage Unknown

H. 'Teltow Happy Felix' M. Entemann (ONIR)
Plant: 22in (55.9cm) diameter; 10in (25.4cm) high; mound-like; slow growth rate.
Leaf: 4in (10.2cm) long; 4in (10.2cm) wide; 7 vein pairs; bright chartreuse with very lightly rippled margins; slightly shiny on top; dull underneath; nearly round with flat base; lightly cupped overall, lightly folded occasionally, and widely spaced veins.
Scape: 24 to 25in (61 to 63.5cm) high; chartreuse
Flower: 1.5in (3.8cm) long; medium lavender; tubular; Teltow, Germany; 6/25 - 7/8 - 7/15
Seed: does not set seed
Clump History: original seedling; 9 yrs old; Teltow, Germany
Notable Characteristics: Bright chartreuse, nearly round cupped leaves. Color persists all season.
Parentage: Parentage Unknown

H. 'Teltow Lucky Felix' M. Entemann (ONIR)
Plant: 25in (63.5cm) diameter; 12in (30.5cm) high; mound-like; slow growth rate.
Leaf: 7in (17.8cm) long; 3.5in (8.9cm) wide; 7 vein pairs; yellow with slightly rippled margins; dull on top; dull underneath; ovate with tapered base; relatively flat overall.
Scape: 16 to 17in (40.6 to 43.2cm) high; pale green
Flower: 1in (2.5cm) long; pale lavender; tubular; Teltow, Germany; 7/15 - 7/20 - 7/25
Seed: does not set seed
Clump History: original seedling; 8 yrs old; Teltow, Germany
Notable Characteristics: Yellow leaves turn white even in half-shade.
Parentage: Parentage Unknown
Seasonal Color: yellow leaves turn white in summer

H. 'Teltow Pancakes' L. Strauch (O) M. Entemann (NIR)
Plant: 65in (165.1cm) diameter; 30 in (76.2cm) high; upright; fast growth rate.
Leaf: 13in (33cm) long; 11in (27.9cm) wide; 14 vein pairs; dark green with slightly rippled margins; slightly shiny on top; dull underneath; nearly round with cordate base; lightly cupped and deeply corrugated overall.
Scape: 38 to 40in (96.5 to 101.6cm) high; green
Flower: 2in (5.1cm) long; near white; bell-shaped; Teltow, Germany; 6/20 - 7/12 - 7/20
Seed: sets seed, viability unknown; green pods
Clump History: original seedling; 5 yrs old; Teltow, Germany
Notable Characteristics: Huge, nearly round corrugated leaves.
Parentage: Parentage Unknown

H. 'The B and C Rislers' C. Kwick (ONIR)
Plant: 30in (76.2cm) diameter; 16in (40.6cm) high; mound-like; slow growth rate.
Leaf: 9in (22.9cm) long; 5.5in (14cm) wide; 9 to 10 vein pairs; pale yellow with slightly rippled margins; dull on top; glaucous bloom underneath; ovate with cordate base; lightly wavy overall.
Scape: 24 to 33in (61 to 83.8cm) high; light green with glaucous bloom
Flower: 2in (5.1cm) long; pale lavender with lavender stripes, alternate petals have translucent margins; tubular; Eau Claire, WI; 7/8 - 7/18 - 7/28
Clump History: original seedling; 8 years old; Eau Claire, WI
Notable Characteristics: Medium sized clump of pale yellow leaves with pronounced veins and large flower clusters.
Parentage: *H. montana* 'Aureomarginata' × *H. 'Sunshine Glory'*
Seasonal Color: leaves emerge yellow with chartreuse leaf tips, turning all yellow later

H. 'The Notorious RBG' C. Kwick (ONIR)
Plant: 44in (111.8cm) diameter; 19in (48.3cm) high; mound-like; moderate growth rate.
Leaf: 13in (33cm) long; 10in (25.4cm) wide; 12 to 13 vein pairs; greenish yellow with very slightly rippled margins; dull on top; glaucous bloom underneath; broadly ovate with cordate base; relatively flat overall.
Scape: 24 to 30in (61 to 76.2cm) high; light green
Scape bracts: insignificant
Flower: 2.3in (5.7cm) long; pale lavender with lavender center stripe, alternate petals have translucent margins; tubular; Eau Claire, WI; 7/10 - 7/17 - 7/22
Seed: sets seed, viability not provided; green pods
Clump History: original seedling; 8 years old; Eau Claire, WI
Notable Characteristics: Large mound of greenish gold leaves with widely spaced veins. Fairly slug resistant.
Parentage: *H. 'Sum and Substance'* × *H. 'Sea Gulf Stream'*

H. 'The Seventh Son' C. Kwick (ONIR)
Plant: 50in (127cm) diameter; 19in (48.3cm) high; mound-like; moderate growth rate.
Leaf: 14in (35.6cm) long; 12in (30.5cm) wide; 14 to 15 vein pairs; light green with slightly rippled margins; slightly shiny on top; glaucous bloom underneath; broadly ovate with cordate base; lightly cupped and corrugated overall.
Scape: 22 to 32in (55.9 to 81.3cm) high; light green with glaucous bloom
Scape bracts: insignificant

2022 REGISTRATIONS

Flower: 2.5in (6.4cm) long; pale lavender with lavender stripes, alternate petals have translucent margins; tubular; Eau Claire, WI; 7/29 - 8/8 - 8/23

Seed: sets seed, viability not provided; green pods

Clump History: original seedling; 5 years old; Eau Claire, WI

Notable Characteristics: Large light green leaves on a slightly smaller mound than *H. Sum and Substance*.

Parentage: *H. 'Sum of All'* × OP

H. 'Tiki Bar' M. Zilis (O) R. Solberg (NIR)

Plant: 18in (45.7cm) diameter; 8in (20.3cm) high; mound-like; fast growth rate.

Leaf: 3in (7.6cm) long; 2in (5.1cm) wide; 6 to 7 vein pairs; greenish yellow with .3in (1cm) wide dark green slightly rippled margins; very shiny on top; slightly shiny underneath; broadly ovate with cordate base; relatively flat overall.

Scape: 10 to 12in (25.4 to 30.5cm) high; green

Flower: pale purple; tubular; Franklinton, NC; 7/20 - 8/10 - 8/20

Clump History: original sport; 6 years old; Franklinton, NC

Notable Characteristics: Small mound of light yellow leaves with slightly feathered dark green margins.

Parentage: Sport of *H. 'Appletini'*

Seasonal Color: greenish yellow color becomes light green in summer

H. 'Tuff Stuff' D. & M. Beilstein (ONIR)

Plant: 36in (91.4cm) diameter; 25in (63.5cm) high; mound-like; moderate growth rate.

Leaf: 11in (27.9cm) long; 10in (25.4cm) wide; 14 to 15 vein pairs; creamy white with 2 to 4in (5.1 to 10.2cm) wide medium green flat margins; slightly shiny on top; glaucous bloom underneath; nearly round with cordate base; lightly cupped and moderately corrugated overall. Newly flushed leaves are very puckered then flatten out as they grow.

Scape: 40 to 42in (101.6 to 106.7cm) high; green

Scape bracts: very light green bracts about .8in long

Flower: 1in (2.5cm) long; medium lavender; bell-shaped;

Mansfield, OH; 7/20 - 8/1 - 8/14

Seed: sets viable seed; green pods

Clump History: original seedling; 9 years old; Mansfield, OH

Notable Characteristics: Tough looking mound of cupped and puckered leaves of creamy white with extra wide medium green margins.

Parentage: (unnamed sdlg × *H. 'Blue Hawaii'*) × *H. 'The Hulk'*

Seasonal Color: creamy centers turn whiter through the season

V

H. 'Valley's Bull Ray' J. Linneman (ONIR)

Plant: 15.7in (40cm) diameter; 17.7in (45cm) high; upright; moderate growth rate.

Leaf: 9.1in (23cm) long; 8.3in (21cm) wide; 9 to 10 vein pairs; medium green with .08in (.2cm) wide, white heavily rippled margins; very shiny on top; glaucous bloom underneath; nearly round with cordate base; convexly cupped (dome-shaped leaves) overall

Scape: 19.7 to 23.6in (50 to 60cm) high; green

Flower: 1.4in (3.5cm) long; pale purple; tubular; Zwolle,

Netherlands; 10/1 - 10/18 - 11/1

Seed: sets viable seed; green pods

Clump History: original sport; 10 yrs old; Zwolle, Netherlands

Notable Characteristics: Same size and dome shaped leaves as *H. 'Valley's Ticket to Ride'* with stable medium green coloration and narrow white margins.

Parentage: Sport of *H. 'Valley's Ticket to Ride'*

Seasonal Color: emerges with yellow margins that turn white later.

H. 'Valley's Cloudbuster' J. Linneman (ONIR)

Plant: 39.4in (100cm) diameter; 23.6in (60cm) high; mound-like; fast growth rate.

Leaf: 15.4in (39cm) long; 7.1in (18cm) wide; 11 to 13 vein pairs; greyish green with .4 to 1.2in (1 to 3cm) wide, soft greenish yellow flat margins; dull on top; glaucous bloom underneath; narrowly ovate with cordate base; relatively flat overall with slight folding at leaf base and white backs.

Scape: 23.6 to 35.4in (60 to 90cm) high; green

Flower: 1in (2.5cm) long; pale lavender; tubular; Zwolle,

Netherlands; 7/20 - 8/2 - 8/20

Seed: sets viable seed; green pods

Clump History: original seedling; 7 years old; Zwolle, Netherlands

Notable Characteristics: Long pointed hanging leaves with irregular shaped margins and white backs.

Parentage: *H. 'Valley's Streaked Goose'* × *H. 'Mikawa-no-yuki'* sdlg

Seasonal Color: margins turn creamy white

H. 'Valley's Courtisane' J. Linneman (ONIR)

Plant: 27.6in (70cm) diameter; 27.6in (70cm) high; upright; moderate growth rate.

Leaf: 16.5in (42cm) long; 10.2in (26cm) wide; 11 to 12 vein pairs; medium green with heavily rippled margins; very shiny on top; dull underneath; narrowly ovate with cordate base; lightly twisted and deeply wavy overall with twisted leaf tips.

Scape: 31.5 to 39.4in (80 to 100cm) high; soft red

Flower: 2.4in (6cm) long; pale purple; tubular; Zwolle,

Netherlands; 7/15 - 7/28 - 8/15

Seed: does not set seed

Clump History: original seedling; 8 years old; Zwolle, Netherlands

Notable Characteristics: Big shiny leaves with wavy margins and white backs.

Parentage: *H. pycnophylla* sdlg × *H. 'Valley's Big Freeze'*

H. 'Valley's Falling in Love' J. Linneman (ONIR)

Plant: 21.7in (55cm) diameter; 15.7in (40cm) high; upright; moderate growth rate.

Leaf: 14.2in (36cm) long; 7.9in (20cm) wide; 11 to 12 vein pairs; blue green with .4 in (1cm) wide, pale green flat margins; dull on top; glaucous bloom underneath; ovate with cordate base; very lightly wavy overall with leaf tips that curl under

Scape: 23.6 to 31.5in (60 to 80cm) high; green

Flower: 1.2in (3cm) long; pale lavender; tubular; Zwolle,

Netherlands; 7/15 - 7/28 - 8/15

Seed: sets viable seed; green pods

Clump History: original seedling; 8 years old; Zwolle, Netherlands

Notable Characteristics: Long arching soft blue green leaves with soft green margins are white on the back.

Parentage: *H. 'Valley's Streaked Goose'* × *H. 'Mikawa-no-yuki'*

Seasonal Color: pale green margins turn more yellow green later

H. 'Valley's Fantastic Boys' J. Linneman (ONIR)
Plant: 31.5in (80cm) diameter; 23.6in (60cm) high; upright; fast growth rate.
Leaf: 13in (33cm) long; 9.8in (25cm) wide; 11 to 12 vein pairs; medium green with heavily rippled margins; very shiny on top; slightly shiny underneath; broadly ovate with cordate base; relatively flat overall with light folding at leaf base.
Scape: 27.6 to 35.4in (70 to 90cm) high; green
Flower: 1.6in (4cm) long; deep purple; bell-shaped; Zwolle, Netherlands; 7/15 - 7/30 - 8/10
Seed: sets viable seed; green pods
Clump History: original seedling; 7 years old; Zwolle, Netherlands
Notable Characteristics: Smooth, glossy green leaves with rippled margins adorned with deep purple flowers.
Parentage: *H. 'Valley's Rodeo'* × *H. 'Valley's Big Freeze'*

H. 'Valley's Golden Mistral' J. Linneman (ONIR)
Plant: 23.6in (60cm) diameter; 19.7in (50cm) high; upright; fast growth rate.
Leaf: 11in (28cm) long; 8.7in (22cm) wide; 12 to 13 vein pairs; golden yellow with slightly rippled margins; very shiny on top; dull underneath; broadly ovate with cordate base; lightly wavy and moderately corrugated overall with white backs.
Scape: 23.6 to 31.5in (60 to 80cm) high; green
Flower: 1.2in (3cm) long; near white; tubular; Zwolle, Netherlands; 7/15 - 7/25 - 8/5
Seed: sets viable seed; green pods
Clump History: original seedling; 6 years old; Zwolle, Netherlands
Notable Characteristics: Greenish leaves that turn golden yellow have white backs and lightly rippled margins.
Parentage: Parentage Unknown

H. 'Valley's Grey Buster' J. Linneman (ONIR)
Plant: 39.4in (100cm) diameter; 23.6in (60cm) high; upright; fast growth rate.
Leaf: 16.5in (42cm) long; 7.1in (18cm) wide; 10 to 12 vein pairs; greyish blue with flat margins; dull on top; glaucous bloom underneath; ovate with cordate base; moderately folded and very light corrugation on outer portions of the leaves.
Scape: 23.6 to 35.4in (60 to 90cm) high; green
Flower: 1in (2.5cm) long; lavender; tubular; Zwolle, Netherlands; 7/20 - 8/2 - 8/20
Seed: sets viable seed; green pods
Clump History: original sport; 7 years old; Zwolle, Netherlands
Notable Characteristics: Fast growing clump of long arching grey blue leaves drape over, resembling a waterfall.
Parentage: Sport of *H. 'Valley's Cloudbuster'*
Seasonal Color: Leaves turn medium green later.

H. 'Valley's Makoto' J. Linneman (ONIR)
Plant: 19.7in (50cm) diameter; 15.7in (40cm) high; upright; moderate growth rate.
Leaf: 8.7in (22cm) long; 4.3in (11cm) wide; 10 to 11 vein pairs; golden yellow early with rippled margins; very shiny on top; dull underneath; ovate with cordate base; lightly wavy overall with dark red petioles.
Scape: 15.7 to 23.6in (40 to 60cm) high; soft purple
Flower: 1.2in (3cm) long; deep purple with soft white margins; tubular; Zwolle, Netherlands; 7/20 - 7/29 - 8/10
Seed: sets viable seed; green pods
Clump History: original sdlg; 5 yrs old; Zwolle, Netherlands

Notable Characteristics: Long narrow golden yellow leaves with ruffled margins atop dark red petioles.
Parentage: *H. 'Maya Kingsnake'* × *H. 'Tequila Sunrise'*
Seasonal Color: Viridescent. Golden yellow leaves turn green through the season

H. 'Valley's Midnight Joker' J. Linneman (ONIR)
Plant: 31.5in (80m) diameter; 27.6in (70cm) high; upright; moderate growth rate.
Leaf: 19.3in (49cm) long; 12.2in (31cm) wide; 12 to 14 vein pairs; soft blue with slightly rippled margins; dull on top; glaucous bloom underneath; broadly ovate with cordate base; lightly convex fountain-shaped leaves with white backs.
Scape: 31.5 to 35.4in (80 to 90cm) high; green
Flower: 1.6in (4cm) long; near white; tubular; Zwolle, Netherlands; 7/15 - 7/25 - 8/5
Seed: sets viable seed; green pods
Clump History: original seedling; 7 years old; Zwolle, Netherlands
Notable Characteristics: Large soft blue hanging leaves with narrowly ruffled margins and white backs.
Parentage: (*H. 'Valley's Royal Affair'* × *H. 'Valley's Big Freeze'*) × *H. 'Glacier Cascade'*
Seasonal Color: Blue leaves turn green over time

H. 'Valley's Purple Dust' J. Linneman (ONIR)
Plant: 15.7in (40cm) diameter; 11.8in (30cm) high; upright; moderate growth rate.
Leaf: 8.3in (21cm) long; 5.5in (14cm) wide; 10 to 11 vein pairs; pale yellow with purple veins early and moderately rippled margins; slightly shiny on top; glaucous bloom underneath; ovate with cordate base; relatively flat overall with white backs
Scape: 15.7 to 19.7in (40 to 50cm) high; green
Flower: 1in (2.5cm) long; pale lavender; closed; Zwolle, Netherlands; 7/15 - 7/25 - 8/10
Seed: does not set seed
Clump History: original seedling; 7 years old; Zwolle, Netherlands
Notable Characteristics: Lightly wavy margins and white backs adorn the soft yellow leaves that appear to have purple dust sprinkled on and then allowed to settle into the veins.
Parentage: *H. 'Valley's Ruffle Shuffle'* × *H. pycnophylla* sdlg
Seasonal Color: Viridescent. Leaves green up and the purple veins/dusting disappear

H. 'Valley's Yellow Bird' J. Linneman (ONIR)
Plant: 27.6in (70cm) diameter; 23.6in (60cm) high; upright; moderate growth rate.
Leaf: 15.7in (40cm) long; 11in (28cm) wide; 12 to 13 vein pairs; golden yellow with flat margins; very shiny on top; slight glaucous bloom underneath; broadly ovate with cordate base; relatively flat overall with deeply lobed base & distinct tips
Scape: 31.5 to 39.4in (80 to 100cm) high; green
Flower: 1.6in (4cm) long; pale lavender center stripe with near white margins; tubular; Zwolle, Netherlands; 7/15 - 7/27 - 8/15
Seed: sets viable seed; green pods
Clump History: original seedling; 8 years old; Zwolle, Netherlands
Notable Characteristics: Mound of golden yellow leaves of thick substance that grows well in a sunny location.
Parentage: Unnamed sdlg × *H. 'Valley's Big Freeze'*
Seasonal Color: Emerges green and turns golden yellow in summer

H. 'Vampire' R. Hatt (ONIR)
Plant: 40in (101.6cm) diameter; 19in (48.3cm) high; mound-like; moderate growth rate.
Leaf: 7in (17.8cm) long; 6.5in (16.5cm) wide; 13 to 14 vein pairs; very dark green with flat margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; lightly cupped both ways with prominent veins and apiculate tips.
Scape: 20 to 22in (50.8 to 55.9cm) high; green
Flower: 1.5in (3.8cm) long; medium purple centers with white margins; tubular; Jul 15 to Aug 15; Merrimac, MA
Seed: sets seed, viability unknown; light green pods
Clump History: original seedling; 6 years old; Merrimac, MA; seeds obtained from D. Beilstein
Notable Characteristics: Tough looking hosta with dark green (almost black) leaves held proudly on long sturdy petioles. Appears darker than its pod parent.
Parentage: (*H. 'Pitch Black'* × *H. 'Bulletproof'*) × OP

W

H. 'What Happened' H. D. Hoks (ONIR)
Plant: 27in (68.6cm) diameter; 16in (40.6cm) high; mound-like; fast growth rate.
Leaf: 10in (25.4cm) long; 7in (17.8cm) wide; 10 to 11 vein pairs; multi-colored with flat margins; slightly shiny on top; broadly ovate with cordate base; lightly cupped and corrugated overall with differing areas of greenish yellow, lime green, grayish green and blue green.
Scape: 18 to 20in (45.7 to 50.8cm) high; green
Flower: 2 in (5.1cm) long; white with very light purple center stripes; tubular; Robbinsdale, MN; 6/28 - 7/5 - 7/20
Seed: does not set seed;
Clump History: original sport; 4 years old; Robbinsdale, MN
Notable Characteristics: Multi-colored leaves with no repetitive pattern in stripes, streaks or variations.
Parentage: Sport of unnamed gold sdlg
Seasonal Color: holds color throughout the season

H. 'Whirling Puck' H. D. Hoks (ONIR)
Plant: 38in (96.5cm) diameter; 26in (66cm) high; mound-like; moderate growth rate.
Leaf: 9in (22.9cm) long; 6in (15.2cm) wide; 10 to 11 vein pairs; dark green with flat margins; very shiny on top; slightly shiny underneath; broadly ovate with cordate base; lightly cupped and moderately corrugated overall.
Scape: 30 to 36in (76.2 to 91.4cm) high; green, very thick and upright
Flower: 2.5in (6.4cm) long; pale purple stripes surrounded by white margins; tubular; Robbinsdale, MN; 8/4 - 8/10 - 8/25
Seed: sets viable seed; green pods
Clump History: original seedling; 8 yrs old; Robbinsdale, MN
Notable Characteristics: Very dense clump of shiny, dark green upward-pointing leaves that face multiple directions (some back-to-back, some face-to-face).
Parentage: Parentage Unknown

H. 'Windy Daydream' R. Seale (ONIR)
Plant: 25in (63.5cm) diameter; 18in (45.7cm) high; upright; moderate growth rate.
Leaf: 11in (27.9cm) long; 9in (22.9cm) wide; 12 to 13 vein pairs; yellow turning white centers with 2.5in (6.4cm) wide

moderately rippled margins that are a mix of both blue & green; glaucous bloom on top; dull underneath; broadly ovate with cordate base; lightly corrugated overall with strong striped petioles.
Scape: 22 to 25in (55.9 to 63.5cm) high; light yellow
Flower: 2in (5.1cm) long; white; tubular; Canton, MI; 6/15 - 6/24 - 7/1
Seed: sets viable seed; light yellow green pods with purple veining
Clump History: original seedling; 6 years old; Canton, MI
Notable Characteristics: This medio-variegated cultivar stands out in the garden with its ruffle edged leaves and distinctive color pattern. Good substance, white flowers and sets seed easily. *2022 Best in Show* at Ed Elslager Hybridizing Club contest.
Pod Parent: [(sdlg MC2R × *H. 'Blue Mammoth'*) × OP] × OP
Pollen Parent: *H. 'Queen of the Seas'*
Seasonal Color: Emerges yellow with bright blue margins turning white with dark blue & green tones on the margins.

H. 'Wings to Fly' R. Lysne (ONIR)
Plant: 28in (71.1cm) diameter; 8in (20.3cm) high; mound-like; moderate growth rate.
Leaf: 10in (25.4cm) long; 3in (7.6cm) wide; 7 vein pairs; very pale cream with flat margins; slightly shiny on top; slightly shiny underneath; lance-shaped with tapered base; relatively flat overall.
Scape: 14 to 16in (35.6 to 40.6cm) high; pale green
Flower: 1.5in (3.8cm) long; medium lavender; tubular; Ferryville, WI; 7/16 - 7/20 - 7/23
Seed: sets viable seed; light green pods
Clump History: division of original seedling; 8 years old; Ferryville, WI
Notable Characteristics: Early expression of pale cream slowly turns smooth chartreuse. Bloom scapes usually sport vestigial leaves.
Parentage: *H. 'Piedmont Gold'* × Unnamed Tompkins Sdlg
Seasonal Color: gradually changes to medium chartreuse throughout the season

H. 'Winning Streak' R. Lysne (ONIR)
Plant: 36in (91.4cm) diameter; 20in (50.8cm) high; mound-like; moderate growth rate.
Leaf: 10in (25.4cm) long; 6in (15.2cm) wide; 11 vein pairs; streaks of gold, cream & chartreuse on medium to dark green; moderately rippled margins; dull on top; dull underneath; broadly ovate with cordate base; relatively flat overall.
Scape: 22 to 32in (55.9 to 81.3cm) high; green
Flower: 1.5in (3.8cm) long; medium lavender; tubular; Ferryville, WI; 7/12 - 7/18 - 7/24
Seed: sets viable seed; green pods
Clump History: division of original seedling; 10 years old; Ferryville, WI
Notable Characteristics: Foliage expresses streaks with various hues of gold, cream and chartreuse on medium to dark green leaves with gently undulating edges. Develops nice puckering with age.
Parentage: *H. 'Christmas Tree Gala'* × *H. 'Donahue Piecrust'*

H. 'Winter Rainbow'

D. Bowe (ONIR)

Plant: 31in (78.7cm) diameter; 21in (53.3cm) high; mound-like; moderate growth rate.

Leaf: 11in (27.9cm) long; 9.5in (24.1cm) wide; 11 vein pairs; yellow and green; with .6in (1.5cm) wide, white, moderately rippled margins; slightly shiny on top; glaucous bloom underneath; nearly round with cordate base; lightly wavy and corrugated overall. Mature leaves assume a dome shape with wavy margins.

Scape: 35 to 37in (88.9 to 94cm) high; chartreuse

Flower: 2.5 in (6.4cm) long; near white with broad lavender stripes inside; tubular; Chagrin Falls, OH; 7/12 - 7/30 - 8/10

Seed: sets seed, viability unknown; chartreuse pods

Clump History: original sport; 5 years old; Chagrin Falls, OH

Notable Characteristics: White margins surround randomly arranged dark green and yellow center colors.

Parentage: Sport of *H. 'Winter Snow'*

Seasonal Color: emerges with creamy yellow margins that turn white later

Y

H. 'Yellow Bonkers'

K. Ziarek (ONI) O. Purvis (R)

Plant: 32in (81.3cm) diameter; 16in (40.6cm) high; mound-like; moderate growth rate.

Leaf: 7in (17.8cm) long; 3.5in (8.9cm) wide; 6 vein pairs; yellow with moderately rippled margins; slightly shiny on top; slightly shiny underneath; ovate with cordate base; relatively flat overall with twisted leaf tips.

Scape: 26 to 28in (66 to 71.1cm) high; green

Flower: 1.5in (3.8cm) long; near white with pale purple center striping; tubular; Princeton, WI; 7/22 - 8/10 - 8/25

Seed: occasionally sets non-viable seed; green pods

Clump History: original seedling; 8 years old; Princeton, WI

Notable Characteristics: Brilliant yellow in spring and the way pointed leaves are attractive all year long.

Parentage: Parentage Unknown

Seasonal Color: turns greener as the season progresses

H. 'Yo Mama'

W. G. Struhar (ONIR)

Plant: 48in (121.9cm) diameter; 20in (50.8cm) high; mound-like; moderate growth rate.

Leaf: 11in (27.9cm) long; 7.5in (19.1cm) wide; 13 to 14 vein pairs; streaked gold and dark green with flat margins; glaucous bloom on top; slightly shiny underneath; broadly ovate with cordate base; lightly cupped and corrugated overall.

Scape: 22 to 24in (55.9 to 61cm) high; white streaked with glaucous green; heavily streaked 2in long bracts

Flower: 2in (5.1cm) long; near white; pale lavender buds open translucent white (both sides) with pale lavender streaks inside; tubular; Harrison Twp, MI; 7/1 - 7/15 - 8/1

Seed: sets viable seed; streaked pods

Clump History: original seedling; 6 yrs old; Harrison Twp, MI

Notable Characteristics: Streaked, heavy-substanced breeder has abundant pollen, readily accepts pollen and sets a large quantity of seeds. All seeds germinate and approximately 20% of the seedlings produced are either streaked or have heavy substance.

Parentage: Parentage Unknown

Seasonal Color: emerges with gold streaks on dark green changing to white streaks on green

Z

H. 'Ziggy Stardust'

R. Hatt (ONIR)

Plant: 50in (127cm) diameter; 34in (86.4cm) high; mound-like; moderate growth rate.

Leaf: 12in (30.5cm) long; 10in (25.4cm) wide; 13 to 14 vein pairs; streaked with multiple shades of greens, yellows & whites with slightly rippled margins; very shiny on top; glaucous bloom underneath; broadly ovate with cordate base; lightly cupped, folded and wavy overall with prominent veins.

Scape: 62 to 78in (157.5 to 198.1cm) high; medium green with light stripes

Scape bracts: medium green with light stripes

Flower: 3in (7.6cm) long; near white with pale purple interior stripes; tubular; Merrimac, MA; 7/14 - 8/1 - 8/20

Seed: sets seed, viability unknown; dark green pods

Clump History: original seedling; 4 years old; Merrimac, MA; seeds obtained from D. Beilstein

Notable Characteristics: Semi-upright giant mound of streaked & spotted leaves of multiple shades of green and yellow.

Extremely tall and sturdy flower scapes tower above the mound with a seemingly endless stream of light lavender buds that open to large white flowers.

Parentage: [*H. 'Justice'* × (*H. 'Brutus'* × *H. 'Abiqua Recluse'*)] × OP
Seasonal Color: yellow areas lighten to cream or white later in the season

H. 'Zippin Pippin'

B. Geske (O) A. & J. Geske (NIR)

Plant: 27in (68.6cm) diameter; 12in (30.5cm) high; mound-like; fast growth rate.

Leaf: 8.5in (21.6cm) long; 3.5in (8.9cm) wide; 7 to 8 vein pairs; green with lightly wavy margins; very shiny on top; dull underneath; narrowly ovate with tapered base; convexly folded due to the wavy margin's tendency to turn under

Scape: 24 to 26in (61 to 66cm) high; green

Flower: pale lavender with medium lavender stripes; tubular; Jul 15 to Aug 15; Milton, WI

Clump History: original seedling; 5 years old; Milton, WI

Notable Characteristics: Small mound of dark green shiny leaves that are bumpy, wavy and curly - just like a roller coaster!

Parentage: Parentage Unknown

Registration Worksheet



_____ (Cultivar Name)

_____ (Alternate Name)

General Information

Registrant's Name: _____

Address: _____

Street Address

Apartment/Unit #

City

State

ZIP Code

Phone: _____

Email _____

Introducer: _____

Originator: _____

Nominant (Namer): _____

Is the cultivar a Sport? YES NO If yes, enter Sport Parent's Name _____

Is the cultivar a Seedling? YES NO If yes, enter parentage below.

Pod Parent: _____

Pollen Parent: _____

The clump described is _____ years old

The clump described is (circle all that apply): ---Original Seedling---Original Sport---Tissue Cultured---Unknown History

The clump was obtained from (circle one): ---Yourself---A Nursery---the Originator---Other Source (explain below):

The clump is growing in (city/state/country): _____

What characteristics make this cultivar unique from other hostas? _____

All measurements entered herein are in (circle one):

INCHES

CENTIMETERS

Plant Patent or Breeders' Rights

Is there a US Plant Patent, or Breeders' Rights applied for? YES NO

Plant Details

Plant Width: _____

Plant Height: _____

Plant Habit (circle one):

Upright

Mound

Rhizomatous

Growth Rate (circle one):

Slow

Moderate

Fast

Leaf Details

Center (or Single) Color Description: _____

Margin Color Description: _____

Leaf Width: _____ Leaf Length: _____ Margin Width: _____ Vein Pairs (range): _____

Seasonal Color Change that is out of the norm: _____

Are the leaf edges? Flat Slightly Rippled Heavily Rippled Serrated Something Else: _____

Is the top surface? Dull Slightly Shiny Very Shiny Glaucous Something Else: _____

Is the bottom surface? Dull Slightly Shiny Very Shiny Glaucous Something Else: _____

Use one of the bold letters below to describe any applicable leaf characteristics that follow (*select as many as needed*).

Lightly **M**oderately **D**eeply **I**ntensely (*if no designations appear - leaves will be recorded as relatively flat overall*)

Cupped _____ Twisted _____ Folded _____ Wavy _____ Corrugated _____

Misc Characteristics (describe) _____

Leaf Shape (select one):  Lance  Elliptic  Ovate  Broadly Ovate  Nearly Round

Leaf Base (select one):  Tapered  Flat  Heart-shaped [cordate]  Rounded

Flower, Scape and Pod Details




Flower Color (select one): White Near White Pale Lavender Medium Lavender Pale Purple

Deep Purple Other (please describe) _____

Scape Height: _____ to _____ Scape Color: _____ Flower Length: _____ Fragrant? _____

Unique Bracts? (*describe - if present*) _____

Bloom Start (month/day) _____ Bloom Peak (month/day) _____ Bloom Finish (month/day) _____

Flower Shape (select one):  Tubular  Bell  Spider  Closed  Double

Other (*describe*) _____

Flower Color/Patterns (*striping, translucent margins, etc. Please describe*): _____

Does it set seed? _____ If yes, is it viable? _____ Seed Pod Color? _____

