

2024 Registrations



The due date for registration submissions is December 1!

108 new registrations were added in 2024, for a total of 6,830 registered hostas.

The cutoff date for submission of registration materials is December 1st.

There are **no fees** for the first five (5) registrations per calendar year when registrants use the online registration tool at <https://www.hostaregistrar.org/registration>.

A \$10 fee IS required for each registration beyond five.

For those who cannot register online, the registrar provides registration completion for a fee of \$15 per cultivar. Use the new “worksheet” to gather and submit your registration details.

NOTE: **None** of the old registration “forms” are acceptable for use after January 1, 2022.

Respectfully submitted,



Gayle Hartley Alley

International Registrar for the Genus *Hosta*

33001 E 155th Street

Pleasant Hill, MO 64080-9365

(816) 697-2007 or (816) 914-3220

GiboshiGayle@gmail.com or HostaRegistry@gmail.com

Worksheets are available:

- ✓ At <https://www.hostaregistrar.org/registration> (download the “Registration Guidelines” pdf)
- ✓ Contact the registrar to request a copy

Contents

<i>International Code of Nomenclature for Cultivated Plants (ICNCP) Ninth Edition</i>	4
Registration Guidelines	4
Name Release Forms	4
Photograph Requirements.....	4
Registration Errors.....	4
Symbol Usage in Parentage Descriptions.....	4
Typographer's Quotation Symbols.....	4
Rounding of Dimensions	5
Cultivar Name Establishment	5
AHS Name Reservation Policy.....	5
Flowering Periods.....	5
Clump Sizes	5
Color Selection for Leaf and Margins	5
Indicating Ploidy in Registrations.....	5
Cumulative Index to Hosta Registrations	6
Plant Patents, Plant Breeders' Rights and Establishment	6
Corrections and Comments.....	6
REGISTRATIONS	8

International Code of Nomenclature for Cultivated Plants (ICNCP) Ninth Edition

The *ICNCP* is the official publication incorporating the Rules and Recommendations for naming plants in cultivation. The Ninth Edition of the *ICNCP* was published by the International Society for Horticultural Science (ISHS) in June 2016. Hereafter, the *ICNCP* will be referred to simply as “the *Code*.”

Registration Guidelines

A pdf copy of the “Registrations Guidelines” document is available at <https://www.hostaregistrar.org/registration>.

Name Release Forms

Per the *Code*, permission must be granted for a person’s name to be used as the registered name of a cultivar. Permission forms with instructions for their use are included in the “Registration Guidelines” (see above).

Photograph Requirements

All registrations now require the submission of digital photographs. With registration photos appearing online, it is important to portray your cultivar’s noteworthy feature(s). For example, if red blushing leaves make your hosta unique – provide photos that adequately showcase this characteristic. Complete photograph requirements are included in the “Registration Guidelines” document (see above).

Registration Errors

Clear typographical and/or data entry errors are easily corrected by updating the database information and publishing those corrections within this document.

Not so straightforward, are instances where the published data accurately reflects the registrant’s information at the time the registration was approved and published, yet later proves to be misleading or outright erroneous. In these cases, **the registrant must approve any changes.**

In cases where the original registrant is not available and obvious errors are noted, we strive to work with what we have as best we can. An example would be the registration of *H. ‘Love Pat’* that has been discussed in depth, yet still remains as originally registered. To allow the AHS Show Classification team to update and clarify their classification listings, the registrar’s office now sanctions the use of the following materials:

- *Mark Zilis’ Field Guide to Hostas* by Mark R. Zilis, 2014 (Q & Z Nursery, Inc. Rochelle, IL)
- *The Hostapedia An Encyclopedia of Hostas* by Mark R. Zilis, 2009 (Q & Z Nursery, Inc. Rochelle, IL)

The official registration of hosta cultivars continues to be per the printed *Registrations* issue published each year. We acknowledge that official registrations are a mere “snapshot in time” providing only static details. Registration data is gathered at a single geographic location and the state of maturity will vary from quite young to fully mature. Thus, original data may fall short of supplying complete, real-life details. When you have need for more information than what is contained in this document, you will find relevant, accurate, and interesting information in the reference materials listed above.

Symbol Usage in Parentage Descriptions

Parentheses are commonly used within each parentage description. To assist with more complicated crosses, the use of brackets and braces has been added. When using brackets and braces to describe parentage, the order of precedence is: parentheses () occur first, followed by brackets [] and then braces { }. Any number of these symbols can be used consecutively in a parentage equation depending on the complexity of the hybridization. Additionally, the mathematical × symbol is now used to indicate each cross between pod and pollen parents.

Typographer’s Quotation Symbols

Introduced in 2017 is the use of proper quotation symbols instead of straight quotes. Straight quotes are left over from the age of typewriters when using one key for two different marks helped save space on a keyboard. Thanks to modern word processing features it is relatively easy to replace the old “dumb quotes” with proper typographer’s “smart quotes.” The prime symbol, which looks like a dumb quote, is still used for denoting measurements such as feet and inches (5’2”).

Rounding of Dimensions

All registration dimensions are rounded to the nearest tenth of an inch (English) or tenth of a centimeter (metric). Rounding dimensions to the nearest tenth means the published dimension will always be within .05 of the original before it was rounded. English dimensions submitted as fractions are converted to their decimal equivalent prior to being recorded in the database, and prior to rounding. The example below illustrates the rounding policy.

A registrant submits a leaf size of $2\frac{1}{4}'' \times 5/8''$. The decimal equivalent $2.25'' \times .625''$ is entered into the database. After rounding, the published size is $2.3'' \times .6''$. The first rounded dimension is only .05'' different from the original, and the second is only .025'' different. Both are insignificant, even in the realm of miniature leaf sizes.

All conversions from metric to English (or English to metric), are done before any rounding occurs.

A registration that submits metric dimensions is converted first to English, then rounded to the nearest tenth of an inch. Thus, a metric dimension of $4.75\text{cm} \times 3.65\text{cm}$, is first converted to English ($1.870'' \times 1.437''$) and then rounded to be $1.9'' \times 1.4''$.

Cultivar Name Establishment

To establish a cultivar name, the *Code* calls for registrations to appear in a suitable dated publication that is made publicly available. Thus, epithets that have not been published per this document are NOT guaranteed to be available for registration. Examples of how a name can be established outside of registration are: 1) if it has been listed in a nursery catalogue, 2) sold by the originator online under the name in question, or 3) a Plant Patent or Plant Breeders' Rights has been issued. Any of these scenarios might be sufficient to establish a name such that no one else can register a hosta using that name.

AHS Name Reservation Policy

As the *Code* has no provision for name reservations, each plant society develops its own policies. The American Hosta Society (AHS) states its Name Reservation policy as follows. "*A cultivar name is reserved through the AHS Registrar. Reserved names do not require descriptive information or photographs and will be protected for a one time period of three (3) years. A maximum of 10 reserved names may be held concurrently by any one registrant.*" Similar to the section titled "Cultivar Name Establishment," a reservation is NOT a guarantee, it is a place holder that limits the ability for another person to register a plant using your reserved name. This protection does not extend into the three areas where names may be established outside of registration.

Flowering Periods

Flowering periods may be entered using the codes per Key A (see instruction page of registration form) or using a "start-peak-finish" format (both options are available). If both types are entered, the more accurate "start-peak-finish" information will appear in the formal registration.

Clump Sizes

There have been multiple changes in the registration form and the information required to adequately describe plant size. An option to indicate a general size description (miniature, small, medium, large and giant) was allowed at one point early on. After input and discussion, this option was discontinued in preference for utilizing dimensional measurements to indicate a plant's width and height. This will remain standard policy, with the understanding that dimensions reflect clump size at the age and location recorded in each registration.

Color Selection for Leaf and Margins

Commentary upon determining accurate margin or leaf colors was published in the *Registrations 2008* and *2009* issues. While no color charts have been provided online, we recommend using charts provided by the Royal Horticultural Society when concerns about color arise. In some registrations, leaf colors contain references to the RHS Colour Charts in parentheses following the color descriptive text. See the 2021 registration of *H. 'Memphis Blue'* for an example where "...moderate greenish blue (122A RHS Chart)" appears within the Leaf details.

Indicating Ploidy in Registrations

A comprehensive discussion regarding ploidy was printed in the *Registrations 2009* thru *2011* issues. Current policy prohibits the inclusion of ploidy terminology within registrations unless scientifically verified.

Cumulative Index to Hosta Registrations

The *Cumulative Index* of registered hostas is now provided as a stand-alone document and can be found at https://www.hostaregistrar.org/annual_registration_booklets. Commencing with the 2016 index, each registration references the year it was registered (instead of the previous practice of listing *THJ* Volume and Registration Issue). Additionally, each entry now references all years in which corrections or additions have been published.

Plant Patents, Plant Breeders' Rights and Establishment

The *Code*, page 64, under DIVISION IV: REGISTRATION OF NAMES states:

3) *A statutory plant registration authority is an organization established by national legal enactment or by international treaty, which, as part of its remit, establishes variety denominations or other names for plants. Names established by statutory plant registration authorities must be cited in the relevant register and checklist.*

A table of all hosta cultivars known to be established per statutory authorities is now included as Appendix A of the *Cumulative Index*. Cultivars listed therein are “established” via the legal protection(s) shown and thus are not available for use by anyone other than the original applicant.

Corrections and Comments

H. ‘Emerald Crust’ (1988) - was originally registered with incorrect parentage.

Corrected details:

Parentage: Sport of a *H. ‘Fortunei’*-type

H. ‘Pride and Joy’ (2010) - was originally registered with missing information

Corrected details:

Leaf: 12in (30.5cm) long; 9in (22.9cm) wide; 12 vein pairs; chartreuse with 2.5 to 3in (6.4 to 7.6cm) wide dark green flat margins; dull on top; dull underneath; broadly ovate with cordate base; moderately corrugated overall.

Scape: 36 to 40in (91.4 to 101.6cm) high; green

Seasonal Color: chartreuse centers turn yellow in summer

H. ‘Snow Crust’ (1985) - was originally registered with incorrect parentage.

Corrected details:

Parentage: Sport of a *H. ‘Fortunei’*-type

A

H. 'Acrobatic Mouse' J. Colley & J. Baker (ONIR)
Plant: 2in (5.1cm) diameter; 1.5in (3.8cm) high; mound-like; slow growth rate.
Leaf: 1.5in (3.8cm) long; .5in (1.3cm) wide; 4 vein pairs; slightly blue green with pale white leaf edges, flat margins; dull on top; dull underneath; lance-shaped with tapered base; moderately twisted and folded while uniquely curled outward (like a back flip).
Scape: 1.5 to 2in (3.8 to 5.1cm) high; green
Flower: .5in (1.3cm) long; medium lavender; tubular; Lindford, Hampshire, UK; 7/30 - 8/20 - 9/5
Seed: does not set seed
Clump History: original sport; 5 years old; Lindford, Hampshire, UK
Notable Characteristics: Very small unusually twisted leaves.
Parentage: Sport of *H. 'Ruffled Mouse Ears'*

H. 'Andy' R. Balitewicz (O) G. R. Goodwin (NIR)
Plant: 72in (182.9cm) diameter; 24in (61cm) high; mound-like; moderate growth rate.
Leaf: 14in (35.6cm) long; 12in (30.5cm) wide; 13 to 14 vein pairs; light green with flat margins; slightly shiny on top; dull underneath; very broadly ovate with cordate base; lightly cupped, wavy and corrugated overall with very widely spaced veins.
Scape: 45 to 52in (114.3 to 132.1 cm) high; light green
Flower: 1.5in (3.8cm) long; pale lavender with very light lavender striping; tubular; Zionsville, IN; 6/1 - 6/20 - 7/10
Seed: sets seed, viability unspecified; light green pods
Clump History: original seedling; 15 years old; Zionsville, IN
Notable Characteristics: Just a big ole plant with really big light green leaves.
Parentage: *H. 'Amos'* × OP
Seasonal Color: slight blue cast in spring changes to light green

B

H. 'Banana Skins' M. Dammen (ONIR)
Plant: 25in (63.5cm) diameter; 9in (22.9cm) high; mound-like; moderate growth rate.
Leaf: 7.5in (19.1cm) long; 5in (12.7cm) wide; 9 to 10 vein pairs; chartreuse with flat margins; dull on top; dull underneath; ovate with rounded base; relatively flat overall.
Scape: 15 to 17in (38.1 to 43.2cm) high; medium green
Flower: 2in (5.1 cm) long; pale lavender with very pale lavender stripes; tubular; Hollandale, MN; 7/18 - 7/28 - 8/15
Seed: sets viable seed; green pods
Clump History: original seedling; 5 years old; Hollandale, MN
Notable Characteristics: Most interesting characteristic is the yellowish chartreuse leaf color in the spring, followed by its low growing symmetrical shape.
Parentage: *H. 'Velvet Moon'* × OP
Seasonal Color: Chartreuse leaves are more yellow in the spring and more greenish later.

H. 'BEA Hello Yellow' R. Gabarkiewicz (OIR)
 A. Gabarkiewicz (N)
Plant: 37.4in (95cm) diameter; 19.7in (50cm) high; mound-like; fast growth rate.
Leaf: 7.5in (19cm) long; 5.1in (13cm) wide; 8 to 10 vein pairs; yellow with 1.6 to 2in (4 to 5cm) wide dark green flat margins; slightly shiny on top; dull underneath; broadly ovate with cordate base; lightly folded and wavy overall with deeply impressed veins.
Scape: 25.6 to 27.6in (65 to 70cm) high; light green
Flower: 2.6in (6.5cm) long; Fragrant; white with alternate petals having translucent margins; tubular; Pilawa, Mazowieckie, Poland; 8/5 - 8/25 - 9/15
Seed: does not set seed
Clump History: original sport; 6 years old; Pilawa, Mazowieckie, Poland
Notable Characteristics: High contrast tri-color leaves have bright yellow centers that jet flame-like into the dark green margins with occasional splashes of medium green between them. Has large white intensely fragrant flowers.
Parentage: Sport of *H. 'Stained Glass'*

H. 'BEA Mouse Sombrero' R. Gabarkiewicz (ONIR)
Plant: 22.6in (57.5cm) diameter; 9.8in (25cm) high; mound-like; fast growth rate.
Leaf: 3.1in (8cm) long; 2.8in (7cm) wide; 7 to 9 vein pairs; medium blue green with flat margins; dull on top; dull underneath; broadly ovate to with cordate base; moderately cupped overall.
Scape: 19.7 to 23.6in (50 to 60cm) high; green
Flower: 1.4in (3.5cm) long; pale purple, buds are dark magenta; bell-shaped; Pilawa, Mazowieckie, Poland; 6/10 - 6/25 - 7/15
Seed: sets seed, viability unknown; green pods
Clump History: original sport; 6 years old; Pilawa, Mazowieckie, Poland
Notable Characteristics: Typical rounded mound shape with unique small, cupped leaves resembling miniature sombreros. Numerous flowers on tall stiff scapes.
Parentage: Sport of *H. 'Blue Mouse Ears'*

H. 'BEA Narrow Patriot' R. Gabarkiewicz (ONIR)
Plant: 36.4in (92.5cm) diameter; 21.7in (55cm) high; mound-like; fast growth rate.
Leaf: 7.1in (18cm) long; 4.7in (12cm) wide; 8 to 10 vein pairs; dark green with .2 to .4in (.5 to 1cm) wide pure white flat margins; slightly shiny on top; dull underneath; broadly ovate with cordate base; lightly folded and moderately cupped & corrugated overall.
Scape: 25.6 to 29.5in (65 to 75cm) high; green
Flower: 2in (5cm) long; pale lavender with medium lavender stripes; tubular; Pilawa, Mazowieckie, Poland; 7/15 - 7/30 - 8/15
Seed: sets seed, viability unknown; green pods
Clump History: original sport; 8 years old; Pilawa, Mazowieckie, Poland
Notable Characteristics: Vigorous grower. Dense clump of stiff, dark green, slightly cupped leaves surrounded by very narrow snow-white margins.
Parentage: Sport of *H. 'Patriot'*

2024 REGISTRATIONS

H. 'BEA Smoky Arrow' R. Gabarkiewicz (ONIR)
Plant: 35.4in (90cm) diameter; 15.7in (40cm) high; mound-like; moderate growth rate.
Leaf: 5.5in (14cm) long; 3.9in (10cm) wide; 8 to 9 vein pairs; creamy yellow with 1.2 to 1.6in (3 to 4cm) wide, intense powdery blue flat margins; glaucous bloom on top; glaucous bloom underneath; ovate with tapered base; very lightly wavy and folded with extra-heavy glaucous coating overall.
Scape: 17.7 to 21.7in (45 to 55cm) high; green
Flower: 2in (5cm) long; medium lavender; bell-shaped; Pilawa, Mazowieckie, Poland; 7/10 - 7/30 - 8/15
Seed: does not set seed
Clump History: original sport; 8 years old; Pilawa, Mazowieckie, Poland
Notable Characteristics: Unique combination of creamy yellow centers with powdery blue irregular margins jetting inward. Clearly visible strong wax coating gives a smoky impression.
Parentage: Sport of *H. 'June'*
Seasonal Color: centers turn greenish yellow as the season progresses

H. 'Blue Bubbles' M. Dammen (ONIR)
Plant: 26in (66cm) diameter; 12in (30.5cm) high; mound-like; moderate growth rate.
Leaf: 12in (30.5cm) long; 9in (22.9cm) wide; 13 vein pairs; streaked blue and green with occasionally rippled margins; dull on top; dull underneath; broadly ovate with cordate base; deeply cupped and corrugated, moderately folded overall with unusual craters and ridges.
Scape: 17 to 19in (43.2 to 48.3cm) high; light green
Flower: 2in (5.1cm) long; near white; tubular; Hollandale, MN; 7/1 - 7/10 - 7/15
Seed: sets seed, viability unknown
Clump History: original sport; 6 years old; Hollandale, MN
Notable Characteristics: Very cupped and corrugated leaves are spotted and streaked with varying shades of blues and greens. The ridges and valleys appear "bubble-like." Eventually turns all blue.
Parentage: Sport of *H. 'Abiqua Drinking Gourd'*
Seasonal Color: Spotting & streaks are short-lived, and leaves turn all blue before softening to blue green in July

H. 'Bright Angel' J. Van Ostrand (OIR) E. Van Ostrand (N)
Plant: 50in (127cm) diameter; 32in (81.3cm) high; upright; moderate growth rate.
Leaf: 15in (38.1cm) long; 11in (27.9cm) wide; 15 to 18 vein pairs; yellow with slightly rippled margins; dull on top; glaucous bloom underneath; broadly ovate with cordate base; lightly wavy and very lightly corrugated overall.
Scape: 27 to 48in (68.6 to 121.9cm) high; green
Flower: 2.3in (5.7cm) long; white; tubular; Hawthorn Woods, IL; 6/20 - 6/29 - 7/10
Seed: sets seed, viability unknown; green pods
Clump History: original seedling; 18 years old; Hawthorn Woods, IL
Notable Characteristics: Similar to *H. 'Blue Angel'* in form and size, but more upright and brighter yellow.
Parentage: unnamed sdg × *H. 'Blue Angel'*

H. 'Brontosaurus' H. Hansen (ONR) Walters Gardens (I)
Plant: 89in (226.1cm) diameter; 35in (88.9cm) high; mound-like; moderate growth rate.
Leaf: 15in (38.1cm) long; 12in (30.5cm) wide; 14 to 15 vein pairs; dark green with .5 to 2in (1.3 to 5.1cm) wide yellow, slightly rippled margins; slightly shiny on top; glaucous bloom underneath; broadly ovate with cordate base; lightly cupped and corrugated overall.
Scape: 17 to 24 in (43.2 to 61cm) high; green
Flower: 2.5in (6.4cm) long; near white exterior, white interior with faint lavender central stripes; tubular; Zeeland, MI; 7/1 - 7/10 - 7/22
Seed: sets viable seed; green pods
Clump History: original seedling; 12 years old; Zeeland, MI
Notable Characteristics: Huge clump of glossy dark green leaves with yellow gold margins.
Pod Parent: streaked sport of *H. 'Cherry Berry'* × *H. 'Mississippi Delta'*
Pollen Parent: *H. 'Empress Wu'*

H. 'Brotherly Love' H. Hansen (OR) O. Petryszyn (N) Walters Gardens (I)
Plant: 63in (160cm) diameter; 35in (88.9cm) high; mound-like; moderate growth rate.
Leaf: 11in (27.9cm) long; 9in (22.9cm) wide; 12 to 13 vein pairs; dark green with 1.5 to 3in (3.8 to 7.6cm) wide, gold slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; lightly wavy and corrugated overall.
Scape: 25 to 31in (63.5 to 78.7cm) high; pale green
Flower: 1.5in (3.8cm) long; pale lavender; tubular; Jun 1 to Jul 15; Zeeland, MI
Seed: sets viable seed; green pods
Clump History: original sport; 9 years old; Zeeland, MI
Notable Characteristics: Everything you love about *H. 'Coast to Coast'* with the added interest of dark green leaf centers.
Parentage: Sport of *H. 'Coast to Coast'*

C

H. 'Candyland' G. R. Goodwin (ONIR)
Plant: 30in (76.2cm) diameter; 13in (33cm) high; mound-like; fast growth rate.
Leaf: 9in (22.9cm) long; 6in (15.2cm) wide; 7 to 9 vein pairs; dark green with serrated margins; very shiny on top; slightly shiny underneath; broadly ovate with rounded base; relatively flat overall.
Scape: 18 to 24in (45.7 to 61cm) high; light green with purple spots
Flower: 1.5in (3.8 cm) long; pale lavender with purple stripes; bell-shaped; Zionsville, IN; 7/20 - 8/04 - 8/30
Seed: sets non-viable seed; light green pods with purple spots
Clump History: original seedling; 9 years old; Zionsville, IN
Notable Characteristics: Glossy dark green leaves with serrated margins form a distinctive medium sized clump.
Parentage: *H. 'Candy Dish'* × OP

H. 'Chick' G. R. Goodwin (ONIR)
Plant: 42in (106.7cm) diameter; 17in (43.2cm) high; mound-like; moderate growth rate.

Leaf: 11in (27.9cm) long; 10in (25.4cm) wide; 13 to 15 vein pairs; golden yellow with flat margins; slightly shiny on top; dull underneath; broadly ovate to with cordate base; moderately corrugated overall with light concave and/or convex cupping and mucronate tips.

Scape: 30 to 40in (76.2 to 101.6cm) high; light green to light yellow

Flower: 1.5in (3.8cm) long; near white with faint lavender striping; tubular; Zionsville, IN; 6/10 - 6/25 - 7/10

Seed: sets viable seed; light green pods

Clump History: original seedling; 10 years old; Zionsville, IN

Notable Characteristics: Large corrugated golden yellow leaves.

Parentage: *H. 'Andy'* × *OP*

Seasonal Color: color deepens from yellow in spring to golden yellow in summer

H. 'Clear Lake Blue' M. Kurschner (ONIR)

Plant: 54in (137.2cm) diameter; 36in (91.4cm) high; mound-like; moderate growth rate.

Leaf: 17 to 20in (43.2 to 50.8cm) long; 13 to 15in (33 to 38.1cm) wide; 17 to 19 vein pairs; slightly blue green with slightly rippled margins; dull on top; glaucous bloom underneath; broadly ovate with cordate base; very light to moderately heavy corrugation, lightly cupped overall with long narrow stiff petioles.

Scape: 30 to 36in (76.2 to 91.4cm) high; green

Flower: 3in (7.6cm) long; near white with slightly translucent margins; tubular; Barron WI; 7/5 - 7/18 - 8/3

Seed: sets viable seed; green pods

Clump History: original seedling; 5 years old; Barron WI

Notable Characteristics: Very large clump of slightly blue green leaves with numerous large white flowers mid-season.

Parentage: Parentage Unknown

H. 'Clever Girl' C. Boyko (ONIR)

Plant: 72in (182.9cm) diameter; 40in (101.6cm) high; upright; moderate growth rate.

Leaf: 18in (45.7cm) long; 16in (40.6cm) wide; 15 to 16 vein pairs; medium green; with .5 to 1.5in (1.3 to 3.8cm) wide, gold, flat margins; slightly shiny on top; glaucous bloom underneath; broadly ovate with cordate base; light to moderate cupping and moderately corrugated overall.

Scape: 48 to 60in (121.9 to 152.4cm) high; green

Flower: 2in (5.1cm) long; pale lavender with pale lavender striping down the center of white petals with translucent margins; tubular; South Cayuga, Ontario; 7/27 - 8/15 - 8/25

Seed: sets seed, viability unknown; green pods

Clump History: original sport; 15 years old; South Cayuga, Ontario

Notable Characteristics: Very large upright clump of shiny green leaves with gold margins. Branched scapes hold numerous flowers.

Parentage: Sport of *H. 'Sum and Substance'*

H. 'Cuno Couleur' G. & R. Ragus (ONIR)

Plant: 20.5in (52cm) diameter; 15.7in (40cm) high; upright; moderate growth rate.

Leaf: 4.7in (12cm) long; 2in (5cm) wide; 5 to 6 vein pairs; yellow with medium green veins & streaks, and variable width medium green flat margins; dull on top; dull underneath; lance-shaped with tapered base; lightly folded and wavy overall.

Scape: 11.8 to 13.8in (30 to 35cm) high; dark green

Flower: .8in (2.1cm) long; pale lavender with interior purple stripes and translucent margins; tubular; Ganderkesee, Germany; 8/21 - 9/1 - 9/3

Seed: sets viable seed; green pods with reddish brown spots

Clump History: original seedling; 8 years old; Ganderkesee, Germany

Notable Characteristics: Emerges with yellow and green striped leaves that turn totally dark green by the end of summer.

Parentage: Parentage Unknown

Seasonal Color: emerges streaked turning dark green over the season (viridescent)

D

H. 'Dancing Ghosts' M. Vertz (ONIR)

Plant: 25in (63.5cm) diameter; 12in (30.5cm) high; upright; moderate growth rate.

Leaf: 8in (20.3cm) long; 5.5in (14cm) wide; 9 to 10 vein pairs; creamy white with .5 to 1in (1.3 to 2.5cm) wide yellow to greenish yellow very ruffled margins; slightly shiny on top; slightly shiny underneath; ovate with cordate base; very lightly corrugated, lightly twisted & wavy with slight dome-like cupping overall.

Flower: Does not flower

Clump History: original sport; 5 years old; De Pere, WI

Notable Characteristics: Creamy white centers are surrounded by two-tone yellow & greenish yellow margins that often streak into the white center while green veins stand out against the creamy centers. Slight puckering occurs between the center and margins and ruffled edges terminate in twisted leaf tips. Reasonable growth rate for a white centered hosta.

Parentage: Sport of *H. 'Dancing Queen'*

Seasonal Color: Emerges with bright yellow margins that deepen to yellow & greenish yellow by June and streak into the centers more as the season progresses.

H. 'Delta Queen' J. Van Ostrand (ONIR)

Plant: 48in (121.9cm) diameter; 25in (63.5cm) high; upright; moderate growth rate.

Leaf: 10.5in (26.7cm) long; 9in (22.9cm) wide; 9 to 11 vein pairs; medium green with flat margins; slightly shiny on top; glaucous bloom underneath; broadly ovate with cordate base; lightly wavy overall with widely spaced veins.

Scape: 18 to 42in (45.7 to 106.7cm) high; light green

Flower: 2.3in (5.8cm) long; pale lavender; tubular; Hawthorn Woods, IL; 7/27 - 8/6 - 8/22

Seed: does not set seed

Clump History: original seedling; 16 years old; Hawthorn Woods, IL

Notable Characteristics: Large erect clump of slightly shiny green leaves with many flower scapes.

Parentage: *H. 'Green Sheen'* × *H. 'June'*

Seasonal Color: bluish cast up to mid-season

H. 'Denise' D. Cotterill (O) S. Proctor (NIR)

Plant: 14in (35.6cm) diameter; 10in (25.4cm) high; mound-like; moderate growth rate.

Leaf: 6in (15.2cm) long; 4in (10.2cm) wide; 5 vein pairs; lime green with yellow streaks turning dark & medium green with white streaks with slightly rippled margins; slightly shiny on top; dull underneath; ovate with tapered base; lightly folded and

2024 REGISTRATIONS

wavy overall with some twisted tips, streaky colors extend down the petioles.

Scape: 16 to 20in (40.6 to 50.8cm) high; dull green

Flower: 1.5in (3.8cm) long; medium lavender with dark lavender stripes, alternate petals have green splash at center of petal tips; tubular; Huddersfield, West Yorkshire, UK; 7/7 - 8/1 - 8/30

Seed: sets non-viable seed; greenish tan pods

Clump History: original seedling; 6 years old; Huddersfield, West Yorkshire, UK

Notable Characteristics: Stable streaked seedling of unstable *H. 'William Lachman'*. Striking colour changes as the season progresses.

Parentage: *H. 'William Lachman'* × OP

Seasonal Color: changes from lime green with yellow streaks to dark & medium green with white streaks

H. 'Doll Clothes' C. Boyko (ONIR)

Plant: 20in (50.8cm) diameter; 5in (12.7cm) high; mound-like; moderate growth rate.

Leaf: 3.5 in (8.9cm) long; 2.8in (7cm) wide; 7 to 8 vein pairs; greenish gold with flat margins; dull on top; dull underneath; broadly ovate with cordate base; very lightly wavy & corrugated overall with good substance.

Scape: 10 to 12in (25.4 to 30.5cm) high; greenish gold

Flower: 1.8in (4.4cm) long; pale lavender with purple center stripes and a white throat; bell-shaped; South Cayuga, Ontario; 7/8 - 7/20 - 7/29

Seed: does not set seed;

Clump History: original seedling; 25 years old; South Cayuga, Ontario; seeds obtained from Marlyn Nelson

Notable Characteristics: This small clump of durable, heart-shaped gold leaves has a tidy habit.

Parentage: Parentage Unknown

H. 'Dr Golf' C. Kwick (ONIR)

Plant: 46in (116.8cm) diameter; 20in (50.8cm) high; mound-like; moderate growth rate.

Leaf: 9in (22.9cm) long; 7.5in (19.1cm) wide; 12 to 13 vein pairs; blue green; with flat margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; moderately corrugated overall.

Scape: 24 to 32in (61 to 81.3cm) high; light green

Scape Bracts: small bracts at the top of each scape

Flower: 2.3in (5.7cm) long; pale lavender with lavender stripes and translucent margins on alternate petals; tubular; Eau Claire, WI; 6/22 - 7/1 - 7/19

Seed: sets seed, viability unknown; light green pods

Clump History: original seedling; 14 years old; Eau Claire, WI

Notable Characteristics: Medium sized clump of distinct blue green leaves.

Parentage: *H. 'Blue Umbrellas'* × OP

H. 'Dressed for Spring' R. Lysne (ONIR)

Plant: 18in (45.7cm) diameter; 8in (20.3cm) high; mound-like; fast growth rate.

Leaf: 3in (7.6cm) long; 2.5in (6.4cm) wide; 7 vein pairs; medium green with .25in (.6cm) wide creamy white flat margins; dull on top; dull underneath; nearly round with cordate base; lightly corrugated overall with dimpled foliage on mature clump

Scape: 8 to 9in (20.3 to 22.9cm) high; green

Flower: 1in (2.5cm) long; pale lavender; tubular; Ferryville, WI; 7/1 - 7/8 - 7/12

Seed: sets seed, viability unknown; green pods

Clump History: original sport; 8 years old; Ferryville, WI

Notable Characteristics: Spreading, table-top type clump of dimpled foliage.

Parentage: Sport of *H. 'Gypsy Rose'*

H. 'Dyenamite'

K. Dye (ONIR)

Plant: 9.6in (24.5cm) diameter; 5.1in (13cm) high; mound-like; fast growth rate.

Leaf: 3.1in (8cm) long; 2.2in (5.5cm) wide; 5 vein pairs; white with .4 to .8in (1 to 2cm) wide medium and dark green slightly rippled margins; slightly shiny on top; slightly shiny underneath; ovate with tapered base; relatively flat overall, margin colors extend down the petioles.

Scape: 9.1 to 9.4in (23 to 24cm) high; pale greenish white

Scape Bracts: variegated bracts are sometimes quite large

Flower: 1.6in (4cm) long; medium lavender with dark lavender interior stripes; tubular; Mapleton, IL; 6/20 - 7/1 - 7/15

Seed: does not set seed

Clump History: original seedling; 5 years old; Mapleton, IL

Notable Characteristics: This variegated small hosta won Best Seedling award at the 2020 AHS Convention. Clean white centers are surrounded by variable medium green and dark green margins.

Parentage: *H. 'William Lachman'* × OP

E

H. 'Erin's Blue Dream' R. Solberg (O) A. Lapp (NIR)

Plant: 28in (71.1cm) diameter; 17in (43.2cm) high; upright; moderate growth rate.

Leaf: 10in (25.4cm) long; 7.5in (19.1cm) wide; 12 to 13 vein pairs; blue green with slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; moderately wavy overall.

Scape: 36 to 38in (91.4 to 96.5cm) high; green

Flower: 2.3in (5.7cm) long; pale lavender; tubular; Grand Blanc, MI; 6/20 - 7/10 - 7/20

Seed: sets seed, viability unknown; green pods

Clump History: original seedling; 4 years old; Grand Blanc, MI

Notable Characteristics: Blue green lightly ruffled leaves with upright stature.

Parentage: *H. 'Biscuits -n- Honey'* × *H. 'Tom Terrific'*

H. 'Exit, Stage Left'

M. Dammen (ONIR)

Plant: 19in (48.3cm) diameter; 7in (17.8cm) high; mound-like; moderate growth rate.

Leaf: 7in (17.8cm) long; 5in (12.7cm) wide; 10 vein pairs; golden yellow with slightly rippled margins; dull on top; dull underneath; broadly ovate with cordate base; lightly corrugated overall.

Scape: 22 to 24in (55.9 to 61cm) high; medium green

Flower: 2in (5.1cm) long; pale lavender with light lavender central stripes; tubular; Hollandale, MN; 7/1 - 7/7 - 7/15

Seed: sets seed, viability unknown

Clump History: original seedling; 5 years old; Hollandale, MN

Notable Characteristics: Low-lying clump of lightly corrugated, golden yellow leaves. Unusual, vibrant color is better appreciated in person.

Parentage: *H. 'On Stage'* × OP

F

H. 'Faded Denim Patches'

M. McLean (ONIR)

Plant: 35in (88.9cm) diameter; 28in (71.1cm) high; upright; fast growth rate.**Leaf:** 8in (20.3cm) long; 3.5in (8.9cm) wide; 9 vein pairs; blue with .1 to .13in (.2 to .3cm) wide white, moderately rippled margins; glaucous bloom on top; glaucous bloom underneath; ovate with tapered base; moderately wavy overall.**Scape:** 30 to 33in (76.2 to 83.8cm) high; green**Flower:** 2in (5.1cm) long; medium lavender centers with white throat and translucent margins; tubular; Parkersburg, IA; 8/4 - 8/10 - 8/15**Seed:** does not set seed**Clump History:** original sport; 4 years old; Parkersburg, IA**Notable Characteristics:** Very narrow white margins surround the long, pointed blue leaves. Blue turns a mottled yellow green over the season that resembles faded denim.**Parentage:** Sport of *H. 'Faded Blue Jeans'***Seasonal Color:** blue centers turn mottled yellow green.**H. 'Fairy Garden Deluxe'**

M. Dammen (ONIR)

Plant: 12in (30.5cm) diameter; 5in (12.7cm) high; rhizomatous; slow growth rate.**Leaf:** 5in (12.7cm) long; .5in (1.3cm) wide; 3 vein pairs; medium green with .06in (.2cm) wide white moderately rippled margins; dull on top; dull underneath; lance-shaped with tapered base; moderately twisted and wavy overall**Scape:** 9 to 10in (22.9 to 25.4cm) high; medium green**Flower:** 2in (5.1cm) long; medium lavender with dark lavender stripes; tubular; Hollandale, MN; 8/1 - 8/10 - 8/18**Seed:** sets seed, viability unknown; green pods**Clump History:** original sport; 5 years old; Hollandale, MN**Notable Characteristics:** This is the first white margined sport from *H. 'Hacksaw'* growing slower and slightly smaller.**Parentage:** Sport of *H. 'Hacksaw'***H. 'Fanhua Zhizhu'**

Donghuan Liu (NI)

Donghuan Liu, Min Sang, Jun Chen, Yan Li, Hui An (OR)

Plant: 23.6in (60cm) diameter; 13in (33cm) high; mound-like; fast growth rate.**Leaf:** 5.1in (13cm) long; 3.1in (8cm) wide; 5 vein pairs; strong yellow green (144A RHS Chart) with slightly rippled margins; slightly shiny on top; slightly shiny underneath; broadly ovate with tapered base; relatively flat overall with widely spaced veins.**Scape:** 17.7 to 23.6in (45 to 60cm) high; green**Scape Bracts:** strong yellow green (144B RHS Chart), .4in (1cm) long × .2in (.5cm) wide**Flower:** 1.4in (3.5cm) long; light purple (N87D RHS Chart) with translucent margins; spider; Beijing, China; 8/15 - 8/24 - 9/5**Seed:** does not set seed**Clump History:** original seedling; 5 years old; Beijing, China**Notable Characteristics:** Fast growing dense mound of slightly shiny leaves with purple flowers in late summer. Very easy to divide.**Parentage:** *H. 'Korean Snow'* × OP**H. 'Father's Day'**

M. Dammen (ONIR)

Plant: 16in (40.6cm) diameter; 8in (20.3cm) high; mound-like; moderate growth rate.**Leaf:** 4.8in (12.1cm) long; 2.5in (6.4cm) wide; 5 to 6 vein pairs; yellow with flat margins; dull on top; dull underneath; ovate with tapered base; relatively flat overall**Scape:** 12 to 14in (30.5 to 35.6cm) high; light green**Flower:** .9in (2.3cm) long; pale lavender; tubular; Hollandale, MN; 9/5 - 9/28 - 10/5**Seed:** does not set seed**Clump History:** original seedling; 6 years old; Hollandale, MN**Notable Characteristics:** Frosty chartreuse color early gives way to buttery yellow leaves by early summer. Smallish mound fits nicely anywhere you need a spot of color. Small flowers arrive very late in the season.**Parentage:** *H. 'June'* × OP**Seasonal Color:** frosty chartreuse early, glaucous coating fades to reveal buttery yellow leaves**H. 'Flare of Color'**

M. Dammen (ONIR)

Plant: 20in (50.8cm) diameter; 10in (25.4cm) high; mound-like; moderate growth rate.**Leaf:** 6in (15.2cm) long; 4.5in (11.4cm) wide; 9 to 10 vein pairs; medium green with 1in (2.5cm) wide white slightly rippled margins; dull on top; dull underneath; broadly ovate with cordate base; lightly cupped, wavy and corrugated overall.**Scape:** 16 to 17in (40.6 to 43.2cm) high; pale purple**Flower:** 2in (5.1cm) long; pale purple with purple central splash on white petals; tubular; Hollandale, MN; 8/7 - 8/14 - 8/20**Seed:** sets viable seed**Clump History:** original seedling; 4 years old; Hollandale, MN**Notable Characteristics:** Smallish mound of medium to dark green leaves with white margins and red petioles.**Parentage:** *H. 'Vivacious'* × OP**Seasonal Color:** emerges with creamy yellow margins that turn white shortly thereafter**H. 'Fresh Art'**

G. & R. Ragus (ONIR)

Plant: 25.2in (64cm) diameter; 17.3in (44cm) high; upright; moderate growth rate.**Leaf:** 11.4in (29cm) long; 5.1in (13cm) wide; 9 vein pairs; yellow green with flat margins; dull on top; glaucous bloom underneath; ovate with tapered base; relatively flat overall.**Scape:** 21.3 to 22in (54 to 56cm) high; mottled green and purple**Flower:** 1in (2.5cm) long; pale lavender; tubular; Ganderkesee, Germany; 8/1 - 9/2 - 10/2**Seed:** sets viable seed; pale green pods with dense purple spots**Clump History:** original seedling; 9 years old; Ganderkesee, Germany**Notable Characteristics:** White backed like *H. 'Mikawa-no-yuki'* but broader leaves and it holds up fully into early November.**Parentage:** Parentage Unknown**H. 'Frog in My Throat'** H. Hansen (ONR) Walters Gardens (I)**Plant:** 14in (35.6cm) diameter; 8in (20.3cm) high; upright; moderate growth rate.**Leaf:** 9in (22.9cm) long; 6in (15.2cm) wide; 13 to 14 vein pairs; white speckled with various shades of green with 1 to 1.3in (2.5 to 3.2cm) wide, medium to dark green smooth margins; dull on top; glaucous bloom underneath; broadly ovate with cordate base; moderately wavy and deeply twisted & folded overall.**Scape:** 30 to 32in (76.2 to 81.3cm) high; green**Flower:** 2in (5.1cm) long; near white with pale lavender stripes and translucent margins; tubular; Zeeland, MI; 6/24 - 7/4 - 7/13**Seed:** sets viable seed; green pods

2024 REGISTRATIONS

Clump History: original sport; 3 years old; Zeeland, MI
Notable Characteristics: White centers are speckled with various shades of green flecks and are surrounded by medium to dark green margins.
Parentage: Sport of *H. 'Emperor's New Clothes'*

H. 'Frozen' M. Dammen (ONIR)
Plant: 30in (76.2cm) diameter; 15in (38.1cm) high; mound-like; moderate growth rate.
Leaf: 6.5in (16.5cm) long; 4.5in (11.4cm) wide; 9 to 10 vein pairs; mottled streaks of green, yellow and white with slightly rippled margins; dull on top; dull underneath; broadly ovate with flat base; lightly wavy and corrugated overall.
Scape: 21 to 23in (53.3 to 58.4cm) high; medium green
Flower: pale lavender; bell-shaped; Hollandale, MN; 6/30 - 7/7 - 7/15
Seed: sets seed, viability unknown; green pods
Clump History: original sport; 5 years old; Hollandale, MN
Notable Characteristics: Sprawling clump of mottled green leaves streaked with yellow and white.
Parentage: Sport of *H. 'Ice Prancer'*
Seasonal Color: emerges with glaucous bloom giving a blue cast to the mottled colors

H. 'Fruit Salad' M. Dammen (ONIR)
Plant: 30in (76.2cm) diameter; 18in (45.7cm) high; mound-like; moderate growth rate.
Leaf: 10in (25.4cm) long; 8in (20.3cm) wide; 10 vein pairs; light green with 1.5in (3.8cm) wide medium blue flat margins; dull on top; dull underneath; broadly ovate with cordate base; moderately corrugated overall.
Scape: 18 to 24in (45.7 to 61cm) high; light green
Flower: 2in (5.1cm) long; pale lavender; bell-shaped; Jul 15 to Aug 15; Hollandale, MN
Clump History: original sport; 7 years old; Hollandale, MN
Notable Characteristics: Medium sized clump of bi-color foliage that has more subtle variegation than its parent. Perfect size to fit anywhere and yet still draw your attention.
Parentage: Sport of *H. 'Forbidden Fruit'*

G

H. 'Georgia Satellite' M. Dammen (ONIR)
Plant: 19in (48.3cm) diameter; 9in (22.9cm) high; mound-like; moderate growth rate.
Leaf: 5in (12.7cm) long; 3.3in (8.3cm) wide; 7 vein pairs; medium green with .3in (.6cm) wide bright yellow slightly rippled margins; dull on top; dull underneath; ovate with flat base; lightly twisted and wavy overall with well-defined veins.
Flower: does not flower
Clump History: original sport; 5 years old; Hollandale, MN
Notable Characteristics: Bright yellow-orange margins surround medium green centers. Light green between center and margin creates a watermark effect.
Parentage: Sport of *H. 'Georgia Sweetheart'*

H. 'Glittering Goldie' M. Dammen (ONIR)
Plant: 25in (63.5cm) diameter; 11in (27.9cm) high; mound-like; moderate growth rate.
Leaf: 7in (17.8cm) long; 6in (15.2cm) wide; 11 to 12 vein pairs; pale green with very slightly rippled margins; glaucous bloom

on top; glaucous bloom underneath; broadly ovate with cordate base; lightly corrugated overall.

Scape: 19 to 21in (48.3 to 53.3cm) high; light green
Flower: 2in (5.1cm) long; near white with very light lavender narrow stripes; bell-shaped; Hollandale, MN; 7/1 - 7/7 - 7/15
Seed: sets seed, viability unknown

Clump History: original seedling; 5 years old; Hollandale, MN
Notable Characteristics: Very dense wax coating on pale green leaves gives a very frosty appearance.
Parentage: *H. 'Chorus Girl'* × OP

H. 'Gloria's Pickles' C. Kwick (ONIR)
Plant: 41in (104.1cm) diameter; 15in (38.1cm) high; mound-like; moderate growth rate.
Leaf: 8in (20.3cm) long; 7.5in (19.1cm) wide; 10 to 11 vein pairs; greenish yellow with slightly rippled margins; dull on top; glaucous bloom underneath; broadly ovate with cordate base; rolled edges, lightly wavy and moderately corrugated overall.
Scape: 19 to 26in (48.3 to 66cm) high; light green with glaucous bloom
Flower: 2.3in (5.7cm) long; medium lavender central stripes with white throat and translucent margins; tubular; Eau Claire, WI; 7/1 - 7/10 - 7/23
Seed: sets seed, viability unknown; green pods
Clump History: original seedling; 11 years old; Eau Claire, WI
Notable Characteristics: Low growing, sprawling clump of convoluted leaves
Parentage: *H. 'Great Expectations'* × *H. 'Sagae'*

H. 'GnomeTown Bobby Earle' R. Seale (ONIR)
Plant: 26in (66cm) diameter; 15in (38.1cm) high; upright; moderate growth rate.
Leaf: 10in (25.4cm) long; 12in (30.5cm) wide; 13 to 15 vein pairs; dark green to slightly blue green with slightly rippled margins; slightly shiny on top; slightly shiny underneath; nearly round with cordate base; lightly cupped & folded and deeply corrugated overall.
Scape: 20 to 26in (50.8 to 66cm) high; bluish green with glaucous coating
Flower: 2in (5.1cm) long; near white with very faint purple stripes; tubular; Canton, MI; 6/21 - 7/4 - 7/10
Seed: sets viable seed; dark green pods
Clump History: original seedling; 5 years old; Canton, MI
Notable Characteristics: Dark blue green leaves are wider than they are long, deeply puckered with leathery texture. White flowers, very fertile and excellent for hybridizing.
Parentage: [(*H. 'Love Pat'* × *H. 'Lakeside Pebbles'*) × *H. 'Manhattan'*] × OP

H. 'GnomeTown Christmas Carol' R. Seale (ONIR)
Plant: 42in (106.7cm) diameter; 20in (50.8cm) high; mound-like; fast growth rate.
Leaf: 10in (25.4cm) long; 6in (15.2cm) wide; 10 to 12 vein pairs; medium to dark green with .5in (1.3cm) wide yellow, moderately rippled margins; slightly shiny on top; slightly shiny underneath; ovate with rounded base; moderately wavy and lightly twisted & folded overall. Has an overall "unkept" look with the wavy leaves going everywhere.
Scape: 26 to 30in (66 to 76.2cm) high; green
Flower: 2.5in (6.4cm) long; near white when open with faint lavender stripes and translucent margins; tubular; Canton, MI; 6/15 - 7/1 - 7/16
Seed: sets viable seed; dark green pods

Clump History: original seedling; 6 years old; Canton, MI
Notable Characteristics: Very fast grower with long wavy leaves that end with a curled under point. Narrow yellow margins highlight the medium green leaves. Fertile both ways.
Parentage: *H. 'Christmas Tree Gala'* × *H. 'Komodo Dragon'*

H. 'GnomeTown Ella's Blue Dress' R. Seale (ONIR)
Plant: 30in (76.2cm) diameter; 16in (40.6cm) high; mound-like; moderate growth rate.
Leaf: 9in (22.9cm) long; 6in (15.2cm) wide; 10 vein pairs; light frosty blue with moderately rippled margins; glaucous bloom on top; glaucous bloom underneath; ovate with cordate base; lightly twisted and moderately wavy overall. Leaves look silver in some lights.
Scape: 22 to 26in (55.9 to 66cm) high; pale bluish green
Flower: 1.5in (3.8cm) long; near white with faint lavender hues; bell-shaped; Canton, MI; 7/5 - 7/20 - 7/30
Seed: sets viable seed; dark bluish green pods
Clump History: original seedling; 5 years old; Canton, MI
Notable Characteristics: Bright, light blue, wavy ovate leaves hold their blue color well in morning sun. Flowers later than most blues and is extremely fertile both ways.
Parentage: [(*H. 'Fudge Ripple'* × *H. 'Stegeman's Dreadnaught'*) × *H. 'Neptune'*] × *H. 'Skylight'*

H. 'GnomeTown Maisy Maize' R. Seale (ONIR)
Plant: 26in (66cm) diameter; 18in (45.7cm) high; upright; moderate growth rate.
Leaf: 8in (20.3cm) long; 5in (12.7cm) wide; 9 to 11 vein pairs; greenish yellow with slightly rippled margins; slightly shiny on top; dull underneath; ovate with cordate base; lightly wavy and corrugated overall
Scape: 22 to 27in (55.9 to 68.6cm) high; deep reddish purple
Flower: 1.8in (4.4cm) long; medium purple central stripes with white margins; bell-shaped; Canton, MI; 7/25 - 8/5 - 8/10
Seed: sets viable seed; dark green pods with a hint of purple
Clump History: original seedling; 5 years old; Canton, MI
Notable Characteristics: Bright yellow lightly wavy leaves are held high on reddish purple petioles. Leaves are neatly arranged unlike its grandmother 'Miss Susie'.
Parentage: (*H. 'Miss Suzy'* × OP) × OP
Seasonal Color: emerges extremely bright yellow gradually gaining more green throughout the season (viridescent).

H. 'GnomeTown My Pal Clarence' C. Hanna (O)
R. Seale (NIR)
Plant: 60in (152.4cm) diameter; 32in (81.3cm) high; mound-like; fast growth rate.
Leaf: 15in (38.1cm) long; 9in (22.9cm) wide; 14 vein pairs; golden yellow with slightly rippled margins; slightly shiny on top; dull underneath; broadly ovate with cordate base; relatively flat overall with deep prominent veins that are visible from a distance.
Scape: 50 to 55in (127 to 139.7cm) high; green
Flower: 2.3in (5.7cm) long; near white with very faint purple stripes and translucent margins; tubular; Canton, MI; 6/20 - 7/5 - 7/10
Seed: sets viable seed; green pods
Clump History: original seedling; 7 years old; Canton, MI
Notable Characteristics: Huge hosta. Nice yellow color intensifies as summer temperatures increase. Leaves do not burn

(in Michigan). Numerous flowers on sturdy scapes that "rocket" outward through the leaves.
Parentage: *H. 'Cornerstone'* × *H. 'Blaze of Glory'*
Seasonal Color: emerges mint green gradually gaining more yellow throughout the season (lutescent).

H. 'Gold Medal' H. Hansen (ONR) Walters Gardens (I)
Plant: 14in (35.6cm) diameter; 8in (20.3cm) high; mound-like; moderate growth rate.
Leaf: 5.5in (14cm) long; 5in (12.7cm) wide; 10 to 11 vein pairs; gold with flat margins; dull on top; dull underneath; nearly round with rounded base; relatively flat overall with deeply impressed veins.
Scape: 17 to 18in (43.2 to 45.7cm) high; green
Scape Bracts: chartreuse bracts with prominent purple interior spotting
Flower: 2in (5.1cm) long; near white with faint lavender cast to exterior of petals, white interior with faint lavender stripes; tubular; Zeeland, MI; 7/1 - 7/12 - 7/20
Seed: sets viable seed; green pods
Clump History: original seedling; 3 years old; Zeeland, MI
Notable Characteristics: Very thick, round gold leaves. Similar in form to *H. 'Blue Mouse Ears'*.
Parentage: *H. 'Age of Gold'* × Unnamed sdlg of *H. 'Blue Mouse Ears'*

H. 'Golden Spirit' J. Van Ostrand (ONIR)
Plant: 44in (111.8cm) diameter; 27in (68.6cm) high; mound-like; moderate growth rate.
Leaf: 12in (30.5cm) long; 10in (25.4cm) wide; 14 to 16 vein pairs; golden yellow with flat margins; dull on top; glaucous bloom underneath; nearly round with cordate base; moderately cupped & folded and intensely corrugated overall.
Scape: 19 to 28in (48.3 to 71.1cm) high; green
Flower: 1.7in (4.3cm) long; white; tubular; Hawthorn Woods, IL; 6/20 - 6/29 - 7/5
Seed: sets seed, viability unknown; green pods
Clump History: original seedling; 16 years old; Hawthorn Woods, IL
Notable Characteristics: Large clump of cupped and corrugated gold leaves.
Parentage: unnamed sdlg × *H. 'Abiqua Drinking Gourd'*

H. 'Green Ghost' M. Dammen (ONIR)
Plant: 28in (71.1cm) diameter; 12in (30.5cm) high; mound-like; moderate growth rate.
Leaf: 5.8in (14.6cm) long; 2.8in (7cm) wide; 7 to 8 vein pairs; pale green with flat margins; dull on top; dull underneath; elliptical with tapered base; moderately folded overall
Scape: 15 to 20in (38.1 to 50.8cm) high; medium green
Flower: 1.5in (3.8cm) long; pale lavender; tubular; Hollandale, MN; 7/20 - 7/27 - 8/4
Seed: sets nonviable seed
Clump History: original sport; 7 years old; Hollandale, MN
Notable Characteristics: Interesting color progression. Leaves emerge very light yellow (almost white) and soon turn chartreuse before finally attaining a dull pale green color.
Parentage: Sport of *H. 'Hanky Panky'*
Seasonal Color: classic viridescence

H

H. 'Happy Harry'

C. Kwick (ONIR)

Plant: 62in (157.5cm) diameter; 30in (76.2cm) high; mound-like; fast growth rate.

Leaf: 13in (33cm) long; 10.5in (26.7cm) wide; 14 to 15 vein pairs; green with flat margins; dull on top; glaucous bloom underneath; nearly round with rounded base; moderately corrugated and deeply cupped overall.

Scape: 18 to 36in (45.7 to 91.4cm) high; light green

Flower: 2.5in (6.4cm) long; near white with very light lavender stripes and translucent margins on alternate petals; tubular; Eau Claire, WI; 6/18 - 7/3 - 7/20

Seed: sets seed, viability unknown; green pods

Clump History: original seedling; 14 years old; Eau Claire, WI
Notable Characteristics: Large clump of heavily puckered and cupped green leaves.

Parentage: *H. 'Blue Umbrellas'* × *H. 'Abiqua Drinking Gourd'*

H. 'Harrison Tate'

C. Kwick (ONIR)

Plant: 32in (81.3cm) diameter; 10in (25.4cm) high; mound-like; moderate growth rate.

Leaf: 9.5in (24.1cm) long; 7in (17.8cm) wide; 11 to 12 vein pairs; greenish gold with slightly rippled margins; dull on top; glaucous bloom underneath; broadly ovate with cordate base; lightly folded and wavy overall.

Scape: 32 to 33in (81.3 to 83.8cm) high; light green with glaucous bloom

Flower: 2.5in (6.4 cm) long; pale lavender with pale lavender central stripes and near white margins; tubular; Eau Claire, WI; 6/24 - 7/7 - 7/19

Seed: sets seed, viability unknown; green pods

Clump History: original seedling; 10 years old; Eau Claire, WI

Notable Characteristics: Medium sized mound of greenish gold, lightly folded and slightly wavy leaves.

Parentage: *H. 'Paradigm'* × OP

Seasonal Color: more gold as the season progresses

H. 'Hayseed'

F. Nyikos (ONIR)

Plant: 20in (50.8cm) diameter; 12in (30.5cm) high; rhizomatous; slow growth rate.

Leaf: 6.5in (16.5cm) long; 3.8in (9.5cm) wide; 6 to 7 vein pairs; medium greyish green with slightly rippled margins; dull on top; slightly shiny underneath; ovate with rounded base; relatively flat overall.

Scape: 30 to 36 in (76.2 to 91.4cm) high; green

Flower: 1.5in (3.8cm) long; deep purple with interior white margins and translucent edges; bell-shaped; Unionville, IN; 7/15 - 7/22 - 8/1

Seed: sets viable seed; light green pods

Clump History: original seedling; 33 years old; Unionville, IN

Notable Characteristics: Soft, greyish green leaves with *H. ventricosa* type flowers.

Parentage: *H. 'Lancifolia'* × *H. ventricosa*

H. 'Herb's Bestman'

F. Nyikos (ONIR)

Plant: 24in (61cm) diameter; 8in (20.3cm) high; mound-like; fast growth rate.

Leaf: 4.4in (11cm) long; 3.8in (9.5cm) wide; 6 to 7 vein pairs; medium green with moderately rippled margins; dull on top; slightly shiny underneath; broadly ovate with flat base; relatively flat overall with the ruffled edges and leaf tips turning slightly upwards.

Scape: 32 to 36in (81.3 to 91.4cm) high; green

Flower: 1.5in (3.8cm) long; pale lavender with dark lavender stripes and white margins at the base of each petal; tubular; Unionville, IN; 6/23 - 7/1 - 7/10

Seed: rarely sets seed, viability unknown; unusually small, green seed pods

Clump History: original seedling; 10 years old; Unionville, IN

Notable Characteristics: Fast growing thin leaved cultivar with curled up tips. Similar to but less twisted than *H. 'Bridegroom'* with numerous flowers.

Parentage: *H. 'Sunny Disposition'* × *H. 'Teaspoon'*

H. 'Hostitute'

D. Brutlag (ONIR)

Plant: 24in (61cm) diameter; 16in (40.6cm) high; mound-like; moderate growth rate.

Leaf: 6.5in (16.5cm) long; 4in (10.2cm) wide; 8 to 10 vein pairs; medium green with .3 to .5in (.6 to 1.3cm) wide creamy yellow very slightly rippled margins; dull on top; glaucous bloom underneath; broadly ovate with flat base; margins are wider in shadier locations; leaves are lightly cupped early and moderately corrugated overall. Green watermark effect in transition area between center and margins.

Scape: 18 to 24in (45.7 to 61cm) high; light green

Flower: 1.8in (4.4cm) long; pale lavender with narrow lavender stripes and translucent margins on alternate petals; tubular; Jul 15 to Aug 15; Wendell, MN

Clump History: original sport; 10 years old; Wendell, MN

Notable Characteristics: Larger than its parent, the leaves on this "flip-flop" hosta are always changing. The center and margin colors reverse completely as the season progresses. Rate of color change and margin width is affected by the amount of sun it receives.

Parentage: Sport of *H. 'Hanky Panky'*

Seasonal Color: Colors reverse during each season

H. 'Hummingbird's Nest'

G. R. Goodwin (ONIR)

Plant: 20in (50.8cm) diameter; 10in (25.4cm) high; upright; slow growth rate.

Leaf: 4.5in (11.4cm) long; 4in (10.2cm) wide; 7 to 8 vein pairs; slightly blue green with .5in (1.3cm) wide creamy white flat margins; slightly shiny on top; dull underneath; nearly round with cordate base; moderately corrugated and intensely cupped overall makes it recognizable from twenty feet.

Scape: 14 to 17in (35.6 to 43.2cm) high; medium green

Flower: 1.5in (3.8cm) long; pale lavender with faint lavender striping; tubular; Zionsville, IN; 6/25 - 7/4 - 7/25

Seed: sets seed, viability unknown; medium green pods

Clump History: original seedling; 10 years old; Zionsville, IN

Notable Characteristics: Pleasing color change from blue green with cream margins early to white margins on green in summer all showcased in distinctly cup shaped leaves.

Parentage: *H. 'Crazy Quilt'* × OP

Seasonal Color: center changes from blue green to medium green and margins brighten to white by summer

I

H. 'Ice Prince' M. Dammen (ONIR)
Plant: 28in (71.1cm) diameter; 14in (35.6cm) high; mound-like; moderate growth rate.
Leaf: 8in (20.3cm) long; 6in (15.2cm) wide; 12 to 13 vein pairs; blue green with 1in (2.5cm) wide creamy yellow moderately rippled margins; dull on top; dull underneath; broadly ovate with cordate base; moderately twisted and wavy overall.
Scape: 19 to 21in (48.3 to 53.3cm) high; medium green
Flower: 2.5in (6.4cm) long; pale lavender; tubular; Hollandale, MN; 7/5 - 7/12 - 7/19
Seed: sets viable seed; green pods
Clump History: original sport; 6 years old; Hollandale, MN
Notable Characteristics: Wavy leaves of good substance. Blue green with wide creamy yellow margins
Parentage: Sport of *H. 'Ice Queen'*
Seasonal Color: creamy yellow margins turn white by midsummer.

H. 'In Living Color' M. Dammen (ONIR)
Plant: 27in (68.6cm) diameter; 15in (38.1cm) high; mound-like; moderate growth rate.
Leaf: 7in (17.8cm) long; 5in (12.7cm) wide; 7 to 8 vein pairs; green, white and creamy yellow streaks with moderately rippled margins; dull on top; dull underneath; ovate with flat base; lightly cupped overall with light dome-shaped cupping.
Scape: 24 to 26in (61 to 66cm) high; red
Flower: 3in (7.6cm) long; pale purple; tubular; Hollandale, MN; 7/20 - 7/27 - 8/4
Seed: sets viable seed
Clump History: original seedling; 4 years old; Hollandale, MN
Notable Characteristics: Vibrant colorful plant has red petioles, red scapes and leaves streaked with green, white and creamy yellow. This hosta has more light colored streaks and is slightly smaller than its pod parent.
Parentage: *H. 'Vivacious'* × *OP*

J

H. 'Jadebusen' G. & R. Ragus (ONIR)
Plant: 39.4in (100cm) diameter; 31.5in (80cm) high; upright; moderate growth rate.
Leaf: 13in (33cm) long; 9.8in (25cm) wide; 12 to 14 vein pairs; medium blue green with flat margins; glaucous bloom on top; dull underneath; broadly ovate with cordate base; lightly wavy and moderately corrugated overall.
Scape: 33.5 to 39.4in (85 to 100cm) high; pale green
Flower: 2.3in (5.8cm) long; pale lavender with faint purple striping and translucent margins; tubular; Ganderkesee, Germany; 6/14 - 6/29 - 7/21
Seed: sets viable seed; blue green pods
Clump History: original seedling; 3 years old; Ganderkesee, Germany
Notable Characteristics: Very large blue green leaves, very fertile providing numerous seed pods
Parentage: Parentage Unknown

H. 'Jumping Cracker' S. Proctor (ONIR)
Plant: 14in (35.6cm) diameter; 7in (17.8cm) high; mound-like; fast growth rate.
Leaf: 4in (10.2cm) long; 1in (2.5cm) wide; 4 vein pairs; dark green with moderately rippled margins; slightly shiny on top; dull underneath; lance-shaped with tapered base; lightly folded overall.
Scape: 12 to 14in (30.5 to 35.6cm) high; green
Flower: 2in (5.1cm) long; saturated purple with dark purple stripes and partial white margins creating a central starburst pattern; tubular; Huddersfield, West Yorkshire, UK; 7/10 - 7/30 - 8/10
Seed: sets viable seed; greenish tan pods
Clump History: original seedling; 8 years old; Huddersfield, West Yorkshire, UK
Notable Characteristics: Distinctive miniature with slightly shiny, narrow, folded leaves and rippled margins. Remains dark green in full sun.
Parentage: *H. 'Yakushima Mizu'* × *H. 'Atom Smasher'*

K

H. 'Kinley's Love' M. Kurschner (ONIR)
Plant: 38in (96.5cm) diameter; 24in (61cm) high; mound-like; moderate growth rate.
Leaf: 9.8in (24.8cm) long; 4.8in (12cm) wide; 8 to 9 vein pairs; slightly blue green with slightly rippled margins; slightly shiny on top; glaucous bloom underneath; ovate with rounded base; very lightly wavy and corrugated overall.
Scape: 32 to 38in (81.3 to 96.5cm) high; green
Flower: 2.3in (5.7cm) long; pale lavender with lavender stripes; bell-shaped; Barron, WI; 7/10 - 7/16 - 7/31
Seed: sets viable seed; green pods
Clump History: original seedling; 5 years old; Barron, WI
Notable Characteristics: Rich, dark green color can tend towards blue in deep shade. The veins are lighter making them highly visible. The overlapping habit of the leaves make them appear like scales and their slight waviness adds subtle movement overall. Beautiful, dark and quiet like its namesake.
Parentage: *H. 'Rubies and Ruffles'* × *OP*

L

H. 'Light Bright' M. Dammen (ONIR)
Plant: 15in (38.1cm) diameter; 8in (20.3cm) high; mound-like; moderate growth rate.
Leaf: 6in (15.2cm) long; 2in (5.1cm) wide; 5 to 6 vein pairs; white with variable width dark green with intermediate medium green, flat margins; very slightly shiny on top; very slightly shiny underneath; lance to elliptical shaped with tapered base; relatively flat overall.
Scape: 18 to 22in (45.7 to 55.9cm) high; medium green
Flower: 2in (5.1cm) long; medium lavender; tubular; Hollandale, MN; 9/7 - 9/14 - 9/21
Seed: sets viable seed
Clump History: original sport; 5 years old; Hollandale, MN
Notable Characteristics: White centered sport of *H. 'Javelin'* with wide enough dark green margins to achieve a moderate growth rate.
Parentage: Sport of *H. 'Javelin'*

2024 REGISTRATIONS

H. 'Little Bull Falls'

M. Singkofer (ONIR)

Plant: 36in (91.4cm) diameter; 18in (45.7cm) high; mound-like; moderate growth rate.

Leaf: 12.5in (31.8cm) long; 5.3in (13.3cm) wide; 10 to 11 vein pairs; greenish yellow with heavily rippled margins; slightly shiny on top; dull underneath; ovate with rounded base; relatively flat overall with nicely ruffled edges and twisted leaf tips.

Scape: 36 to 43in (91.4 to 109.2cm) high; green

Flower: 2in (5.1cm) long; medium lavender with dark lavender central stripe surrounded by white and translucent margins on alternate petals; tubular; Mosinee, WI; 6/20 - 7/1 - 7/12

Seed: sets viable seed; dark green pods

Clump History: original seedling; 6 years old; Mosinee, WI

Notable Characteristics: Clump of long, elegantly draped leaves turn bright gold in late August. The upper portion of the tall erect scapes are surrounded with saturated lavender flowers.

Parentage: Parentage Unknown

Seasonal Color: turns golden in late August

H. 'Little Noah'

M. Dammen (ONIR)

Plant: 16in (40.6cm) diameter; 8in (20.3cm) high; mound-like; moderate growth rate.

Leaf: 4.5in (11.4cm) long; 1.5in (3.8cm) wide; 4 to 5 vein pairs; yellow with slightly rippled margins; dull on top; dull underneath; lance-shaped with tapered base; lightly twisted and folded overall.

Scape: 8 to 10in (20.3 to 25.4cm) high; chartreuse

Flower: 2in (5.1cm) long; medium lavender; bell-shaped; Hollandale, MN; 7/27 - 8/3 - 8/10

Seed: sets seed, viability unknown

Clump History: original seedling; 5 years old; Hollandale, MN

Notable Characteristics: Emerges with bright chartreuse, wavy edged leaves. Turns bright yellow early and then faded yellow by midsummer. As the season progresses the leaves become less wavy. Very small hosta at maturity.

Parentage: H. 'Little Jim' × OP

Seasonal Color: chartreuse to yellow to faded yellow throughout the season.

H. 'Luminous Flare of Colors'

M. Dammen (ONIR)

Plant: 17in (43.2cm) diameter; 10in (25.4cm) high; mound-like; moderate growth rate.

Leaf: 6in (15.2cm) long; 3in (7.6cm) wide; 7 to 8 vein pairs; creamy white with .5in (1.3cm) wide medium green slightly rippled margins; dull on top; dull underneath; ovate with cordate base; lightly twisted, wavy and corrugated overall.

Scape: 17 to 18in (43.2 to 45.7cm) high; spotted red

Flower: 2.5in (6.4cm) long; pale purple; tubular; Hollandale, MN; 8/5 - 8/13 - 8/22

Seed: sets viable seed

Clump History: original seedling; 4 years old; Hollandale, MN

Notable Characteristics: Creamy white leaves with irregular green margins. Occasional areas of light green where center and margin colors overlap.

Parentage: H. 'Vivacious' × OP

H. 'Magic'

G. R. Goodwin (ONIR)

Plant: 24in (61cm) diameter; 10in (25.4cm) high; mound-like; moderate growth rate.

Leaf: 7in (17.8cm) long; 4in (10.2cm) wide; 15 to 16 vein pairs; medium green with .5in (1.3cm) wide cream to white heavily rippled margins; slightly shiny on top; dull underneath; broadly ovate with cordate base; light corrugation and convex cupping overall with pleasing uniformly rippled margins.

Scape: 25 to 29in (63.5 to 73.7cm) high; light green

Flower: 1.5in (3.8cm) long; near white with misty lavender striping; tubular; Zionsville, IN; 6/10 - 6/15 - 7/1

Seed: sets seed, viability unknown; light green pods

Clump History: original seedling; 10 years old; Zionsville, IN

Notable Characteristics: Attractive clump formed of cascading leaves with wavy, sharply contrasting margins.

Parentage: Parentage Unknown

Seasonal Color: creamy margins turn white by summer

H. 'Margie Moonglow'

M. Singkofer (ONIR)

Plant: 32in (81.3cm) diameter; 20in (50.8cm) high; mound-like; moderate growth rate.

Leaf: 11in (27.9cm) long; 7in (17.8cm) wide; 11 to 12 vein pairs; light green with flat margins; glaucous bloom on top; glaucous bloom underneath; ovate with cordate base; lightly corrugated and moderately wavy overall.

Scape: 20 to 26in (50.8 to 66cm) high; light green

Flower: 1.8in (4.4cm) long; white; tubular; Mosinee, WI; 7/2 - 7/20 - 7/28

Seed: does not set seed

Clump History: original seedling; 7 years old; Mosinee, WI

Notable Characteristics: Lightly corrugated light green leaves with a unique brassy blush.

Parentage: Parentage Unknown

Seasonal Color: gains more yellow as season progresses

H. 'Midnight Blue'

M. Dammen (ONIR)

Plant: 26in (66cm) diameter; 11in (27.9cm) high; mound-like; moderate growth rate.

Leaf: 7in (17.8cm) long; 5in (12.7cm) wide; 10 to 11 vein pairs; intense powdery blue with flat margins; glaucous bloom on top; glaucous bloom underneath; ovate with cordate base; some leaves are very lightly folded, relatively flat overall.

Scape: 16 to 19in (40.6 to 48.3cm) high; light green with glaucous bloom

Flower: 1.5in (3.8 cm) long; pale purple; bell-shaped; Hollandale, MN; 7/7 - 7/15 - 7/21

Seed: sets viable seed

Clump History: original seedling; 5 years old; Hollandale, MN

Notable Characteristics: Emerges and remains an intense powdery blue well into June when it loses its powdery look and turns a very deep blue that lasts well into August.

Parentage: Parentage Unknown

Seasonal Color: Powdery blue early changes to a unique deep blue color that finally yields to green.

H. 'Minstrel Magic'

D. Dean (OIR) D. Dean/R. Mortko (N)

Plant: 20in (50.8cm) diameter; 10in (25.4cm) high; mound-like; moderate growth rate.

Leaf: 5.5in (14cm) long; 1.5in (3.8cm) wide; 4 to 5 vein pairs; medium green with .1in (.3cm) wide yellow, moderately rippled

margins; slightly shiny on top; slightly shiny underneath; lance-shaped with tapered base; moderately folded and wavy overall, remains small at maturity.

Scape: 16 to 20in (40.6 to 50.8cm) high; burgundy

Scape Bracts: magenta-colored bracts

Flower: 1.8in (4.4cm) long; pale purple with darker purple centerlines; tubular; Ramsey, MN; 8/18 - 8/27 - 9/10

Seed: does not set seed

Clump History: original seedling; 11 years old; Ramsey, MN

Notable Characteristics: Nearly a miniature; dense mound of wavy, glossy green foliage with burgundy flower scapes.

Parentage: (*H.* 'Hideko Tajima' × sdlg 1-40-1) × *H.* 'Chabo Unazuki'

Seasonal Color: yellow margins become creamy white later in the season.

H. 'Misheng Zhizhu'

Donghuan Liu (NI)

Donghuan Liu, Jun Chen, Boyang Liu, Wenbin Shi, Yu Yang (OR)

Plant: 19.7in (50cm) diameter; 9.8in (25cm) high; mound-like; fast growth rate.

Leaf: 5.9in (15cm) long; 2in (5cm) wide; 4 vein pairs; strong yellow green (144C RHS Chart) with slightly rippled margins; slightly shiny on top; slightly shiny underneath; ovate with tapered base; relatively flat overall with very widely spaced veins.

Scape: 19.7 to 25.6in (50 to 65cm) high; green

Scape Bracts: light olive grey (197A RHS Chart), .2in (.5cm) long × .1in (.2cm) wide

Flower: 1.8 in (4.7cm) long; very light purple (76B RHS Chart) with translucent margins; spider; Beijing, China; 8/26 - 9/5 - 9/20

Seed: sets seed, viability unknown; green pods

Clump History: original seedling; 4 years old; Beijing, China

Notable Characteristics: Very fertile fast-growing clump with long erect scapes holding light purple flowers - like a mountain plant.

Parentage: *H.* *yingeri* × OP

H. 'Moon Pies'

M. Singkofer (ONIR)

Plant: 42in (106.7cm) diameter; 23in (58.4cm) high; mound-like; moderate growth rate.

Leaf: 13.5in (34.3cm) long; 11.5in (29.2cm) wide; 11 to 13 vein pairs; dark green with .5 to 1.5in (1.3 to 3.8cm) wide chartreuse to yellow slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate to nearly round with cordate base; lightly wavy overall with widely spaced prominent veins.

Scape: 30 to 34in (76.2 to 86.4cm) high; dark green

Flower: 2.5in (6.4cm) long; near white; tubular; Mosinee, WI; 6/14 - 6/30 - 7/13

Seed: sets seed, viability unknown; green pods

Clump History: original seedling; 6 years old; Mosinee, WI

Notable Characteristics: Chartreuse margin color does not extend to the leaf tips.

Parentage: Parentage Unknown

O

H. 'Old Rocky Top'

D. Rawson (O) C. Hanna (NIR)

Plant: 66in (167.6cm) diameter; 32in (81.3cm) high; mound-like; moderate growth rate.

Leaf: 15in (38.1cm) long; 13in (33cm) wide; 18 to 19 vein pairs; medium blue green with slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; nearly round with cordate base; significant folds, twists & convex cupping with intense corrugation overall presents a very craggy appearance.

Scape: 32 to 35in (81.3 to 88.9cm) high; green

Flower: 1.6in (4.1cm) long; pale lavender with distinct lavender central splash, white borders and translucent edges on alternate petals; tubular; Marion, OH; 6/28 - 7/10 - 7/20

Seed: sets viable seed; green pods

Clump History: original seedling; 9 years old; Marion, OH

Notable Characteristics: Large clump of blue green leaves with huge corrugation bumps give the impression of a rock strewn mountain.

Parentage: *H.* 'Fantastic' × OP

H. 'Orange Twist'

M. Dammen (ONIR)

Plant: 18in (45.7cm) diameter; 12in (30.5cm) high; mound-like; slow growth rate.

Leaf: 6in (15.2cm) long; 3.5in (8.9cm) wide; 5 to 8 vein pairs; golden yellow with 1 to 1.5in (2.5 to 3.8cm) wide, dark green flat margins; dull on top; glaucous bloom underneath; ovate to broadly ovate with tapered to flat base; intensely wavy and twisted with lightly corrugated centers and moderately corrugated margins. The dark green margin color extends down the entire petiole.

Scape: 14 to 16in (35.6 to 40.6cm) high; medium green

Flower: 2in (5.1 cm) long; pale lavender; tubular; Hollandale, MN; 7/18 - 7/30 - 8/15

Seed: sets viable seed; green pods

Clump History: original sport; 8 years old; Hollandale, MN

Notable Characteristics: Similar colors to the parent but wider, more corrugated margins cause distortion and twisting of the leaves that terminate with apiculate tips.

Parentage: Sport of *H.* 'Orange Marmalade'

P

H. 'Princess E'

A. Meier (O) M. Entemann (NIR)

Plant: 39in (99.1cm) diameter; 17in (43.2cm) high; mound-like; moderate growth rate.

Leaf: 11in (27.9cm) long; 7in (17.8cm) wide; 12 vein pairs; slightly blue green with slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base

Scape: 20 to 22in (50.8 to 55.9cm) high; blue green

Flower: 2in (5.1cm) long; pale lavender; tubular; Teltow, Germany; 6/10 - 6/17 - 6/24

Seed: sets non-viable seed

Clump History: original seedling; 6 yrs old; Teltow, Germany

Notable Characteristics: One of a few seedlings Antje Meier got from *H.* 'Neptune' that probably has some *H. pycnophylla* genes in it. Antje Meier was an artist and hosta lover/collector. As an artist she called herself Princess Eugenie from living in Prince-Eugen Strasse in Berlin-Wedding.

Parentage: *H.* 'Neptune' × OP

H. 'Princess Willa Valentina'

C. Kwick (ONIR)

Plant: 22in (55.9cm) diameter; 11in (27.9cm) high; upright; moderate growth rate.

Leaf: 10in (25.4cm) long; 8.5in (21.6cm) wide; 8 to 10 vein pairs; dark green with slightly rippled margins; slightly shiny on top; dull underneath; broadly ovate with cordate base; relatively flat overall with mature leaves having unique cupping where partial veins intersect, and cuspidate leaf tips.

Scape: 16 to 24in (40.6 to 61cm) high; green

Scape Bracts: small vestigial leaves

Flower: 2in (5.1cm) long; medium lavender central stripes, alternate petals have translucent margins; tubular; Eau Claire, WI; 7/23 - 8/8 - 8/14

Seed: sets seed, viability unknown; green pods

Clump History: original seedling; 10 years old; Eau Claire, WI

Notable Characteristics: Heart-shaped shiny green leaves with sharply pointed leaf tips. Unique shallow cupping on mature leaves makes them shaped like a platter.

Parentage: *H. montana* 'Aureomarginata' × *H. 'Paradigm'*

H. 'Purple Triumphator' G. & R. Ragus (ONIR)

Plant: 25.6in (65cm) diameter; 22.4in (57cm) high; upright; moderate growth rate.

Leaf: 8.7in (22cm) long; 6.5in (16.5cm) wide; 9 to 11 vein pairs; medium green with flat margins; satiny sheen on top; glaucous bloom underneath; broadly ovate with tapered base; relatively flat overall with widely spaced prominent veins.

Scape: 31.5 to 40.2in (80 to 102cm) high; green

Flower: 1.7in (4.4cm) long; deep purple with intense purple stripes and partially white margins; tubular; Ganderkesee, Germany; 6/24 - 7/10 - 7/18

Seed: sets viable seed; green pods with dense purple spots

Clump History: original seedling; 6 years old; Ganderkesee, Germany

Notable Characteristics: Large violet flowers on very long scapes.

Parentage: *H. 'White Triumphator'* × *H. 'Purple Flamingo'*

R

H. 'Red Ninja' N. Kramer (ON) Plantipp BV (R)
Plantipp BV & Concept Plants (I)

Plant: 15in (38cm) diameter; 11.8in (30cm) high; mound-like; moderate growth rate.

Leaf: 3.1in (8cm) long; 2.6in (6.7cm) wide; 5 to 6 vein pairs; dark red (187A-B RHS Chart) with .2 to .4in (.5 to 1cm) wide strong yellow green (144A RHS Chart) flat margins; slightly shiny on top; ovate with tapered base; relatively flat overall.

Scape: 15.7 to 19.7in (40 to 50cm) high; dark red

Flower: 2in (5cm) long; purple with darker purple stripes; tubular with somewhat recurved petals; Jul 15 to Sep 15; Væggerløse, Falster, Denmark

Seed: does not set seed

Clump History: original sport; 4 yrs old; Væggerløse, Falster, Denmark

Notable Characteristics: Dark green leaves with strong dark red centers. This variety retains its unique color throughout the growing season. This hosta is named after Ninja Kramer (the Originator).

Parentage: Sport of *H. 'First Blush'*

Seasonal Color: Leaves emerge light green and very soon develop the first flush of red. By late spring (through autumn) the leaf centers are dark red with darker green margins.

H. 'Ruh the Day'

K. Dye (ONIR)

Plant: 34.3in (87cm) diameter; 13.8in (35cm) high; mound-like; fast growth rate.

Leaf: 12.6in (32cm) long; 10.6in (27cm) wide; 12 to 14 vein pairs; medium green with .2 to 2in (.5 to 5cm) wide golden yellow slightly rippled margins; dull on top; glaucous bloom underneath; broadly ovate with cordate base; light to moderate corrugation overall.

Scape: 23.6 to 27.6in (60 to 70cm) high; medium green

Flower: 2in (5cm) long; near white with faint striping; tubular; Mapleton, IL; 6/30 - 7/14 - 7/28

Seed: sets viable seed; medium green pods

Clump History: original sport; 4 years old; Mapleton, IL

Notable Characteristics: Green centered sport of *H. 'Lemon Meringue'* with highly variable margin widths and same white backed leaves.

Parentage: Sport of *H. 'Lemon Meringue'*

Seasonal Color: light glaucous coating gives a blue cast early in the season.

S

H. 'Selah Magnolia'

C. Kwick (ONIR)

Plant: 18in (45.7cm) diameter; 9in (22.9cm) high; mound-like; moderate growth rate.

Leaf: 6in (15.2cm) long; 4in (10.2cm) wide; 6 to 7 vein pairs; medium green with flat margins; very shiny on top; very shiny underneath; ovate with rounded base; light cupping overall with widely spaced veins

Scape: 19 to 20in (48.3 to 50.8cm) high; medium green

Scape Bracts: small vestigial leaves

Flower: 2.3in (5.7cm) long; pale purple with darker purple stripes and white throat; tubular; Eau Claire, WI; 7/17 - 7/22 - 7/26

Seed: seed set not provided

Clump History: original seedling; 8 years old; Eau Claire, WI

Notable Characteristics: Medium green leaves have an eye-catching satiny sheen. Purple buds open to reveal pretty flowers in July.

Parentage: *H. 'Summer Lovin'* × OP

H. 'Sew in Love'

R. Solberg (O) M. Dammen (NIR)

Plant: 20in (50.8cm) diameter; 10in (25.4cm) high; mound-like; slow growth rate.

Leaf: 6in (15.2cm) long; 5in (12.7cm) wide; 7 to 8 vein pairs; dark green with 2in (5.1cm) wide, bright yellow flat margins; dull on top; dull underneath; broadly ovate with cordate base; lightly twisted, wavy and corrugated overall with light gathering between the center and margins

Scape: 10 to 12in (25.4 to 30.5cm) high; medium green

Flower: 2in (5.1 cm) long; pale lavender; bell-shaped; Hollandale, MN; 7/25 - 8/2 - 8/10

Clump History: original sport; 5 years old; Hollandale, MN

Notable Characteristics: It is no surprise that 'Sew in Love' resembles 'Stitch in Time'. 'Sew in Love' is a sport of 'Summer Lovin', which in turn is a sport of 'Summer Breeze'. 'Stitch in Time' is a sport of 'Summer Breeze' also, so both are related to 'Summer Breeze'. The most obvious physical difference is this one has a narrower green center.

Parentage: Sport of *H. 'Summer Lovin'*

H. 'Show Girl'

M. Dammen (ONIR)

Plant: 30in (76.2cm) diameter; 15in (38.1cm) high; mound-like; fast growth rate.

Leaf: 7in (17.8cm) long; 6in (15.2cm) wide; 10 vein pairs; blue green with .5in (1.3cm) wide chartreuse flat margins; glaucous bloom on top; glaucous bloom underneath; nearly round with cordate base; moderately cupped, and lightly corrugated & wavy overall.

Scape: 17 to 20in (43.2 to 50.8cm) high; medium green

Flower: 2in (5.1cm) long; pale lavender; tubular; Hollandale, MN; 7/10 - 7/17 - 7/30

Seed: sets viable seed

Clump History: original sport; 7 years old; Hollandale, MN

Notable Characteristics: This sport includes all the great features of *H. 'Chorus Girl'* with the addition of blue green centers.

Parentage: Sport of *H. 'Chorus Girl'*

Seasonal Color: glaucous bloom fades to reveal brassy gold margins.

H. 'Sir Lucas'

C. Kwick (ONIR)

Plant: 60in (152.4cm) diameter; 29in (73.7cm) high; mound-like; fast growth rate.

Leaf: 13in (33cm) long; 10.5in (26.7cm) wide; 13 to 15 vein pairs; green with slightly rippled margins; dull on top; glaucous bloom underneath; broadly ovate with cordate base; lightly folded and wavy overall.

Scape: 28 to 48in (71.1 to 121.9cm) high; green with glaucous bloom

Flower: 1.5in (3.8cm) long; near white with very light lavender stripes and translucent margins on alternate petals; tubular; Eau Claire, WI; 6/10 - 6/25 - 7/15

Seed: sets seed, viability unknown; green pods

Clump History: original seedling; 10 years old; Eau Claire, WI

Notable Characteristics: Deeply veined green leaves drape nicely while forming a large imposing clump.

Parentage: *H. 'Blue Umbrellas'* × *OP*

H. 'Skylark'

J. Van Ostrand (OIR) E. Van Ostrand (N)

Plant: 56in (142.2cm) diameter; 27.5in (69.9cm) high; mound-like; moderate growth rate.

Leaf: 12in (30.5cm) long; 9in (22.9cm) wide; 12 to 13 vein pairs; medium green with .5 to 3in (1.3 to 7.6cm) wide, yellow flat margins; slightly shiny on top; glaucous bloom underneath; broadly ovate with cordate base; lightly cupped and corrugated overall.

Scape: 16 to 36in (40.6 to 91.4cm) high; medium green

Flower: 2.1in (5.3cm) long; pale lavender; tubular; Hawthorn Woods, IL; 6/14 - 6/25 - 7/8

Seed: sets seed, viability unknown; green pods

Clump History: original seedling; 16 years old; Hawthorn Woods, IL

Notable Characteristics: Large clump of medium green leaves with variable width yellow margins.

Parentage: *H. 'City Lights'* × *H. 'Sagae'*

H. 'Spring Sunrise'

M. Dammen (ONIR)

Plant: 30in (76.2cm) diameter; 16in (40.6cm) high; mound-like; moderate growth rate.

Leaf: 11in (27.9cm) long; 7in (17.8cm) wide; 13 to 14 vein pairs; medium green with slightly rippled margins; dull on top; dull underneath; broadly ovate with cordate base; lightly wavy overall.

Scape: 29 to 31in (73.7 to 78.7cm) high; medium green

Flower: 3in (7.6cm) long; pale lavender; tubular; Hollandale, MN; 7/1 - 7/7 - 7/14

Seed: sets viable seed; green pods

Clump History: original sport; 4 years old; Hollandale, MN

Notable Characteristics: Mostly yellow leaves with some medium green streaks early, turning medium green all over. 'Spring Sunrise' lacks the dark green margin color and the heavy ripples of its sport parent.

Parentage: Sport of *H. 'War Paint'*

Seasonal Color: emerges yellow with a few medium green streaks turning medium green within a few weeks.

H. 'Summer Smile'

O. Walker & C. Potts (ONIR)

Plant: 15.7in (40cm) diameter; 13.8in (35cm) high; upright; moderate growth rate.

Leaf: 7.9in (20cm) long; 5.9in (15cm) wide; 6 vein pairs; yellow; with .4in (1cm) wide medium green, slightly rippled margins; dull on top; glaucous bloom underneath; broadly ovate with flat base; relatively flat overall.

Scape: 9.4 to 26in (24 to 61cm) high; reddish purple

Flower: 2in (5cm) long; pale purple; tubular; Knaphill, Surrey, UK; 7/15 - 7/30 - 8/15

Seed: sets seed, viability unknown; purple pods

Clump History: original sport; 4 yrs old; Knaphill, Surrey, UK

Notable Characteristics: Everything you love about *H.*

'Designer Genes' with the addition of narrow green margins.

Parentage: Sport of *H. 'Designer Genes'*

H. 'Sunrise Promise'

C. Hanna (ONIR)

Plant: 64in (162.6cm) diameter; 31in (78.7cm) high; mound-like; moderate growth rate.

Leaf: 15in (38.1cm) long; 10in (25.4cm) wide; 17 to 18 vein pairs; yellow with flat margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; lightly folded and moderately cupped overall, moderately to deeply corrugated in central portion only.

Scape: 36 to 38in (91.4 to 96.5cm) high; green

Flower: 2in (5.1cm) long; pale lavender with lavender center splash and white borders; tubular; Marion, OH; 6/28 - 7/10 - 7/20

Seed: sets viable seed; green pods

Clump History: original seedling; 9 years old; Marion, OH

Notable Characteristics: Very large yellow hosta that brightens any garden. Unique leaf presentation where outer third is relatively flat while the centers are moderately to deeply corrugated.

Parentage: (*H. 'Cornerstone'* × *H. 'Brutus'*) × (*H. 'Midnight Sun'* × *H. 'Boondocks'*)

Seasonal Color: emerges light green turning yellow mid-season

H. 'Sunshine Gal'

C. Hanna (ONIR)

Plant: 68in (172.7cm) diameter; 32in (81.3cm) high; upright; moderate growth rate.

Leaf: 13in (33cm) long; 11in (27.9cm) wide; 14 to 15 vein pairs; yellow with flat margins; slightly shiny on top; glaucous bloom underneath; broadly ovate with cordate base; lightly cupped and moderately corrugated overall.

Scape: 36 to 38in (91.4 to 96.5cm) high; green

Flower: 1.5in (3.8cm) long; white; tubular; Marion, OH; 7/5 - 7/15 - 7/20

Seed: sets viable seed; green pods

Clump History: original seedling; 12 years old; Marion, OH

Notable Characteristics: Very large upright clump of sunshine yellow leaves that hold their color all season long. Has many characteristics of *H. 'Aspen Gold'* with the added size of *H. 'Elatior'*.

Parentage: *H. 'Aspen Gold'* × *H. 'Elatior'*

T

H. 'Tablespoon' M. Dammen (ONIR)

Plant: 18in (45.7cm) diameter; 9in (22.9cm) high; mound-like; moderate growth rate.

Leaf: 5.5in (14cm) long; 4.5in (11.4cm) wide; 7 vein pairs; medium green with flat margins; dull on top; glaucous bloom underneath; nearly round with cordate base; deeply cupped and lightly corrugated overall.

Scape: 18 to 20in (45.7 to 50.8cm) high; medium green

Flower: 2in (5.1cm) long; pale lavender central stripes with white margins; bell-shaped; Hollandale, MN; 6/30 - 7/7 - 7/15

Seed: sets seed, viability unknown

Clump History: original seedling; 5 years old; Hollandale, MN

Notable Characteristics: Similar to *H. 'Teaspoon'* in leaf shape and color, but larger.

Parentage: *H. 'Teaspoon'* × OP

H. 'Talk a Blue Streak' M. Singkofer (ONIR)

Plant: 30in (76.2cm) diameter; 18in (45.7cm) high; upright; moderate growth rate.

Leaf: 8in (20.3cm) long; 6.5in (16.5cm) wide; 8 to 10 vein pairs; blue green with creamy white to yellow streaks and .3 to 1in (.6 to 2.5cm) wide medium blue green flat margins; dull on top; slightly shiny underneath; broadly ovate with cordate base; very lightly cupped and corrugated overall with streaked petioles.

Scape: 26 to 32in (66 to 81.3cm) high; dark green and/or streaked

Flower: 1.5in (3.8cm) long; pale lavender with medium lavender stripes; tubular; Mosinee, WI; 6/18 - 7/10 - 7/20

Seed: sets seed, viability unknown; medium green pods

Clump History: original seedling; 6 years old; Mosinee, WI

Notable Characteristics: Medium sized clump of streaked leaves some of which have variable width blue green margins.

Parentage: Parentage Unknown

H. 'Teltow Amber Jasmin' M. Entemann (ONIR)

Plant: 27in (68.6cm) diameter; 16in (40.6cm) high; mound-like; moderate growth rate.

Leaf: 8in (20.3cm) long; 7in (17.8cm) wide; 10 vein pairs; dark green with flat margins; dull on top; glaucous bloom underneath; nearly round with cordate base; lightly cupped and corrugated overall.

Scape: 35 to 38in (88.9 to 96.5cm) high; blue green

Flower: 2in (5.1cm) long; near white; bell-shaped; Teltow, Germany; 6/20 - 7/3 - 7/10

Seed: sets non-viable seed

Clump History: original seedling; 6 yrs old; Teltow, Germany

Notable Characteristics: Nearly round, dark green leaves of good substance. Near white flowers on tall scapes.

Parentage: *H. 'Heideturm'* × OP

H. 'Teltow Johanna' M. Entemann (ONIR)

Plant: 31in (78.7cm) diameter; 13in (33cm) high; upright; moderate growth rate.

Leaf: 9in (22.9cm) long; 6.5in (16.5cm) wide; 12 vein pairs; dark green with slightly rippled margins; slightly shiny on top; dull underneath; broadly ovate with cordate base; lightly cupped and corrugated overall.

Scape: 37 to 39in (94 to 99.1cm) high; blue green

Flower: 2in (5.1cm) long; near white; tubular; Teltow, Germany; 6/20 - 6/30 - 7/8

Seed: sets seed, viability unknown; green pods

Clump History: original seedling; 6 yrs old; Teltow, Germany

Notable Characteristics: More upright than *H. 'Heideturm'* with larger nearly white flowers held on tall blue green scapes.

Parentage: *H. 'Heideturm'* × OP

H. 'Teltow Million Bells' M. Entemann (ONIR)

Plant: 18in (45.7cm) diameter; 7in (17.8cm) high; mound-like; moderate growth rate.

Leaf: 4.5in (11.4cm) long; 2.5in (6.4cm) wide; 5 vein pairs; greenish yellow with moderately rippled margins; slightly shiny on top; dull underneath; ovate with cordate base; lightly twisted and wavy overall.

Scape: 24 to 26in (61 to 66cm) high; green

Flower: 1.5in (3.8cm) long; pale lavender with medium purple stripes; tubular; Teltow, Germany; 6/25 - 7/2 - 7/10

Seed: does not set seed

Clump History: original seedling; 6 yrs old; Teltow, Germany

Notable Characteristics: Smallish mound of chartreuse leaves that turn yellow later. Numerous scapes with plenty of flowers.

Parentage: *H. 'Heideturm'* × OP

Seasonal Color: turns yellow (lutescent) later in the year.

H. 'Teltow Red Monkey' M. Entemann (ONIR)

Plant: 23in (58.4cm) diameter; 11in (27.9cm) high; mound-like; fast growth rate.

Leaf: 6in (15.2cm) long; 3.5in (8.9cm) wide; 8 vein pairs; dark green with slightly rippled margins; dull on top; slightly shiny underneath; ovate with tapered base; relatively flat overall.

Scape: 33 to 35in (83.8 to 88.9cm) high; very dark red

Flower: 1in (2.5cm) long; medium lavender with medium purple stripes; tubular; Teltow, Germany; 7/2 - 7/10 - 7/15

Seed: does not set seed

Clump History: original seedling; 5 yrs old; Teltow, Germany

Notable Characteristics: Dark green wavy leaves of good substance. Very red petioles with the color extending to the base of the leaves. Tall red scapes.

Parentage: *H. 'Funky Monkey'* × OP

H. 'Teltow Volcanic Eruption' M. Entemann (ONIR)

Plant: 31in (78.7cm) diameter; 14in (35.6cm) high; mound-like; moderate growth rate.

Leaf: 8in (20.3cm) long; 3.5in (8.9cm) wide; 7 vein pairs; medium green with slightly rippled margins; dull on top; glaucous bloom underneath; ovate with cordate base; lightly wavy overall with dark red petioles.

Scape: 41 to 44in (104.1 to 111.8cm) high; reddish purple

Flower: 2in (5.1cm) long; medium lavender; bell-shaped; Teltow, Germany; 7/25 - 7/29 - 8/5

Seed: sets seed, viability unknown; red pods

Clump History: original seedling; 6 yrs old; Teltow, Germany

Notable Characteristics: Very long reddish-purple scapes with red seed pods reminiscent of magma erupting from a volcano.

Parentage: *H. 'Volcano Island'* × OP

H. 'Teltow White Dishes' M. Entemann (ONIR)
Plant: 31in (78.7cm) diameter; 13in (33cm) high; upright; moderate growth rate.
Leaf: 8in (20.3cm) long; 5in (12.7cm) wide; 9 vein pairs; medium blue green with flat margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; lightly cupped and corrugated overall.
Scape: 24 to 26in (61 to 66cm) high; blue green
Flower: 1.5in (3.8cm) long; near white; bell-shaped; Teltow, Germany; 6/15 - 6/25 - 7/2
Seed: sets seed, viability unknown; green pods
Clump History: original seedling; 6 yrs old; Teltow, Germany
Notable Characteristics: Upright glaucous foliage of good substance with near white, broad, bell-shaped flowers.
Parentage: *H. 'Heideturm'* × *OP*

H. 'Teltow White Spinach' M. Entemann (ONIR)
Plant: 30in (76.2cm) diameter; 14in (35.6cm) high; mound-like; moderate growth rate.
Leaf: 8.5in (21.6cm) long; 7in (17.8cm) wide; 12 vein pairs; olive green with flat margins; slightly shiny on top; glaucous bloom underneath; broadly ovate with cordate base; lightly wavy, corrugated and twisted with occasional convex cupping overall.
Scape: 26 to 29in (66 to 73.7cm) high; blue green
Flower: 2in (5.1cm) long; near white; bell-shaped; Teltow, Germany; 6/20 - 6/25 - 7/2
Seed: sets seed, viability unknown; green pods
Clump History: original seedling; 6 yrs old; Teltow, Germany
Notable Characteristics: Shiny, olive green, twisted and corrugated foliage with near white flowers.
Parentage: *H. 'Heideturm'* × *OP*

H. 'Teltow White Whale' M. Entemann (ONIR)
Plant: 33in (83.8cm) diameter; 14in (35.6cm) high; mound-like; moderate growth rate.
Leaf: 9in (22.9cm) long; 7.5in (19.1cm) wide; 11 vein pairs; dark green with slightly rippled margins; slightly shiny on top; glaucous bloom underneath; broadly ovate with cordate base; lightly corrugated with occasional convex cupping overall.
Scape: 38 to 40in (96.5 to 101.6cm) high; blue green
Flower: 1in (2.5cm) long; near white; tubular; Teltow, Germany; 6/20 - 6/30 - 7/8
Seed: sets seed, viability unknown; green pods
Clump History: original seedling; 6 yrs old; Teltow, Germany
Notable Characteristics: Leaves are broader and darker green than *H. 'Heideturm'* with white flowers held on tall blue green scapes.
Parentage: *H. 'Heideturm'* × *OP*

H. 'Teltower Turm' M. Entemann (ONIR)
Plant: 35in (88.9cm) diameter; 15in (38.1cm) high; mound-like; moderate growth rate.
Leaf: 10in (25.4cm) long; 6in (15.2cm) wide; 11 vein pairs; dark green with flat margins; dull on top; dull underneath; ovate with tapered base; very lightly wavy and corrugated overall.
Scape: 48 to 52in (121.9 to 132.1cm) high; reddish green (green at base becoming more red ascending upward)
Scape Bracts: red spotted bracts
Flower: 2in (5.1cm) long; pale lavender with medium to dark lavender stripes; tubular; Teltow, Germany; 6/25 - 7/2 - 7/15
Seed: sets seed, viability unknown; green pods
Clump History: original seedling; 6 yrs old; Teltow, Germany

Notable Characteristics: Tall scapes like *H. 'Heideturm'* but are more red, and flowers are more intense lavender.
Parentage: *H. 'Heideturm'* × *OP*

H. 'The Good, the Bad and the Ugly' C. Kwick (OIR)
M. Dammen (N)
Plant: 22in (55.9cm) diameter; 11in (27.9cm) high; mound-like; slow growth rate.
Leaf: 6.5in (16.5cm) long; 1.8in (4.4cm) wide; 6 to 7 vein pairs; light green with flat margins; slightly shiny on top; slightly shiny underneath; narrowly ovate with tapered base; relatively flat overall with a distinct non-hosta appearance
Scape: 8 to 12in (20.3 to 30.5cm) high; medium green
Scape Bracts: small vestigial leaves
Flower: 1.5in (3.8cm) long; pale lavender with medium lavender central splash on white and translucent margins on alternate petals; tubular; Eau Claire, WI; 8/1 - 8/8 - 8/18
Seed: seed set not provided
Clump History: original seedling; 15 years old; Eau Claire, WI
Notable Characteristics: Long, almost fuzzy looking leaves whose looks are not representative of their parents. A great conversation hosta.
Parentage: *H. 'Sum and Substance'* × *H. 'Blue Umbrellas'*

H. 'There Goes Tokyo' C. Boyko (ONIR)
Plant: 72in (182.9cm) diameter; 39in (99.1cm) high; semi-upright; moderate to fast growth rate.
Leaf: 13 to 16in (33 to 40.6cm) long; 14 to 15in (35.6 to 38.1cm) wide; 15 to 16 vein pairs; medium green with lightly wavy margins; slightly shiny on top; glaucous bloom underneath; nearly round with cordate base; lightly cupped and corrugated overall.
Scape: 48 to 55in (121.9 to 139.7cm) high; green
Flower: 2.5in (6.4cm) long; pale lavender; with pale lavender striping down the center of white petals with translucent margins; tubular; South Cayuga, Ontario; 7/27 - 8/15 - 8/25
Seed: sets seed, viability unknown; green pods
Clump History: original sport; 15 years old; South Cayuga, Ontario
Notable Characteristics: Solid green leaves adorn this very large mound that is more flat and broader than its parent.
Parentage: Sport of *H. 'Sum and Substance'*

H. 'Tickled My Fancy' C. Kwick (ONIR)
Plant: 18in (45.7cm) diameter; 6in (15.2cm) high; mound-like; moderate growth rate.
Leaf: 5.5in (14cm) long; 3.5in (8.9cm) wide; 9 to 10 vein pairs; medium green with flat margins; very shiny on top; very shiny underneath; ovate with cordate base; moderately corrugated overall, leaves held in a tight cluster
Scape: 24 to 32in (61 to 81.3cm) high; light green
Scape Bracts: small bracts
Flower: 1.5in (3.8cm) long; near white with very light lavender striping; tubular with broad recurved petals; Eau Claire, WI; 7/6 - 7/11 - 7/18
Seed: sets seed, viability unknown; light green pods
Clump History: original seedling; 5 years old; Eau Claire, WI
Notable Characteristics: Petite mound of shiny, medium green leaves with dimpled, bead-like corrugations.
Parentage: Parentage Unknown

H. 'Tower of Power' R. Mortko (ONI) B. Ankney (R)

2024 REGISTRATIONS

Plant: 52in (132.1cm) diameter; 30in (76.2cm) high; mound-like; fast growth rate.
Leaf: 14in (35.6cm) long; 11in (27.9cm) wide; 13 to 14 vein pairs; dark green with slightly rippled margins; slightly shiny on top; slightly shiny underneath; broadly ovate with rounded base; lightly wavy and corrugated overall.
Scape: 30 to 40in (76.2 to 101.6cm) high; light green
Flower: 2.5in (6.4cm) long; near white; tubular; Jun 1- Jul 15; Oshkosh, WI
Seed: sets seed, viability unknown
Clump History: tissue cultured; 7 years old; Oshkosh, WI
Notable Characteristics: Deeply veined gracefully arching mound of dark green leaves with slightly wavy margins.
Parentage: Sport of *H. 'Continental Divide'*

H. 'Triton vom Wedding' A. Meier (O) M. Entemann (NIR)
Plant: 28in (71.1cm) diameter; 10in (25.4cm) high; mound-like; moderate growth rate.
Leaf: 7.5in (19.1cm) long; 3in (7.6cm) wide; 8 vein pairs; slightly blue green with slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; lance-shaped with tapered base; relatively flat overall.
Scape: 20 to 25in (50.8 to 63.5cm) high; green with glaucous coating
Scape Bracts: blue green with red spots and glaucous coating
Flower: 2in (5.1cm) long; pale lavender with medium purple stripes; tubular; Teltow, Germany; 7/15 - 7/23 - 7/30
Seed: does not set seed
Clump History: original seedling; 5 yrs old; Teltow, Germany
Notable Characteristics: Elegant yet smaller than *H. 'Neptune'* with good substance and long recumbent scapes.
Parentage: *H. 'Neptune'* × *H. pycnophylla*

H. 'Twilight Shadows' R. Lysne (ONIR)
Plant: 25in (63.5cm) diameter; 15in (38.1cm) high; mound-like; fast growth rate.
Leaf: 8.5in (21.6cm) long; 4in (10.2cm) wide; 7 to 9 vein pairs; bluish green with chartreuse undertones and moderately rippled margins; slightly shiny on top; dull underneath; ovate with cordate base; relatively flat overall with distinctly lighter colored veins.
Scape: 13 to 16in (33 to 40.6cm) high; green
Flower: 1.5in (3.8cm) long; medium lavender with lavender stripes; tubular; Ferryville, WI; 7/10 - 7/18 - 7/24
Seed: sets viable seed; green pods
Clump History: original seedling; 8 years old; Ferryville, WI
Notable Characteristics: Tidy, well-balanced clump of slightly wavy leaves of varying shades and expressions of bluish green over chartreuse.
Parentage: *H. 'Halcyon'* × *H. 'Pleasure Seeker'*
Seasonal Color: Glaucous coating early in the season.

V

H. 'Vibrant' M. Dammen (ONIR)
Plant: 18in (45.7cm) diameter; 12in (30.5cm) high; upright; moderate growth rate.
Leaf: 6in (15.2cm) long; 3in (7.6cm) wide; 7 vein pairs; dark green streaked with white & gold, with flat margins; slightly shiny on top; slightly shiny underneath; ovate with tapered base; lightly folded and wavy overall.

Scape: 18 to 20in (45.7 to 50.8cm) high; purple
Flower: 2 in (5.1cm) long; deep purple; tubular; Hollandale, MN; 7/10 - 7/17 - 7/30
Seed: sets viable seed; red pods eventually turn black
Clump History: original seedling; 4 years old; Hollandale, MN
Notable Characteristics: Dark green leaves with various streaks of white and gold. Leaves are somewhat wavy with thick substance. Purple scapes, purple flowers, and purple seed pods. The pollen parent is most likely *H. 'Javelin'*.
Parentage: *H. 'Kiwi Highlights'* × OP

W

H. 'Weedling Wonder' Dr J. Resch (ONIR)
Plant: 37in (94cm) diameter; 15in (38.1cm) high; mound-like; moderate growth rate.
Leaf: 4.8in (12.1cm) long; 4.3in (10.8cm) wide; 8 to 9 vein pairs; moderate olive green (137A RHS Chart) with flat margins; slightly shiny on top; dull underneath; broadly ovate with cordate base; relatively flat overall.
Scape: 19 to 25in (48.3 to 63.5cm) high; green
Flower: 1.8in (4.4cm) long; pale lavender with lavender striping and a near-white throat; bell-shaped; Bear, DE; 6/20 - 6/29 - 7/8
Seed: does not set seed
Clump History: original seedling; 8 years old; Bear, DE
Notable Characteristics: Dense mounding habit with pale lavender flowers on erect scapes.
Parentage: Parentage Unknown

H. 'Wheee!' Wm. Meyer (OIR) C. Brashear (N)
Plant: 29.5in (75cm) diameter; 11in (28cm) high; mound-like; fast growth rate.
Leaf: 11.4in (29cm) long; 2.4in (6cm) wide; 10 to 12 vein pairs; medium green with variable width .1 to .8in (.2 to 2cm) creamy white undulating margins; dull on top; glaucous bloom underneath; ovate with tapered base; intensely wavy and lightly twisted & folded overall.
Scape: green
Flower: 2.5in (6.4cm) long; pale lavender center splash with near white margins and translucent edges; tubular; Woodbury, CT; 7/1 - 7/15 - 7/31
Seed: sets viable seed; green pods
Clump History: original sport; 18 years old; Woodbury, CT
Notable Characteristics: Emerges with unusual, curled shoots that result in a symmetrical clump of very curly, wavy leaves.
Parentage: Sport of *H. 'Leola Frain'*

H. 'Whispering Waves' D. Dean (OIR) D. Dean/R. Mortko (N)
Plant: 32in (81.3cm) diameter; 16in (40.6cm) high; upright; moderate growth rate.
Leaf: 8.3in (21cm) long; 6.5in (16.5cm) wide; 7 to 8 vein pairs; bright medium green with heavily rippled margins; dull on top; dull underneath; ovate with tapered base; light twisting toward leaf tips and red on lower portion of the petioles.
Scape: 17 to 21in (43.2 to 53.3cm) high; whitish with burgundy blush
Flower: 2in (5.1cm) long; pale lavender with medium lavender stripes and translucent margins; tubular; Ramsey, MN; 8/8 - 8/19 - 8/30

Seed: sets seed, viability unknown; green pods
Clump History: original seedling; 10 years old; Ramsey, MN
Notable Characteristics: Flared clump of bright green, ruffle-edged leaves with twisted tips, and red on the lower half of the petioles.

Parentage: *H.* 'Peek-a-boo Purple' × (*H.* 'Astral Bliss' × *H.* 'Purple Verticulated Elf')

Seasonal Color: Bright green becomes dark green by late season

***H.* 'Wind in the Willows'** M. Dammen (ONIR)

Plant: 30in (76.2cm) diameter; 12in (30.5cm) high; mound-like; moderate growth rate.

Leaf: 7in (17.8cm) long; 5in (12.7cm) wide; 7 to 8 vein pairs; medium green with 1.3in (3.2cm) wide dark green moderately rippled margins; slightly shiny on top; dull underneath; ovate with flat base; moderately wavy and lightly twisted & corrugated overall.

Scape: 14 to 16in (35.6 to 40.6cm) high; medium green

Flower: 2in (5.1cm) long; medium lavender; bell-shaped; Hollandale, MN; 7/20 - 7/27 - 8/4

Seed: sets viable seed; green pods

Clump History: original sport; 7 years old; Hollandale, MN

Notable Characteristics: Dark green margins on medium green lightly misted centers.

Parentage: Sport of *H.* 'Allegan Fog'

***H.* 'Wingspread'** J. Van Ostrand (ONIR)

Plant: 54in (137.2cm) diameter; 32in (81.3cm) high; upright; moderate growth rate.

Leaf: 12in (30.5cm) long; 8.5in (21.6cm) wide; 14 to 15 vein pairs; yellow with very lightly rippled margins; dull on top; dull underneath; broadly ovate with cordate base; lightly wavy overall.

Scape: 25 to 50in (63.5 to 127cm) high; green

Flower: 2.3in (5.8cm) long; pale lavender; tubular; Hawthorn Woods, IL; 6/21 - 6/28 - 7/19

Seed: sets seed, viability unknown; green pods

Clump History: original seedling; 15 years old; Hawthorn Woods, IL

Notable Characteristics: Elegant upright presentation of clear yellow gently wavy leaves.

Parentage: unnamed yellow Sport of *H.* 'Abba Dabba Do' × *H. montana* f. *macrophylla*

***H.* 'Winning Ticket'** H. Hansen (ONR) Walters Gardens (I)

Plant: 24in (61cm) diameter; 12in (30.5cm) high; mound-like; slow growth rate.

Leaf: 6in (15.2cm) long; 5in (12.7cm) wide; 10 to 11 vein pairs; medium blue green with 1 to 1.5in (2.5 to 3.8cm) wide yellow flat margins; dull on top; glaucous bloom underneath; nearly round with cordate base; lightly cupped with deeply impressed veins.

Scape: 12 to 13in (30.5 to 33cm) high; green

Flower: 1.5in (3.8cm) long; near white with faint lavender cast to exterior of petals, white interior with faint lavender stripes; tubular; Zeeland, MI; 6/23 - 7/3 - 7/11

Seed: sets viable seed; green pods

Clump History: original seedling; 10 years old; Zeeland, MI

Notable Characteristics: Very thick, nearly round blue green leaves with yellow margins. Similar to *H.* 'Blue Mouse Ears', but significantly larger and with a yellow margin.

Pod Parent: streaked sport of *H.* 'Empress Wu'

Pollen Parent: *H.* 'Mouse Tracks' × *H.* 'Elatior'

***H.* 'World of Color'**

M. Dammen (ONIR)

Plant: 20in (50.8cm) diameter; 10in (25.4cm) high; mound-like; moderate growth rate.

Leaf: 5in (12.7cm) long; 4in (10.2cm) wide; 7 to 8 vein pairs; green streaked with yellow and slightly rippled margins; dull on top; dull underneath; broadly ovate with cordate base; lightly wavy and corrugated overall.

Scape: 15 to 16in (38.1 to 40.6cm) high; densely spotted red

Flower: 2in (5.1 cm) long; pale purple; tubular; Hollandale, MN; 8/12 - 8/19 - 8/26

Seed: sets viable seed

Clump History: original seedling; 3 years old; Hollandale, MN

Notable Characteristics: Roundish, broadly ovate green leaves of thick substance are streaked with yellow and held on red petioles.

Parentage: *H.* 'Vivacious' × OP

Seasonal Color: emerges mostly yellow with green streaks gradually turning mostly green with creamy white to white streaks.

Z

***H.* 'Zippity Zee Zaw'**

M. Dammen (ONIR)

Plant: 18in (45.7cm) diameter; 9in (22.9cm) high; mound-like; slow growth rate.

Leaf: 6in (15.2cm) long; 2.5in (6.4cm) wide; 6 to 7 vein pairs; yellow to chartreuse with slightly rippled margins; dull on top; dull underneath; narrowly ovate with tapered base; lightly folded overall.

Scape: 12 to 13in (30.5 to 33cm) high; medium green

Flower: 1.5in (3.8cm) long; medium lavender; bell-shaped; Hollandale, MN; 8/6 - 8/18 - 8/25

Clump History: original seedling; 6 years old; Hollandale, MN

Notable Characteristics: Intense yellow early, slowly changing to chartreuse, then faded pale chartreuse with visible green veins.

Parentage: *H.* 'Hacksaw' × OP

Seasonal Color: slow change throughout the season from yellow to faded chartreuse.

