

2023 Registrations



The due date for registration submissions is December 1!

160 new registrations were added in 2023, for a total of 6,722 registered hostas.

The cutoff date for submission of registration materials is December 1st.

There are **no fees** for the first five (5) registrations per calendar year when registrants use the online registration tool at <http://www.hostaregistrar.org/Registration/>.

A \$10 fee IS required for each registration beyond five.

For those who cannot register online, the registrar provides registration completion for a fee of \$15 per cultivar. Use the new “worksheet” to gather and submit your registration details.

NOTE: **None** of the old registration “forms” are acceptable for use after January 1, 2022.

Respectfully submitted,



Gayle Hartley Alley

International Registrar for the Genus *Hosta*

33001 E 155th Street

Pleasant Hill, MO 64080-9365

(816) 697-2007 or (816) 914-3220

GiboshiGayle@gmail.com or HostaRegistry@gmail.com

Worksheets are available:

- ✓ On the final pages of this publication
- ✓ At <http://www.hostaregistrar.org/Registration/> (download the “Registration Guidelines” pdf)
- ✓ Contact the registrar to request a copy

Contents

<i>International Code of Nomenclature for Cultivated Plants (ICNCP) Ninth Edition</i>	<i>4</i>
Registration Guidelines	4
Name Release Forms	4
Photograph Requirements.....	4
Registration Errors.....	4
Symbol Usage in Parentage Descriptions.....	4
Typographer's Quotation Symbols.....	4
Rounding of Dimensions	5
Cultivar Name Establishment	5
AHS Name Reservation Policy.....	5
Flowering Periods.....	5
Clump Sizes	5
Color Selection for Leaf and Margins	5
Indicating Ploidy in Registrations.....	6
Cumulative Index to Hosta Registrations	6
Plant Patents, Plant Breeders' Rights and Establishment	6
Corrections and Comments.....	6
REGISTRATIONS	7

International Code of Nomenclature for Cultivated Plants (ICNCP) Ninth Edition

The *ICNCP* is the official publication incorporating the Rules and Recommendations for naming plants in cultivation. The Ninth Edition of the *ICNCP* was published by the International Society for Horticultural Science (ISHS) in June 2016. Hereafter, the *ICNCP* will be referred to simply as “the *Code*.”

Registration Guidelines

A continuously updated “Help” document is available for registrants. Go to: <http://www.hostaregistrar.org/> and select the Registrations tab, then select the link for “Registrations Guidelines.” This opens a downloadable pdf that explains all facets of registration.

Name Release Forms

Per the *Code*, permission must be granted for a person’s name to be used as the registered name of a cultivar. Permission forms with instructions for their use are included in the “Registration Guidelines” (see above).

Photograph Requirements

All registrations now require the submission of digital photographs. With registration photos being published, it is important to portray your cultivar’s noteworthy feature(s). For example, if red blushing leaves make your hosta unique – provide photos that adequately showcase this characteristic. Complete photograph requirements are included in the “Registration Guidelines” document (see above).

Registration Errors

Clear typographical and/or data entry errors are easily corrected by updating the database information and publishing those corrections within this document.

Not so straightforward, are instances where the published data accurately reflects the registrant’s information at the time the registration was approved and published, yet later proves to be misleading or outright erroneous. In these cases, **the registrant must approve any changes.**

In cases where the original registrant is not available and obvious errors are noted, we strive to work with what we have as best we can. An example would be the registration of *H. ‘Love Pat’* that has been discussed in depth, yet still remains as originally registered. To allow the AHS Show Classification team to update and clarify their classification listings, the registrar’s office now sanctions the use of the following materials:

- *Mark Zilis’ Field Guide to Hostas* by Mark R. Zilis, 2014 (Q & Z Nursery, Inc. Rochelle, IL)
- *The Hostapedia An Encyclopedia of Hostas* by Mark R. Zilis, 2009 (Q & Z Nursery, Inc. Rochelle, IL)

The official registration of hosta cultivars continues to be per the printed Registrations issue published each year.

We acknowledge that official registrations are a mere “snapshot in time” providing only static details. Registration data is gathered at a single geographic location and the state of maturity will vary from quite young to fully mature. Thus, original data may fall short of supplying complete, real-life details. When you have need for more information than what is contained in this document, you will find relevant, accurate, and interesting information in the reference materials listed above.

Symbol Usage in Parentage Descriptions

Parentheses are commonly used within each parentage description. To assist with more complicated crosses, the use of brackets and braces has been added. When using brackets and braces to describe parentage, the order of precedence is: parentheses () occur first, followed by brackets [] and then braces { }. Any number of these symbols can be used consecutively in a parentage equation depending on the complexity of the hybridization. Additionally, the mathematical × symbol is now used to indicate each cross between pod and pollen parents.

Typographer’s Quotation Symbols

Introduced in 2017 is the use of proper quotation symbols instead of straight quotes. Straight quotes are left over from the age of typewriters when using one key for two different marks helped save space on a keyboard. Thanks to modern word processing features it is relatively easy to replace the old “dumb quotes” with proper typographer’s

“smart quotes.” The prime symbol, which looks like a dumb quote, is still used for denoting measurements such as feet and inches (5'2").

Rounding of Dimensions

In the future, all registration dimensions will be rounded to the nearest tenth of an inch (English) or tenth of a centimeter (metric). Rounding dimensions to the nearest tenth means the published dimension will always be within .05 of the original before it was rounded. English dimensions submitted as fractions are converted to their decimal equivalent prior to being recorded in the database, and prior to rounding. The example below illustrates the rounding policy.

A registrant submits a leaf size of 2¼" × 5/8". The decimal equivalent 2.25" × .625" is entered into the database. After rounding, the published size is 2.3" × .6". The first rounded dimension is only .05" different from the original, and the second is only .025" different. Both are insignificant, even in the realm of miniature leaf sizes.

All conversions from metric to English (or English to metric), are done before any rounding occurs. A registration that submits metric dimensions is converted first to English, then rounded to the nearest tenth of an inch. Thus, a metric dimension of 4.75cm × 3.65cm, is first converted to English (1.870" × 1.437") and then rounded to be 1.9" × 1.4".

Cultivar Name Establishment

To establish a cultivar name, the *Code* calls for registrations to appear in a suitable dated publication that is made publicly available. Thus, epithets that have not been published per this document are NOT guaranteed to be available for registration. Examples of how a name can be established outside of registration are: 1) if it has been listed in a nursery catalogue, 2) sold by the originator online under the name in question, or 3) a Plant Patent or Plant Breeders' Rights has been issued. Any of these scenarios might be sufficient to establish a name such that no one else can register a hosta using that name.

AHS Name Reservation Policy

As the *Code* has no provision for name reservations, each plant society develops its own policies. The American Hosta Society (AHS) states its Name Reservation policy as follows. “A cultivar name is reserved through the AHS Registrar. Reserved names do not require descriptive information or photographs and will be protected for a one time period of three (3) years. A maximum of 10 reserved names may be held concurrently by any one registrant.” Similar to the section titled “Cultivar Name Establishment,” a reservation is NOT a guarantee, it is a place holder that limits the ability for another person to register a plant using your reserved name. This protection does not extend into the three areas where names may be established outside of registration.

Flowering Periods

Flowering periods may be entered using the codes per Key A (see instruction page of registration form) or using a “start-peak-finish” format (both options are available). If both types are entered, the more accurate “start-peak-finish” information will appear in the formal registration.

Clump Sizes

There have been multiple changes in the registration form and the information required to adequately describe plant size. An option to indicate a general size description (miniature, small, medium, large and giant) was allowed at one point early on. After input and discussion, this option was discontinued in preference for utilizing dimensional measurements to indicate a plant's width and height. This will remain standard policy, with the understanding that dimensions reflect clump size at the age and location recorded in each registration.

Color Selection for Leaf and Margins

Commentary upon determining accurate margin or leaf colors was published in the *Registrations 2008* and *2009* issues. While no color charts have been provided online, we recommend using charts provided by the Royal Horticultural Society when concerns about color arise. In some of this year's registrations, leaf colors contain references to the RHS Colour Charts in parentheses following the color descriptive text. See *H. 'Memphis Blue'* for an example where “...moderate greenish-blue (122A RHS Chart)” appears within the Leaf details.

Indicating Ploidy in Registrations

A comprehensive discussion regarding ploidy was printed in the *Registrations 2009* thru *2011* issues. Current policy prohibits the inclusion of ploidy terminology within registrations unless scientifically verified.

Cumulative Index to Hosta Registrations

The *Cumulative Index* of registered hostas is now provided as a stand-alone document and can be found at http://www.hostaregistrar.org/hosta_registration_lists.html. Commencing with the 2016 index, each registration references the year it was registered (instead of the previous practice of listing *THJ* Volume and Registration Issue). Additionally, each entry now references all years in which corrections or additions have been published.

Plant Patents, Plant Breeders' Rights and Establishment

The *Code*, page 64, under DIVISION IV: REGISTRATION OF NAMES states:

3) A statutory plant registration authority is an organization established by national legal enactment or by international treaty, which, as part of its remit, establishes variety denominations or other names for plants. Names established by statutory plant registration authorities must be cited in the relevant register and checklist.

A table of all hosta cultivars known to be established per statutory authorities is now included as Appendix A of the *Cumulative Index*. Cultivars listed therein are “established” via the legal protection(s) shown and thus are not available for use by anyone other than the original applicant. See previous section (titled Cumulative Index to Hosta Registrations) for the web address where a copy of the latest *Cumulative Index* can be retrieved.

Corrections and Comments

H. ‘Giantland Mouse Cheese’ (2011) - was originally registered with incorrect leaf details.

Corrected Leaf details are as follows:

Leaf: 2.6in (6.7cm) long; 2.4in (6cm) wide; 7 to 8 vein pairs;
medium golden yellow with flat margins; dull on top; dull underneath;
nearly round with cordate base; thick substance and slightly wavy overall.

H. ‘Giantland Sunny Mouse Ears’ (2011) - was originally registered with incorrect leaf details.

Corrected Leaf details are as follows:

Leaf: 1.8in (4.4cm) long; 1.8in (4.4cm) wide; 6 to 7 vein pairs;
yellow with flat margins; dull on top; dull underneath; nearly round
with cordate base; thick substance and slightly wavy overall.

H. ‘Minnehaha Creek Paladin’ (2021) - was originally registered with incorrect leaf texture and appearance details.

Corrected portions of the registration are as follows:

Leaf: 10in (25.4cm) long; 6.5in (16.5cm) wide; 11 to 12 vein pairs;
greenish yellow with slightly rippled margins; slightly shiny on top;
glaucous bloom underneath; broadly ovate with cordate base;
relatively flat with slight convex cupping overall.
Notable Characteristics: Deep veined, bright sunny leaves
have a satiny sheen and slight convex cupping.

H. ‘Ohh! Alpha’ (2009) - was originally registered with incorrect leaf coloration.

Corrected portions of the registration are as follows:

Leaf: 12in (30.5cm) long, 8in (20.3cm) wide; 12 to 14 vein pairs;
green; slightly rippled; dull on top and underneath; moderately flat;
ovate, cordate base.
Seasonal Color: Lutescent - becomes yellow later in the season.

H. ‘Ohh! Charlotte!’ (2012) - was originally registered with incorrect leaf coloration.

Corrected portions of the registration are as follows:

Leaf: 10.5in (26.7cm) long, 9in (22.9cm) wide; 15 to 16 vein pairs;
green; dull on top, glaucous bloom underneath; broadly ovate, cordate
base; moderately corrugated.
Seasonal Color: Lutescent - changes to golden yellow later in the season.

A

H. 'A Scape Plan'

T. Avent (ONIR)

Plant: 27in (68.6cm) diameter; 13.8in (35.1cm) high; mound-like; moderate growth rate.**Leaf:** 7.2in (18.3cm) long; 3.9in (9.9cm) wide; 6 to 8 vein pairs; slightly blue green with heavily rippled margins; slightly shiny on top; glaucous bloom underneath; ovate with tapered base; lightly twisted and moderately wavy overall.**Scape:** 8 to 15in (20.3 to 38.1cm) high; green**Flower:** 1.3in (3.3cm) long; fragrant; pale lavender with light lavender stripes on petal interiors; tubular; Raleigh, NC; 8/1 - 8/25 - 9/15**Seed:** sets viable seed; green pods**Clump History:** original seedling; 8 years old; Raleigh, NC**Notable Characteristics:** Emerges powdery blue turning glossy dark green in late summer. Excellent substance which holds up well all season. Dense clusters of fragrant flowers on unique branched scapes.**Parentage:** *H. 'Branching Out'* × unnamed sdlg 07-0361**H. 'Abby's Lil Peanut'**

C. Kwick (ONIR)

Plant: 15in (38.1cm) diameter; 6in (15.2cm) high; mound-like; moderate growth rate.**Leaf:** 3.8in (9.5cm) long; 2.8in (7cm) wide; 7 to 8 vein pairs; greenish yellow with flat margins; slightly shiny on top; glaucous bloom underneath; elliptical with tapered base; lightly wavy overall with tightly clustered yet evenly distributed leaves.**Scape:** 8 to 14in (20.3 to 35.6cm) high; greenish yellow**Flower:** 1.5in (3.8cm) long; pale lavender; tubular; Eau Claire, WI; 6/18 - 6/26 - 7/5**Seed:** does not set seed**Clump History:** original seedling; 7 years old; Eau Claire, WI**Notable Characteristics:** Very small plant with tightly clustered tapered leaves.**Parentage:** *H. 'Lady Christin May'* × OP**Seasonal Color:** viridescent**H. 'Avant Garde'** H. Hansen (ONR) Walters Gardens (I)**Plant:** 36in (91.4cm) diameter; 22in (55.9cm) high; upright; moderate growth rate.**Leaf:** 12in (30.5cm) long; 10in (25.4cm) wide; 14 to 16 vein pairs; khaki and olive green with 1 to 2.5in (2.5 to 6.4cm) wide, blue green slightly rippled margins; glaucous bloom on top; broadly ovate with cordate base; lightly wavy overall with deeply impressed veins**Scape:** 20 to 31in (50.8 to 78.7cm) high; pinkish lavender**Flower:** 2in (5.1cm) long; white with very faint lavender blush on petal interior; tubular; Zeeland, MI; 6/27 - 7/1 - 7/13**Seed:** sets non-viable seed; green pods**Clump History:** original seedling; 8 years old; Zeeland, MI**Notable Characteristics:** Unusual tricolor with khaki centers and olive green feathering into the blue green margins.**Parentage:** streaked sport of *H. sieboldiana* 'Elegans' × *H. 'Viking Ship'***H. 'Awakening Spirit'** H. Hansen (ONR) Walters Gardens (I)**Plant:** 55in (139.7cm) diameter; 28in (71.1cm) high; mound-like; moderate growth rate.**Leaf:** 11in (27.9cm) long; 10.5in (26.7cm) wide; 14 to 16 vein pairs; creamy yellow with 1 to 3 in (2.5 to 7.6cm) wide blue

green slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; nearly round with cordate base; moderately corrugated overall with light concave and/or convex cupping.

Scape: 27 to 34in (68.6 to 86.4cm) high; green**Flower:** 2.3in (5.7cm) long; pale lavender with very pale lavender blush on petal interiors; tubular; Zeeland, MI; 6/29 - 7/10 - 7/27**Seed:** sets non-viable seed; green pods**Clump History:** original seedling; 9 years old; Zeeland, MI**Notable Characteristics:** Corrugated, nearly round creamy yellow leaves surrounded by wide streaky blue green margins.**Parentage:** unnamed streaked sdlg × (*H. 'Neptune'* × *H. 'Queen of the Seas'*)**Seasonal Color:** albescent centers lighten to near white later.**H. 'Azure Gem'**

T. Avent (ONIR)

Plant: 12in (30.5cm) diameter; 4.5in (11.4cm) high; mound-like; slow growth rate.**Leaf:** 1.8in (4.4cm) long; 1.5in (3.8cm) wide; 5 to 6 vein pairs; intense blue green with slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; ovate with rounded base; lightly cupped and very lightly corrugated overall.**Scape:** 10 to 20in (25.4 to 50.8cm) high; green with glaucous coating**Flower:** 1.5in (3.8cm) long; medium lavender; tubular; Raleigh, NC; 7/1 - 7/15 - 8/1**Seed:** sets seed, viability unknown; green pods with glaucous coating**Clump History:** original seedling; 10 years old; Raleigh, NC**Notable Characteristics:** Miniature, dense clump of dusty blue green leaves.**Parentage:** streaked sport of *H. 'Hush Puppie'* × *H. 'Silver Bay'*

B

H. 'Baiwu Zimang'Donghuan Liu, Jun Chen, Fan Zhu,
Hengxing Liu, Jinlong Fan (ONIR)**Plant:** 21.7in (55cm) diameter; 9.8in (25cm) high; mound-like; moderate growth rate.**Leaf:** 5.5in (14cm) long; 3in (7.5cm) wide; 6 to 7 vein pairs; moderate olive green (137A RHS Chart) with slightly rippled margins; very shiny on top; dull underneath; ovate with tapered base; relatively flat overall.**Scape:** 18.5 to 19.7in (47 to 50cm) high; moderate yellow green (138B RHS Chart)**Scape bracts:** ship shaped; .8in (2cm) long; .4in (1cm) wide**Flower:** 2in (5cm) long; medium purple with translucent margins; tubular; Beijing, China; 7/20 - 7/25 - 8/4**Seed:** does not set seed**Clump History:** original seedling; 6 years old; Beijing, China**Notable Characteristics:** Leaf backs and scapes have white glaucous coating. Long scapes host rosulate buds that open to reveal deep purple flowers.**Parentage:** *H. clausa* var. *ensata* × OP**H. 'Beau Soleil'**

D. Bowe (ONIR)

Plant: 34in (86.4cm) diameter; 16in (40.6cm) high; mound-like; moderate growth rate.**Leaf:** 9.5in (24.1cm) long; 5.8in (14.6cm) wide; 15 vein pairs; yellow with very lightly wavy margins; dull on top; glaucous bloom underneath; ovate with cordate base; lightly folded overall.

Scape: 20 to 23in (50.8 to 58.4cm) high; light green
Flower: 2.1in (5.4cm) long; pale lavender with white throat, lavender interior and translucent margins; tubular; Chagrin Falls, OH; 7/6 - 7/12 - 7/18
Seed: sets seed, viability unknown; light green pods
Clump History: original sdlg; 10 yrs old; Chagrin Falls, OH
Notable Characteristics: Large bright yellow leaves with dense veins.
Parentage: *H. 'Sun Power'* × *H. montana* f. *macrophylla*

H. 'Big Show' O. Purvis (ONIR)
Plant: 36in (91.4cm) diameter; 32in (81.3cm) high; upright; moderate growth rate.
Leaf: 14in (35.6cm) long; 12in (30.5cm) wide; 16 vein pairs; blue green with moderately wavy margins; dull on top; dull underneath; broadly ovate with cordate base; moderately cupped and corrugated leaves reach upward
Scape: 34 to 38in (86.4 to 96.5cm) high; green
Flower: 2in (5.1cm) long; near white with pale purple center stripe; tubular; Princeton, WI; 6/27 - 7/15 - 7/29
Seed: sets viable seed; green pods
Clump History: original seedling; 6 years old; Princeton, WI
Notable Characteristics: Large upright plant with good leaf character and substance.
Parentage: (*H. 'Brutus'* × *H. montana* f. *macrophylla*) × *H. 'Cornerstone'*

H. 'Bindow Blue' H. Krämer (ON) M. Entemann (IR)
Plant: 27in (68.6cm) diameter; 11in (27.9cm) high; mound-like; fast growth rate.
Leaf: 6in (15.2cm) long; 4in (10.2cm) wide; 8 to 10 vein pairs; blue green with slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; ovate to nearly round with tapered or cordate base; lightly twisted & wavy, and moderately cupped & corrugated overall.
Scape: 24 to 26in (61 to 66cm) high; blue green with glaucous bloom
Flower: 2in (5.1cm) long; near white; bell-shaped; Teltow, Germany; 6/25 - 7/3 - 7/10
Seed: does not set seed
Clump History: original seedling; 5 yrs old; Teltow, Germany
Notable Characteristics: A variety of leaf shapes all of good substance and glaucous blue green color are adorned with nearly white flowers mid-season.
Parentage: Parentage Unknown

H. 'Bindow Blue Marmor' H. Krämer (ON) M. Entemann (IR)
Plant: 25in (63.5cm) diameter; 12in (30.5cm) high; mound-like; moderate growth rate.
Leaf: 8in (20.3cm) long; 7in (17.8cm) wide; 12 vein pairs; blue green with slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; nearly round with cordate base; lightly wavy and corrugated overall.
Scape: 17 to 19in (43.2 to 48.3cm) high; blue green with glaucous bloom
Flower: 2in (5.1cm) long; pale lavender; bell-shaped; Teltow, Germany; 6/25 - 7/1 - 7/10
Seed: does not set seed
Clump History: original seedling; 5 yrs old; Teltow, Germany
Notable Characteristics: Nearly round glaucous blue green leaves are lightly corrugated and have good substance.
Parentage: Parentage Unknown

H. 'Bindow Blue Sky' H. Krämer (ON) M. Entemann (IR)
Plant: 24in (61cm) diameter; 9in (22.9cm) high; mound-like; fast growth rate.
Leaf: 6in (15.2cm) long; 3in (7.6cm) wide; 8 vein pairs; blue green with slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; elliptical with tapered base; relatively flat overall.
Scape: 16 to 20in (40.6 to 50.8cm) high; blue green with glaucous bloom and red spots on lower portion.
Flower: 1in (2.5cm) long; pale lavender with pale purple stripes; tubular; Teltow, Germany; 8/25 - 8/30 - 9/10
Seed: does not set seed
Clump History: original seedling; 5 yrs old; Teltow, Germany
Notable Characteristics: Petite symmetrical clump of glaucous blue green leaves of good substance. Pale lavender flowers with purple stripes late in the season.
Parentage: Parentage Unknown

H. 'Bindow Sophie Charlotte' H. Krämer (ON) M. Entemann (IR)
Plant: 22in (55.9cm) diameter; 8in (20.3cm) high; mound-like; moderate growth rate.
Leaf: 8in (20.3cm) long; 4.5in (11.4cm) wide; 9 vein pairs; chartreuse with slightly rippled margins; slightly shiny on top; dull underneath; ovate with cordate base; relatively flat overall with some leaf tips rolling downward.
Scape: 16 to 18in (40.6 to 45.7cm) high; green
Flower: 1.5in (3.8cm) long; pale lavender; bell-shaped; Teltow, Germany; 7/3 - 7/8 - 7/15
Seed: does not set seed
Clump History: original seedling; 5 yrs old; Teltow, Germany
Notable Characteristics: Elegant, elongated chartreuse leaves turn yellow later in the season.
Parentage: *H. 'On Stage'* × *OP*
Seasonal Color: Lutescent. Turns yellow later in the season.

H. 'Black Impressions' G. & R. Ragus (ONIR)
Plant: 27.6in (70cm) diameter; 15.7in (40cm) high; upright; moderate growth rate.
Leaf: 9.1in (23cm) long; 4.7in (12cm) wide; 8 vein pairs; dark green with slightly rippled margins; slightly shiny on top; dull underneath; ovate with tapered base; very lightly twisted overall; petioles have very dense red spots at the crown thinning gradually towards the leaf and extending up the backside of the midrib.
Scape: 23.6 to 27.6in (60 to 70cm) high; brownish red
Flower: 1.6in (4cm) long; medium purple center splash with white margins; tubular; Ganderkesee, Germany; 8/8 - 8/17 - 8/28
Seed: sets viable seed; green pods with red spots
Clump History: original sdlg; 6 yrs old; Ganderkesee, Germany
Notable Characteristics: Slightly shiny dark green leaves with slightly wavy margins and scapes that hang over a bit.
Parentage: *H. 'Maya Kingsnake'* × *H. 'Praying Hands'*

H. 'Black Tavern' G. & R. Ragus (ONIR)
Plant: 25in (63.5cm) diameter; 13.8in (35cm) high; upright; moderate growth rate.
Leaf: 6.5in (16.5cm) long; 5.9in (15cm) wide; 9 vein pairs; very dark green with flat margins; dull on top; dull underneath; nearly round with flat to cordate base; lightly cupped both concave and convexly with light corrugation overall, prominent veins and mucronate tips; petioles have fairly dense red spots at crown thinning somewhat towards the leaf.
Scape: 27.6 to 30.3in (70 to 77cm) high; saturated dark red

Flower: 2.4in (6cm) long; medium purple with darker purple center splash, white central star and alternate petals have translucent margins; tubular; Ganderkesee, Germany; 7/28 - 8/12 - 8/28

Seed: sets viable seed; dark reddish brown splotches on green pods

Clump History: original sdlg; 4 yrs old; Ganderkesee, Germany

Notable Characteristics: Very dark blackish green, round leaves of good substance on very strong petioles, and very thick (9mm dia) seed pods.

Parentage: *H. 'Volcano Island'* × *H. 'Redback Tavern'*

H. 'Blau Liebe' K. Näser (ON) M. Entemann (IR)

Plant: 25in (63.5cm) diameter; 10in (25.4cm) high; rhizomatous; fast growth rate.

Leaf: 3.5in (8.9cm) long; 3in (7.6cm) wide; 7 vein pairs; medium blue green with flat margins; dull on top; dull underneath; broadly ovate with cordate base; lightly cupped overall.

Scape: 16 to 18in (40.6 to 45.7cm) high; blue green

Flower: 1.5in (3.8cm) long; medium lavender; bell-shaped; Teltow, Germany; 7/3 - 7/6 - 7/15

Seed: sets viable seed; green pods

Clump History: original seedling; 8 yrs old; Teltow, Germany

Notable Characteristics: Dense clump of heart-shaped glaucous blue green leaves hosts many scapes with numerous flowers mid-season.

Parentage: *H. nakaiana* × OP

H. 'Blazing Dawn' D. Dean (OIR) J. Spece (N)

Plant: 34in (86.4cm) diameter; 14in (35.6cm) high; mound-like; moderate growth rate.

Leaf: 7.5in (19.1cm) long; 5.5in (14cm) wide; 7 to 8 vein pairs; yellow with moderately rippled margins; dull on top; dull underneath; broadly ovate with cordate base; dome-like cupping and light corrugation overall.

Scape: 17 to 23in (43.2 to 58.4cm) high; saturated glaucous purple

Flower: 2 in (5.1cm) long; purple with deep purple center splash; bell-shaped; Ramsey, MN; 7/13 - 7/22 - 8/2

Seed: sets seed, viability unknown; burgundy pods

Clump History: original sdlg; 8 yrs old; Ramsey, MN

Notable Characteristics: Yellow wavy twisted leaves with recurved tips, dome-like curvature and purple petioles & scapes.

Parentage: [(*H. 'Color Fantasy'* × *H. 'Babbling Brook'*) × *H. 'Salute'*] × *H. 'Evening Inferno'*

Seasonal Color: viridescent - becoming medium green by midsummer.

H. 'Blonde Ambition' T. Avent (ONIR)

Plant: 15in (38.1cm) diameter; 8in (20.3cm) high; mound-like; moderate growth rate.

Leaf: 3.9in (9.9cm) long; 2.4in (6.1cm) wide; 6 to 8 vein pairs; greenish yellow with moderately rippled margins; dull on top; very shiny underneath; broadly ovate with tapered base; lightly twisted and corrugated, and moderately wavy overall.

Scape: 12.5 to 20in (31.8 to 50.8cm) high; green

Flower: 1.5in (3.8cm) long; pale lavender; tubular; Raleigh, NC; 4/20 - 5/15 - 5/30

Seed: sets viable seed; green pods

Clump History: original seedling; 5 years old; Raleigh, NC

Notable Characteristics: Small clump of thick, round, pebbled leaves that emerge a shiny chartreuse brightening to a

luminescent white gold later. Displays all transition shades simultaneously.

Parentage: *H. 'Faith'* × unnamed sdlg 04-198

H. 'Blue Highway' D. Beilstein (OI) O. Purvis (NR)

Plant: 40in (101.6cm) diameter; 24in (61cm) high; upright; moderate growth rate.

Leaf: 11in (27.9cm) long; 6in (15.2cm) wide; 11 vein pairs; powder blue with slightly wavy margins; glaucous bloom on top; dull underneath; ovate with cordate base; moderately wavy overall and held upright on stiff petioles.

Scape: 36 to 40in (91.4 to 101.6cm) high; green

Flower: 1.8in (4.4cm) long; near white with pale purple center stripe; tubular; Princeton, WI; 7/11 - 7/24 - 8/5

Seed: sets seed, viability unknown; green pods

Clump History: original seedling; 5 years old; Princeton, WI

Notable Characteristics: Great powder blue color, upright form and wavy pointed leaves.

Parentage: Parentage Unknown

H. 'Blue Pillow' T. Avent (ONIR)

Plant: 30in (76.2cm) diameter; 14in (35.6cm) high; mound-like; moderate growth rate.

Leaf: 7in (17.8cm) long; 6.4in (16.3cm) wide; 10 to 12 vein pairs; medium blue green with mostly flat margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; lightly wavy and moderately corrugated overall.

Scape: 23 to 30in (58.3 to 76.2cm) high; green with glaucous coating

Flower: 1.7in (4.3cm) long; pale lavender; tubular; Raleigh, NC; 6/15 - 7/1 - 7/15

Seed: sets viable seed; green pods with glaucous coating

Clump History: original seedling; 10 years old; Raleigh, NC

Notable Characteristics: Rounded mound of blue green corrugated leaves that hold up well in warmer climates.

Parentage: unnamed sdlg 05-005 × unnamed sdlg 05-110

H. 'Bogus, Dude!' D. Bowe (ONIR)

Plant: 18in (45.7cm) diameter; 15in (38.1cm) high; mound-like; slow growth rate.

Leaf: 6.5in (16.5cm) long; 5.5in (14cm) wide; 10 vein pairs; light green with highly variable dark green, heavily rippled margins; dull on top; glaucous bloom underneath; broadly ovate with cordate base; lightly folded and moderately twisted & wavy overall with some dimpling in the darker green areas.

Scape: 30 to 33in (76.2 to 83.8cm) high; green

Flower: 2in (5.1cm) long; pale lavender with dark purple speckles forming a central star; tubular; Chagrin Falls, OH; 9/5 - 9/11 - 9/30

Seed: sets seed, viability unknown; green pods

Clump History: original sport; 4 years old; Chagrin Falls, OH

Notable Characteristics: The light green centers of this sport result in more ruffled margins and some twists and dimples in the leaves. Some dark green splashes often appear within the light green centers.

Parentage: Sport of *H. 'Raspberry Parfait'*

Seasonal Color: light green centers darken somewhat throughout the season.

H. 'Boiling Hot' D. Bowe (ONIR)

Plant: 15in (38.1cm) diameter; 7in (17.8cm) high; mound-like; fast growth rate.

Leaf: 5in (12.7cm) long; 2.3in (5.7cm) wide; 5 to 6 vein pairs; dark green streaked with white and light green, with slightly rippled margins; very shiny on top; very shiny underneath; ovate with cordate base; lightly folded and moderately wavy overall.

Scape: 27 to 31in (68.8 to 78.7cm) high; green with red specks
Flower: 1.9in (4.8cm) long; medium lavender; tubular; Chagrin Falls, OH; 8/1 - 8/7 - 8/20

Seed: sets seed, viability unknown; green pods

Clump History: original seedling; 4 yrs old; Chagrin Falls, OH

Notable Characteristics: Shiny green leaves with streaks and very tall flower scapes.

Parentage: (*H. 'Neat Splash'* × *H. 'Decorata'*) × *H. 'Shining Tot'*

H. 'Bon Appetit' D. Bowe (ONIR)

Plant: 17in (43.2cm) diameter; 10in (25.4cm) high; mound-like; moderate growth rate.

Leaf: 5.5in (14cm) long; 3in (7.6cm) wide; 4 to 6 vein pairs; yellow with very lightly wavy margins; satiny sheen on top; glaucous bloom underneath; ovate with rounded base; lightly folded overall with twisted leaf tips

Scape: 25 to 28in (63.5 to 71.1cm) high; yellow

Flower: 3in (7.6cm) long; fragrant; medium lavender with translucent edges and exterior sepals have white margins; tubular; Chagrin Falls, OH; 8/16 - 8/25 - 9/4

Seed: does not set seed;

Clump History: original seedling; 4 yrs old; Chagrin Falls, OH

Notable Characteristics: Bright yellow leaves with a satiny sheen and large fragrant lavender flowers.

Parentage: Parentage Unknown

H. 'Bosselure' D. Matton (ONIR)

Plant: 56in (142.2cm) diameter; 28in (71.1cm) high; mound-like; moderate growth rate.

Leaf: 10in (25.4cm) long; 14in (35.6cm) wide; 12 vein pairs; medium green with .5in (1.3cm) wide, mostly yellow & relatively flat margins; dull on top; dull underneath; nearly round (some leaves are wider than they are long), with cordate base; lightly cupped & folded and deeply corrugated overall.

Scape: 24 to 28in (61 to 71.1cm) high; green

Flower: 1.5in (3.8cm) long; pale lavender with near white margins; tubular; Granby, Québec, Canada; 6/28 - 7/9 - 7/20

Seed: sets seed, viability unknown; greenish purple pods

Clump History: original sdlg; 7 years old; Granby, Québec, Canada

Notable Characteristics: Multiple shades of yellow and chartreuse surround medium green centers on very rugose leaves of heavy substance.

Parentage: *H. 'Christmas Tree Gala'* × *OP*

Seasonal Color: centers turn grayish, and margins lighten to pale yellow.

H. 'Botany Bay' D. Bowe (ONIR)

Plant: 31in (78.7cm) diameter; 12in (30.5cm) high; mound-like; moderate growth rate.

Leaf: 7in (17.8cm) long; 3.8in (9.5cm) wide; 7 vein pairs; medium green with .5in (1.3cm) wide creamy white flat margins; very shiny on top; slightly shiny underneath; ovate with rounded base; relatively flat overall.

Scape: 20 to 25in (50.8 to 63.5cm) high; greenish purple

Flower: 2.5in (6.4cm) long; fragrant; medium lavender; tubular; Chagrin Falls, OH; 7/22 - 7/28 - 8/10

Seed: sets seed, viability unknown; green pods

Clump History: original seedling; 5 yrs old; Chagrin Falls, OH

Notable Characteristics: Shiny green leaves with creamy white margins and large fragrant lavender flowers.

Parentage: (*H. 'Neat Splash'* × *H. 'Fulda'*) × *H. plantaginea*

H. 'Brutan Star' G. & R. Ragus (ONIR)

Plant: 31.5in (80cm) diameter; 31.5in (80cm) high; upright; moderate growth rate.

Leaf: 12.6in (32cm) long; 10.2in (26cm) wide; 14 vein pairs; medium blue green with very slightly wavy margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; some leaves have moderate corrugation, some have little to none, very long and strong petioles.

Scape: 39.4 to 44.1in (100 to 112cm) high; light green

Flower: 2in (5cm) long; pale lavender central stripes, translucent margins; tubular; Ganderkesee, Germany; 6/21 - 7/4 - 7/18

Seed: sets viable seed; green pods

Clump History: original sdlg; 8 yrs old; Ganderkesee, Germany

Notable Characteristics: Large hosta with blue green leaves on strong erect petioles. Listed dimensions were from potted specimen(s). 'Brutan Star' will be much larger if planted in the ground.

Parentage: *H. 'Brutus'* × *H. 'Fuji Botan'*

H. 'Buttermilk Skies' G. R. Goodwin (ONIR)

Plant: 7in (17.8cm) diameter; 3.5in (8.9cm) high; mound-like; moderate growth rate.

Leaf: 2in (5.1cm) long; 1.5in (3.8cm) wide; 5 to 6 vein pairs; light green with .3in (.6cm) wide white, very lightly wavy margins; slightly shiny on top; dull underneath; ovate with rounded base; relatively flat overall.

Scape: 12 to 15in (30.5 to 38.1cm) high; greenish yellow

Scape bracts: small, cupped bract at first flower, others insignificant.

Flower: 1.5in (3.8cm) long; pale purple with light striping; tubular; Zionsville, IN; 7/1 - 7/15 - 8/25

Seed: sets seed, viability unknown; medium green pods

Clump History: original sport; 7 years old; Zionsville, IN

Notable Characteristics: Compact clump of yellow to pale green leaves with interesting white margins.

Parentage: Sport of an unnamed yellow sdlg

Seasonal Color: emerges with yellow centers that become light green later.

C

H. 'Chartreuse Moose' M. Singkofer (ONIR)

Plant: 54in (137.2cm) diameter; 32in (81.3cm) high; upright; slow growth rate.

Leaf: 13.5in (34.3cm) long; 11in (27.9cm) wide; 16 to 18 vein pairs; greenish yellow with slightly rippled margins; slightly shiny on top; dull underneath; broadly ovate with cordate base; lightly wavy and corrugated overall.

Scape: 32 to 36in (81.3 to 91.4cm) high; light green

Flower: 2in (5.1cm) long; near white; tubular; Mosinee, WI; 7/15 - 7/28 - 8/10

Seed: sets seed, viability unknown; green pods

Clump History: original seedling; 6 years old; Mosinee, WI

Notable Characteristics: Large umbrella-like leaves.

Parentage: Parentage Unknown

Seasonal Color: more golden by mid-August

H. 'Chasing Rainbows'

J. Morrow (ONIR)

Plant: 24in (61cm) diameter; 20in (50.8cm) high; upright; moderate growth rate.

Leaf: 10in (25.4cm) long; 7in (17.8cm) wide; 11 to 13 vein pairs; greenish yellow with flat margins; slightly shiny on top; glaucous bloom underneath; ovate with cordate base; lightly folded and corrugated overall.

Scape: 20 to 26 in (50.8 to 66cm) high; green

Flower: 2in (5.1cm) long; near white; tubular; Warrenville, IL; 6/15 - 6/28 - 7/5

Seed: sets viable seed; green pods

Clump History: original seedling; 5 years old; Warrenville, IL

Notable Characteristics: Upright posture provides good sight lines of the greenish yellow leaves with white backs.

Parentage: *H. 'Key West'* × *H. 'Blue Hawaii'*

H. 'Chimney Swift'

M. Singkofer (ONIR)

Plant: 38in (96.5cm) diameter; 21in (53.3cm) high; upright; moderate growth rate.

Leaf: 10in (25.4cm) long; 7.3in (18.4cm) wide; 10 to 11 vein pairs; light green with 1 to 1.5in (2.5 to 3.8cm) wide dark green, flat margins; dull on top; dull underneath; broadly ovate with cordate base; moderately corrugated overall

Scape: 16 to 24in (40.6 to 61cm) high; green

Flower: 1.5in (3.8cm) long; near white; tubular; Mosinee, WI; 7/15 - 8/5 - 8/14

Seed: sets seed, viability unknown; light green pods

Clump History: original sport; 9 years old; Mosinee, WI

Notable Characteristics: Dark green margins with some jetting into the light green centers

Parentage: Sport of unknown green sdlg

H. 'Clusterfest'

T. Avent (ONIR)

Plant: 12in (30.5cm) diameter; 4in (10.2cm) high; mound-like; slow growth rate.

Leaf: 1in (2.5cm) long; .5 to 1in (1.3 to 2.5cm) wide; 4 to 5 vein pairs; medium green with flat margins; dull on top; very shiny underneath; ovate to nearly round with tapered base; some downward curving on rounder leaves.

Scape: 5 to 7in (12.7 to 17.8cm) high; green

Flower: 1.5in (3.8cm) long; medium lavender with dark purple blotches on distal end of corolla; bell-shaped; Raleigh, NC; 6/20 - 7/4 - 7/14

Seed: sets viable seed; green pods

Clump History: original seedling; 11 years old; Raleigh, NC

Notable Characteristics: "Cluster" of very small medium green leaves with perfectly proportioned flowers on erect scapes.

Parentage: unnamed sdlg 04-223 × unnamed sdlg 04-223

H. 'Color Maiden'

R. Fox (ONIR)

Plant: 36in (91.4cm) diameter; 20in (50.8cm) high; mound-like; moderate growth rate.

Leaf: 11in (27.9cm) long; 9in (22.9cm) wide; 15 vein pairs; green with 1.5 to 2in (3.8 to 5.1cm) wide gold, slightly rippled margins; slightly shiny on top; glaucous bloom underneath; broadly ovate with cordate base; lightly wavy and deeply corrugated overall with a striking color blend.

Scape: 23 to 25in (58.4 to 63.5cm) high

Flower: 1.5in (3.8cm) long; near white with faint striping; tubular; Jul 15 to Aug 15; Lowell, IN

Clump History: original seedling; 6 years old; Lowell, IN

Notable Characteristics: Unique color.

Parentage: *H. 'Empress Wu'* × *H. 'Jim Cooper'*

H. 'Contortionist'

T. Avent (ONIR)

Plant: 25in (63.5cm) diameter; 12.5in (31.8cm) high; mound-like; moderate growth rate.

Leaf: 5.8in (14.7cm) long; 3.1in (7.9cm) wide; 6 to 7 vein pairs; medium green with moderately rippled margins; slightly shiny on top; slightly shiny underneath; ovate with tapered base; lightly twisted and moderately wavy overall.

Scape: 16 to 21in (40.6 to 53.3cm) high; green

Flower: 1.3in (3.3cm) long; fragrant; pale lavender with light lavender stripes on petal interiors; tubular; Raleigh, NC; 7/1 - 7/20 - 8/1

Seed: does not set seed

Clump History: original seedling; 5 years old; Raleigh, NC

Notable Characteristics: Glossy green, wavy leaves with unique twisted leaf tips. Small clump never-the-less stands out in the garden.

Parentage: unnamed sdlg 05-041 × *H. 'Caesar Salad'*

H. 'Cosmic Black Hole'

R. Kuenster (ONIR)

Plant: 32in (81.3cm) diameter; 16in (40.6cm) high; mound-like; moderate growth rate.

Leaf: 10in (25.4cm) long; 7.5in (19.1cm) wide; 10 vein pairs; dark blue green with streaks of green & yellow; slightly rippled margins; slightly shiny on top; slightly shiny underneath; broadly ovate with cordate base; lightly cupped and corrugated with a distinctive leaf tip.

Scape: 30 to 33in (76.2 to 83.8cm) high; blue green

Flower: 1.8in (4.4cm) long; pale lavender with darker lavender stripes; tubular; Iowa City, IA; 7/20 - 8/1 - 8/15

Seed: sets viable seed; blue green pods

Clump History: original seedling; 5 years old; Iowa City, IA

Notable Characteristics: Dark blue green streaked leaves with distinctive leaf tips. Produces very nice dark colored seedlings.

A favorite for Rod the last few years.

Parentage: sdlg from streaked sport of *H. 'Twilight'* × unnamed sdlg from *H. 'Twilight'*

H. 'Cosmic Flirt'

R. Kuenster (ONIR)

Plant: 48in (121.9cm) diameter; 25.5in (64.8cm) high; mound-like; moderate growth rate.

Leaf: 14.3in (36.2cm) long; 12.5in (31.8cm) wide; 12 to 14 vein pairs; medium green streaked with pale creamy yellow; moderately rippled margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; lightly folded & wavy, and moderately corrugated overall.

Scape: 36 to 39in (91.4 to 99.1cm) high; blue green with some vertical streaking

Flower: 1.8in (4.4cm) long; near white; tubular; Iowa City, IA; 6/15 - 7/1 - 7/25

Seed: sets viable seed; blue green pods with some streaking

Clump History: original seedling; 6 years old; Iowa City, IA

Notable Characteristics: Very fertile and has become Rod's favorite breeding plant.

Parentage: unnamed sdlg from *H. 'Wicked Brain Freeze'* × *H. 'Troubled Waters'*

H. 'Cosmic Hurricane'

R. Kuenster (ONIR)

Plant: 42in (106.7cm) diameter; 21in (53.3cm) high; mound-like; moderate growth rate.

Leaf: 10.8in (27.3cm) long; 9.3in (23.5cm) wide; 13 to 15 vein pairs; blue green streaked with yellow and cream; slightly rippled margins; glaucous bloom on top; glaucous bloom

underneath; broadly ovate with cordate base; lightly cupped & folded, and moderately corrugated overall.

Scape: 22 to 25in (55.9 to 63.5cm) high; blue green with some vertical streaking

Flower: 1.8in (4.4cm) long; pale lavender with very light lavender striping; tubular; Iowa City, IA; 6/22 - 7/1 - 8/2

Seed: sets viable seed; blue green pods with some streaking

Clump History: original seedling; 7 years old; Iowa City, IA

Notable Characteristics: Rod loves the leaf form and fertility of this streaker.

Parentage: *H. 'Chocolate Ripple'* × (*H. 'Letha Mae'* × *H. 'Cosmic Knuckles'*)

H. 'Cosmic Ma' R. Kuenster (ONIR)

Plant: 32in (81.3cm) diameter; 22in (55.9cm) high; mound-like; moderate growth rate.

Leaf: 10.3in (26cm) long; 8.5in (21.6cm) wide; 13 to 15 vein pairs; blue streaked with shades of yellow; flat margins; glaucous bloom on top; glaucous bloom underneath; nearly round with cordate base; moderately folded with dome like cupping and deep corrugation overall.

Scape: 16 to 21in (40.6 to 53.3cm) high; blue green

Flower: 1.8in (4.4cm) long; pale lavender with very light lavender striping; tubular; Iowa City, IA; 6/15 - 6/20 - 7/5

Seed: sets viable seed; blue green pods

Clump History: original seedling; 6 years old; Iowa City, IA

Notable Characteristics: Nice fertile breeder with heavy corrugation.

Parentage: *H. 'Ma Breeder'* × *H. 'Cosmic Knuckles'*

H. 'Cosmic Scientist' R. Kuenster (ONIR)

Plant: 42in (106.7cm) diameter; 20in (50.8cm) high; mound-like; moderate growth rate.

Leaf: 9.8in (24.8cm) long; 7.5in (19.1cm) wide; 13 to 15 vein pairs; blue streaked with shades of yellow; flat margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; lightly folded and moderately corrugated overall.

Scape: 24 to 28in (61 to 71.1cm) high; blue green

Flower: 1.8in (4.4cm) long; pale lavender with very light lavender striping; tubular; Iowa City, IA; 6/22 - 7/1 - 7/15

Seed: sets viable seed; blue green pods with some streaking

Clump History: original seedling; 6 years old; Iowa City, IA

Notable Characteristics: Rod enjoys the form of this clump.

Parentage: *H. 'Cosmic Mad Scientist'* × (*H. 'Beer Belly Blues'* × *H. 'Purple Verticulated Elf'*)

H. 'Cosmic Sister Ripple' R. Kuenster (ONIR)

Plant: 48in (121.9cm) diameter; 21in (53.3cm) high; mound-like; moderate growth rate.

Leaf: 12.5in (31.8cm) long; 10in (25.4cm) wide; 11 to 13 vein pairs; blue green streaked with creamy yellows and light greens; moderately rippled margins; dull on top; dull underneath; broadly ovate with cordate base; lightly folded with some dome like cupping and light to moderate corrugation overall.

Scape: 38 to 42in (96.5 to 106.7cm) high; green with vertical streaks

Scape Bracts: 1in (2.5cm) long with some streaking

Flower: 2in (5.1cm) long; pale lavender with lavender striping; tubular; Iowa City, IA; 6/20 - 7/1 - 7/30

Seed: sets viable seed; green pods with light streaks

Clump History: original seedling; 7 years old; Iowa City, IA

Notable Characteristics: Nice wide leaves with wavy edges. Very long scapes reach out with very fertile flowers.

Parentage: *H. 'Fudge Ripple'* × *H. 'Cosmic Sweet Pea'*

H. 'Cosmic Sweet Pea' R. Kuenster (ONIR)

Plant: 46in (116.84cm) diameter; 18.3in (46.4cm) high; upright; moderate growth rate.

Leaf: 8.5in (21.6cm) long; 7.5in (19.1cm) wide; 12 vein pairs; pea green with moderately rippled margins; dull on top; dull underneath; broadly ovate with cordate base; relatively flat overall with very light corrugation and leaf tips are pinched & twisted. Always has a couple of split leaves.

Scape: 30 to 36in (76.2 to 91.4cm) high; green

Flower: 1.5in (3.8cm) long; pale lavender with pale striping; tubular; Iowa City, IA; 7/1 - 7/14 - 8/1

Seed: sets viable seed; green pods

Clump History: original seedling; 7 years old; Iowa City, IA

Notable Characteristics: Very fertile - passes on nice ruffles and some split leaves. Rod uses this one a lot in his hybridizing.

Parentage: *H. 'Split Personality'* × unnamed sdlg from *H. 'Split Personality'*

H. 'Cowlick' T. Avent (ONIR)

Plant: 22in (55.9cm) diameter; 6.3in (16cm) high; mound-like; slow growth rate.

Leaf: 2.6in (6.6cm) long; 1in (2.5cm) wide; 5 to 6 vein pairs; dark green with moderately rippled margins; slightly shiny on top; very shiny underneath; lance-shaped with tapered base; moderately twisted and wavy overall.

Scape: 8 to 14in (20.3 to 35.6cm) high; green

Flower: 1.3in (3.2cm) long; deep purple w/dark purple stripes and translucent margins; tubular; Raleigh, NC; 6/15 - 6/25 - 7/10

Seed: sets viable seed; green pods

Clump History: original seedling; 11 years old; Raleigh, NC

Notable Characteristics: Vigorous dense clump of very wavy green leaves topped with dark purple flowers.

Parentage: *H. venusta* sdlg × *H. venusta* sdlg

H. 'Crazy Mouse' T. Avent (ONIR)

Plant: 15.5in (39.4cm) diameter; 6.3in (16cm) high; mound-like; fast growth rate.

Leaf: 2.9in (7.4cm) long; 2.3in (5.8cm) wide; 6 vein pairs; medium blue green with flat margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with tapered base; lightly wavy with slight convex cupping, many leaf tips roll over or twist slightly.

Scape: 4 to 7in (10.2 to 17.8cm) high; green with glaucous bloom

Flower: 1.2in (3cm) long; pale lavender with pale throat and darker broad lavender stripe toward distal end; bell-shaped; Raleigh, NC; 6/1 - 6/20 - 7/10

Seed: does not set seed;

Clump History: original seedling; 8 years old; Raleigh, NC

Notable Characteristics: Vigorous, quick to multiply, small clump of wavy, blue green leaves.

Parentage: unnamed sdlg 04-180 × unnamed sdlg 05-228

H. 'Cum Laude' R. Lysne (ONIR)

Plant: 30in (76.2cm) diameter; 20in (50.8cm) high; mound-like; moderate growth rate.

Leaf: 7in (17.8cm) long; 6in (15.2cm) wide; 15 vein pairs; deep blue with flat margins; glaucous bloom on top; glaucous bloom underneath; nearly round with cordate base; moderately cupped

and corrugated overall with heavy leaf substance and silvery patina.

Scape: 20 to 22in (50.8 to 55.9cm) high; green

Flower: 1.5in (3.8cm) long; near white; tubular; Ferryville, WI; 7/14 - 7/20 - 7/24

Seed: sets viable seed; green pods

Clump History: original seedling; 10 years old; Ferryville, WI

Notable Characteristics: Bright, intense blue with strong patina. Foliage is round and often cupped. Heavy substance, puckered and dimpled with maturity.

Parentage: *H.* 'Blue Ox' × *H.* 'Love Pat'

D

***H.* 'Daddy Long Legs'** R. Hatt (ONIR)

Plant: 27in (68.6cm) diameter; 7.5in (19.1cm) high; mound-like; moderate growth rate.

Leaf: 5.5in (14cm) long; 3.5in (8.9cm) wide; 7 to 9 vein pairs; glaucous blue green early with moderately rippled margins; glaucous bloom on top; glaucous bloom underneath; ovate with rounded base; relatively flat overall with slight twist at the tips.

Scape: 23 to 27in (58.4 to 68.8cm) high; reddish purple

Scape bracts: pale grey bracts

Flower: 2in (5.1cm) long; pale purple with white throat and purple central stripes, and alternate petals have translucent margins; tubular; Merrimac, MA; 8/14 - 8/25 - 9/5

Seed: sets seed, viability not provided; medium green pods with red spots

Clump History: original seedling; 4 years old; Merrimac, MA

Notable Characteristics: Long pointed blue green leaves with rippled margins are held outward on long slender, red-spotted petioles that resemble the long legs of its namesake.

Parentage: (unnamed sdg × (*H.* 'Venetian Blue' × *H.* 'Red Puppy')) × OP

Seasonal Color: the glaucous bloom fades to reveal bright shiny green leaves as the season progresses.

***H.* 'Dark Envy'** W. Brandt (ONIR)

Plant: 31in (78.7cm) diameter; 18in (45.7cm) high; upright; moderate growth rate.

Leaf: 11.5in (29.2cm) long; 7.5in (19.1cm) wide; 12 to 14 vein pairs; dark green with 3in (7.6cm) wide medium green, slightly rippled margins; slightly shiny on top; dull underneath; broadly ovate with cordate base; lightly wavy and corrugated overall with large lobes on slightly convex cupped leaves

Scape: 20 to 26in (50.8 to 66cm) high; green

Flower: 3in (7.6cm) long; pale lavender; tubular; New Lenox, IL; 6/30 - 7/12 - 7/23

Seed: sets seed, viability unknown; green pods

Clump History: original sport; 3 years old; New Lenox, IL

Notable Characteristics: Appears dark green overall with a darker green central stripe.

Parentage: Sport of *H.* 'Goodness Gracious'

***H.* 'Days of Summer'** J. Miller (O) C. Archibald (NIR)

Plant: 54in (137.2cm) diameter; 30in (76.2cm) high; upright; moderate growth rate.

Leaf: 13in (33cm) long; 10.5in (26.7cm) wide; 13 to 15 vein pairs; greenish yellow with moderately rippled margins; dull on top; dull underneath; broadly ovate with cordate base; lightly

corrugated and moderately wavy overall with prominent veins. More corrugated with age.

Scape: 33 to 40in (83.8 to 101.6cm) high; green

Flower: 2in (5.1cm) long; pale lavender; tubular; Mondovi, WI; 7/5 - 7/12 - 7/20

Seed: sets viable seed; green pods

Clump History: original seedling; 8 years old; Mondovi, WI

Notable Characteristics: Extra-large upright gold with deep veining that is enhanced with some sun exposure.

Parentage: *H.* 'Giantland Golden Goddess' × OP

Seasonal Color: starts out greenish yellow turning gold with some sun.

***H.* 'Dijon'** K. & O. Elchuk (ONR) Gibosihill Hostas (I)

Plant: 33in (83.8cm) diameter; 22in (55.9cm) high; upright; slow growth rate.

Leaf: 10.5in (26.7cm) long; 8in (20.3cm) wide; 11 to 12 vein pairs; medium green with streaks & splashes of dijon yellow and slightly rippled margins; dull on top; dull underneath; broadly ovate with cordate base; lightly folded and wavy overall

Scape: 36 to 39in (91.4 to 99.1cm) high; green streaked with yellow

Flower: 2.5in (6.4cm) long; pale lavender with purple stripes and white margins; tubular; Cobourg, Ontario; 7/25 - 8/2 - 8/15

Seed: sets seeds, viability is unknown

Clump History: original seedling; 12 yrs old; Cobourg, Ontario

Notable Characteristics: Unique, dijon mustard colored streaks and splashes on medium green leaves.

Parentage: *H.* 'Galaxy' × *H.* 'Winter Snow'

Seasonal Color: mustard color intensifies as the season progresses

***H.* 'Doodlebug'** K. Keary (ONIR)

Plant: 20in (50.8cm) diameter; 10in (25.4cm) high; mound-like; moderate growth rate.

Leaf: 3.3in (8.4cm) long; 2.5in (6.4cm) wide; 6 vein pairs; medium green with flat margins; dull on top; slightly shiny underneath; broadly ovate with rounded base; lightly corrugated overall with lobes cupping inward at the base

Scape: 15 to 20in (38.1 to 50.8cm) high; green

Flower: 2in (5.1cm) long; pale purple; tubular; Chagrin Falls, OH; 7/7 - 7/15 - 7/31

Seed: sets seed, viability unknown; green pods

Clump History: original seedling; 7 yrs old; Chagrin Falls, OH

Notable Characteristics: Smallish sized clump of consistently green, rounded leaves.

Parentage: Parentage Unknown

***H.* 'Dressed to Kill'** H. Hansen (ON) T. Avent (IR)

Plant: 24in (61cm) diameter; 14in (35.6cm) high; mound-like; fast growth rate.

Leaf: 6in (15.2cm) long; 4in (10.2cm) wide; 8 to 10 vein pairs; golden yellow with 1.3in (3.2cm) wide blue green, moderately rippled margins; dull on top; glaucous bloom underneath; ovate with tapered base; lightly twisted overall.

Scape: 15 to 24in (38.1 to 61cm) high; green

Flower: 2in (5.1cm) long; pale lavender with darker lavender stripes towards distal portion; tubular; Raleigh, NC; 6/15 - 7/6 - 7/15

Seed: sets viable seed; green pods

Clump History: division; 8 years old; Raleigh, NC

Notable Characteristics: Fascinating sport composed of flatly arranged pointed leaves with wavy edges and a central irregular bicolor pattern of yellow and lime green.

Parentage: Sport of *H.* 'Clovell'

E

H. 'Elegant Lady' R. Balitewicz (O) D. Myers (NIR)
Plant: 46in (116.8cm) diameter; 28in (71.1cm) high; upright; moderate growth rate.
Leaf: 11.5in (29.2cm) long; 11.3in (28.7cm) wide; 14 to 15 vein pairs; medium grayish green with flat margins; dull on top; glaucous bloom underneath; nearly round with cordate base; moderately cupped and corrugated overall.
Scape: 24 to 43in (61 to 109.2cm) high; green
Flower: 2.5in (6.4cm) long; near white; tubular; Grand Rapids, MI; 7/1 - 7/15 - 8/1
Seed: sets viable seed; green pods
Clump History: original seedling; 10 yrs old; Grand Rapids, MI
Notable Characteristics: Unusual grayish green colored leaves on a large upright hosta.
Parentage: Parentage Unknown

H. 'Elim Oasis' O. Purvis (ONIR)
Plant: 32in (81.3cm) diameter; 18in (45.7cm) high; mound-like; moderate growth rate.
Leaf: 11in (27.9cm) long; 8in (20.3cm) wide; 12 vein pairs; blue green with .3 to .8in (.6 to 1.9cm) wide light green flat margins; dull on top; dull underneath; broadly ovate with cordate base; lightly corrugated overall.
Scape: 24 to 28in (61 to 71.1cm) high; green
Flower: 2in (5.1cm) long; pale lavender with purple stripes; tubular; Princeton, WI; 7/12 - 7/20 - 8/1
Seed: sets viable seed; green pods
Clump History: original seedling; 8 years old; Princeton, WI
Notable Characteristics: Attractive blue green color contrasts well with the streaky light green margins.
Parentage: Parentage Unknown
Seasonal Color: blue green centers are mostly green by the end of the season.

H. 'Empress Inah' G. R. Goodwin (ONIR)
Plant: 30in (76.2cm) diameter; 10in (25.4cm) high; mound-like; moderate growth rate.
Leaf: 7in (17.8cm) long; 4in (10.2cm) wide; 8 vein pairs; medium green with .1 to 1in (.3 to 2.5cm) wide creamy yellow, slightly rippled margins; slightly shiny on top; dull underneath; ovate with rounded base; relatively flat overall with a slight twist to the leaf tips.
Scape: 15 to 24in (38.1 to 61cm) high; medium green
Flower: 1.5in (3.8cm) long; pale lavender with white margins and alternate petals have translucent edges; tubular; Zionsville, IN; 7/1 - 7/15 - 7/30
Seed: sets seed, viability unknown; green pods
Clump History: original seedling; 10 years old; Zionsville, IN
Notable Characteristics: Distinctive elongated leaves with creamy margins framing green centers.
Parentage: Parentage Unknown

H. 'Eye of Cyclops' C. Hanna (O) G. Myers (NIR)
Plant: 62in (157.5cm) diameter; 38in (96.5cm) high; mound-like; moderate growth rate.
Leaf: 16in (40.6cm) long; 11.5in (29.2cm) wide; 15 to 16 vein pairs; intensely blue green with flat margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate

base; intensely corrugated and moderately cupped overall with huge shoots in the spring.
Scape: 44 to 56 in (111.8 to 142.2cm) high; green
Flower: 2.3in (5.7cm) long; near white with very pale lavender central stripe; tubular; Byron Center, MI; 7/1 - 7/15 - 8/1
Seed: sets viable seed; green pods
Clump History: original seedling; 6 yrs old; Byron Center, MI
Notable Characteristics: Massive mound of intensely corrugated powder bluish green leaves of good substance. Very large shoots when emerging.
Parentage: *H. 'Cornerstone'* × *H. 'Cyclops'*

F

H. 'Fat Chance' J. L. Van Ostrand (ONIR)
Plant: 34in (86.4cm) diameter; 16in (40.6cm) high; mound-like; moderate growth rate.
Leaf: 8in (20.3cm) long; 8in (20.3cm) wide; 9 vein pairs; medium blue green with flat margins; glaucous bloom on top; glaucous bloom underneath; nearly round with cordate base; relatively flat to slightly dome-shaped with deeply impressed veins.
Scape: 24 to 28in (61 to 71.1cm) high; medium blue green
Scape Bracts: blue green with lavender margins
Flower: 2.4in (6.1cm) long; near white with pale lavender stripes; bell-shaped; Hawthorn Woods, IL; 7/21 - 8/1 - 8/12
Seed: sets seed, viability unknown; medium blue green
Clump History: original seedling; 10 years old; Hawthorn Woods, IL
Notable Characteristics: Nearly round, blue green leaves are flat to slightly dome-shaped with deeply impressed veins giving a heavy, burly appearance.
Parentage: unnamed sdlg × *H. 'Tea and Crumpets'*

H. 'Fingernails' T. Avent (ONIR)
Plant: 5.5in (14cm) diameter; 1.3in (3.2cm) high; mound-like; slow growth rate.
Leaf: 1.2in (3.1cm) long; .8in (1.9cm) wide; 4 to 6 vein pairs; dark green with flat margins; glaucous bloom on top; glaucous bloom underneath; ovate with tapered base; very lightly folded overall
Scape: 2 to 4in (5.1 to 10.2cm) high; green
Flower: 1in (2.5cm) long; deep purple with white throat; tubular; Raleigh, NC; 6/5 - 6/21 - 7/2
Seed: does not set seed
Clump History: original seedling; 7 years old; Raleigh, NC
Notable Characteristics: Very vigorous yet small dense mound of tiny dark green leaves.
Parentage: unnamed sdlg 05-184 × unnamed sdlg 04-380

H. 'Fingertips' T. Avent (ONIR)
Plant: 6in (15.2cm) diameter; 2in (5.1cm) high; mound-like; slow growth rate.
Leaf: 1.7in (4.3cm) long; .6in (1.5cm) wide; 5 to 6 vein pairs; medium green with flat margins; slightly shiny on top; glaucous bloom underneath; lance-shaped with tapered base;
Scape: 2 to 5in (5.1 to 12.7cm) high; green
Flower: 1.2in (3cm) long; deep purple with dark purple veins; bell-shaped; Raleigh, NC; 6/1 - 6/20 - 7/10
Seed: sets viable seed; green pods
Clump History: original seedling; 7 years old; Raleigh, NC

Notable Characteristics: Miniature clump of cardboard-textured, pinkie-sized green leaves topped with perfectly proportioned flowers situated radially on thick scapes.

Parentage: unnamed sdlg 04-224 × unnamed sdlg 05-184

H. 'Flame Dancer' G. R. Goodwin (ONIR)

Plant: 30in (76.2cm) diameter; 18in (45.7cm) high; upright; slow growth rate.

Leaf: 8in (20.3cm) long; 8in (20.3cm) wide; 12 vein pairs; golden yellow and chartreuse with white margins of variable width narrowing at the tips and moderately rippled; slightly shiny on top; dull underneath; nearly round with cordate base; moderately folded & cupped and deeply corrugated overall.

Scape: 18 to 30in (45.7 to 76.2cm) high; medium green

Flower: 1.5in (3.8cm) long; near white; tubular; Zionsville, IN; 7/1 - 7/15 - 7/25

Seed: sets viable seed; medium green pods

Clump History: original sport; 5 years old; Zionsville, IN

Notable Characteristics: Upright clump of corrugated nearly round leaves with unique bi-colored centers surrounded by strong white margins.

Parentage: Sport of a H. 'Fickle Blue Genes' sdlg

Seasonal Color: emerges with golden yellow centers gaining irregular chartreuse coloration later.

H. 'Fluttering Cherub' R. Fox (ONIR)

Plant: 32in (81.3cm) diameter; 14in (35.6cm) high; mound-like; moderate growth rate.

Leaf: 8.5in (21.6cm) long; 5in (12.7cm) wide; 9 vein pairs; blue with .8in (1.9cm) wide creamy white, flat margins; slightly shiny on top; dull underneath; broadly ovate with cordate base; lightly cupped, wavy & corrugated overall with twisted leaf tips.

Scape: 19 to 20in (48.3 to 50.8cm) high; green

Flower: medium lavender centers and tips with white star-like shape on interior; tubular; Lowell, IN; 8/1 - 8/12 - 8/25

Seed: sets seed, viability unknown; green pods

Clump History: original seedling; 7 years old; Lowell, IN

Notable Characteristics: Leaves flutter in a slight breeze.

Parentage: H. 'Rotini' × H. 'Blue Jay'

H. 'Fondy' P. Dale (O) B. Ankney (NIR)

Plant: 20in (50.8cm) diameter; 11in (27.9cm) high; mound-like; moderate growth rate.

Leaf: 6in (15.2cm) long; 5.5in (14cm) wide; 6 to 7 vein pairs; slightly blue green with moderately rippled margins; dull on top; glaucous bloom underneath; broadly ovate with tapered base; moderately wavy and corrugated overall.

Flower: pale lavender; tubular; Jul 15 to Aug 15; Oakbrook Terrace, IL

Clump History: original seedling; 5 years old; Oakbrook Terrace, IL

Notable Characteristics: Wavy margins on moderately corrugated blue-green leaves with heavy wax on leaf undersides

Parentage: Parentage Unknown

Seasonal Color: viridescent

H. 'Forest Nymph' G. R. Goodwin (OIR)

G. R. Goodwin/R. Solberg (N)

Plant: 18in (45.7cm) diameter; 9in (22.9cm) high; upright; fast growth rate.

Leaf: 5in (12.7cm) long; 2.8in (7cm) wide; 4 vein pairs; chartreuse & variable shades of green with .3in (.6cm) wide creamy white margins that have variable light to heavy ripples;

dull on top; dull underneath; ovate with tapered base; lightly twisted and folded overall with margin color extending down the petioles.

Scape: 15 to 24in (38.1 to 61cm) high; medium green

Flower: 1.5in (3.8cm) long; medium lavender overall with white star-like throat and darker lavender central stripes; tubular; Zionsville, IN; 7/1 - 7/10 - 7/20

Seed: sets viable seed; medium green pods

Clump History: original sport; 10 years old; Zionsville, IN

Notable Characteristics: Ruffled cream to white margins frame the ovate blades of varying shades of green.

Parentage: Sport of H. 'Fickle Blue Genes' sdlg

Seasonal Color: as the season progresses, the yellowish centers develop varying shades of green and the creamy margins turn more white

H. 'Formal Tuxedo' T. Avent (ONIR)

Plant: 43in (109.2cm) diameter; 16.5in (41.9cm) high; mound-like; fast growth rate.

Leaf: 13.8in (34.9cm) long; 7.8in (19.7cm) wide; 10 to 13 vein pairs; dark green with .8in (1.9cm) wide creamy white moderately rippled margins; slightly shiny on top; glaucous bloom underneath; ovate with cordate base; moderately wavy and very slight convex cupping overall.

Scape: 14 to 28in (35.6 to 71.1cm) high; green

Flower: 2in (5.1cm) long; fragrant; pale lavender; tubular; Raleigh, NC; 6/5 - 6/21 - 7/10

Seed: sets viable seed; green pods

Clump History: original seedling; 10 years old; Raleigh, NC

Notable Characteristics: Elegant presentation of dark green leaves with creamy white ruffled margins.

Parentage: unnamed sdlg × unnamed sdlg

H. 'Frosty Standard' T. Logemann (ONIR)

Plant: 19.7in (50cm) diameter; 15.7in (40cm) high; upright; fast growth rate.

Leaf: 8.9in (20 to 25cm) long; 5.3in (12 to 15cm) wide; 10 to 11 vein pairs; light green with .4 to 1.6in (1 to 4cm) wide, white (with some dark green) flat margins; dull on top; dull underneath; broadly ovate with cordate base; lightly cupped and folded overall.

Scape: 23.6 to 31.5in (60 to 80cm) high; green

Flower: 1.6in (4cm) long; pale lavender; tubular; 26316 Varel, Germany; 7/12 - 7/30 - 8/15

Seed: sets viable seed; green pods

Clump History: original sport; 4 years old; 26316 Varel, Germany

Notable Characteristics: The leaves of this sport are white margined with partially dark green areas. The center emerges a fresh green color and similar to 'Gold Standard', turns yellow through the season creating a beautiful interplay of colors.

Parentage: Sport of H. 'Gold Standard'

Seasonal Color: lutescent

G

H. 'Go Get'im Fani' C. Kwick (ONIR)

Plant: 20in (50.8cm) diameter; 10in (25.4cm) high; upright; moderate growth rate.

Leaf: 6.5in (16.5cm) long; 4in (10.2cm) wide; 8 to 9 vein pairs; medium green to blue green with slightly wavy margins; dull on

top; glaucous bloom underneath; ovate with cordate base; lightly folded overall with clearly defined veins.

Scape: 28 to 34in (71.1 to 86.4cm) high; light green with glaucous bloom

Flower: 1.8in (4.4cm) long; pale lavender with very light striping and translucent margins on alternate petals; tubular; Eau Claire, WI; 6/28 - 7/7 - 7/20

Seed: sets seed, viability unknown; green pods

Clump History: original seedling; 7 years old; Eau Claire, WI

Notable Characteristics: Medium green leaves gradually transition to a darker blue green color where the glaucous coating from the leaf backs sneaks a peek onto the front of the slightly wavy leaf edges.

Parentage: *H. 'Sum of All'* × *OP*

H. 'Gold Miner' O. Purvis (ONIR)

Plant: 44in (111.8cm) diameter; 27in (68.6cm) high; upright; slow growth rate.

Leaf: 14in (35.6cm) long; 11in (27.9cm) wide; 14 vein pairs; yellow with moderately rippled margins; dull on top; dull underneath; broadly ovate with cordate base; relatively flat overall with prominent veins and occasional convex cupping.

Scape: 40 to 42in (101.6 to 106.7cm) high; light green

Flower: 2in (5.1cm) long; near white with pale purple center stripe; tubular; Princeton, WI; 7/1 - 7/14 - 7/24

Seed: sets viable seed; light green pods

Clump History: original sport; 6 years old; Princeton, WI

Notable Characteristics: Large upright gold with wavy edges.

Parentage: Sport of *H. 'Coal Miner'*

H. 'Golden Fantasma' T. Avent (ONIR)

Plant: 12in (30.5cm) diameter; 3in (7.6cm) high; mound-like; moderate growth rate.

Leaf: 3.1in (7.9cm) long; .8in (2cm) wide; 3 to 4 vein pairs; greenish yellow with slightly rippled margins; dull on top; slightly shiny underneath; lance-shaped with tapered base; relatively flat overall.

Scape: 2 to 9in (5.1 to 22.9cm) high; greenish yellow

Flower: 1.3in (3.2cm) long; medium lavender with darker lavender stripes and white throat; tubular; Raleigh, NC; 6/5 - 6/22 - 7/4

Seed: sets viable seed; green pods

Clump History: original seedling; 8 years old; Raleigh, NC

Notable Characteristics: Vigorous, dense clump of narrow pointed gold leaves is truly miniature.

Parentage: unnamed sdlg 05-265 × unnamed sdlg 05-058

H. 'Golden Thumbs' T. Avent (ONIR)

Plant: 5in (12.7cm) diameter; 2in (5.1cm) high; mound-like; slow growth rate.

Leaf: 1.8in (4.4cm) long; 1in (2.5cm) wide; 5 to 6 vein pairs; greenish yellow with flat margins; dull on top; slightly shiny underneath; ovate with tapered base; relatively flat overall.

Scape: 4 to 8in (10.2 to 20.3cm) high; green

Flower: 1in (2.5 cm) long; pale lavender with medium lavender stripes; somewhat bell-shaped until open fully when the petals spread very widely, corolla tube is very short; Raleigh, NC; 7/2 - 7/15 - 7/25

Seed: sets viable seed; green pods

Clump History: original seedling; 10 years old; Raleigh, NC

Notable Characteristics: Cute symmetrical mound of tiny chartreuse leaves.

Parentage: unnamed sdlg 04-180 × unnamed sdlg 04-195

H. 'Gotta Little Blues'

T. Avent (ONIR)

Plant: 20in (50.8cm) diameter; 11in (27.9cm) high; mound-like; moderate growth rate.

Leaf: 4.5in (11.4cm) long; 3in (7.6cm) wide; 9 to 10 vein pairs; medium blue green with flat margins; dull on top; dull underneath; broadly ovate with cordate base; lightly corrugated and moderately cupped overall.

Scape: 12 to 20in (30.5 to 50.8cm) high; green

Flower: 2in (5.1cm) long; pale lavender; tubular; Raleigh, NC; 6/20 - 6/25 - 7/10

Seed: sets viable seed; green pods

Clump History: original seedling; 10 years old; Raleigh, NC

Notable Characteristics: This big brother of *H. 'Azure Gem'* has the same powdery blue color early in a slightly larger size.

Parentage: streaked sport of *H. 'Hush Puppie'* × *H. 'Silver Bay'*

Seasonal Color: powder blue early turning blue green later.

H. 'Grand Duchess'

K. & O. Elchuk (ONR)

Giboshihill Hostas (I)

Plant: 42in (106.7cm) diameter; 25in (63.5cm) high; mound-like; moderate growth rate.

Leaf: 14in (35.6cm) long; 11.5in (29.2cm) wide; 15 to 16 vein pairs; slightly blue green with yellow and cream streaks and flat margins; dull on top; dull underneath; nearly round with cordate base; lightly corrugated overall with light convex and concave cupping

Scape: 27 to 29in (68.6 to 73.7cm) high; green streaked with yellow

Flower: 2in (5.1cm) long; pale lavender with pale purple stripes; tubular; Cobourg, Ontario; 7/14 - 7/20 - 7/28

Seed: sets viable seed; green pods with whitish stripes

Clump History: original seedling; 11 yrs old; Cobourg, Ontario

Notable Characteristics: Huge, blue green leaves heavily streaked with yellow and cream with prominent veining. Some leaves are slightly cupped, others are dome shaped. Best characteristics of both parents.

Parentage: *H. 'Great Balls of Fire'* × *H. 'Empress Wu'*

Seasonal Color: blue green areas turn green, yellow areas lighten to pale yellow

H. 'Gray Whale'

R. & L. Fox (ONIR)

Plant: 72in (182.9cm) diameter; 30in (76.2cm) high; upright; moderate growth rate.

Leaf: 15in (38.1cm) long; 12in (30.5cm) wide; 15 to 16 vein pairs; medium blue green with moderately rippled margins; slightly shiny on top; glaucous bloom underneath; broadly ovate with cordate base; light dome-like cupping and moderate corrugation overall; strong petioles hold well-spaced arching leaves.

Scape: 26 to 30in (66 to 76.2cm) high; green

Flower: 1.5in (3.8cm) long; pale lavender central splash with white margins, and alternate petals have translucent margins; tubular; Lowell, IN; 6/20 - 7/1 - 7/15

Seed: sets viable seed; green pods

Clump History: original seedling; 9 years old; Lowell, IN

Notable Characteristics: Large clump of arching leaves that get a gray cast to them as the season progresses.

Parentage: *H. 'Dragon Lady'* × *H. 'Powder Blue'*

Seasonal Color: the glaucous bloom fades to reveal grayish green leaves

H. 'Green Bay' G. R. Goodwin (ONIR)
Plant: 24in (61cm) diameter; 12in (30.5cm) high; upright; moderate growth rate.
Leaf: 6in (15.2cm) long; 5in (12.7cm) wide; 9 vein pairs; medium green with relatively flat margins; very shiny on top; slightly shiny underneath; broadly ovate with cordate base; lightly folded and moderately cupped overall.
Scape: 18 to 30in (45.7 to 76.2cm) high; dark green
Flower: 1.5in (3.8cm) long; pale lavender with white centers; tubular; Zionsville, IN; 7/15 - 7/30 - 8/15
Seed: sets seed, viability unknown; medium green pods
Clump History: original seedling; 12 years old; Zionsville, IN
Notable Characteristics: Very shiny, thick green leaves - like its parent without the margin.
Parentage: *H. 'Reflections'* × *OP*

H. 'Green Thumb' T. Avent (ONIR)
Plant: 11in (27.9cm) diameter; 3.5in (8.9cm) high; mound-like; moderate growth rate.
Leaf: 1.5in (3.8cm) long; 1.6in (4.1cm) wide; 5 to 6 vein pairs; dark green with slightly rippled margins; slightly shiny on top; very shiny underneath; nearly round with flat base; relatively flat overall.
Scape: 5 to 9in (12.7 to 22.9cm) high; purplish green
Flower: 1in (2.5cm) long; medium lavender; bell-shaped; Raleigh, NC; 6/1 - 6/21 - 7/10
Clump History: original seedling; 11 years old; Raleigh, NC
Notable Characteristics: Miniature clump of very thick, roundish dark green leaves.
Parentage: *H. sieboldii* sdlg HC 970697 × *H. 'Blue Mouse Ears'*

H

H. 'Heart of Dixie' O. Petryszyn (ONR), AHS (I)
Plant: 43in (109.2cm) diameter; 25in (63.5cm) high; mound-like; moderate growth rate.
Leaf: 9.5in (24.1cm) long; 6.5in (16.5cm) wide; 15 vein pairs; golden yellow with flat margins; dull on top; dull underneath; broadly ovate with cordate base; lightly folded and moderately corrugated overall, seems to be slug resistant.
Scape: 25 to 27in (63.5 to 68.6cm) high; green
Flower: 2.5in (6.4cm) long; near white; tubular; Valparaiso, IN; 6/10 - 6/18 - 7/4
Seed: sets viable seed; green pods
Clump History: original seedling; 20 years old; Valparaiso, IN
Notable Characteristics: Large tightly packed yet neatly arranged clump of golden yellow leaves. Does well in the sun.
Pod Parent: (*H. 'King Tut'* × *OP*)
Pollen Parent: [*H. 'Key West'* × (*H. 'Bengée'* × *H. montana* f. *macrophylla*)] × [(*H. 'Zounds'* × *H. 'Niagara Falls'*) × *H. 'Jean Harlow'*]
Seasonal Color: lutescent (starts greenish yellow changing to a golden creamy yellow later)

H. 'Heart of the Sunrise' R. Mortko (ON) AHS (I)
 B. Ankney (R)
Plant: 20in (50.8cm) diameter; 18in (45.7cm) high; mound-like; moderate growth rate.
Leaf: 7.5in (19.1cm) long; 5.5in (14cm) wide; 8 to 10 vein pairs; golden yellow with slightly rippled margins; dull on top;

dull underneath; broadly ovate with cordate base; very lightly wavy and lightly corrugated overall.

Flower: pale lavender; tubular; Jun 1 to Jul 15; Oakbrook Terrace, IL

Clump History: original sport; 4 yrs old; Oakbrook Terrace, IL
Notable Characteristics: Large, heart shaped leaves are brilliant gold with deeply impressed veins and slightly rippled margins. Gains moderate corrugation upon maturity.

Parentage: Sport of *H. 'Goodness Gracious'*

H. 'Honey Boy Jack' W. Brandt (ONIR)
Plant: 16in (40.6cm) diameter; 9in (22.9cm) high; mound-like; slow growth rate.
Leaf: 4.5in (11.4cm) long; 3.5in (8.9cm) wide; 9 to 10 vein pairs; golden yellow & frequent soft green streaks with 1in (2.5cm) wide medium green, flat margins; slightly shiny on top; dull underneath; broadly ovate with cordate base; lightly folded with slight convex cupping and very widely spaced veins.
Scape: 12 to 15in (30.5 to 38.1cm) high; green
Flower: 1in (2.5cm) long; white; tubular; New Lenox, IL; 8/15 - 8/25 - 9/4
Seed: sets seed, viability unknown; green pods
Clump History: original sport; 3 years old; New Lenox, IL
Notable Characteristics: Smaller version of *H. 'Etched Glass'* with more round leaves and narrower centers of golden yellow with misty chartreuse streaks.
Parentage: Sport of *H. 'Etched Glass'*

H. 'Humungousaurus' H. Hansen (ONR) Walters Gardens (I)
Plant: 88in (223.5cm) diameter; 43in (109.2cm) high; mound-like; fast growth rate.
Leaf: 19in (48.3cm) long; 13in (33cm) wide; 15 to 17 vein pairs; golden yellow with flat margins; dull on top; glaucous bloom underneath; broadly ovate with cordate base; relatively flat overall with deeply impressed veins.
Scape: 31 to 45in (78.7 to 114.3cm) high; green
Flower: 2.3in (5.7cm) long; pale lavender with white margins; tubular; Zeeland, MI; 6/27 - 7/10 - 7/18
Seed: sets viable seed; green pods
Clump History: original seedling; 8 years old; Zeeland, MI
Notable Characteristics: Majestic presentation of golden yellow very large leaves.
Parentage: *H. 'Key West'* × *H. 'Viking Ship'*

I

H. 'Indiana Stardust' G. R. Goodwin (ONIR)
Plant: 30in (76.2cm) diameter; 10in (25.4cm) high; mound-like; moderate growth rate.
Leaf: 6in (15.2cm) long; 4in (10.2cm) wide; 10 to 11 vein pairs; dark green with .8 to 1in (1.9 to 2.5cm) wide, yellow, flat margins; slightly shiny on top; slightly shiny underneath; broadly ovate to nearly round with rounded base; relatively flat overall with widely spaced veins and mucronate tips.
Scape: 18 to 24in (45.7 to 61cm) high; medium green
Flower: 1.5in (3.8cm) long; medium lavender with purple stripes, white margins and alternate petals have translucent edges; tubular; Zionsville, IN; 8/1 - 8/15 - 8/25
Seed: sets viable seed; medium green
Clump History: original sport; 6 years old; Zionsville, IN

Notable Characteristics: sharp contrast between the bright yellow rim and dark green center holds throughout the entire season.
Parentage: Sport of *H. 'Yellow Fever'*

H. 'Inside Scoop' D. Dean (ONIR)
Plant: 36in (91.4cm) diameter; 15in (38.1cm) high; mound-like; moderate growth rate.
Leaf: 4.8in (12.1cm) long; 4.5in (11.4cm) wide; 8 to 9 vein pairs; medium blue green with flat margins; glaucous bloom on top; glaucous bloom underneath; nearly round with rounded base; deeply cupped overall.
Scape: 18 to 22in (45.7 to 55.9cm) high; glaucous purple to medium green at the base
Flower: 1.8in (4.4cm) long; pale lavender with medium lavender central splash; bell-shaped; Ramsey, MN; 7/7 - 7/18 - 8/3
Seed: does not set seed
Clump History: original seedling; 12 years old; Ramsey, MN
Notable Characteristics: Compact clump of blue green, consistently cupped, white backed leaves. Bloom scapes are in proportion to the clump size.
Parentage: *H. 'Country Candied Confection'* × *H. 'Candy Dish'*

J

H. 'Jean Genie' D. Bowe (ONIR)
Plant: 36in (91.4cm) diameter; 16in (40.6cm) high; upright; moderate growth rate.
Leaf: 10.5in (26.7cm) long; 8.5in (21.6cm) wide; 9 vein pairs; strong yellow green with slightly rippled margins; slightly shiny on top; glaucous bloom underneath; broadly ovate with cordate base; relatively flat overall.
Scape: 24 to 26in (61 to 66cm) high; yellow green with pink speckles that are more dense near the flowers
Flower: 1.3in (3.2cm) long; pinkish lavender with white at the base, do not open except for small gaps at the sides; Chagrin Falls, OH; 8/5 - 8/10 - 8/27
Seed: sets seed, viability unknown; yellow green pods
Clump History: original sdlg; 10 yrs old; Chagrin Falls, OH
Notable Characteristics: Unique yellow green color and intensely white backs. Pink flower buds do not open all the way.
Parentage: *H. 'Designer Genes'* × *H. hypoleuca*
Seasonal Color: slightly viridescent

H. 'Jin Tianshi' Donghuan Liu, Meng Sun, Boyang Liu, Min Sang, Hengxing Liu (ONIR)
Plant: 25.6in (65cm) diameter; 11.8in (30cm) high; upright; fast growth rate.
Leaf: 7.9in (20cm) long; 3.9in (10cm) wide; 8 to 9 vein pairs; strong yellow green (144A RHS Chart) with rippled margins; dull on top; dull underneath; broadly ovate with flat base; lightly twisted and occasional curling overall.
Scape: 13.8 to 18.9in (35 to 48cm) high; strong yellow green (144C RHS Chart)
Scape bracts: 1.2in (3cm) long; .2in (.5cm) wide
Flower: 2in (5cm) long; near white with very pale purple central splash and translucent margins; tubular; Beijing, China; 7/24 - 8/4 - 8/20
Seed: does not set seed;
Clump History: original seedling; 8 years old; Beijing, China

Notable Characteristics: Shiny lutescent leaves with rippled margins and upright posture. Erect scapes host very pale purple flowers.

Parentage: *H. 'August Beauty'* × OP
Seasonal Color: Lutescent: moderate olive green early (146A) lightens to a strong yellow green later (144A)

H. 'Juanita Alisa' A. Lenhardt (ONIR)
Plant: 20in (50.8cm) diameter; 20in (50.8cm) high; upright; moderate growth rate.
Leaf: 8in (20.3cm) long; 4in (10.2cm) wide; 6 to 7 vein pairs; light limey green & yellowish green with flat margins; dull on top; dull underneath; ovate with tapered base; relatively flat overall; petioles are saturated red at the base gradually fading towards the leaf.
Scape: 36 to 40in (91.4 to 101.6cm) high; medium green moderately spotted with red
Flower: 3in (7.6cm) long; deep purple with interior white throat and star pattern against deep purple striped central splash; tubular; Sewickley, PA; 8/10 - 8/15 - 8/25
Seed: sets viable seed; green pods
Clump History: original sport; 4 years old; Sewickley, PA
Notable Characteristics: Nice limey green and yellowish green leaves with red petioles, and tall scapes with large deep purple flowers.
Parentage: Sport of unregistered sdlg (*H. 'Neat Splash'* × *H. 'Designer Genes'*)

K

H. 'King Kong' R. Hatt (ONIR)
Plant: 60in (152.4cm) diameter; 36in (91.4cm) high; upright; fast growth rate.
Leaf: 18in (45.7cm) long; 12in (30.5cm) wide; 15 to 17 vein pairs; blue with moderately rippled margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; lightly cupped and moderately corrugated overall. Very thick substance so the leaves hold themselves at a pleasing viewing angle.
Scape: 50 to 60in (127 to 152.4cm) high; light green with glaucous bloom
Flower: 3.5in (8.9cm) long; pale lavender with medium lavender interior stripes; tubular; Merrimac, MA; 7/10 - 7/26 - 8/17
Seed: sets seed, viability unknown; medium green pods
Clump History: original seedling; 5 years old; Merrimac, MA
Notable Characteristics: Giant upright hosta with large, elongated blue leaves that are very thick and deeply corrugated. The blue holds well into the season before fading to reveal shiny, dark green leaves. Tall 4' to 5' scapes hold an immense number of flowers that continue to open for nearly a month. A real monster of a hosta.
Parentage: {[(*H. 'Blue Hawaii'* × *H. 'Key West'*) × *H. 'Brutus'*] × *H. 'Stingray'*} × OP
Seasonal Color: blue holds well but eventually fades to reveal shiny dark green leaves.

H. 'Kwick's Dimpled Emerald' C. Kwick (ONIR)
Plant: 45in (114.3cm) diameter; 18in (45.7cm) high; mound-like; moderate growth rate.
Leaf: 11in (27.9cm) long; 9in (22.9cm) wide; 14 to 15 vein pairs; emerald green with flat margins; very shiny on top; very

shiny underneath; broadly ovate with cordate base; lightly cupped and intensely corrugated overall.
Scape: 23 to 28in (58.4 to 71.1cm) high; green
Scape Bracts: heart-shaped bracts near the top of scapes
Flower: 1.5in (3.8cm) long; pale lavender with lavender stripes; tubular; Eau Claire, WI; 7/2 - 7/12 - 7/20
Seed: sets seed, viability unknown; green pods
Clump History: original seedling; 7 years old; Eau Claire, WI
Notable Characteristics: Very shiny and very dimpled emerald leaves.
Parentage: *H. 'Blue Umbrellas'* × *H. 'Summer Lovin'*

H. 'Kwick's River Prairie Salute' C. Kwick (ONIR)
Plant: 44in (111.8cm) diameter; 20in (50.8cm) high; mound-like; moderate growth rate.
Leaf: 12in (30.5cm) long; 10in (25.4cm) wide; 11 to 12 vein pairs; light green with moderately rippled margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; lightly folded and very lightly corrugated overall.
Scape: 28 to 38 in (71.1 to 96.5cm) high; light green w/glaucous bloom
Scape Bracts: small heart-shaped bracts
Flower: 2in (5.1cm) long; medium lavender with well-defined lavender stripes; tubular; Eau Claire, WI; 7/1 - 7/8 - 7/17
Seed: sets seed, viability unknown; light green pods
Clump History: original seedling; 10 years old; Eau Claire, WI
Notable Characteristics: Big hosta with deeply impressed veins. Early glaucous bloom gives way to slightly shiny, light green leaves with nicely rippled margins.
Parentage: *H. 'Blue Umbrellas'* × OP

L

H. 'Lady Felicity' C. Kwick (ONIR)
Plant: 26in (66cm) diameter; 10in (25.4cm) high; mound-like; moderate growth rate.
Leaf: 9in (22.9cm) long; 7.8in (19.7cm) wide; 10 to 11 vein pairs; greenish yellow with slightly rippled margins; dull on top; glaucous bloom underneath; ovate with cordate base; lightly folded overall with clearly defined veins.
Scape: 22 to 24in (55.9 to 61cm) high; light green with glaucous bloom
Flower: 1.8in (4.4cm) long; pale lavender with white margins and translucent edges on alternate petals; tubular; Eau Claire, WI; 7/24 - 8/8 - 8/13
Seed: sets seed, viability not provided; green pods
Clump History: original seedling; 8 years old; Eau Claire, WI
Notable Characteristics: Elongated ovate leaves are greenish yellow with more green coloration towards the leaf base, along the center rib and delineating each vein.
Parentage: *H. sieboldiana* 'Elegans' × *H. 'Sunshine Glory'*

H. 'Latte' G. R. Goodwin (ONIR)
Plant: 16in (40.6cm) diameter; 6in (15.2cm) high; upright; moderate growth rate.
Leaf: 5in (12.7cm) long; 4in (10.2cm) wide; 6 vein pairs; yellow to chartreuse with .3in (.8cm) wide cream colored moderately wavy margins; slightly shiny on top; slightly shiny underneath; ovate with cordate base; lightly twisted & corrugated and moderately cupped & folded overall with creamy margin color extending down the petioles.

Scape: 15 to 20in (38.1 to 50.8cm) high; light green
Flower: 1.5in (3.8cm) long; pale lavender with very light striping; tubular; Zionsville, IN; 7/15 - 7/30 - 8/15
Seed: sets seed, viability unknown; slightly greenish purple pods
Clump History: original seedling; 12 years old; Zionsville, IN
Notable Characteristics: Distinctively cupped with wavy margins. Yellow centers changing to chartreuse have creamy margins.
Parentage: Parentage Unknown
Seasonal Color: yellow centers early turn chartreuse later.

H. 'Leaving Me Breathless' H. Hansen (ONR) Walters Gardens (I)
Plant: 47in (119.4cm) diameter; 18in (45.7cm) high; mound-like; moderate growth rate.
Leaf: 13in (33cm) long; 8in (20.3cm) wide; 11 to 12 vein pairs; creamy white and olive with 1 to 2.5in (2.5 to 6.4cm) wide blue, slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; ovate with rounded base; lightly folded and wavy overall.
Scape: 31 to 35 in (78.7 to 88.9cm) high; white
Scape Bracts: creamy bracts have green margins.
Flower: 2in (5.1cm) long; medium lavender center stripe and diamond dusting on pale lavender margins; tubular; Zeeland, MI; 7/13 - 8/1 - 8/16
Seed: sets non-viable seed; chartreuse pods turn rose pink at maturity
Clump History: original seedling; 8 years old; Zeeland, MI
Notable Characteristics: Ruffled, wedge-shaped creamy white leaves with wide blue margins and olive green feathering in between.
Parentage: [(streaked sdg of *H. rupifraga* × *H. 'Niagara Falls'*) × (*H. 'Neptune'* × *H. 'Fulda'*)] × (*H. 'Neptune'* × *H. 'Queen of the Seas'*)
Seasonal Color: emerges with chartreuse to yellow centers that brighten to near white.

H. 'Let's Do the Twist' K. & O. Elchuk (ONR) Giboshill Hostas (I)
Plant: 43in (109.2cm) diameter; 23in (58.4cm) high; mound-like; fast growth rate.
Leaf: 9in (22.9cm) long; 4in (10.2cm) wide; 8 to 10 vein pairs; medium green with moderately rippled margins; very shiny on top; very shiny underneath; ovate with tapered base; lobes often overlap, and leaf tips are deeply twisted overall - some twisting completely around.
Scape: 38 to 42in (96.5 to 106.7cm) high; green
Flower: 2in (5.1cm) long; pale purple with white throat and center splash; bell-shaped; Cobourg, Ontario; 7/15 - 8/1 - 8/12
Seed: sets viable seed; green pods
Clump History: original seedling; 9 yrs old; Cobourg, Ontario
Notable Characteristics: Shiny green leaves with wavy margins and twisted tips. Long recumbent scapes, some of which are branched.
Parentage: *H. 'Electrocution'* × *H. 'Hatsushimo'*

H. 'Lightning Rod' R. Hatt (ONIR)
Plant: 26in (66cm) diameter; 10in (25.4cm) high; mound-like; moderate growth rate.
Leaf: 6.5in (16.5cm) long; 5.5in (14cm) wide; 8 to 9 vein pairs; medium green to dark green streaked with varying shades of green & yellow and slightly rippled margins; slightly shiny on top; slightly shiny underneath; very broadly ovate with rounded base; leaves emerge somewhat twisted and wavy becoming

more flat as they harden off in late spring, lightly cupped both concave and convexly.

Scape: 17 to 18in (43.2 to 45.7cm) high; light green

Scape bracts: yellow with light green stripes

Flower: 2.5in (6.4cm) long; pale purple with faint white stripes; tubular; Merrimac, MA; 8/14 - 8/22 - 9/1

Seed: sets seed, viability unknown; light green pods

Clump History: original seedling; 5 years old; Merrimac, MA

Notable Characteristics: Thick leaves with streaks of several shades of yellow and green developing more contrast as the season progresses. Greenish yellow flower buds on light green scapes open to reveal pale purple striped flowers.

Parentage: streaked sport of *H. 'Flash of Light'* × *OP*

Seasonal Color: as the season progresses, the green areas get darker and the yellow areas lighten to white.

H. 'Little White Dove' G. R. Goodwin (ONIR)

Plant: 8in (20.3cm) diameter; 4in (10.2cm) high; mound-like; moderate growth rate.

Leaf: 3in (7.6cm) long; 1.5in (3.8cm) wide; 5 vein pairs; creamy white with .3in (.8cm) wide medium green flat margins; slightly shiny on top; slightly shiny underneath; ovate with cordate base; lightly twisted and folded overall.

Scape: 5 to 8in (12.7 to 20.3cm) high; medium green

Flower: 1.5in (3.8cm) long; pale lavender center stripes that do not extend into petal tips; tubular; Zionsville, IN; 6/25 - 7/15 - 7/25

Seed: sets non-viable seed; white pods

Clump History: original sport; 7 years old; Zionsville, IN

Notable Characteristics: Full sun cultivar with creamy centers surrounded by narrow green margins and occasional olive green streaks between them.

Parentage: Sport of *H. 'Moolah'*

Seasonal Color: creamy white centers turn pure white later.

H. 'LudchoDrago' S. Drago (ONIR)

Plant: 25in (63.5cm) diameter; 15in (38.1cm) high; mound-like; moderate growth rate.

Leaf: 7in (17.8cm) long; 3in (7.6cm) wide; 5 to 6 vein pairs; cream to white with 0 to .5in (0 to 1.3cm) wide, flat margins of varying shades of green; dull on top; dull underneath; elliptical with tapered base; lightly twisted overall with much variation in streakiness from leaf to leaf

Scape: 20 to 24 in (50.8 to 61cm) high; cream

Flower: 1.5in (3.8cm) long; pale purple; tubular; Windsor, Ontario; 6/10 - 6/25 - 7/10, reblooms late August to early September.

Seed: sets seed, viability unknown; white pods

Clump History: original sport; 4 years old; Windsor, Ontario

Notable Characteristics: Each leaf has different variegation. Some leaves have margins, some do not. Some leaves are twisted, some are not. Consistently blooms twice each year.

Parentage: Sport of *H. 'Risky Business'*

M

H. 'Mansfield Memories' D. & M. Beilstein (O) D. Myers (NIR)

Plant: 58in (147.3cm) diameter; 26in (66cm) high; mound-like; moderate growth rate.

Leaf: 14.7in (37.4cm) long; 9.2 in (23.4cm) wide; 14 vein pairs; dark green with .3 to 1in (.8 to 2.5cm) wide golden yellow

slightly rippled margins; dull on top; dull underneath; ovate with cordate base; lightly wavy overall.

Scape: 26 to 32in (66 to 81.3cm) high; green

Flower: 2.5in (6.4cm) long; pale lavender midrib with white margins; tubular; Grand Rapids, MI; 7/1 - 7/15 - 8/1

Seed: sets viable seed; green pods

Clump History: original seedling; 9 yrs old; Grand Rapids, MI

Notable Characteristics: Large, dark green leaves with gold margins. Closely spaced veins and long leaf tips.

Parentage: Parentage Unknown

H. 'MegaRand' R. Balitewicz (O) D. Myers (NIR)

Plant: 34in (86.4cm) diameter; 22in (55.9cm) high; mound-like; moderate growth rate.

Leaf: 10in (25.4cm) long; 8.5in (21.6cm) wide; 13 vein pairs; lime green with flat margins; slightly shiny on top; dull underneath; broadly ovate with cordate base; moderately cupped and corrugated overall.

Scape: 22 to 24in (55.9 to 61cm) high; green

Flower: 2in (5.1cm) long; pale lavender; very pale lavender midrib with white margins and dark yellow pollen; tubular; Grand Rapids, MI; 6/24 - 7/10 - 7/24

Seed: sets viable seed; green pods

Clump History: original seedling; 10 yrs old; Grand Rapids, MI

Notable Characteristics: Lime green color on nicely cupped and corrugated leaves.

Parentage: *H. 'Millennium'* × *H. 'Krugerrand'*

H. 'Menorah' T. Avent (ONIR)

Plant: 30in (76.2cm) diameter; 15in (38.1cm) high; mound-like; moderate growth rate.

Leaf: 12in (30.5cm) long; 4.5in (11.4cm) wide; 8 to 9 vein pairs; medium green with moderately rippled margins; very shiny on top; very shiny underneath; elliptical with tapered base; lightly folded and moderately twisted overall.

Scape: 14 to 24in (35.6 to 61cm) high; green

Flower: 2.5in (6.4cm) long; fragrant; near white; tubular; Raleigh, NC; 7/20 - 8/1 - 8/10

Seed: sets viable seed; green pods

Clump History: original seedling; 10 years old; Raleigh, NC

Notable Characteristics: Distinctive branched scapes form a menorah-like arrangement of fragrant flowers at full-anthesis.

Parentage: *H. 'Branching Out'* × *H. plantaginea*

H. 'Mixed Emotions' O. Purvis (ONIR)

Plant: 28in (71.1cm) diameter; 22in (55.9cm) high; upright; moderate growth rate.

Leaf: 10in (25.4cm) long; 7in (17.8cm) wide; 15 vein pairs; dark grayish green with flat margins; dull on top; glaucous bloom underneath; nearly round with cordate base; moderate to deep cupping and corrugation overall, and glaucous coating on reverse is visible as a thin line along the leaf edges.

Scape: 24 to 26in (61 to 66cm) high; green

Flower: 2in (5.1cm) long; near white with light lavender center stripe; tubular; Princeton, WI; 7/17 - 7/27 - 8/6

Seed: sets viable seed; green pods

Clump History: original seedling; 6 years old; Princeton, WI

Notable Characteristics: Cupped and corrugated, dark grayish green leaves are held upward.

Parentage: Parentage Unknown

H. 'Moment to Treasure' H. Hansen (ONR) Walters Gardens (I)
Plant: 43in (109.2cm) diameter; 19in (48.3cm) high; mound-like; moderate growth rate.

Leaf: 10in (25.4cm) long; 8in (20.3cm) wide; 13 to 14 vein pairs; golden yellow with 2 to 3in (5.1 to 7.6cm) wide blue very lightly wavy margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; lightly cupped and twisted, and moderately corrugated overall.

Scape: 18 to 23in (45.7 to 58.4cm) high; pale green maturing to a pinkish lavender

Flower: 2in (5.1cm) long; near white with pale lavender interiors; tubular; Zeeland, MI; 6/27 - 7/1 - 7/15

Seed: sets non-viable seed; creamy yellow pods

Clump History: original seedling; 8 years old; Zeeland, MI

Notable Characteristics: Corrugated, roundish, golden yellow leaves with wide blue margins.

Parentage: streaked sport of *H. sieboldiana* 'Elegans' × *H. 'Viking Ship'*

H. 'Moon Island' R. Fox (ONIR)

Plant: 44in (111.8cm) diameter; 21in (53.3cm) high; mound-like; slow growth rate.

Leaf: 11in (27.9cm) long; 8in (20.3cm) wide; 16 vein pairs; blue with 1in (2.5cm) wide creamy white, flat margins; slightly shiny on top; dull underneath; broadly ovate with cordate base; moderately corrugated overall.

Scape: 24 to 26in (61 to 66cm) high; green

Flower: 1.5 in (3.8cm) long; medium lavender centers surrounded by white with translucent margins; tubular; Jul 15 to Aug 15; Lowell, IN

Clump History: original seedling; 10 years old; Lowell, IN

Notable Characteristics: Striking coloration.

Parentage: *H. 'Ice Age Trail'* × *H. 'Empress Wu'*

H. 'Mopsy' S. Proctor (ONIR)

Plant: 14in (35.6cm) diameter; 5in (12.7cm) high; mound-like; slow growth rate.

Leaf: 5.5in (14cm) long; 1in (2.5cm) wide; 2 vein pairs; medium green with moderately wavy margins; slightly shiny on top; slightly shiny underneath; lance-shaped with tapered base; lightly twisted, moderately folded and deeply wavy overall.

Scape: 12 to 15in (30.5 to 38.1cm) high; green with moderately dense red speckles

Flower: 1.3in (3.2cm) long; medium lavender; alternate petals have translucent margins; tubular; Huddersfield, West Yorkshire, UK; 7/14 - 8/4 - 8/20

Seed: does not set seed

Clump History: original seedling; 7 years old; Huddersfield, West Yorkshire, UK

Notable Characteristics: Unique miniature has sharply pointed, thick leaves with twisted tips. Sun tolerant (5 to 6 hrs) in mid-summer.

Parentage: *H. 'War Paint'* × *H. 'Lakeside Ninita'*

H. 'Mr Peabody' O. Purvis (ONIR)

Plant: 21in (53.3cm) diameter; 10in (25.4cm) high; mound-like; slow growth rate.

Leaf: 8in (20.3cm) long; 6in (15.2cm) wide; 12 vein pairs; yellowish cream with 2in (5.1cm) wide dark green flat margins; slightly shiny on top; glaucous bloom underneath; broadly ovate with cordate base; moderately corrugated overall with some streaks of medium green between the center and margin colors.

Scape: 14 to 16 in (35.6 to 40.6cm) high; some scapes are pale green, and some are dirty white

Flower: 1.5in (3.8cm) long; white; tubular; Princeton, WI; 6/28 - 7/5 - 7/12

Seed: sets viable seed; green or white pods (depending on scape color)

Clump History: original seedling; 8 years old; Princeton, WI

Notable Characteristics: Nice color contrast on corrugated leaves of good substance.

Parentage: Parentage Unknown

O

H. 'Old North Church' R. Goodenough (ONIR)

Plant: 37in (94cm) diameter; 18in (45.7cm) high; upright; moderate growth rate.

Leaf: 11in (27.9cm) long; 6.5in (16.5cm) wide; 9 to 11 vein pairs; intense pure green with .8in (1.9cm) wide creamy white, heavily rippled margins; slightly shiny on top; dull underneath; broadly ovate with cordate base; lightly wavy and corrugated overall.

Scape: 26 to 36in (66 to 91.4cm) high; green with some red speckling

Flower: 2in (5.1cm) long; pale lavender; tubular; Marshfield, MA; 7/25 - 8/3 - 8/14

Seed: sets seeds, viability is unknown

Clump History: original seedling; 4 years old; Marshfield, MA

Notable Characteristics: Distinctly upright with vibrant red petioles from base to leaf blade. Ruffle edged leaves come to an elegant point and are held horizontally so the bold petioles are highly visible. Chosen as a 2024 AHS Convention Gift Plant.

Parentage: streaked sport of *H. 'Lakeside Cranberry Relish'* × *H. 'Mango Mango'*

Seasonal Color: margins change from creamy white to white by mid-season.

H. 'On with the Show' T. Avent (ONIR)

Plant: 38in (96.5cm) diameter; 15in (38.1cm) high; upright; moderate growth rate.

Leaf: 7in (17.8cm) long; 4in (10.2cm) wide; 8 to 11 vein pairs; dark green with .8in (1.9cm) wide, creamy yellow slightly wavy margins; shiny on top; slightly shiny underneath; broadly ovate with tapered base; slightly twisted overall and leaf lobes roll inward almost overlapping.

Scape: 12 to 15in (30.5 to 38.1cm) high; deep purple

Scape Bracts: small, dark brownish bracts

Flower: 2 in (5.1cm) long; pale lavender; tubular; Raleigh, NC; 6/5 - 6/21 - 7/25

Seed: sets seed, viability unknown; green pods

Clump History: original seedling; 10 years old; Raleigh, NC

Notable Characteristics: Glossy dark green leaves with rippled margins of creamy yellow.

Parentage: Parentage Unknown

H. 'OneMore' P. Dale (O), AHS (I), B. Ankney (NR)

Plant: 15in (38.1cm) diameter; 9in (22.9cm) high; mound-like; moderate growth rate.

Leaf: 4in (10.2cm) long; 1.9in (4.8cm) wide; 5 to 6 vein pairs; light green with .3in (.6cm) wide white lightly wavy margins; dull on top; dull underneath; ovate with rounded base; relatively flat overall

Scape: 15 to 18in (38.1 to 45.7cm) high; burgundy
Flower: 1.5in (3.8cm) long; near white with light lavender stripes; tubular; Aug 15 to Oct 1; Oakbrook Terrace, IL
Seed: sets seed, viability unknown; green pods
Clump History: original seedling; 5 years old; Oakbrook Terrace, IL
Notable Characteristics: White margined leaves with burgundy dotted petioles with the burgundy dots extending up into the leaves.
Parentage: Parentage Unknown
Seasonal Color: viridescent - emerges chartreuse turning light green over time.

H. 'Oxbow' D. Bowe (ONIR)
Plant: 10in (25.4cm) diameter; 6in (15.2cm) high; upright; moderate growth rate.
Leaf: 3.5in (8.9cm) long; 2.3in (5.7cm) wide; 8 to 10 vein pairs; blue with flat margins; glaucous bloom on top; glaucous bloom underneath; ovate with tapered base; lightly folded and occasional light waviness overall, and asymmetrical indentations in leaf edges.
Scape: 12 to 13in (30.5 to 33cm) high; blue
Flower: 1.4in (3.5cm) long; near white with lavender central splash and translucent margins; bell-shaped; Chagrin Falls, OH; 7/3 - 7/14 - 7/20
Seed: sets seed, viability unknown; blue pods
Clump History: original seedling; 4 yrs old; Chagrin Falls, OH
Notable Characteristics: Small blue with asymmetrical indentations on leaf edges (one side only), and near white flowers nicely proportioned to the clump size.
Parentage: *H. 'Fulda'* × unnamed sdlg 1886

P

H. 'Pea Soup' K. & O. Elchuk (ONR) Gibosihill Hostas (I)
Plant: 12in (30.5cm) diameter; 8in (20.3cm) high; mound-like; slow growth rate.
Leaf: 4in (10.2cm) long; 1.5in (3.8cm) wide; 5 to 7 vein pairs; light green misted white with slightly rippled margins; dull on top; dull underneath; ovate with tapered base; lightly folded, wavy and corrugated overall.
Scape: 14 to 18in (35.6 to 45.7cm) high; green
Flower: 1.5in (3.8cm) long; near white with purple stripes; tubular; Cobourg, Ontario; 7/10 - 7/15 - 7/25
Seed: sets viable seed; green pods have whitish stripes
Clump History: original seedling; 13 yrs old; Cobourg, Ontario
Notable Characteristics: Petite mound of light green leaves of good substance are uniformly misted with white.
Parentage: *H. 'Allegan Fog'* × OP

H. 'Pebbles and Bamm-Bamm' K. Dye (ONIR)
Plant: 17.3in (44cm) diameter; 11.4in (29cm) high; upright; moderate growth rate.
Leaf: 4.4in (11cm) long; 3.7in (9.4cm) wide; 6 to 7 vein pairs; bright yellow with flat margins; slightly shiny on top; dull underneath; broadly ovate with flat base; moderately cupped and deeply corrugated overall.
Scape: 11.8 to 12.6in (30 to 32cm) high; greenish yellow
Flower: 2in (5cm) long; medium lavender with darker stripes; tubular; Mapleton, IL; 8/5 - 8/14 - 8/23
Seed: does not set seed

Clump History: original seedling; 20 years old; Mapleton, IL
Notable Characteristics: Bright yellow cupped and corrugated leaves with red petioles.
Parentage: *H. 'PeeDee Gold Flash'* × *H. yingeri*

H. 'Pennsylvucky Fuchsia Fever' W. Daughenbaugh (ONIR)
Plant: 19in (48.3cm) diameter; 7in (17.8cm) high; mound-like; moderate growth rate.
Leaf: 5in (12.7cm) long; 3in (7.6cm) wide; 5 to 6 vein pairs; dark green with flat margins; dull on top; slightly shiny underneath; ovate with rounded base; relatively flat overall
Scape: 15 to 17in (38.1 to 43.2cm) high; very dark purple (almost black)
Flower: 2.5in (6.4cm) long; fuchsia with medium lavender interiors & darker stripes, alternate petals have white margins and translucent edges; tubular; Bellefonte, PA; 8/22 - 8/30 - 9/4
Seed: sets seed, viability unknown; greenish red pods
Clump History: original seedling; 2 years old; Bellefonte, PA
Notable Characteristics: Dark green leaves "blush" in the spring - lasting until early July. Dark red scapes & petioles, beet red leaf edges, and unique fuchsia colored flowers.
Pod Parent: (*H. 'First Blush'* × (*H. 'Dostoyevsky'* × *H. 'Dostoyevsky'*))
Pollen Parent: (unnamed sdlg redflower2 × OP)

H. 'Pennsylvucky Peachy Suffusion' W. Daughenbaugh (ONIR)
Plant: 15in (38.1cm) diameter; 8in (20.3cm) high; mound-like; moderate growth rate.
Leaf: 3.8in (9.5cm) long; 2.8in (7cm) wide; 4 to 5 vein pairs; dark green with very slightly wavy margins; satiny sheen on top; slightly shiny underneath; ovate with tapered base; relatively flat overall with a few leaves being slightly wavy.
Scape: 15 to 21in (38.1 to 53.3cm) high; green
Flower: 2in (5.1cm) long; interior white centers with medium purple stripes, yellowish margins and translucent edges on alternate petals. Entire flower has distinct yellow undertones, unopened buds appear more pink than purple; tubular; Bellefonte, PA; 8/1 - 8/12 - 8/18
Seed: sets viable seed; green pods
Clump History: original seedling; 3 years old; Bellefonte, PA
Notable Characteristics: Small green plant with uniquely colored pinkish-purple flowers with distinct yellow undertones.
Pod Parent: [((*H. 'Dostoyevsky'* × *H. 'Dostoyevsky'*) × *H. 'Rosebud'*) × *H. 'Rosebud'*]
Pollen Parent: *H. 'Miracle Lemony'*

H. 'Pixie Dancer' T. Avent (ONIR)
Plant: 4in (10.2cm) diameter; 1.5in (3.8cm) high; mound-like; moderate growth rate.
Leaf: 1.5in (3.8cm) long; .6in (1.5cm) wide; 4 vein pairs; medium green with flat margins; slightly shiny on top; very shiny underneath; elliptical with tapered base; relatively flat overall.
Scape: 10 to 14in (25.4 to 35.6cm) high; green
Flower: 1.3in (3.2cm) long; medium to dark purple throughout with intense dark purple veins; tubular; Raleigh, NC; 6/1 - 6/20 - 7/10
Seed: sets viable seed; green pods
Clump History: original seedling; 4 years old; Raleigh, NC
Notable Characteristics: Dense, fast-offsetting clump of pointed green leaves topped with purple flowers in late June.
Parentage: unnamed sdlg 05-265 × unnamed sdlg 05-165

H. 'Poetry in Motion'

H. McDonell (ONIR)

Plant: 37in (94cm) diameter; 17in (43.2cm) high; mound-like; fast growth rate.

Leaf: 9.5in (24.1cm) long; 4.5in (11.4cm) wide; 9 to 10 vein pairs; medium green with heavily rippled margins; slightly shiny on top; glaucous bloom underneath; ovate with flat base; deeply folded and wavy overall.

Scape: 18 to 20in (45.7 to 50.8cm) high; green

Flower: 1.8in (4.4cm) long; near white with dark lavender interior ribs and exterior brushings; tubular; Fayetteville, GA; 7/21 - 8/5 - 8/15

Seed: sets viable seed; green pods

Clump History: original seedling; 5 years old; Fayetteville, GA

Notable Characteristics: Deeply ruffled and folded leaves with intensely glaucous white undersides.

Parentage: [(H. 'Marilyn Monroe' × H. 'Maekawa') × (H. 'One Man's Treasure' × H. 'Gilt by Association')] × H. 'Joy Ride'

R

H. 'Raggedy Anne'

J. Husemann (O) E. Schulz (NIR)

Plant: 30in (76.2cm) diameter; 18in (45.7cm) high; mound-like; fast growth rate.

Leaf: 8.3in (21cm) long; 3in (7.6cm) wide; 8 to 9 vein pairs; medium green with heavily rippled margins; slightly shiny on top; glaucous bloom underneath; lance-shaped with tapered base; lightly folded arching leaves are heavily serrated and have twisted tips.

Scape: 19 to 24in (48.3 to 61cm) high; green

Flower: 1.3in (3.2cm) long; lavender with white throat, lavender central splash and translucent margins; tubular; Dubuque, IA; 7/22 - 8/12 - 9/2

Seed: sets seed, viability unknown; green pods

Clump History: original seedling; 4 years old; Dubuque, IA

Notable Characteristics: Long arching green leaves are highly rippled and heavily serrated with bright white backs. Very long bloom time and long recumbent scapes.

Parentage: H. 'Neptune' × H. 'Smoke Signals'

H. 'Ripples in Time'

D. Dean (OIR) R. Mortko (N)

Plant: 36in (91.4cm) diameter; 19in (48.3cm) high; upright; moderate growth rate.

Leaf: 6.5in (16.5cm) long; 5in (12.7cm) wide; 6 to 7 vein pairs; dark green with heavily rippled margins; slightly shiny on top; slightly shiny underneath; broadly ovate with cordate base; lightly folded at the base with distinctly twisted leaf tips.

Scape: 17 to 23in (43.2 to 58.4cm) high; saturated burgundy with glaucous bloom

Flower: 2in (5cm) long; pale lavender with medium lavender central splash and reddish purple tubes; tubular; Ramsey, MN; 8/8 - 8/16 - 8/28

Seed: sets viable seed; burgundy pods

Clump History: original seedling; 6 years old; Ramsey, MN

Notable Characteristics: Flared, upright mound of dark green rippled leaves with twisted tips. Saturated burgundy petioles with glaucous bloom.

Pod Parent: {(H. 'Swoosh' sdlg × H. *hypoleuca*) × (H. 'Urajiro Hachijo' × H. *pyncophylla*)} × H. 'High Kicker' × [(H. 'Grand Slam' × OP) × sdlg from unrecorded cross]

Pollen Parent: H. 'Night Flight'

H. 'Rising Prince'

R. Fox (ONIR)

Plant: 42in (106.7cm) diameter; 30in (76.2cm) high; upright; moderate growth rate.

Leaf: 12in (30.5cm) long; 9in (22.9cm) wide; 12 vein pairs; blue with flat margins; dull on top; glaucous bloom underneath; broadly ovate with cordate base; moderately cupped and lightly corrugated overall.

Scape: 24 to 28in (61 to 71.1cm) high; green

Flower: 1.5in (3.8cm) long; near white with very pale lavender centers and translucent margins; tubular; Lowell, IN; 6/5 - 6/18 - 6/30

Seed: sets viable seed; green pods

Clump History: original seedling; 7 years old; Lowell, IN

Notable Characteristics: Vase shaped plant with pointed upturned leaves.

Parentage: H. 'Gentle Giant' × H. 'Empress Wu'

H. 'River Valley Gold'

R. & L. Fox (ONIR)

Plant: 42in (106.7cm) diameter; 28in (71.1cm) high; upright; moderate growth rate.

Leaf: 14in (35.6cm) long; 11in (27.9cm) wide; 16 vein pairs; light green with slightly rippled margins; dull on top; glaucous bloom underneath; very broadly ovate with cordate base; lightly folded and extremely corrugated leaves are slightly dome shaped overall.

Scape: 24 to 28in (61 to 71.1cm) high; green

Flower: 1.5in (3.8cm) long; pale lavender with light striping; tubular; Lowell, IN; 6/15 - 6/25 - 7/10

Seed: sets seed, viability unknown; green pods

Clump History: original seedling; 8 years old; Lowell, IN

Notable Characteristics: Heavily corrugated upright plant that turns gold later in the season.

Parentage: H. 'Clear Fork River Valley' × H. 'High Noon'

Seasonal Color: lutescent - emerges light green changing to gold by late summer.

H. 'Roadmaster'

O. Purvis (ONIR)

Plant: 42in (106.7cm) diameter; 30in (76.2cm) high; upright; moderate growth rate.

Leaf: 12in (30.5cm) long; 11in (27.9cm) wide; 14 vein pairs; blue green with slightly wavy margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; very light cupping and light corrugation overall with prominent veins.

Scape: 47 to 50in (119.4 to 127cm) high; green

Flower: 2in (5.1cm) long; near white with light lavender center stripe; tubular; Princeton, WI; 6/27 - 7/10 - 7/24

Seed: sets viable seed; green pods

Clump History: original seedling; 10 years old; Princeton, WI

Notable Characteristics: Upright clump of large blue green semi-wavy leaves.

Parentage: H. 'Sagae' × OP

H. 'Rumble Seat'

E. Schulz (ONIR)

Plant: 24 in (61cm) diameter; 12in (30.5cm) high; mound-like; slow growth rate.

Leaf: 8.5in (21.6cm) long; 6in (15.2cm) wide; 12 to 13 vein pairs; medium blue green with flat margins; dull on top; glaucous bloom underneath; ovate with cordate base; deeply cupped, and moderately twisted, wavy & corrugated on leaves held predominantly horizontal

Scape: 14 to 20in (35.6 to 50.8cm) high; green

Flower: .8in (1.9cm) long; pale lavender centers with white margins; tubular; Dubuque, IA; 6/20 - 7/2 - 7/9

Seed: sets seed, viability unknown; green pods

Clump History: original seedling; 5 years old; Dubuque, IA

Notable Characteristics: Boat shaped leaves are deeply cupped and corrugated and interesting lavender flowers in early July.
Parentage: Parentage Unknown

S

H. ‘Saint Vincent’ M. Singkofer (ONIR)
Plant: 38in (96.5cm) diameter; 22in (55.9cm) high; upright; moderate growth rate.
Leaf: 10in (25.4cm) long; 9.3in (23.5cm) wide; 10 to 12 vein pairs; dark green with slightly rippled margins; slightly shiny on top; glaucous bloom underneath; nearly round with cordate base; moderately cupped and corrugated overall.
Scape: 26 to 30in (66 to 76.2cm) high; medium green
Flower: 1.3in (3.2cm) long; pale lavender; tubular; Mosinee, WI; 7/15 - 7/30 - 8/10
Seed: sets seed, viability unknown; medium green pods
Clump History: original seedling; 7 years old; Mosinee, WI
Notable Characteristics: Large size and dark green color.
Parentage: Parentage Unknown

H. ‘Sensational’ G. R. Goodwin (ONIR)
Plant: 24in (61cm) diameter; 12in (30.5cm) high; mound-like; moderate growth rate.
Leaf: 6in (15.2cm) long; 6in (15.2cm) wide; 12 to 13 vein pairs; medium green with 1 to 1.5in (2.5 to 3.8cm) wide creamy white relatively flat margins; slightly shiny on top; slightly shiny underneath; nearly round with cordate base; lightly wavy and deeply corrugated overall with overlapping lobes on slightly convex cupped leaves
Scape: 15 to 24in (38.1 to 61cm) high; dark green
Flower: 1.5in (3.8cm) long; pale lavender centers with white fading to translucent edges; tubular; Zionsville, IN; 6/15 - 7/1 - 7/15
Seed: sets viable seed; green pods
Clump History: original seedling; 13 years old; Zionsville, IN
Notable Characteristics: Attractive heart-shaped green leaves with wide white margins and various shades of gray green between the centers and margins.
Parentage: Parentage Unknown
Seasonal Color: light green with creamy yellow margins early changes to medium green with creamy white margins

H. ‘Shake Hands’ G. & R. Ragus (ONIR)
Plant: 17.7in (45cm) diameter; 9.8in (25cm) high; upright; moderate growth rate.
Leaf: 6.7in (17cm) long; 5.3in (13.5cm) wide; 9 to 10 vein pairs; dark green with flat margins; dull on top; dull underneath; broadly ovate with flat base; lightly corrugated overall with prominent veins and slightly twisted tips.
Scape: 15 to 17.7in (38 to 45cm) high; green
Flower: 1.7in (4.2cm) long; pale purple with purple stripes and translucent margins; tubular; Ganderkesee, Germany; 7/28 - 8/14 - 8/25
Seed: sets viable seed; dark green pods
Clump History: original sdg; 6 yrs old; Ganderkesee, Germany
Notable Characteristics: Compact clump of dark green roundish leaves.
Parentage: H. ‘Karin’ × H. ‘Hands Up’

H. ‘Sidekick’ R. & L. Fox (ONIR)
Plant: 32in (81.3cm) diameter; 14in (35.6cm) high; mound-like; moderate growth rate.
Leaf: 8.5in (21.6cm) long; 5in (12.7cm) wide; 9 vein pairs; dark green with .5in (1.3cm) wide creamy yellow lightly wavy margins; very shiny on top; glaucous bloom underneath; ovate with rounded base; relatively flat overall with a slight twist to the tips.
Scape: 19 to 24in (48.3 to 61cm) high; green
Flower: 1.5 in (3.8cm) long; pale lavender with light striping; tubular; Lowell, IN; 7/25 - 8/5 - 8/20
Seed: sets seed, viability unknown; green pods
Clump History: original seedling; 7 years old; Lowell, IN
Notable Characteristics: Dark green leaves with creamy yellow margins have wavy edges and twisted tips.
Parentage: H. ‘Rotini’ × H. ‘Blue Jay’
Seasonal Color: margins turn white in mid to late summer

H. ‘Sky Candy’ J. Morrow (ONIR)
Plant: 20in (50.8cm) diameter; 14 in (35.6cm) high; upright; slow growth rate.
Leaf: 7in (17.8cm) long; 3in (7.6cm) wide; 8 to 9 vein pairs; medium green with rippled margins; slightly shiny on top; glaucous bloom underneath; ovate with flat base; lightly cupped and folded overall.
Scape: 12 to 14in (30.5 to 35.6cm) high; green
Flower: 1.5in (3.8cm) long; pale lavender with medium lavender central splash, white margins and alternate petals have translucent edges; tubular; Warrenville, IL; 9/1 - 9/15 - 9/30
Seed: sets seed, viability unknown; green pods
Clump History: original seedling; 5 years old; Warrenville, IL
Notable Characteristics: Blue green leaves with rippled edges and white backs.
Parentage: H. ‘Sky Dancer’ × H. ‘Candy Dish’
Seasonal Color: glaucous coating fades leaving medium green leaves later in the season

H. ‘Smokey Mountain Blues’ C. Hanna (ONIR)
Plant: 68in (172.7cm) diameter; 39in (99.1cm) high; mound-like; moderate growth rate.
Leaf: 16in (40.6cm) long; 13in (33cm) wide; 14 to 15 vein pairs; smokey blue green with flat margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; moderately cupped and deeply corrugated overall.
Scape: 40 to 44 in (101.6 to 111.8cm) high; green
Flower: 1.8in (4.4cm) long; pale lavender; tubular; Marion, OH; 6/20 - 7/1 - 7/10
Seed: sets viable seed; green pods
Clump History: original seedling; 9 years old; Marion, OH
Notable Characteristics: Giant smokey blue clump that would make a great centerpiece for any bed. The clump size and leaf corrugation suggest a mountain.
Parentage: H. ‘Empress Wu’ × H. ‘Powder Blue’

H. ‘Sorry Closed’ K. & O. Elchuk (ONIR) Giboshihill Hostas (I)
Plant: 14in (35.6cm) diameter; 12in (30.5cm) high ;mound-like; moderate growth rate.
Leaf: 5in (12.7cm) long; 2.5 in (6.4cm) wide; 7 to 8 vein pairs; medium blue green with flat margins; glaucous bloom on top; glaucous bloom underneath; ovate with cordate base; very lightly corrugated and lightly wavy overall.
Scape: 16 to 18in (40.6 to 45.7cm) high; blue green

Flower: 1.5in (3.8cm) long; medium lavender with purple stripes; closed; Cobourg, Ontario; 8/6 - 8/11 - 8/17

Seed: does not set seed

Clump History: original seedling; 4 yrs old; Cobourg, Ontario

Notable Characteristics: Unique flowers where the majority don't open, while some open partially by splitting along the sides with tips remaining closed.

Parentage: Parentage Unknown

Seasonal Color: glaucous coating fades leaving medium green leaves later in the season

H. 'Speedway Sparky' G. R. Goodwin (ONIR)

Plant: 24in (61cm) diameter; 10in (25.4cm) high; mound-like; fast growth rate.

Leaf: 5.5in (14cm) long; 4in (10.2cm) wide; 9 vein pairs; slightly blue green with .4in (1cm) wide cream colored slightly wavy margins; slightly shiny on top; dull underneath; ovate with tapered base; lightly wavy & folded overall with creamy margin color extending down the petioles

Scape: 15 to 20in (38.1 to 50.8cm) high; medium green

Flower: 1.5in (3.8cm) long; medium lavender centers with white fading to translucent edges; tubular; Zionsville, IN; 7/15 - 8/15 - 8/30

Seed: sets viable seed; medium green pods

Clump History: original seedling; 10 years old; Zionsville, IN

Notable Characteristics: Interesting clump form with rimmed blades radiating out from a compact clump.

Parentage: Parentage Unknown

Seasonal Color: blue green centers turn dark green, and margins turn white in summer.

H. 'Spiders from Mars' D. Bowe (ONR) R. Solberg (I)

Plant: 9in (22.9cm) diameter; 7in (17.8cm) high; mound-like; moderate growth rate.

Leaf: 3.5in (8.9cm) long; 1.3in (3.2cm) wide; 6 to 8 vein pairs; chartreuse with moderately rippled margins; slightly shiny on top; slightly shiny underneath; narrowly ovate with tapered base; lightly arching with downward curled tips reminiscent of a claw

Scape: 20 to 22in (50.8 to 55.9cm) high; chartreuse at the base turning red distally

Flower: 1.5in (3.8cm) long; medium lavender with white throat, lavender central splash and translucent margins; tubular; Chagrin Falls, OH; 8/10 - 8/20 - 9/5

Seed: sets seed, viability unknown; chartreuse pods

Clump History: original seedling; 5 yrs old; Chagrin Falls, OH

Notable Characteristics: Shiny chartreuse, rippled and arching leaves appear like a many-legged spider trying to crawl out of the ground. Very long, recumbent red scapes with light purple flowers.

Parentage: H. 'Strawberry Yogurt' × H. 'Tequila Sunrise'

H. 'Sputzy' C. Kwick (ONIR)

Plant: 28in (71.1cm) diameter; 8in (20.3cm) high; mound-like; moderate growth rate.

Leaf: 7in (17.8cm) long; 5in (12.7cm) wide; 11 to 12 vein pairs; greenish yellow with flat margins; slightly shiny on top; very shiny underneath; broadly ovate with cordate base; lightly folded and corrugated overall.

Scape: 18 to 29in (45.7 to 73.7cm) high; light green

Flower: 1.5in (3.8cm) long; pale lavender with thin lavender stripes; tubular; Eau Claire, WI; 6/26 - 7/7 - 7/15

Seed: sets seed, viability unknown; green pods

Clump History: original seedling; 8 years old; Eau Claire, WI
Notable Characteristics: Shiny corrugated chartreuse leaves in a compact eight-inch height.

Parentage: H. 'Sea Gulf Stream' × H. 'Sagae'

Seasonal Color: slightly more golden as the season progresses.

H. 'Starboard Bow' D. Bowe (ONIR)

Plant: 15in (38.1cm) diameter; 10in (25.4cm) high; mound-like; fast growth rate.

Leaf: 4in (10.2cm) long; 3in (7.6cm) wide; 6 to 8 vein pairs; light green with flat margins; dull on top; very shiny underneath; broadly ovate to nearly round with rounded base; edges cup upward slightly and occasional light dimpling, petioles are reddish toward the base.

Scape: 16 to 18in (40.6 to 45.7cm) high; red

Flower: 1.5in (3.8cm) long; strong purple with dark purple stripes and translucent margins; tubular; Chagrin Falls, OH; 7/11 - 7/25 - 8/4

Seed: sets seed, viability unknown; purple pods

Clump History: original seedling; 4 yrs old; Chagrin Falls, OH

Notable Characteristics: Light green, nearly round leaves are held outward with attractive purple flowers on reddish purple scapes.

Parentage: H. 'Sailors' Warning' × OP

H. Storm Front' O. Purvis (ONIR)

Plant: 24in (61cm) diameter; 18in (45.7cm) high; upright; slow growth rate.

Leaf: 8in (20.3cm) long; 6in (15.2cm) wide; 11 to 12 vein pairs; dark powdery blue with flat margins; glaucous bloom on top; dull underneath; broadly ovate with cordate base; moderately cupped overall and a few leaves are slightly contorted.

Scape: 26 to 30in (66 to 76.2cm) high; green

Flower: 1.8in (4.4cm) long; near white with medium lavender center stripe; tubular; Princeton, WI; 6/29 - 7/10 - 7/18

Seed: sparse set of viable seed; green pods

Clump History: original seedling; 6 years old; Princeton, WI

Notable Characteristics: Dark powdery blue color on leaves of good substance with some cupping and waviness looks very much like a storm is brewing.

Parentage: Parentage Unknown

H. 'Sun Flower' T. Avent (ONIR)

Plant: 15in (38.1cm) diameter; 2in (5.1cm) high; mound-like; moderate growth rate.

Leaf: 3in (7.6cm) long; 2.5in (6.4cm) wide; 9 to 12 vein pairs; chartreuse with very slightly wavy margins; dull on top; slightly shiny underneath; ovate with tapered base; relatively flat overall with prominent veins.

Scape: 3 to 8in (7.6 to 20.3cm) high; green

Flower: 1.2in (3cm) long; medium lavender; tubular; Raleigh, NC; 6/1 - 6/20 - 7/2

Seed: does not set seed

Clump History: original seedling; 6 years old; Raleigh, NC

Notable Characteristics: Dense clump of very thick leaves with thick scapes holding the flowers just above the foliage.

Parentage: H. 'Faith' × unnamed sdlg 04-182

H. 'Sun Mouse' T. Avent (ONIR)

Plant: 12in (30.5cm) diameter; 6in (15.2cm) high; mound-like; moderate growth rate.

Leaf: 3in (7.6cm) long; 2in (5.1cm) wide; 5 to 6 vein pairs; golden yellow with slightly rippled margins; slightly shiny on

top; very shiny underneath; broadly ovate with tapered base; relatively flat overall with thick substance.

Scape: 6 to 9in (15.2 to 22.9cm) high; green

Flower: 2in (5.1cm) long; pale purple with white throat and darker purple stripes distally; tubular; Raleigh, NC; 7/10 - 7/20 - 8/2

Seed: sets viable seed; green pods

Clump History: original seedling; 12 years old; Raleigh, NC

Notable Characteristics: Compact, symmetrical mound of small golden yellow leaves with dark lavender flowers held just atop the foliage.

Parentage: unnamed sdlg 05-058 × unnamed sdlg 04-316

H. 'Sunshine Floozie' T. Avent (ONIR)

Plant: 36in (91.4cm) diameter; 20in (50.8cm) high; upright; fast growth rate.

Leaf: 9.5in (24.1cm) long; 4in (10.2cm) wide; 9 to 11 vein pairs; pale yellow with moderately rippled margins; dull on top; dull underneath; ovate with tapered base; lightly folded overall with leaf lobes almost touching and some leaf tips curving slightly downward.

Scape: 15 to 30 in (38.1 to 76.2cm) high; green

Flower: 3 in (7.6cm) long; pale lavender with darker lavender longitudinal stripes on inner side of petals; tubular; Raleigh, NC; 6/1 - 6/20 - 7/10

Seed: sets viable seed; green pods

Clump History: original seedling; 4 years old; Raleigh, NC

Notable Characteristics: Vigorous and durable clump of long pointed yellow leaves.

Parentage: unnamed sdlg 07-0370 × H. 'Dancing Queen'

Seasonal Color: turns chartreuse by the end of the season.

H. 'Swamp Creature' D. Myers (ONIR)

Plant: 12in (30.5cm) diameter; 5.5in (14cm) high; mound-like; slow growth rate.

Leaf: 3.6in (9.1cm) long; 3.4in (8.6cm) wide; 9 vein pairs; medium blue green with flat margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; deeply corrugated and moderately cupped leaves are generally contorted and emerge tightly wadded.

Scape: 7 to 8in (17.8 to 20.3cm) high; green

Flower: 2.5 in (6.4cm) long; medium lavender; tubular; Grand Rapids, MI; 7/18 - 7/25 - 8/12

Seed: seed information not provided

Clump History: original sport; 4 yrs old; Grand Rapids, MI

Notable Characteristics: Intensely corrugated and contorted blue green leaves on a small clump.

Parentage: Sport of H. 'Smokey Mountains'

T

H. 'Teddy' P. Postlewaite (ONIR)

Plant: 45in (114.3cm) diameter; 20in (50.8cm) high; mound-like; moderate growth rate.

Leaf: 11.5in (29.2cm) long; 10.5in (26.7cm) wide; 14 vein pairs; very light greenish yellow with heavily rippled margins; dull on top; dull underneath; nearly round with cordate base; lightly cupped, twisted, folded & wavy, and deeply corrugated overall.

Scape: 20 to 21in (50.8 to 53.3cm) high; green

Flower: 2in (5.1cm) long; near white; tubular; Jun 1 to Jul 15; Kildeer, IL

Clump History: original seedling; 15 years old; Kildeer, IL

Notable Characteristics: Deeply corrugated greenish gold leaves; color persists all season long.

Parentage: Parentage Unknown

H. 'Teltow Blue Pride Cup' M. Entemann (ONIR)

Plant: 20in (50.8cm) diameter; 14in (35.6cm) high; mound-like; moderate growth rate.

Leaf: 6in (15.2cm) long; 6in (15.2cm) wide; 11 vein pairs; dark blue green with flat margins; dull on top; glaucous bloom underneath; nearly round with cordate base; lightly twisted and deeply cupped & corrugated overall.

Scape: 24 to 26in (61 to 66cm) high; blue green with glaucous bloom

Flower: 2in (5.1cm) long; pale lavender with pale purple stripes; bell-shaped; Teltow, Germany; 6/25 - 7/3 - 7/10

Seed: sets non-viable seed

Clump History: original seedling; 6 yrs old; Teltow, Germany

Notable Characteristics: Tight clump of nearly round, very cupped and corrugated leaves.

Parentage: H. 'Heideturm' × OP

H. 'Teltow Dark Fisherman' M. Entemann (ONIR)

Plant: 27in (68.6cm) diameter; 9in (22.9cm) high; mound-like; moderate growth rate.

Leaf: 6.5in (16.5cm) long; 3.5in (8.9cm) wide; 8 vein pairs; medium green with very slightly rippled margins; slightly shiny on top; slightly shiny underneath; elliptical with tapered base; relatively flat overall with a few areas showing slight dimpling.

Scape: 39 to 41in (99.1 to 104.1cm) high; medium to dark green

Flower: 1.5in (3.8cm) long; deep purple; bell-shaped; Teltow, Germany; 7/17 - 7/25 - 8/3

Seed: does not set seed;

Clump History: original seedling; 6 yrs old; Teltow, Germany

Notable Characteristics: Satiny sheen on medium green elliptical leaves with tall erect scapes holding dark purple flowers mid-season.

Parentage: H. 'Heideturm' × OP

H. 'Teltow Gelbes Heidekind' M. Entemann (ONIR)

Plant: 25in (63.5cm) diameter; 8in (20.3cm) high; mound-like; fast growth rate.

Leaf: 6in (15.2cm) long; 2.5in (6.4cm) wide; 6 vein pairs; chartreuse at base, more yellow towards tip with slightly rippled margins; dull on top; slightly shiny underneath; elliptical with tapered base; lightly wavy overall.

Scape: 24 to 26in (61 to 66cm) high; green

Flower: 2in (5.1cm) long; medium lavender with medium purple stripes and clear white throat; tubular; Teltow, Germany; 6/28 - 7/3 - 7/15

Seed: does not set seed

Clump History: original seedling; 6 yrs old; Teltow, Germany

Notable Characteristics: Graceful mound of chartreuse and yellow leaves with tall erect scapes holding numerous purple striped flowers.

Parentage: H. 'Heideturm' × OP

H. 'Teltow Giant Mouse' M. Entemann (ONIR)

Plant: 15in (38.1cm) diameter; 6in (15.2cm) high; mound-like; moderate growth rate.

Leaf: 6in (15.2cm) long; 4in (10.2cm) wide; 8 vein pairs; blue green with flat margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with tapered base; lightly folded overall.

Scape: 24 to 26in (61 to 66cm) high; blue green with glaucous bloom

Flower: 2in (5.1cm) long; pale lavender; tubular; Teltow, Germany; 7/1 - 7/10 - 7/20

Seed: does not set seed

Clump History: original sport; 10 yrs old; Teltow, Germany

Notable Characteristics: Interesting clump of glaucous blue green leaves that bears no resemblance to its parent or grandparent.

Parentage: Sport of *H. 'Blue Mouse Ears'*

H. 'Teltow Ice Cup' M. Entemann (ONIR)
Plant: 28in (71.1cm) diameter; 15in (38.1cm) high; mound-like; fast growth rate.

Leaf: 6in (15.2cm) long; 5in (12.7cm) wide; 9 vein pairs; blue green with flat margins; glaucous bloom on top; glaucous bloom underneath; nearly round with cordate base; lightly wavy, moderately cupped and deeply corrugated overall.

Scape: 25 to 27in (63.5 to 68.6cm) high; green

Flower: 2in (5.1cm) long; near white; bell-shaped; Teltow, Germany; 7/1 - 7/5 - 7/15

Seed: does not set seed

Clump History: original seedling; 6 yrs old; Teltow, Germany

Notable Characteristics: Fast growing clump of cupped and corrugated glaucous blue green leaves with nearly white flowers mid-season.

Parentage: *H. 'Heideturm'* × OP

H. 'Teltow Ice Towers' M. Entemann (ONIR)
Plant: 25in (63.5cm) diameter; 13in (33cm) high; mound-like
Leaf: 8in (20.3cm) long; 4in (10.2cm) wide; 9 vein pairs; blue green with slightly rippled margins; satiny sheen on top; glaucous bloom underneath; elliptical with tapered base; relatively flat overall.

Scape: 24 to 42 in (61 to 106.7cm) high; green

Flower: 2in (5.1cm) long; near white; tubular; Teltow, Germany; 6/25 - 7/3 - 7/10

Seed: does not set seed

Clump History: original seedling; 6 yrs old; Teltow, Germany

Notable Characteristics: Elliptical blue green leaves, many held upward on erect petioles. Very tall flower scapes hold nearly white flowers.

Parentage: *H. 'Heideturm'* × OP

H. 'Teltow Ice Trumpets' M. Entemann (ONIR)
Plant: 25in (63.5cm) diameter; 11in (27.9cm) high; mound-like; fast growth rate.

Leaf: 8in (20.3cm) long; 4in (10.2cm) wide; 9 vein pairs; blue green with slightly rippled margins; satiny sheen on top; glaucous bloom underneath; ovate with cordate base; very lightly folded and of good substance that helps to hold each leaf up and outward.

Scape: 20 to 30in (50.8 to 76.2cm) high; blue green with glaucous bloom

Scape Bracts: occasional very large bracts like small leaves.

Flower: 2in (5.1cm) long; near white; bell-shaped; Teltow, Germany; 7/1 - 7/5 - 7/15

Seed: does not set seed

Clump History: original seedling; 6 yrs old; Teltow, Germany

Notable Characteristics: Blue green leaves of good substance held outward in pleasing form, and large nearly white flowers with occasional large bracts in July.

Parentage: *H. 'Heideturm'* × OP

H. 'Teltow White and Purple Stars' M. Entemann (ONIR)
Plant: 22in (55.9cm) diameter; 12in (30.5cm) high; mound-like; moderate growth rate.

Leaf: 5.5in (14cm) long; 3in (7.6cm) wide; 7 to 9 vein pairs; yellowish green with occasionally wavy margins; dull on top; slightly shiny underneath; ovate with tapered base; lightly wavy and slight dome-like cupping overall.

Scape: 24 to 26in (61 to 66cm) high; green

Flower: 1.5in (3.8cm) long; pale lavender with purple stripes and central white star-like pattern; tubular; Teltow, Germany; 6/28 - 7/5 - 7/10

Seed: does not set seed

Clump History: original seedling; 6 yrs old; Teltow, Germany

Notable Characteristics: Loose clump of ovate leaves host numerous flower scapes with many lavender flowers having purple stripes and white star-shaped centers.

Parentage: *H. 'Heideturm'* × OP

H. 'Teltow White Tower' M. Entemann (ONIR)
Plant: 28in (71.1cm) diameter; 11in (27.9cm) high; mound-like; moderate growth rate.

Leaf: 8in (20.3cm) long; 5in (12.7cm) wide; 10 vein pairs; medium green with lightly wavy margins; slightly shiny on top; dull underneath; ovate with cordate base; very lightly folded and wavy overall with lobes curling inward.

Scape: 40 to 44in (101.6 to 111.8cm) high; green

Flower: 2in (5.1cm) long; near white; tubular; Teltow, Germany; 6/25 - 7/3 - 7/10

Seed: sets non-viable seed; green pods

Clump History: original seedling; 6 yrs old; Teltow, Germany

Notable Characteristics: Open clump of medium green leaves with very tall scapes holding large, nearly white flowers.

Parentage: *H. 'Heideturm'* × OP

H. 'Teltow Yellow Bubble' L. Strauch (O) M. Entemann (NIR)
Plant: 15in (38.1cm) diameter; 6in (15.2cm) high; mound-like; moderate growth rate.

Leaf: 4.5in (11.4cm) long; 2in (5.1cm) wide; 5 vein pairs; yellow with moderately rippled margins; dull on top; dull underneath; ovate with tapered base; lightly folded overall with slight twist at leaf tips.

Scape: 12 to 14in (30.5 to 35.6cm) high; green

Flower: 1.5in (3.8cm) long; medium lavender with pale purple stripes; tubular; Teltow, Germany; 7/20 - 8/1 - 8/15

Seed: does not set seed

Clump History: original seedling; 5 yrs old; Teltow, Germany

Notable Characteristics: This compact clump of leaves emerges a soft yellow. Throughout the growing season some leaves turn light green overall, some leaves turn light green at the base with pale yellow elsewhere, and some leaves remain entirely yellow. Leaf areas that are soft yellow fade to almost white by season's end.

Parentage: Parentage Unknown

Seasonal Color: expresses both lutescent and albescent tendencies (see Notable Characteristics).

H. 'Teltow Yellow Fireworks' M. Entemann (ONIR)
Plant: 30in (76.2cm) diameter; 13in (33cm) high; mound-like; moderate growth rate.

Leaf: 5in (12.7cm) long; 3in (7.6cm) wide; 7 vein pairs; yellow with flat margins; dull on top; dull underneath; broadly ovate with tapered base; relatively flat overall.

Scape: 28 to 30in (71.1 to 76.2cm) high; green

Flower: 1.5in (3.8cm) long; pale lavender; bell-shaped; Teltow, Germany; 7/1 - 7/6 - 7/15

Seed: sets non-viable seed; green pods

Clump History: original seedling; 8 yrs old; Teltow, Germany

Notable Characteristics: Symmetrical mound of yellow leaves that hold their color all season long with tall erect flower scapes in July.

Parentage: Parentage Unknown

H. 'Teltow Yellow Tower' M. Entemann (ONIR)

Plant: 21in (53.3cm) diameter; 10in (25.4cm) high; upright; slow growth rate.

Leaf: 6.5in (16.5cm) long; 4.5in (11.4cm) wide; 11 vein pairs; chartreuse with slightly rippled margins; dull on top; dull underneath; broadly ovate with cordate base; light dome-like cupping and twisting overall.

Scape: 34 to 36in (86.4 to 91.4cm) high; green

Flower: 1.5in (3.8cm) long; near white; tubular; Teltow, Germany; 6/25 - 7/3 - 7/10

Seed: does not set seed

Clump History: original seedling; 6 yrs old; Teltow, Germany

Notable Characteristics: Bright chartreuse leaves held upright with very tall scape with nearly white flowers.

Parentage: *H. 'Heideturm'* × *OP*

H. 'Tiny Twister' T. Avent (ONIR)

Plant: 16.7in (42.4cm) diameter; 9in (22.9cm) high; mound-like; moderate growth rate.

Leaf: 3.2in (8.1cm) long; 1.3in (3.3cm) wide; 5 to 6 vein pairs; dark green with slightly rippled margins; shiny on top; shiny underneath; lance-shaped with tapered base; moderately twisted and wavy overall.

Scape: 10 to 16in (25.4 to 40.6cm) high; dark green

Flower: 1.7in (4.3cm) long; medium lavender; tubular; Raleigh, NC; 6/5 - 6/23 - 7/6

Seed: sets viable seed; green pods

Clump History: original seedling; 11 years old; Raleigh, NC

Notable Characteristics: Vigorous dense mound of wavy, dark green lance shaped leaves.

Parentage: *H. sieboldii* sdlg HC 970697 × *H. sieboldii* sdlg HC 970697

H. 'Tree Frog' R. Hatt (ONIR)

Plant: 20in (50.8cm) diameter; 7in (17.8cm) high; upright; moderate growth rate.

Leaf: 4.5in (11.4cm) long; 3.5in (8.9cm) wide; 6 to 7 vein pairs; chartreuse with very lightly rippled margins; slightly shiny on top; dull underneath; elliptical with tapered base; very lightly corrugated with moderate dome-shaped cupping overall.

Scape: 13 to 15in (33 to 38.1cm) high; deep red

Scape bracts: chartreuse colored bracts have red striping on the back

Flower: 2in (5.1cm) long; medium purple with white throat and dark purple interior stripes; tubular; Merrimac, MA; 8/11 - 8/22 - 9/1

Seed: sets seed, viability unknown; red pods

Clump History: original seedling; 4 years old; Merrimac, MA

Notable Characteristics: Small mound of reverse cupped, slightly shiny chartreuse colored leaves that contrast well with the bright red spotted petioles. Bright red scapes host purple flowers mid-August followed by red seed pods.

Parentage: [Unnamed sdlg × (*H. 'Fashionista'* × *H. 'Tequila Sunrise'*)] × *OP*

H. 'Twice as Mice' T. Avent (ONIR)

Plant: 13in (33cm) diameter; 7in (17.8cm) high; mound-like; slow growth rate.

Leaf: 3.4in (8.6cm) long; 2in (5.1cm) wide; 4 to 5 vein pairs; dark green with .3in (.6 cm) wide, creamy yellow slightly rippled margins; dull on top; dull underneath; elliptical with tapered base; lightly twisted and wavy overall.

Scape: 12 to 26in (30.5 to 66cm) high; green

Flower: 1.5in (3.8cm) long; medium lavender; semi-closed (flowers stay nearly closed); Raleigh, NC; 6/5 - 6/17 - 7/2

Seed: sets viable seed; green pods

Clump History: original seedling; 5 years old; Raleigh, NC

Notable Characteristics: Vigorous growing clump of thick leaves with dramatic creamy margins.

Parentage: unnamed sdlg 05-048 × unnamed sdlg 04-182

H. 'Twists and Turns' D. Dean (ONIR)

Plant: 14in (35.6cm) diameter; 8.5in (21.6cm) high; upright; moderate growth rate.

Leaf: 5.5in (14cm) long; 1.5in (3.8cm) wide; 5 vein pairs; medium green with rippled margins; slightly shiny on top; dull underneath; lance-shaped with tapered base; deeply wavy and intensely twisted overall with curly tips and slightly glaucous backs.

Flower: to date it has not flowered

Clump History: original seedling; 5 years old; Ramsey, MN

Notable Characteristics: Narrow twisted, curled and pointed leaves held upright on dark spotted petioles.

Parentage: *H. 'Night Flight'* × *H. 'Sugar Plum Fairy'*

V

H. 'Vanilla Bean' T. Avent (ONIR)

Plant: 6in (15.2cm) diameter; 2in (5.1cm) high; mound-like; slow growth rate.

Leaf: 3.1in (7.9cm) long; 1.4in (3.6cm) wide; 7 to 8 vein pairs; yellow with .4in (1cm) wide medium & dark green rippled margins; dull on top; slightly shiny underneath; lance-shaped with tapered base; moderately twisted and wavy overall.

Scape: 7 to 12in (17.8 to 30.5cm) high; creamy white

Flower: 2.4in (6.1cm) long; medium purple; tubular; Raleigh, NC; 6/5 - 6/15 - 7/1

Seed: sets viable seed; green pods

Clump History: original seedling; 8 years old; Raleigh, NC

Notable Characteristics: Adorable miniature clump of wavy leaves with yellow centers and both medium and dark green margins.

Parentage: unnamed sdlg 05-195 × unnamed sdlg 05-156

Seasonal Color: albescent centers emerge yellow maturing to white later.

H. 'Viking Sunshine' T. Avent (ONIR)

Plant: 29in (73.7cm) diameter; 8.7in (22.1cm) high; mound-like; fast growth rate.

Leaf: 4in (10.2cm) long; 3.8in (9.7cm) wide; 6 to 7 vein pairs; greenish yellow with very lightly rippled margins; dull on top; shiny underneath; broadly ovate with cordate base; lightly wavy overall.

Scape: 14 to 24in (35.6 to 61cm) high; green

Flower: 1.5in (3.8cm) long; medium lavender with dark lavender stripes; tubular; Raleigh, NC; 6/5 - 6/15 - 6/29

Seed: sets viable seed; green pods

Clump History: original seedling; 8 years old; Raleigh, NC

Notable Characteristics: Small clump of bright chartreuse leaves topped with numerous scapes that are loaded with lavender flowers.

Parentage: unnamed sdlg 07-793 × unnamed sdlg 07-0100

Seasonal Color: emerges chartreuse turning more golden yellow through the season.

W

H. 'Wall to Wall'

F. Nyikos (ONIR)

Plant: 24in (61cm) diameter; 12in (30.5cm) high; rhizomatous; moderate growth rate.

Leaf: 5in (12.7cm) long; 1.8in (4.6cm) wide; 5 to 6 vein pairs; medium green with .1in (.3cm) wide creamy white slightly rippled margins; slightly shiny on top; slightly shiny underneath; lance-shaped with tapered base; lightly folded overall with creamy margin color extending down the petioles

Scape: 18 to 20in (45.7 to 50.8cm) high; green

Flower: 2in (5.1cm) long; medium lavender with distinct dark lavender stripes; tubular; Unionville, IN; 7/31 - 8/10 - 8/22

Seed: sets viable seed; green pods

Clump History: original seedling; 10 years old; Unionville, IN

Notable Characteristics: Easy growing, light to medium green lance shaped leaves with a slightly wavy, narrow creamy white margin.

Parentage: *H. 'Neat Splash'* × *OP*

H. 'Waves of Gold' D. & M. Beilstein (O) D. Myers (NIR)

Plant: 52in (132.1cm) diameter; 30in (76.2cm) high; upright; moderate growth rate.

Leaf: 15.7in (39.9cm) long; 10.7in (27.2cm) wide; 13 to 15 vein pairs; chartreuse with slightly rippled margins; dull on top; dull underneath; ovate with cordate base; lightly wavy overall with some overlapping lobes.

Scape: 24 to 34in (61 to 86.4cm) high; light green

Flower: 2in (5.1cm) long; medium lavender midrib with white margins; tubular; Grand Rapids, MI; 7/1 - 7/15 - 8/1

Seed: sets viable seed; green pods

Clump History: original seedling; 13 yrs old; Grand Rapids, MI

Notable Characteristics: Large, chartreuse turning gold hosta with somewhat wavy leaves.

Parentage: Parentage Unknown

Seasonal Color: Lutescent. Chartreuse in spring turning to gold with green veins later.

H. 'Wicked Blue Wonder'

R. Kuenster (ONIR)

Plant: 32in (81.3cm) diameter; 14in (35.6cm) high; mound-like; moderate growth rate.

Leaf: 7.3in (18.4cm) long; 4.8in (12.1cm) wide; 6 to 8 vein pairs; blue with moderately rippled margins; glaucous bloom on top; glaucous bloom underneath; ovate with cordate base; lightly twisted overall and blue color that lasts all season long.

Scape: 15 to 19in (38.1 to 48.3cm) high; blue

Flower: 2in (5.1cm) long; pale lavender with lavender striping, some double flowers; tubular; Iowa City, IA; 8/1 - 8/20 - 9/5

Clump History: original seedling; 5 years old; Iowa City, IA

Notable Characteristics: This is Rod's bluest hosta; very long flower scapes with some branching.

Parentage: (*H. 'Blue Cascade'* × *H. 'Curly Fries'*) × (*H. 'Bambi'* × *H. 'Sky Dancer'*)

H. 'Wicked Stepsister'

R. Kuenster (ONIR)

Plant: 39in (99.1cm) diameter; 18.5in (47cm) high; mound-like; moderate growth rate.

Leaf: 10.5in (26.7cm) long; 6.5in (16.5cm) wide; 11 to 13 vein pairs; green with white & cream streaks and flat margins; very shiny on top; slightly shiny underneath; ovate with tapered base; very light cupping and corrugation overall.

Scape: 39 to 42in (99.1 to 106.7cm) high; green

Flower: 1.8in (4.4cm) long; pale lavender with lavender striping; tubular; Iowa City, IA; 6/20 - 7/1 - 7/15

Seed: sets viable seed; green pods

Clump History: original seedling; 6 years old; Iowa City, IA

Notable Characteristics: Bright white streaking varies from leaf to leaf.

Parentage: *H. 'Wicked Treasure'* × *H. 'April Clown'*

H. 'Wicked Trophy'

R. Kuenster (ONIR)

Plant: 48in (121.9cm) diameter; 19.5in (49.5cm) high; mound-like; moderate growth rate.

Leaf: 10.5in (26.7cm) long; 8in (20.3cm) wide; 14 to 16 vein pairs; blue streaked with shades of yellow and moderately rippled margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; lightly folded with dome-like cupping and moderately corrugated overall.

Scape: 24 to 28in (61 to 71.1cm) high; blue green with vertical streaks

Flower: 1.8in (4.4cm) long; near white; tubular; Iowa City, IA; 6/20 - 7/5 - 7/24

Seed: sets seed, viability not reported; blue green pods with some streaking

Clump History: original seedling; 7 years old; Iowa City, IA

Notable Characteristics: Very fertile and attractive leaf form.

Parentage: *H. 'Cosmic Trophy'* × *H. 'Cosmic Sweet Pea'*

H. 'Winnebago Haho'

P. Dale (O), G. Herold (N)

Midwest Regional Hosta Society (I), B. Ankney (R)

Plant: 21in (53.3cm) diameter; 9in (22.9cm) high; mound-like; fast growth rate.

Leaf: 6in (15.2cm) long; 3.5in (8.9cm) wide; 6 to 8 vein pairs; yellow green with moderately wavy margins; satiny sheen on top; slightly shiny underneath; ovate with rounded base; very lightly folded with arching leaves and twisted tips.

Scape: 13 to 18in (33 to 45.7cm) high; burgundy

Flower: 1.5 in (3.8cm) long; pale lavender with a white throat that contrasts well against a darker lavender central splash; tubular; Oakbrook Terrace, IL; 9/8 - 9/15 - 9/20

Clump History: original seedling; 6 years old; Oakbrook Terrace, IL

Notable Characteristics: Nice satiny sheen on yellow green leaves, complimented by burgundy dotted petioles and moderately wavy leaf margins.

Parentage: (*H. 'Miss Suzy'* × *H. 'Stingray'*) × (*H. 'Miss Suzy'* × *H. 'Stingray'*)

Seasonal Color: viridescent

H. 'Wizard of Oz'

R. Hatt (ONIR)

Plant: 16in (40.6cm) diameter; 4in (10.2cm) high; mound-like; moderate growth rate.

Leaf: 4in (10.2cm) long; 2in (5.1cm) wide; 5 vein pairs; multiple shades of green, yellow & white streaked leaves with slightly rippled margins; satiny sheen on top; slightly shiny underneath; ovate with cordate base; some leaves are lightly twisted and folded while others are relatively flat.

Scape: 11 to 13in (27.9 to 33cm) high; dark green
Scape Bracts: cream-colored bracts with medium green stripes
Flower: 2.5in (6.4cm) long; purple with deep purple stripes and white edges at the throat; tubular; Merrimac, MA; 8/7 - 8/12 - 8/17
Seed: does not set seed;
Clump History: original seedling; 3 years old; Merrimac, MA
Notable Characteristics: Attractive small mound of bright and shiny, very thick and pointed leaves with multi-colored streaks of green, yellow and white. Colors often continue down the petioles. As the season progresses, the green becomes bolder while the yellow tends to turn pure white. Deep purple flowers in August intensify the contrasting colors.

Parentage: (streaked sport of *H. 'Whirlwind'* × *H. 'Flemish Design'*) × OP

Seasonal Color: yellow streaks lighten to white, and green streaks become darker green.

H. 'Woop de Doo' M. Singkofer (ONIR)
Plant: 36in (91.4cm) diameter; 18in (45.7cm) high; mound-like; fast growth rate.

Leaf: 8.5in (21.6cm) long; 7.3in (18.4cm) wide; 10 to 11 vein pairs; light green with 1.3 to 1.5in (3.2 to 3.8cm) wide dark green slightly rippled margins; slightly shiny on top; glaucous bloom underneath; broadly ovate with cordate base; lightly corrugated and moderately cupped overall.

Scape: 18 to 26in (45.7 to 66cm) high; green

Flower: 1.5in (3.8cm) long; near white with pale lavender striping; tubular; Mosinee, WI; 8/1 - 8/7 - 8/15

Seed: sets seed, viability unknown; green pods

Clump History: original sport; 8 years old; Mosinee, WI

Notable Characteristics: Fast growing clump of light green leaves with dark green margins.

Parentage: Sport of *H. 'Woop Woop'*

Seasonal Color: Viridescent; light green centers slowly turn green by August.

H. 'World Connexion' G. & R. Ragus (ONIR)

Plant: 19.7in (50cm) diameter; 12.6in (32cm) high; upright; moderate growth rate.

Leaf: 8.1in (20.5cm) long; 5in (12.8cm) wide; 8 to 10 vein pairs; medium green with very slightly wavy margins; moderately shiny on top; glaucous bloom underneath; broadly ovate with cordate base; light corrugation overall with unique plastic appearance and sparse red spots on the petioles.

Scape: 19.7 to 20.5in (50 to 52cm) high; saturated dark red

Flower: 1.9in (4.8cm) long; pale lavender center splash with white central star and translucent margins; tubular;

Ganderkesee, Germany; 8/8 - 8/18 - 8/24

Seed: sets viable seed; green pods

Clump History: original sdlg; 7 yrs old; Ganderkesee, Germany

Notable Characteristics: Glossy green leaves have a plastic appearance with white backs and very dark red flower scapes.

Parentage: *H. 'Urajiro Hachijo'* × *H. 'Praying Hands'*

H. 'Wu Gourd' J. Morrow (ONIR)

Plant: 54in (137.2cm) diameter; 34in (86.4cm) high; mound-like; moderate growth rate.

Leaf: 19in (48.3cm) long; 16in (40.6cm) wide; 17 to 19 vein pairs; medium blue green with flat margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; lightly wavy and corrugated with both light concave and convex cupping.

Scape: 18 to 20in (45.7 to 50.8cm) high; blue green

Flower: 2in (5.1cm) long; near white; tubular; Warrenville, IL; 6/1 - 6/20 - 7/8

Seed: sets viable seed; blue green pods

Clump History: original seedling; 6 years old; Warrenville, IL

Notable Characteristics: Huge leaves are impressive. Mound size equally as large as 'Empress Wu' with the blue green color and white backs of 'Abiqua Drinking Gourd'. Relatively short scapes keep most of the near white flowers hidden within the leaves.

Parentage: *H. 'Empress Wu'* × *H. 'Abiqua Drinking Gourd'*

Y

H. 'Yorkshire Life'

S. Proctor (ONIR)

Plant: 24in (61cm) diameter; 10in (25.4cm) high; mound-like

Leaf: 5.5in (14cm) long; 3in (7.6cm) wide; 3 to 5 vein pairs; medium green with 0 to 1in (0 to 2.5cm) wide yellow, flat margins; dull on top; dull underneath; ovate with tapered base; lightly wavy overall.

Scape: 18 to 24in (45.7 to 61cm) high; appears pink (light greenish yellow with red speckles)

Flower: 1.5in (3.8cm) long; medium lavender with purple stripes that fade towards the petal tips; tubular; Huddersfield, West Yorkshire, UK; 6/1 - 6/21 - 7/15

Seed: sets viable seed; blackish green pods

Clump History: original seedling; 8 years old; Huddersfield, West Yorkshire, UK

Notable Characteristics: Margins are fugitive (fleeting) and variable; some leaves have no margin. This margin variability has proved stable over the last five years. Some leaves show grey green streaking. Sun tolerant (6 to 7 hrs) in mid-summer.

Parentage: *H. 'Rosedale Blend Master'* × OP

Z

H. 'Zi Xing'

Donghuan Liu, Fan Zhu, Jun Chen, Wenbin Shi, Chao Wang (ONIR)

Plant: 29.1in (74cm) diameter; 11.8in (30cm) high; mound-like; fast growth rate.

Leaf: 7.5in (19cm) long; 4.3in (11cm) wide; 6 to 7 vein pairs; strong yellow green (144A RHS Chart) with slightly rippled margins; slightly shiny on top; dull underneath; broadly ovate with cordate base; lightly twisted overall.

Scape: 14.6 to 21.7in (37 to 55cm) high; strong yellow green (144B RHS Chart)

Scape bracts: .6in (1.5cm) long; .2in (.6cm) wide; yellow green (144A RHS Chart)

Flower: 2in (5cm) long; deep purple with translucent margins; bell-shaped; Beijing, China; 8/10 - 8/20 - 8/29

Seed: does not set seed

Clump History: original seedling; 8 years old; Beijing, China

Notable Characteristics: Plump mound of shiny leaves with numerous flowers of very deep purple.

Parentage: *H. 'Korean Snow'* × OP

Registration Worksheet



(Cultivar Name)

(Alternate Name)

General Information

Registrant's
Name: _____

Address: _____

Street Address

Apartment/Unit #

City

State

ZIP Code

Phone: _____

Email _____

Introducer: _____

Originator: _____

Nominant (Namer): _____

Is the cultivar a Sport? YES NO If yes, enter Sport Parent's Name _____

Is the cultivar a Seedling? YES NO If yes, enter parentage below.

Pod Parent: _____

Pollen Parent: _____

The clump described is _____ years old

The clump described is (circle all that apply): ---Original Seedling---Original Sport---Tissue Cultured---Unknown History

The clump was obtained from (circle one): ---Yourself---A Nursery---the Originator---Other Source (explain below):

The clump is growing in (city/state/country): _____

What characteristics make this cultivar unique from other hostas? _____

All measurements entered herein are in (circle one):

INCHES

CENTIMETERS

Plant Patent or Breeders' Rights

Is there a US Plant Patent, or Breeders' Rights applied for? YES NO

Plant Details

Plant Width: _____

Plant Height: _____

Plant Habit (circle one): Upright

Mound

Rhizomatous

Growth Rate (circle one): Slow

Moderate

Fast

Leaf Details

Center (or Single) Color Description: _____

Margin Color Description: _____

Leaf Width: _____ Leaf Length: _____ Margin Width: _____ Vein Pairs (range): _____

Seasonal Color Change that is out of the norm: _____

Are the leaf edges? Flat Slightly Rippled Heavily Rippled Serrated Something Else: _____

Is the top surface? Dull Slightly Shiny Very Shiny Glaucous Something Else: _____

Is the bottom surface? Dull Slightly Shiny Very Shiny Glaucous Something Else: _____

Use one of the bold letters below to describe any applicable leaf characteristics that follow (*select as many as needed*).

Lightly **M**oderately **D**eeply **I**ntensely (*if no designations appear - leaves will be recorded as relatively flat overall*)

Cupped _____ Twisted _____ Folded _____ Wavy _____ Corrugated _____

Misc Characteristics (describe) _____

Leaf Shape (select one):  Lance  Elliptic  Ovate  Broadly Ovate  Nearly Round

Leaf Base (select one):  Tapered  Flat  Heart-shaped [cordate]  Rounded

Flower, Scape and Pod Details

Flower Color (select one): White Near White Pale Lavender Medium Lavender Pale Purple

Deep Purple Other (please describe) _____

Scape Height: _____ to _____ Scape Color: _____ Flower Length: _____ Fragrant? _____

Unique Bracts? (*describe - if present*) _____

Bloom Start (month/day) _____ Bloom Peak (month/day) _____ Bloom Finish (month/day) _____

Flower Shape (select one):  Tubular  Bell  Spider  Closed  Double

Other (*describe*) _____

Flower Color/Patterns (*striping, translucent margins, etc. Please describe*): _____

Does it set seed? _____ If yes, is it viable? _____ Seed Pod Color? _____

